

Francesco Nobili

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2664735/publications.pdf>

Version: 2024-02-01

76
papers

2,652
citations

147801

31
h-index

197818

49
g-index

79
all docs

79
docs citations

79
times ranked

3195
citing authors

#	ARTICLE	IF	CITATIONS
1	Activation of bimetallic PtFe nanoparticles with zeolite-type cesium salts of vanadium-substituted polyoxometallates toward electroreduction of oxygen at low Pt loadings for fuel cells. <i>Journal of Solid State Electrochemistry</i> , 2022, 26, 3-16.	2.5	4
2	Improvement of structural and electrochemical properties of NMC layered cathode material by combined doping and coating. <i>Electrochimica Acta</i> , 2022, 404, 139577.	5.2	9
3	Role of the voltage window on the capacity retention of P2-Na _{2/3} [Fe _{1/2} Mn _{1/2}]O ₂ cathode material for rechargeable sodium-ion batteries. <i>Communications Chemistry</i> , 2022, 5, .	4.5	12
4	Foreword to the memorial issue for Professor Roberto Marassi. <i>Journal of Solid State Electrochemistry</i> , 2022, 26, 1-2.	2.5	2
5	Operando Analysis of Losses in Commercial-Sized Solid Oxide Cells: Methodology Development and Validation. <i>Energies</i> , 2022, 15, 4978.	3.1	3
6	Simple Synthesis of Fe ₃ O ₄ @-Activated Carbon from Wastepaper for Dispersive Magnetic Solid-Phase Extraction of Non-Steroidal Anti-Inflammatory Drugs and Their UHPLC-MS/MS Determination in Human Plasma. <i>Fibers</i> , 2022, 10, 58.	4.0	5
7	Structural and Interfacial Characterization of a Sustainable Si/Hard Carbon Composite Anode for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 33257-33273.	8.0	15
8	An extensive model for renewable energy electrochemical storage with Solid Oxide Cells based on a comprehensive analysis of impedance deconvolution. <i>Journal of Energy Storage</i> , 2021, 33, 102052.	8.1	13
9	Early-Stage Detection of Solid Oxide Cells Anode Degradation by Operando Impedance Analysis. <i>Processes</i> , 2021, 9, 848.	2.8	11
10	Fe ₃ O ₄ /Graphene Composite Anode Material for Fast-Charging Li-Ion Batteries. <i>Molecules</i> , 2021, 26, 4316.	3.8	11
11	Fast File Transfers from IoT Devices by Using Multiple Interfaces. <i>Sensors</i> , 2021, 21, 36.	3.8	5
12	Sustainable Anodes for Lithium- and Sodium-Ion Batteries Based on Coffee Ground-Derived Hard Carbon and Green Binders. <i>Energies</i> , 2020, 13, 6216.	3.1	27
13	Does Alumina Coating Alter the Solid Permeable Interphase Dynamics in LiMn ₂ O ₄ Cathodes?. <i>Journal of Physical Chemistry C</i> , 2020, 124, 26670-26677.	3.1	15
14	Electrochemical Response and Structural Stability of the Li ⁺ Ion Battery Cathode with Coated LiMn ₂ O ₄ Nanoparticles. <i>ACS Applied Energy Materials</i> , 2020, 3, 8356-8365.	5.1	18
15	Unraveling the role of Ti in the stability of positive layered oxide electrodes for rechargeable Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 14169-14179.	10.3	55
16	Tin-Decorated Reduced Graphene Oxide and NaLi _{0.2} Ni _{0.25} Mn _{0.75} O ₂ as Electrode Materials for Sodium-Ion Batteries. <i>Materials</i> , 2019, 12, 1074.	2.9	10
17	Synthesis and Characterization of Vanillin-templated Fe ₂ O ₃ Nanoparticles as a Sustainable Anode Material for Li-Ion Batteries. <i>ChemElectroChem</i> , 2019, 6, 1915-1920.	3.4	12
18	V ₂ O ₅ Cryogel: A Versatile Electrode for All Solid State Lithium Batteries. <i>Journal of the Electrochemical Society</i> , 2019, 166, A3927-A3931.	2.9	2

#	ARTICLE	IF	CITATIONS
19	Binder-induced surface structure evolution effects on Li-ion battery performance. Applied Surface Science, 2018, 435, 1029-1036.	6.1	28
20	Synthesis and characterization of Si nanoparticles wrapped by V ₂ O ₅ nanosheets as a composite anode material for lithium-ion batteries. Electrochimica Acta, 2018, 281, 676-683.	5.2	16
21	Is the Solid Electrolyte Interphase an Extra-Charge Reservoir in Li-Ion Batteries?. ACS Applied Materials & Interfaces, 2017, 9, 4570-4576.	8.0	74
22	Development of Non-Fluorinated Cathodes Based on Li ₃ V _{1.95} Ni _{0.05} (PO ₄) ₃ /C with Prolonged Cycle Life: A Comparison among Na-Alginate, Na-Carboxymethyl Cellulose and Poly(acrylic acid) Binders. Journal of the Electrochemical Society, 2017, 164, A672-A683.	2.9	9
23	An innovative membrane-electrode assembly for efficient and durable polymer electrolyte membrane fuel cell operations. International Journal of Hydrogen Energy, 2017, 42, 16686-16694.	7.1	14
24	Graphene/V ₂ O ₅ Cryogel Composite As a High-Energy Cathode Material For Lithium-Ion Batteries. ChemElectroChem, 2017, 4, 613-619.	3.4	17
25	Anatase TiO ₂ as a Cheap and Sustainable Buffering Filler for Silicon Nanoparticles in Lithium-Ion Battery Anodes. ChemSusChem, 2017, 10, 4771-4777.	6.8	14
26	Preparation and Electrochemical Characterization of High-Stability MnO Anodes for Li-Ion Batteries. Electrochimica Acta, 2017, 247, 392-399.	5.2	8
27	SEI Dynamics in Metal Oxide Conversion Electrodes of Li-Ion Batteries. Journal of Physical Chemistry C, 2017, 121, 26379-26388.	3.1	45
28	Electrochemical and spectroscopic characterization of an alumina-coated LiMn ₂ O ₄ cathode with enhanced interfacial stability. Electrochimica Acta, 2017, 258, 175-181.	5.2	22
29	Influence of Using Metallic Na on the Interfacial and Transport Properties of Na-Ion Batteries. Batteries, 2017, 3, 16.	4.5	17
30	Direct observation of electronic conductivity transitions and solid electrolyte interphase stability of Na ₂ Ti ₃ O ₇ electrodes for Na-ion batteries. Journal of Power Sources, 2016, 330, 78-83.	7.8	42
31	High cycling stability of anodes for lithium-ion batteries based on Fe ₃ O ₄ nanoparticles and poly(acrylic acid) binder. Journal of Power Sources, 2016, 332, 79-87.	7.8	33
32	Low platinum loading cathode modified with Cs ₃ H ₂ PMo ₁₀ V ₂ O ₄₀ for polymer electrolyte membrane fuel cells. Journal of Power Sources, 2016, 327, 11-20.	7.8	9
33	Fe local structure in Pt-free nitrogen-modified carbon based electrocatalysts: XAFS study. Journal of Physics: Conference Series, 2016, 712, 012131.	0.4	2
34	Rotating disk electrode study of Pt/Cs ₃ H ₂ PMo ₁₁ V ₄₀ composite catalysts for performing and durable PEM fuel cells. International Journal of Hydrogen Energy, 2016, 41, 11163-11173.	7.1	14
35	Local Structure and Stability of SEI in Graphite and ZFO Electrodes Probed by As K-Edge Absorption Spectroscopy. Journal of Physical Chemistry C, 2016, 120, 4287-4295.	3.1	20
36	A high-voltage lithium-ion battery prepared using a Sn-decorated reduced graphene oxide anode and a LiNi _{0.5} Mn _{1.5} O ₄ cathode. Ionics, 2016, 22, 515-528.	2.4	7

#	ARTICLE	IF	CITATIONS
37	SEI Growth and Depth Profiling on ZFO Electrodes by Soft X-Ray Absorption Spectroscopy. <i>Advanced Energy Materials</i> , 2015, 5, 1500642.	19.5	34
38	V ₂ O ₅ electrodes with extended cycling ability and improved rate performance using polyacrylic acid as binder. <i>Journal of Power Sources</i> , 2015, 293, 1068-1072.	7.8	9
39	A lithium-ion battery based on LiFePO ₄ and silicon/reduced graphene oxide nanocomposite. <i>Solid State Ionics</i> , 2015, 283, 145-151.	2.7	9
40	V ₂ O ₅ Aerogel as a Versatile Cathode Material for Lithium and Sodium Batteries. <i>ChemElectroChem</i> , 2015, 2, 529-537.	3.4	74
41	Synthesis and electrochemical characterization of high rate capability Li ₃ V ₂ (PO ₄) ₃ /C prepared by using poly(acrylic acid) and d-(+)-glucose as carbon sources. <i>Journal of Power Sources</i> , 2015, 275, 792-798.	7.8	27
42	Synthesis and characterization of Zn-doped LiFePO ₄ cathode materials for Li-ion battery. <i>Materials Chemistry and Physics</i> , 2015, 155, 191-204.	4.0	14
43	Scaling up "Nano" Li ₄ Ti ₅ O ₁₂ for High-Power Lithium-Ion Anodes Using Large Scale Flame Spray Pyrolysis. <i>Journal of the Electrochemical Society</i> , 2015, 162, A2331-A2338.	2.9	32
44	Enhanced stability of SnSb/graphene anode through alternative binder and electrolyte additive for lithium ion batteries application. <i>Journal of Power Sources</i> , 2015, 294, 248-253.	7.8	38
45	Nanostructured tin-carbon/ LiNi _{0.5} Mn _{1.5} O ₄ lithium-ion battery operating at low temperature. <i>Journal of Power Sources</i> , 2015, 275, 227-233.	7.8	42
46	Graphene/silicon nanocomposite anode with enhanced electrochemical stability for lithium-ion battery applications. <i>Journal of Power Sources</i> , 2014, 269, 873-882.	7.8	106
47	High-stability graphene nano sheets/SnO ₂ composite anode for lithium ion batteries. <i>Electrochimica Acta</i> , 2014, 137, 228-234.	5.2	51
48	Microwave-assisted synthesis of carbon (Super-P) supported copper nanoparticles as conductive agent for Li ₄ Ti ₅ O ₁₂ anodes for Lithium-ion batteries. <i>Electrochimica Acta</i> , 2013, 89, 555-560.	5.2	22
49	Structural and Electrochemical Characterization of Vanadium-Doped LiFePO ₄ Cathodes for Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2013, 160, A940-A949.	2.9	20
50	A newly designed Cu/Super-P composite for the improvement of low-temperature performances of graphite anodes for lithium-ion batteries. <i>Journal of Power Sources</i> , 2013, 222, 66-71.	7.8	32
51	High-performance Sn@carbon nanocomposite anode for lithium batteries. <i>Journal of Power Sources</i> , 2013, 226, 241-248.	7.8	83
52	Improved low-temperature electrochemical performance of Li ₄ Ti ₅ O ₁₂ composite anodes for Li-ion batteries. <i>Electrochimica Acta</i> , 2013, 109, 207-213.	5.2	36
53	High-performance Sn@carbon nanocomposite anode for lithium-ion batteries: Lithium storage processes characterization and low-temperature behavior. <i>Electrochimica Acta</i> , 2013, 107, 85-92.	5.2	49
54	Energy Dispersive X-Ray Diffraction Applied to Laboratory Investigation on Proton Exchange Membrane Water Content in Working Fuel Cells. <i>Fuel Cells</i> , 2012, 12, 800-808.	2.4	2

#	ARTICLE	IF	CITATIONS
55	Study of the electrochemical behavior at low temperatures of green anodes for Lithium ion batteries prepared with anatase TiO ₂ and water soluble sodium carboxymethyl cellulose binder. <i>Electrochimica Acta</i> , 2012, 85, 566-571.	5.2	37
56	Sol-gel synthesis and electrochemical characterization of Mg-/Zr-doped LiCoO ₂ cathodes for Li-ion batteries. <i>Journal of Power Sources</i> , 2012, 197, 276-284.	7.8	70
57	Tin-coated graphite electrodes as composite anodes for Li-ion batteries. Effects of tin coatings thickness toward intercalation behavior. <i>Journal of Power Sources</i> , 2012, 198, 243-250.	7.8	28
58	Structural study of LiFePO ₄ /LiNiPO ₄ solid solutions. <i>Journal of Power Sources</i> , 2012, 213, 287-295.	7.8	17
59	High performance, environmentally friendly and low cost anodes for lithium-ion battery based on TiO ₂ anatase and water soluble binder carboxymethyl cellulose. <i>Journal of Power Sources</i> , 2011, 196, 9665-9671.	7.8	95
60	Low-temperature behavior of graphite-tin composite anodes for Li-ion batteries. <i>Journal of Power Sources</i> , 2010, 195, 7090-7097.	7.8	102
61	Time/Space-Resolved Studies of the Nafion Membrane Hydration Profile in a Running Fuel Cell. <i>Advanced Materials</i> , 2009, 21, 578-583.	21.0	29
62	Interfacial Properties of Copper-coated Graphite Electrodes: Coating Thickness Dependence. <i>Fuel Cells</i> , 2009, 9, 264-268.	2.4	21
63	Lithium intercalation and interfacial kinetics of composite anodes formed by oxidized graphite and copper. <i>Journal of Power Sources</i> , 2009, 190, 141-148.	7.8	74
64	Electrochemical investigation of polarization phenomena and intercalation kinetics of oxidized graphite electrodes coated with evaporated metal layers. <i>Journal of Power Sources</i> , 2008, 180, 845-851.	7.8	46
65	Correlation of Ac-Impedance and In Situ X-ray Spectra of LiCoO ₂ . <i>Journal of Physical Chemistry B</i> , 2006, 110, 11310-11313.	2.6	46
66	An ac impedance spectroscopic study of Mg-doped LiCoO ₂ at different temperatures: electronic and ionic transport properties. <i>Electrochimica Acta</i> , 2005, 50, 2307-2313.	5.2	71
67	Electrochemical characterisation of electrodes modified with a Co/Al hydrotalcite-like compound. <i>Electrochimica Acta</i> , 2005, 50, 3305-3311.	5.2	39
68	Metal-oxidized graphite composite electrodes for lithium-ion batteries. <i>Electrochimica Acta</i> , 2005, 51, 536-544.	5.2	54
69	Counteraction intercalation and kinetics of charge transport during redox reactions of nickel hexacyanoferrate. <i>Electrochimica Acta</i> , 2004, 49, 4253-4258.	5.2	44
70	Electrochemical behavior of superdense LiC ₂ ™ prepared by ball-milling. <i>Electrochimica Acta</i> , 2003, 48, 1419-1424.	5.2	14
71	AC impedance study of a synthetic hydrotalcite-like compound modified electrode in aqueous solution. <i>Electrochimica Acta</i> , 2003, 48, 1347-1355.	5.2	30
72	An AC Impedance Spectroscopic Study of Li _x CoO ₂ at Different Temperatures. <i>Journal of Physical Chemistry B</i> , 2002, 106, 3909-3915.	2.6	86

#	ARTICLE	IF	CITATIONS
73	Electronic and Electrochemical Properties of $\text{Li}_x\text{Ni}_{1-y}\text{Co}_y\text{O}_2$ Cathodes Studied by Impedance Spectroscopy. <i>Chemistry of Materials</i> , 2001, 13, 1642-1646.	6.7	167
74	An electrochemical ac impedance study of $\text{Li}_x\text{Ni}_{0.75}\text{Co}_{0.25}\text{O}_2$ intercalation electrode. <i>Journal of Power Sources</i> , 2001, 94, 238-241.	7.8	58
75	An electrochemical impedance spectroscopic study of the transport properties of $\text{LiNi}_{0.75}\text{Co}_{0.25}\text{O}_2$. <i>Electrochemistry Communications</i> , 1999, 1, 605-608.	4.7	113
76	Cerium(III) Chloride, a Novel Reagent for Nonaqueous Selective Conversion of Dioxolanes to Carbonyl Compounds. <i>Journal of Organic Chemistry</i> , 1997, 62, 4183-4184.	3.2	111