

Lining Sun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/266520/lining-sun-publications-by-citations.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131 papers	956 citations	17 h-index	25 g-index
196 ext. papers	1,342 ext. citations	4 avg, IF	4.51 L-index

#	Paper	IF	Citations
131	An improved Canny edge detection algorithm 2014 ,		84
130	Control of a Quadruped Robot with Bionic Springy Legs in Trotting Gait. <i>Journal of Bionic Engineering</i> , 2014 , 11, 188-198	2.7	60
129	Design and Fabrication of a Four-Arm-Structure MEMS Gripper. <i>IEEE Transactions on Industrial Electronics</i> , 2009 , 56, 996-1004	8.9	51
128	Broad modulus range nanomechanical mapping by magnetic-drive soft probes. <i>Nature Communications</i> , 2017 , 8, 1944	17.4	31
127	Autonomous Biohybrid Urchin-Like Microperforator for Intracellular Payload Delivery. <i>Small</i> , 2020 , 16, e1906701	11	27
126	CPG Control for Biped Hopping Robot in Unpredictable Environment. <i>Journal of Bionic Engineering</i> , 2012 , 9, 29-38	2.7	27
125	Cooperative recyclable magnetic microsubmarines for oil and microplastics removal from water. <i>Applied Materials Today</i> , 2020 , 20, 100682	6.6	26
124	A vacuum microgripping tool with integrated vibration releasing capability. <i>Review of Scientific Instruments</i> , 2014 , 85, 085002	1.7	26
123	Ferrofluid Droplets as Liquid Microrobots with Multiple Deformabilities. <i>Advanced Functional Materials</i> , 2020 , 30, 2000138	15.6	24
122	Programmable Generation and Motion Control of a Snakelike Magnetic Microrobot Swarm. <i>IEEE/ASME Transactions on Mechatronics</i> , 2019 , 24, 902-912	5.5	23
121	Experimental Study on the Creation of Nanodots with Combined-Dynamic Mode Dip-Pen Nanolithography. <i>Integrated Ferroelectrics</i> , 2014 , 151, 7-13	0.8	23
120	Wavelet-Based Focus Measure and 3-D Surface Reconstruction Method for Microscopy Images 2006 ,		23
119	High-Speed AFM Imaging of Nanopositioning Stages Using H _∞ and Iterative Learning Control. <i>IEEE Transactions on Industrial Electronics</i> , 2020 , 67, 2430-2439	8.9	23
118	Development of Three-Dimensional Atomic Force Microscope for Sidewall Structures Imaging With Controllable Scanning Density. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015 , 1-1	5.5	22
117	Bio-inspired controller for a robot cheetah with a neural mechanism controlling leg muscles. <i>Journal of Bionic Engineering</i> , 2012 , 9, 282-293	2.7	19
116	Automated Noncontact Micromanipulation Using Magnetic Swimming Microrobots. <i>IEEE Nanotechnology Magazine</i> , 2018 , 17, 666-669	2.6	18
115	Design, analysis and experimental performance of a bionic piezoelectric rotary actuator. <i>Journal of Bionic Engineering</i> , 2017 , 14, 348-355	2.7	17

114	Multiparametric Kelvin Probe Force Microscopy for the Simultaneous Mapping of Surface Potential and Nanomechanical Properties. <i>Langmuir</i> , 2017 , 33, 2725-2733	4	15
113	An in-pipe micro robot actuated by piezoelectric bimorphs. <i>Science Bulletin</i> , 2009 , 54, 2134-2142	10.6	15
112	A New Wavelet Based Multi-focus Image Fusion Scheme and Its Application on Optical Microscopy 2006 ,		15
111	Dropwise condensation on a hydrophobic probe-tip for manipulating micro-objects. <i>Applied Physics Letters</i> , 2015 , 106, 084105	3.4	14
110	A novel ultrasonic micro-dissection technique for biomedicine. <i>Ultrasonics</i> , 2006 , 44 Suppl 1, e255-60	3.5	14
109	A Novel Position Compensation Scheme for Cable-Pulley Mechanisms Used in Laparoscopic Surgical Robots. <i>Sensors</i> , 2017 , 17,	3.8	13
108	Design of a control system for a macro-micro dual-drive high acceleration high precision positioning stage for IC packaging. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 1858-1865		13
107	Dynamic Load Effect on Tracked Robot Obstacle Performance 2007 ,		13
106	Swarming Microdroplets to a Dexterous Micromanipulator. <i>Advanced Functional Materials</i> , 2021 , 31, 2011193	15.6	13
105	Atomic force microscope caliper for critical dimension measurements of micro and nanostructures through sidewall scanning. <i>Ultramicroscopy</i> , 2015 , 158, 8-16	3.1	12
104	Design, analysis and experimental performance of a piezoelectric rotary actuator based on compliant foot driving. <i>Microsystem Technologies</i> , 2017 , 23, 3765-3773	1.7	11
103	Singularity Analysis for the Existing Closed-Form Solutions of the Hand-Eye Calibration. <i>IEEE Access</i> , 2018 , 6, 75407-75421	3.5	10
102	A Friction-Inertial-Based Rotary Motor: Design, Modelling and Experiments. <i>Materials</i> , 2018 , 11,	3.5	9
101	Atomic force microscopy deep trench and sidewall imaging with an optical fiber probe. <i>Review of Scientific Instruments</i> , 2014 , 85, 123704	1.7	9
100	A Flexible Experimental System for Complex Microassembly under Microscale Force and Vision-Based Control. <i>International Journal of Optomechatronics</i> , 2007 , 1, 81-102	3.5	9
99	Analysis and Measurement of Adhesive Behavior for Gecko-Inspired Synthetic Microwedge Structure. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900283	4.6	8
98	Mechanism Design and Optimization of a Haptic Master Manipulator for Laparoscopic Surgical Robots. <i>IEEE Access</i> , 2019 , 7, 147808-147824	3.5	8
97	Velocity Control of a Bounding Quadruped via Energy Control and Vestibular Reflexes. <i>Journal of Bionic Engineering</i> , 2014 , 11, 556-571	2.7	8

96	sEMG Based Control for 5 DOF Upper Limb Rehabilitation Robot System 2006 ,		8
95	A Strong Tracking Mixed-Degree Cubature Kalman Filter Method and Its Application in a Quadraped Robot. <i>Sensors</i> , 2020 , 20,	3.8	7
94	A 3D stick-slip nanopositioner for nanomanipulation 2011 ,		7
93	Development of a novel long range piezoelectric motor based on double rectangular trajectories driving. <i>Microsystem Technologies</i> , 2018 , 24, 1733-1742	1.7	6
92	Design and analysis of a piezostack driven jetting dispenser for high viscosity adhesives 2014 ,		6
91	A 6-DOF parallel bone-grinding robot for cervical disc replacement surgery. <i>Medical and Biological Engineering and Computing</i> , 2017 , 55, 2107-2121	3.1	5
90	A novel control strategy for quadraped robot walking over irregular terrain 2011 ,		5
89	An Integrated Parallel Micromanipulator with Flexure Hinges for Optical Fiber Alignment 2007 ,		5
88	A Novel Approach to Deriving the Unit-Homogeneous Jacobian Matrices of Mechanisms 2007 ,		5
87	Magnetic Actuated Shape-memory Helical Microswimmers with Programmable Recovery Behaviors. <i>Journal of Bionic Engineering</i> , 2021 , 18, 799-811	2.7	5
86	Real-Time Curvature Detection of a Flexible Needle with a Bevel Tip. <i>Sensors</i> , 2018 , 18,	3.8	4
85	Dynamic Separation of a Sphere from a Flat or Sphere in the Presence of a Liquid Meniscus. <i>Tribology Transactions</i> , 2011 , 54, 542-547	1.8	4
84	The Stability Analysis for Quadraped Bionic Robot 2006 ,		4
83	Kinematics analysis for obstacle-climbing performance of a rescue robot 2007 ,		4
82	A New Pose Measuring and Kinematics Calibrating Method for Manipulators. <i>Proceedings - IEEE International Conference on Robotics and Automation</i> , 2007 ,		4
81	Design Research of a Novel High Speed Nanometer Positioning System on Macro/Micro Driven for MEMS 2006 ,		4
80	A Vision-Based Two-Stage Framework for Inferring Physical Properties of the Terrain. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 6473	2.6	4
79	SEM Image-Based 3-D Nanomanipulation Information Extraction and Closed-Loop Probe Control. <i>IEEE Nanotechnology Magazine</i> , 2014 , 13, 1194-1203	2.6	3

78	Design and development of a cheetah robot under the neural mechanism controlling the leg's muscles 2012 ,		3
77	Adaptive Kalman filter and dynamic recurrent neural networks-based control design of macro-micro manipulator. <i>Journal of Control Theory and Applications</i> , 2012 , 10, 504-510		3
76	Optimal motion generation for heavy duty industrial robots—control scheme and algorithm 2011 ,		3
75	Design and analysis of a 6-DOF parallel robot used in artificial cervical disc replacement surgery 2010 ,		3
74	Piezoelectrically driven silicon microgrippers integrated with sidewall piezoresistive sensor 2009 ,		3
73	Automated Precise Liquid Dispensing System for Protein Crystallization 2007 ,		3
72	Time-Optimal Trajectory Generation of a Fast-Motion Planar Parallel Manipulator 2006 ,		3
71	A New Auto-focusing Algorithm for Optical Microscope Based Automated System 2006 ,		3
70	Periodicity Locomotion Control Based on Central Pattern Generator 2006 ,		3
69	Global visual servoing of miniature mobile robot inside a micro-assembly station		3
68	A single-step lithography system based on an enhanced robotic adhesive dispenser. <i>Review of Scientific Instruments</i> , 2016 , 87, 095005	1.7	3
67	Learning Articulated Constraints From a One-Shot Demonstration for Robot Manipulation Planning. <i>IEEE Access</i> , 2019 , 7, 172584-172596	3.5	3
66	Spatial Topological Relation Analysis for Cluttered Scenes. <i>Sensors</i> , 2020 , 20,	3.8	2
65	In Situ Quantification the Complex Poisson's Ratio of Single Cells Using a Magnetic-Drive Dynamic Atomic Force Microscopy Approach. <i>IEEE Nanotechnology Magazine</i> , 2018 , 17, 680-683	2.6	2
64	Design of a unidirectional joint with adjustable stiffness for energy efficient hopping leg 2013 ,		2
63	Development of a robot system assisting artificial cervical disc replacement surgery 2010 ,		2
62	A closed-loop intelligent control strategy for precise non-contact liquid dispensing 2010 ,		2
61	Force-driven robotic drag control for freehand 3D ultrasound-guided robot-assisted percutaneous surgery 2009 ,		2

60	Analysis and experiment of stick-slip motion principle in a legged microrobot 2011 ,		2
59	Fuzzy Control and Connected Region Marking Algorithm-Based SEM Nanomanipulation. <i>Mathematical Problems in Engineering</i> , 2012 , 2012, 1-16	1.1	2
58	Track-terrain interaction analysis for tracked mobile robot 2008 ,		2
57	Error Analysis and Compensation of Precision Parallel Robot for Sensor Locating in ICF 2007 ,		2
56	Optimal Kinematic Design of a Planar Parallel Manipulator with High Speed and High Precision 2006 ,		2
55	Image Fusion and 3-D Surface Reconstruction of Microparts Using Complex Valued Wavelet Transforms 2006 ,		2
54	Model and Simulation Research of Tissue Based CT Images 2006 ,		2
53	Tracking Control Method of Piezoelectric Actuator for Compensating Hysteresis and Creep 2007 ,		2
52	Obstacle Performance Analysis of Mine Research Robot Based on Terramechanics 2007 ,		2
51	Adaptive inverse control for piezoelectric actuator based on hysteresis model 2005 ,		2
50	Behavior-based Control of a Hybrid Quadruped Robot 2006 ,		2
49	Dynamic Modelling and Optimized Energy Distribution of Amphibian Walking Robot 2006 ,		2
48	A novel robot-assisted bonesetting system		2
47	Research of a novel xy-table based on error compensation		2
46	Hybrid Vision-Force Control for Automatic Assembly of Miniaturized Gear System		2
45	Flexible nozzle based liquid metal direct writing system assisted in patterned silicon nanowires. <i>Microsystem Technologies</i> , 2020 , 26, 1285-1292	1.7	2
44	Attitude Trajectory Optimization to Ensure Balance Hexapod Locomotion. <i>Sensors</i> , 2020 , 20,	3.8	2
43	Force-controlled Compensation Scheme for P-Q Valve-controlled Asymmetric Cylinder used on Hydraulic Quadruped Robots. <i>Journal of Bionic Engineering</i> , 2020 , 17, 1139-1151	2.7	2

42	Cooperative Self-Assembled Magnetic Micropaddles at Liquid Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 46180-46191	9.5	2
41	Mechanical design and force control algorithm for a robot leg with hydraulic series-elastic actuators. <i>International Journal of Advanced Robotic Systems</i> , 2020 , 17, 172988142092101	1.4	1
40	Simultaneously Measuring Force and Displacement: Calibration of Magnetic Torque Actuated Microcantilevers for Nanomechanical Mapping. <i>IEEE Sensors Journal</i> , 2018 , 18, 2682-2689	4	1
39	A velocity estimation algorithm for legged robot. <i>Advances in Mechanical Engineering</i> , 2017 , 9, 168781401173273	1.7	1
38	Dynamic dimensional synthesis of a precision 6-DOF parallel manipulator 2012 ,		1
37	Development of an antagonistic bionic joint controller for a musculoskeletal quadruped 2013 ,		1
36	Design and realization of an interactive medical images three dimension visualization system 2010 ,		1
35	Three-dimensional geometric modeling of the spine based on reverse engineering technology 2010 ,		1
34	FPGA-Based Control System for 6-UPS Medical Parallel Robot 2010 ,		1
33	Intelligent control of Piezoelectric Micropump based on MEMS flow sensor 2010 ,		1
32	Active control of adhesion force for pick-and-place of micro objects with compound vibration in micromanipulation 2010 ,		1
31	Calibration of a 6-DOF parallel micromanipulator for nanomanipulation 2010 ,		1
30	Frame vibration suppression for wafer transfer system 2011 ,		1
29	A Novel High-Speed and High-Accuracy Manipulator of Planar Five-Link Structure: Modeling and Calibration. <i>Advanced Robotics</i> , 2009 , 23, 89-112	1.7	1
28	A MEMS Flow Sensor and Its Application in Adaptive Liquid Dispensing 2009 ,		1
27	Image sub-pixel recognition method for optical precise adjustment 2012 ,		1
26	Stiffness analysis and modal analysis of precision parallel manipulator with flexure hinge 2012 ,		1
25	Two-dimensional dense-arrayed probe-cards with a hoe-shaped probing-tip micromachining technique. <i>Proceedings of the IEEE International Conference on Micro Electro Mechanical Systems (MEMS)</i> , 2008 ,		1

24	Analysis of a New Workspace of the Hexaglide as a Motion Simulator for Fuel Tanker Trucks 2007 ,		1
23	THE BOND STRENGTH MEASUREMENT OF SILICON-SILICON BONDING WAFERS BASED ON CRACK OPENING METHOD. <i>International Journal of Information Acquisition</i> , 2006 , 03, 339-347		1
22	Intelligent Detection of Bumps in a Mobile Robot 2006 ,		1
21	An Intelligent Home Environment Inspecting Robot 2007 ,		1
20	Design, Control and Application of a PZT-driven Micro-stage 2007 ,		1
19	Visual servoing with modified Smith predictor for micromanipulation tasks		1
18	An approach for generating high velocity and high acceleration trajectories of industrial robots		1
17	A novel macro/micro dual driving miniature mobile robot for precision manipulation		1
16	Micromanipulation robot for automatic fiber alignment		1
15	Measurement Method of Bond Strength for Silicon Direct Wafer Bonding 2006 ,		1
14	A Compliant Ultra-Precision 6-DOF Parallel Positioner Based on the Coarse/Fine Dual Architecture 2006 ,		1
13	Conceptional Design and Kinematics Modeling of a Wide-Range Flexure Hinge-Based Parallel Manipulator		1
12	Optimal kinematic design of a 2-DOF planar parallel robot		1
11	Method of robot episode cognition based on hippocampus mechanism. <i>IEEE Access</i> , 2021 , 1-1	3.5	1
10	A Design of an Instrument Based on a Piezoelectric Actuator to Study the Force Output of Piezoelectric Ceramic. <i>Journal of Testing and Evaluation</i> , 2018 , 46, 20160656	1	1
9	Local CPG Self Growing Network Model with Multiple Physical Properties. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 5497	2.6	1
8	Design and experimental performance of a piezoelectric wheelbarrow applicable to the stick-slip motion study 2016 ,		1
7	Learning Adaptive Grasping From Human Demonstrations. <i>IEEE/ASME Transactions on Mechatronics</i> , 2022 , 1-9	5.5	1

6	Nanoscale Mapping of the Surface Potential: Multifrequency Modulation Open-Loop Kelvin Probe Force Microscopy. <i>IEEE Nanotechnology Magazine</i> , 2018 , 17, 670-674	2.6	o
5	Creating Better Collision-Free Trajectory for Robot Motion Planning by Linearly Constrained Quadratic Programming. <i>Frontiers in Neurorobotics</i> , 2021 , 15, 724116	3-4	o
4	Controlling Force in Polarization-Maintaining Fiber Fused Biconical Tapering. <i>Mathematical Problems in Engineering</i> , 2015 , 2015, 1-9	1.1	
3	Mechanism of force mode dip-pen nanolithography. <i>Journal of Applied Physics</i> , 2014 , 115, 174314	2.5	
2	A Bionic Spatial Cognition Model and Method for Robots Based on the Hippocampus Mechanism.. <i>Frontiers in Neurorobotics</i> , 2021 , 15, 769829	3-4	
1	Vertical distance from shading in the SEM. <i>Micron</i> , 2021 , 141, 102978	2.3	