

Fengxia Geng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/266555/publications.pdf>

Version: 2024-02-01

52
papers

5,732
citations

136885

32
h-index

189801

50
g-index

57
all docs

57
docs citations

57
times ranked

7424
citing authors

#	ARTICLE	IF	CITATIONS
1	Macroscopic MXene ribbon with oriented sheet stacking for high-performance flexible supercapacitors. , 2021, 3, 142-152.		33
2	Genuine divalent magnesium-ion storage and fast diffusion kinetics in metal oxides at room temperature. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	12
3	Giant two-dimensional titania sheets for constructing a flexible fiber sodium-ion battery with long-term cycling stability. Energy Storage Materials, 2020, 24, 504-511.	9.5	22
4	Fusing electrochromic technology with other advanced technologies: A new roadmap for future development. Materials Science and Engineering Reports, 2020, 140, 100524.	14.8	227
5	All Two-Dimensional Pseudocapacitive Sheet Materials for Flexible Asymmetric Solid-State Planar Microsupercapacitors with High Energy Density. ACS Nano, 2020, 14, 603-610.	7.3	53
6	Two-Dimensional Molecular Sheets of Transition Metal Oxides toward Wearable Energy Storage. Accounts of Chemical Research, 2020, 53, 2443-2455.	7.6	25
7	Facile synthesis of colloidal nitrogen-doped titanium carbide sheets with enhanced electrochemical performance. , 2020, 2, 624-634.		13
8	Remarkable Near-Infrared Electrochromism in Tungsten Oxide Driven by Interlayer Water-Induced Battery-to-Pseudocapacitor Transition. ACS Applied Materials & Interfaces, 2020, 12, 33917-33925.	4.0	61
9	Molecularly Thin Nitride Sheets Stabilized by Titanium Carbide as Efficient Bifunctional Electrocatalysts for Fiber-Shaped Rechargeable Zinc-Air Batteries. Nano Letters, 2020, 20, 2892-2898.	4.5	68
10	Towards full-colour tunability of inorganic electrochromic devices using ultracompact fabry-perot nanocavities. Nature Communications, 2020, 11, 302.	5.8	167
11	Surface-Modified Two-Dimensional Titanium Carbide Sheets for Intrinsic Vibrational Signal-Retained Surface-Enhanced Raman Scattering with Ultrahigh Uniformity. ACS Applied Materials & Interfaces, 2020, 12, 23523-23531.	4.0	25
12	Flexible Quasi-Solid-State Sodium-Ion Batteries Built by Stacking Two-Dimensional Titania Sheets with Carbon Nanotube Spacers. ACS Applied Energy Materials, 2019, 2, 5707-5715.	2.5	5
13	Ti ₃ C ₂ Sheets with an Adjustable Surface and Feature Sizes to Regulate the Chemical Stability. Inorganic Chemistry, 2019, 58, 9397-9403.	1.9	30
14	Size-Independent Fast Ion Intercalation in Two-Dimensional Titania Nanosheets for Alkali-Metal-Ion Batteries. Angewandte Chemie, 2019, 131, 8832-8837.	1.6	13
15	Size-Independent Fast Ion Intercalation in Two-Dimensional Titania Nanosheets for Alkali-Metal-Ion Batteries. Angewandte Chemie - International Edition, 2019, 58, 8740-8745.	7.2	53
16	Molecularly Coupled Two-Dimensional Titanium Oxide and Carbide Sheets for Wearable and High-Rate Quasi-Solid-State Rechargeable Batteries. Advanced Functional Materials, 2019, 29, 1901576.	7.8	15
17	Color-Changing Microfiber-Based Multifunctional Window Screen for Capture and Visualized Monitoring of NH ₃ . ACS Applied Materials & Interfaces, 2018, 10, 15065-15072.	4.0	22
18	Radially Aligned Hierarchical Nickel/Nickel-Iron (Oxy)hydroxide Nanotubes for Efficient Electrocatalytic Water Splitting. ACS Applied Materials & Interfaces, 2018, 10, 8585-8593.	4.0	69

#	ARTICLE	IF	CITATIONS
19	Two-dimensional tungstate nanosheets for constructing novel photochromic hydrogel with ultrahigh flexibility. <i>Journal of Materiomics</i> , 2018, 4, 144-148.	2.8	12
20	Cationic two-dimensional sheets for an ultralight electrostatic polysulfide trap toward high-performance lithium-sulfur batteries. <i>Energy Storage Materials</i> , 2017, 9, 39-46.	9.5	37
21	Flexible Lithium-Ion Fiber Battery by the Regular Stacking of Two-Dimensional Titanium Oxide Nanosheets Hybridized with Reduced Graphene Oxide. <i>Nano Letters</i> , 2017, 17, 3543-3549.	4.5	148
22	Rapid Synthesis of Sub-5 nm Sized Cubic Boron Nitride Nanocrystals with High-Piezoelectric Behavior via Electrochemical Shock. <i>Nano Letters</i> , 2017, 17, 355-361.	4.5	16
23	Coupling Molecularly Ultrathin Sheets of NiFe-Layered Double Hydroxide on NiCo ₂ O ₄ Nanowire Arrays for Highly Efficient Overall Water-Splitting Activity. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 1488-1495.	4.0	244
24	Electrostatic-Interaction-Assisted Construction of 3D Networks of Manganese Dioxide Nanosheets for Flexible High-Performance Solid-State Asymmetric Supercapacitors. <i>ACS Nano</i> , 2017, 11, 7879-7888.	7.3	116
25	Molecularly Stacking Manganese Dioxide/Titanium Carbide Sheets to Produce Highly Flexible and Conductive Film Electrodes with Improved Pseudocapacitive Performances. <i>Advanced Energy Materials</i> , 2017, 7, 1602834.	10.2	144
26	Semiconductor SERS enhancement enabled by oxygen incorporation. <i>Nature Communications</i> , 2017, 8, 1993.	5.8	306
27	Versatile Cutting Method for Producing Fluorescent Ultrasmall MXene Sheets. <i>ACS Nano</i> , 2017, 11, 11559-11565.	7.3	136
28	Tungsten Oxide Materials for Optoelectronic Applications. <i>Advanced Materials</i> , 2016, 28, 10518-10528.	11.1	222
29	Organic-Base-Driven Intercalation and Delamination for the Production of Functionalized Titanium Carbide Nanosheets with Superior Photothermal Therapeutic Performance. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 14569-14574.	7.2	480
30	Organic-Base-Driven Intercalation and Delamination for the Production of Functionalized Titanium Carbide Nanosheets with Superior Photothermal Therapeutic Performance. <i>Angewandte Chemie</i> , 2016, 128, 14789-14794.	1.6	167
31	Trace H ₂ O-Assisted High-Capacity Tungsten Oxide Electrochromic Batteries with Ultrafast Charging in Seconds. <i>Angewandte Chemie</i> , 2016, 128, 7277-7281.	1.6	13
32	Trace H ₂ O-Assisted High-Capacity Tungsten Oxide Electrochromic Batteries with Ultrafast Charging in Seconds. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 7161-7165.	7.2	107
33	W ₁₈ O ₄₉ nanowire composites as novel barrier layers for Li-S batteries based on high loading of commercial micro-sized sulfur. <i>RSC Advances</i> , 2016, 6, 15234-15239.	1.7	18
34	Unconventional Aluminum Ion Intercalation/Deintercalation for Fast Switching and Highly Stable Electrochromism. <i>Advanced Functional Materials</i> , 2015, 25, 5833-5839.	7.8	132
35	Noble metal-comparable SERS enhancement from semiconducting metal oxides by making oxygen vacancies. <i>Nature Communications</i> , 2015, 6, 7800.	5.8	534
36	Macroscopic and Strong Ribbons of Functionality-Rich Metal Oxides from Highly Ordered Assembly of Unilamellar Sheets. <i>Journal of the American Chemical Society</i> , 2015, 137, 13200-13208.	6.6	32

#	ARTICLE	IF	CITATIONS
37	Boosting Electrocatalytic Performances of Palladium Nanoparticles by Coupling with Metallic Single-Walled Carbon Nanotubes. <i>Chemistry of Materials</i> , 2014, 26, 2789-2794.	3.2	10
38	Gigantic Swelling of Inorganic Layered Materials: A Bridge to Molecularly Thin Two-Dimensional Nanosheets. <i>Journal of the American Chemical Society</i> , 2014, 136, 5491-5500.	6.6	125
39	Tetrabutylphosphonium ions as a new swelling/delamination agent for layered compounds. <i>Chemical Communications</i> , 2014, 50, 9977.	2.2	19
40	Single-Crystalline Tungsten Oxide Quantum Dots for Fast Pseudocapacitor and Electrochromic Applications. <i>Advanced Materials</i> , 2014, 26, 4260-4267.	11.1	350
41	Synergy of $W_{18}O_{49}$ and Polyaniline for Smart Supercapacitor Electrode Integrated with Energy Level Indicating Functionality. <i>Nano Letters</i> , 2014, 14, 2150-2156.	4.5	275
42	Osmotic Swelling of Layered Compounds as a Route to Producing High-Quality Two-Dimensional Materials. A Comparative Study of Tetramethylammonium versus Tetrabutylammonium Cation in a Lepidocrocite-type Titanate. <i>Chemistry of Materials</i> , 2013, 25, 3137-3146.	3.2	111
43	New Family of Lanthanide-Based Inorganic-Organic Hybrid Frameworks: $Ln_2(OH)_4[O_3S(CH_2)_2]_nSO_3 \cdot 2H_2O$ ($Ln = La, Ce, Pr, Nd, Sm$; $n = 3, 4$) and Their Derivatives. <i>Inorganic Chemistry</i> , 2013, 52, 1755-1761.	1.2	24
44	Unusually stable ~100-fold reversible and instantaneous swelling of inorganic layered materials. <i>Nature Communications</i> , 2013, 4, 1632.	5.8	119
45	Structural Study of a Series of Layered Rare-Earth Hydroxide Sulfates. <i>Inorganic Chemistry</i> , 2011, 50, 6667-6672.	1.9	33
46	$Ln_2(OH)_4SO_4 \cdot nH_2O$ ($Ln = Pr$ to Tb ; $n = 1/2, 1$): A New Family of Layered Rare-Earth Hydroxides Rigidly Pillared by Sulfate Ions. <i>Chemistry of Materials</i> , 2010, 22, 6001-6007.	3.2	104
47	Anion-Exchangeable Layered Materials Based on Rare-Earth Phosphors: Unique Combination of Rare-Earth Host and Exchangeable Anions. <i>Accounts of Chemical Research</i> , 2010, 43, 1177-1185.	7.6	184
48	Synthesis and Properties of Well-Crystallized Layered Rare-Earth Hydroxide Nitrates from Homogeneous Precipitation. <i>Inorganic Chemistry</i> , 2009, 48, 6724-6730.	1.9	110
49	Effect of KBr on the FTIR Spectra of NO_3^- LDHs (Layered Double Hydroxides). <i>Chemistry Letters</i> , 2009, 38, 808-809.	0.7	19
50	New Layered Rare-Earth Hydroxides with Anion-Exchange Properties. <i>Chemistry - A European Journal</i> , 2008, 14, 9255-9260.	1.7	173
51	General Synthesis and Structural Evolution of a Layered Family of $Ln_8(OH)_{20}Cl_4 \cdot nH_2O$ ($Ln = Nd, Sm, Eu, Gd, Tb$). <i>TJ ETC</i> , 2008, 1, 0.784314	1.0	14
52	Oriented films of layered rare-earth hydroxide crystallites self-assembled at the hexane/water interface. <i>Chemical Communications</i> , 2008, , 4897.	2.2	75