

Houping Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2665915/publications.pdf>

Version: 2024-02-01

14
papers

404
citations

1040056

9
h-index

1058476

14
g-index

14
all docs

14
docs citations

14
times ranked

246
citing authors

#	ARTICLE	IF	CITATIONS
1	Seasonal abundance of <i>Agrilus planipennis</i> (Coleoptera: Buprestidae) and its natural enemies <i>Oobius agrili</i> (Hymenoptera: Encyrtidae) and <i>Tetrastichus planipennisi</i> (Hymenoptera: Eulophidae) in China. <i>Biological Control</i> , 2007, 42, 61-71.	3.0	133
2	Oviposition Substrate Selection, Egg Mass Characteristics, Host Preference, and Life History of the Spotted Lanternfly (Hemiptera: Fulgoridae) in North America. <i>Environmental Entomology</i> , 2019, 48, 1452-1468.	1.4	56
3	Microbial control of emerald ash borer, <i>Agrilus planipennis</i> (Coleoptera: Buprestidae) with <i>Beauveria bassiana</i> strain GHA: Greenhouse and field trials. <i>Biological Control</i> , 2008, 45, 124-132.	3.0	42
4	Assessing deposition and persistence of <i>Beauveria bassiana</i> GHA (Ascomycota: Hypocreales) applied for control of the emerald ash borer, <i>Agrilus planipennis</i> (Coleoptera: Buprestidae), in a commercial tree nursery. <i>Biological Control</i> , 2010, 54, 61-67.	3.0	32
5	An Old Remedy for a New Problem? Identification of <i>Ooencyrtus kuvanae</i> (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 46 <i>Journal of Insect Science</i> , 2017, 17, 18.	1.5	30
6	Characterization of <i>Beauveria bassiana</i> (Ascomycota: Hypocreales) isolates associated with <i>Agrilus planipennis</i> (Coleoptera: Buprestidae) populations in Michigan. <i>Biological Control</i> , 2010, 54, 135-140.	3.0	28
7	Seasonal Development, Cumulative Growing Degree-Days, and Population Density of Spotted Lanternfly (Hemiptera: Fulgoridae) on Selected Hosts and Substrates. <i>Environmental Entomology</i> , 2020, 49, 1171-1184.	1.4	21
8	Occurrence, Seasonal Abundance, and Superparasitism of <i>Ooencyrtus kuvanae</i> (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46 <i>Forests</i> , 2019, 10, 79.	2.1	18
9	Spatial Distribution of <i>Lycorma delicatula</i> (Hemiptera: Fulgoridae) Egg Masses on Tree-of-Heaven, Black Walnut, and Siberian Elm in North America. <i>Journal of Economic Entomology</i> , 2020, 113, 1028-1032.	1.8	16
10	Seasonal abundance and development of the Asian longhorned beetle and natural enemy prevalence in different forest types in China. <i>Biological Control</i> , 2016, 103, 154-164.	3.0	8
11	Under Siege: Ash Management in the Wake of the Emerald Ash Borer. <i>Journal of Integrated Pest Management</i> , 2018, 9, .	2.0	8
12	Biology and ecology of the Northern walkingstick, <i>Diaperomera femorata</i> (Say) (Phasmatodea: Tj ETQq0 0,0,rgBT /Oyerlock 10 <i>Journal of Economic Entomology</i> , 2019, 48, 1028-1032.	1.8	6
13	Infrared thermography for insect detection: lighting up the spotted lanternfly in the field. <i>Journal of Pest Science</i> , 2021, 94, 231-240.	3.7	3
14	Nondestructive Sampling for Spotted Lanternfly (Hemiptera: Fulgoridae) Egg Masses in Woodlands Based on Fixed-Radius Plots. <i>Journal of Economic Entomology</i> , 2021, 114, 1353-1361.	1.8	3