

Marijana Miler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2667526/publications.pdf>

Version: 2024-02-01

29
papers

304
citations

1039406

9
h-index

940134

16
g-index

30
all docs

30
docs citations

30
times ranked

406
citing authors

#	ARTICLE	IF	CITATIONS
1	Precision, accuracy, cross reactivity and comparability of serum indices measurement on Abbott Architect c8000, Beckman Coulter AU5800 and Roche Cobas 6000 c501 clinical chemistry analyzers. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 776-788.	1.4	43
2	Low level of adherence to instructions for 24-hour urine collection among hospital outpatients. <i>Biochemia Medica</i> , 2013, 23, 316-320.	1.2	39
3	Visual assessment of hemolysis affects patient safety. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 574-581.	1.4	31
4	Ascorbic acid – A black hole of urine chemistry screening. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22390.	0.9	19
5	Antibodies to mutated citrullinated vimentin and antibodies to cyclic citrullinated peptides in juvenile idiopathic arthritis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1525-30.	1.4	16
6	The Increased Levels of Fecal Calprotectin in Children With Active Enthesitis Related Arthritis and MRI Signs of Sacroiliitis: The Results of a Single Center Cross-Sectional Exploratory Study in Juvenile Idiopathic Arthritis Patients. <i>Frontiers in Medicine</i> , 2021, 8, 650619.	1.2	15
7	In sickness and in health: pivotal role of vitamin D. <i>Biochemia Medica</i> , 2020, 30, 202-214.	1.2	14
8	Preanalytics of urine sediment examination: effect of relative centrifugal force, tube type, volume of sample and supernatant removal. <i>Biochemia Medica</i> , 2018, 28, 010707.	1.2	12
9	Antibodies targeting mutated citrullinated vimentin in patients with psoriatic arthritis. <i>Clinical Rheumatology</i> , 2010, 29, 487-493.	1.0	10
10	Patient's knowledge and awareness about the effect of the over-the-counter (OTC) drugs and dietary supplements on laboratory test results: a survey in 18 European countries. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 57, 183-194.	1.4	10
11	Implementation of the Autovalidation Algorithm for Clinical Chemistry Testing in the Laboratory Information System. <i>Laboratory Medicine</i> , 2018, 49, 284-291.	0.8	9
12	Ascorbic acid in urine still compromises urinalysis results. <i>Annals of Clinical Biochemistry</i> , 2020, 57, 64-68.	0.8	9
13	Comparison of diagnostic accuracy for eight SARS-CoV-2 serological assays. <i>Biochemia Medica</i> , 2021, 31, 121-133.	1.2	9
14	How compliant are technicians with universal safety measures in medical laboratories in Croatia? – A pilot study. <i>Biochemia Medica</i> , 2015, 25, 386-392.	1.2	9
15	Key Performance Indicators to Measure Improvement After Implementation of Total Laboratory Automation Abbott Accelerator a3600. <i>Journal of Medical Systems</i> , 2018, 42, 28.	2.2	8
16	Efficiency of test report delivery to the requesting physician in an outpatient setting: an observational study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1063-6.	1.4	7
17	Bisalbuminemia in a male Croatian patient with sarcoidosis. <i>Biochemia Medica</i> , 0, , 95-100.	1.2	7
18	Patient safety is not compromised by excluding microscopic examination of negative urine dipstick. <i>Annals of Clinical Biochemistry</i> , 2018, 55, 77-83.	0.8	6

#	ARTICLE	IF	CITATIONS
19	Association of polymorphisms in promoter region of TNF- α -238 and -308 with clinical outcomes in patients with immune-mediated inflammatory diseases on anti-TNF therapy. <i>Rheumatology International</i> , 2021, 41, 2195-2203.	1.5	6
20	Comparison of Enzymatic Assay for HBA1C Measurement (Abbott Architect) With Capillary Electrophoresis (Sebia Minicap Flex Piercing Analyser). <i>Laboratory Medicine</i> , 2018, 49, 231-238.	0.8	5
21	A model for results comparison on two different biochemistry analyzers in laboratory accredited according to the ISO 15189. <i>Biochemia Medica</i> , 0, , 287-293.	1.2	5
22	Integrity of serum samples is changed by modified centrifugation conditions. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1882-1887.	1.4	4
23	Lower concentration of vitamin D is associated with lower DAS28 and VAS-pain scores in patients with inflammatory rheumatic diseases treated with infliximab: a pilot study. <i>Rheumatology International</i> , 2020, 40, 1455-1461.	1.5	3
24	I index is not an accurate indicator of ictericia in conjugated hyperbilirubinemia. <i>Clinica Chimica Acta</i> , 2017, 473, 32-34.	0.5	2
25	Serum Calprotectin Is a Valid Biomarker in Distinction of Bacterial Urinary Tract Infection From Viral Respiratory Illness in Children Under 3 Years of Age. <i>Frontiers in Pediatrics</i> , 2022, 10, 768260.	0.9	2
26	Albumin Benkovac (c.1175 A > G; p.Glu392Gly): a novel genetic variant of human serum albumin. <i>Translational Research</i> , 2010, 155, 118-119.	2.2	1
27	36â€¦Serum calprotectin is a novel predictor of bacterial urinary tract infection in a febrile child. , 2021, , .		1
28	Biochemia Medica celebrates its first impact factor. <i>Biochemia Medica</i> , 0, , 277-277.	1.2	1
29	Comparison of three different protocols for obtaining hemolysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 714-725.	1.4	1