

Peter L Rinaldi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2667836/publications.pdf>

Version: 2024-02-01

31

papers

576

citations

759233

12

h-index

610901

24

g-index

31

all docs

31

docs citations

31

times ranked

520

citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of Neutral Tetrานuclear and Octanuclear Macroyclic Platinumâ”Butadiyne Heterocyclics. Journal of the American Chemical Society, 1998, 120, 12149-12150.	13.7	102
2	Resolution of Signals from Long-Chain Branching in Polyethylene by ^{13}C NMR at 188.6 MHz. Macromolecules, 1999, 32, 3817-3819.	4.8	78
3	Platinumâ”Silicon Four-Membered Rings of Two Different Structural Types. Organometallics, 2000, 19, 192-205.	2.3	73
4	Characterization of the Chain-Ends and Branching Structures in Polyvinylidene Fluoride with Multidimensional NMR. Macromolecules, 2012, 45, 5501-5512.	4.8	42
5	Studies of Allyl Alcohol Radical Polymerization by PFG-HMQC and HMBC NMR at 750 MHz. Macromolecules, 2002, 35, 2602-2607.	4.8	33
6	Tacticity of Poly(1-chloro-1-fluoroethylene) Fluoropolymer Determined Using $^1\text{H}/^{13}\text{C}/^{19}\text{F}$ Triple-Resonance 3D-NMR. Macromolecules, 1996, 29, 4808-4810.	4.8	28
7	Characterization of Poly(1-phenyl-1-silabutane) Tacticity via $^1\text{H}/^{13}\text{C}/^{29}\text{Si}$ Triple-Resonance 3D-NMR. Macromolecules, 1997, 30, 1240-1242.	4.8	24
8	An NMR Study of the Supramolecular Chemistry of Modified Poly(propyleneimine) Dendrimers. Macromolecules, 2004, 37, 8313-8318.	4.8	23
9	Three-dimensional solution NMR spectroscopy of complex structures and mixtures. Analyst, The, 2004, 129, 687.	3.5	22
10	Characterization of Backbone Structures in Poly(vinylidene fluoride- <i>i</i> -co- <i>i</i> -hexafluoropropylene) Copolymers by Multidimensional ^{19}F NMR Spectroscopy. Macromolecules, 2013, 46, 4892-4908.	4.8	17
11	2D-NMR Characterization of Sequence Distributions in the Backbone of Poly(vinylidene) Tj ETQq1 1 0.784314 rgBT _{4.8} /Overlock ₁₅ Tf 50 3		
12	Solid State NMR Studies of Polymeric Diphenylmethane Diisocyanate (PMDI) Derived Species in Wood. Journal of Adhesion, 1999, 71, 377-394.	3.0	14
13	Utility of pulsed-field gradientâ€”HMBC indirect detection NMR experiments for polymer structure determination. Polymer International, 1995, 36, 177-185.	3.1	12
14	Use of $^1\text{H}/^{13}\text{C}/^{19}\text{F}$ Triple Resonance 3D-NMR to Characterize the Stereosequences in Poly(vinyl) Tj ETQq0 0 0 rgBT _{4.8} /Overlock ₁₁ Tf 50 2		
15	Investigation of statistical, block and graft copolymerizations using nmrâ€“sensitive initiators and macroinitiators. Macromolecular Symposia, 1996, 111, 25-35.	0.7	10
16	2D-NMR Studies of Polyvinylidene Fluoride. ACS Symposium Series, 2012, , 187-213.	0.5	9
17	Group 13 Superacid Adducts of $[\text{PCl}_2\text{N}]_3$. Inorganic Chemistry, 2016, 55, 3283-3293.	4.0	9
18	Characterization of Carbon Monoxide Centered Triads in Poly[ethylene-co-(butyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (acrylate)-Chemistry and Physics, 2005, 206, 1520-1529.	2.2	8

#	ARTICLE	IF	CITATIONS
19	Synthesis and microstructural characterization of poly(chlorotrifluoroethylene-<i>co</i>-vinylidene chloride) copolymers. <i>Polymer Chemistry</i> , 2015, 6, 3790-3799.	3.9	8
20	2-D NMR Studies of Chain-End Structures in Poly(Hexafluoropropylene Oxide) Fluoropolymers. <i>International Journal of Polymer Analysis and Characterization</i> , 2012, 17, 161-188.	1.9	7
21	NMR Study of the Chain End and Branching Units in Poly(vinylidene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50.662 Td (fluoride-<i>co</i>-vinylidene chloride) copolymers. <i>Polymer Chemistry</i> , 2015, 6, 3790-3799.	4.8	7
22	Molecular mobility and structure of ultrasonically treated unfilled butadiene rubber. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 1875-1887.	2.1	6
23	Polymer Characterization by 3D Solution NMR. <i>ACS Symposium Series</i> , 2002, , 94-122.	0.5	5
24	Applications of ¹ H- ¹⁹ F- ¹³ C Triple-Resonance NMR Methods to the Characterization of Fluoropolymers. <i>ACS Symposium Series</i> , 1995, , 215-242.	0.5	3
25	NMR Characterization of the Higher Molecular Weight Byproducts Formed During the Synthesis of [PCl ₂ N] ₃ . <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2007, 17, 477-481.	3.7	3
26	^{1} ¹ H NMR study of the phase behavior of aqueous eutectic solutions using the inverse Laplace transform analysis of T ₂ relaxation. <i>Magnetic Resonance in Chemistry</i> , 2017, 55, 928-935.	1.9	3
27	Tutorial on Solution NMR of Polymers. <i>ACS Symposium Series</i> , 2011, , 37-63.	0.5	2
28	Applications of triple resonance NMR techniques to the study of polymer structure and reactivity. <i>Macromolecular Symposia</i> , 1994, 86, 15-33.	0.7	1
29	¹ H/ ¹³ C/ ²⁹ Si Triple Resonance 3D NMR Study of Poly(dimethylsiloxane) MD3MH. <i>ACS Symposium Series</i> , 2002, , 137-146.	0.5	1
30	Triple Resonance ¹ H/ ¹³ C/ ¹⁹ F Multidimensional Solution NMR of Fluoropolymers: Experimental Aspects. <i>ACS Symposium Series</i> , 2002, , 123-136.	0.5	0
31	Multidimensional NMR Studies on Polyurethane-Based Dendritic Wedges. <i>ACS Symposium Series</i> , 2002, , 147-165.	0.5	0