

# Maryam Nasimi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2668320/publications.pdf>

Version: 2024-02-01

73  
papers

590  
citations

758635

12  
h-index

752256

20  
g-index

75  
all docs

75  
docs citations

75  
times ranked

680  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparing efficacy and safety of potassium hydroxide 5% solution with 5-fluorouracil cream in patients with actinic keratoses: a randomized controlled trial. <i>Journal of Dermatological Treatment</i> , 2022, 33, 1376-1382.	1.1	3
2	Dermoscopic changes in melanocytic nevi following hair removal laser: A prospective study. <i>Journal of Cosmetic Dermatology</i> , 2022, 21, 669-673.	0.8	5
3	The efficacy and safety of oral low dose naltrexone versus placebo in the patients with lichen planopilaris: a randomized controlled clinical trial. <i>Journal of Dermatological Treatment</i> , 2022, 33, 769-773.	1.1	5
4	Validating the "Treatment Satisfaction Questionnaire for Medication" in Persian and Evaluating Treatment Satisfaction Among Patients With Psoriasis. <i>Value in Health Regional Issues</i> , 2022, 29, 16-20.	0.5	1
5	Pigmented purpuric dermatoses versus purpuric mycosis fungoides: Clinicopathologic similarities and new insights into dermoscopic features. <i>Australasian Journal of Dermatology</i> , 2022, 63, 81-85.	0.4	3
6	Body Composition, Metabolic Index, and Phase Angle Evaluated by Bioelectrical Impedance Analysis in Patients with Pemphigus vulgaris. <i>SN Comprehensive Clinical Medicine</i> , 2022, 4, 1.	0.3	0
7	Treatment satisfaction and response in patients with severe alopecia areata under treatment with diphenylcyclopropanone. <i>Health Science Reports</i> , 2022, 5, e602.	0.6	1
8	Topical treatment adherence and associated factors in patients with psoriasis: A single center, cross-sectional study. <i>Dermatologic Therapy</i> , 2022, , e15547.	0.8	0
9	Efficacy of Topical Losartan in Management of Mammoplasty and Abdominoplasty Scars: A Randomized, Double-Blind Clinical Trial. <i>Aesthetic Plastic Surgery</i> , 2022, 46, 2580-2587.	0.5	8
10	Assessing quality of life in patients with autoimmune bullous diseases using the Persian version of Treatment of Autoimmune Bullous Disease Quality of Life questionnaire finds similar effects in women as men. <i>International Journal of Women's Dermatology</i> , 2022, 8, e004.	1.1	2
11	Cutaneous manifestations following COVID-19 vaccination: A report of 25 cases. <i>Dermatologic Therapy</i> , 2022, 35, .	0.8	25
12	Demographic and clinical characteristics of hospitalized psoriasis patients. <i>Journal of Cosmetic Dermatology</i> , 2022, 21, 6476-6478.	0.8	0
13	Pemphigus scalp lesions: is trichoscopy helpful in clinical diagnosis?. <i>International Journal of Dermatology</i> , 2021, 60, 81-87.	0.5	1
14	Illness perception in patients with Alopecia areata under topical immunotherapy. <i>Dermatologic Therapy</i> , 2021, 34, e14748.	0.8	2
15	Prevalence and Main Determinants of BRAF V600E Mutation in Dysplastic and Congenital Nevi. <i>Iranian Journal of Pathology</i> , 2021, 16, 51-56.	0.2	5
16	Assessment of Visceral Obesity in Patients with Psoriasis by Bioimpedance Analysis. <i>SN Comprehensive Clinical Medicine</i> , 2021, 3, 812-817.	0.3	0
17	COVID-19: Our Current Knowledge of Epidemiology, Pathology, Therapeutic Approaches, and Diagnostic Methods. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2021, 21, 2142-2162.	0.9	6
18	A cross-sectional study of metabolic syndrome in patients with alopecia areata. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2021, 87, 427-429.	0.2	3

#	ARTICLE	IF	CITATIONS
19	Invited Response on: Comment on: "Botulinum Toxin Type A Injection for Mammoplasty and Abdominoplasty Scar Management: A Split-Scar Double-Blinded Randomized Controlled Study". <i>Aesthetic Plastic Surgery</i> , 2021, 45, 2537-2538.	0.5	0
20	Clinical and histopathological evaluation of cutaneous angiofibromas. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 1262-1265.	0.7	3
21	Association of Hippo Signalling Pathway with Epigenetic Changes in Cancer Cells and Therapeutic Approaches: A Review. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2021, 21, 1520-1528.	0.9	4
22	Unveiling the structure of GPI-anchored protein of <i>Malassezia globosa</i> and its pathogenic role in pityriasis versicolor. <i>Journal of Molecular Modeling</i> , 2021, 27, 246.	0.8	4
23	COVID-19 infection risk in patients on immunosuppressive/immunomodulator therapy: A single center study. <i>Dermatologic Therapy</i> , 2021, 34, e15126.	0.8	0
24	Is the severity of initial sensitization to diphenylcyclopropanone in alopecia areata patients predictive of the final clinical response?. <i>Dermatologic Therapy</i> , 2021, 34, e15118.	0.8	2
25	A randomized trial of diphenylcyclopropanone (DPCP) combined with anthralin versus DPCP alone for treating moderate to severe alopecia areata. <i>International Immunopharmacology</i> , 2021, 99, 107971.	1.7	14
26	Seasonal and gender variation in skin disease: A cross-sectional study of 3120 patients at Razi hospital. <i>International Journal of Women's Dermatology</i> , 2021, 7, 799-802.	1.1	2
27	MSCs and their exosomes: a rapidly evolving approach in the context of cutaneous wounds therapy. <i>Stem Cell Research and Therapy</i> , 2021, 12, 597.	2.4	27
28	Immunohistochemical Staining in the Assessment of Melanoma Tumor Thickness. <i>Pathology and Oncology Research</i> , 2020, 26, 885-891.	0.9	3
29	Childhood mycosis fungoides: A clinicopathologic study of 30 cases from Iran. <i>Australasian Journal of Dermatology</i> , 2020, 61, e259-e261.	0.4	4
30	Merkel Cell Polyomavirus Gene Expression and Mutational Analysis of Large Tumor Antigen in Non-Merkel Cell Carcinoma Tumors of Iranian Patients. <i>Public Health Genomics</i> , 2020, 23, 210-217.	0.6	4
31	Quality of life and mental health status in patients with lichen planopilaris based on Dermatology Life Quality Index and General Health Questionnaire-28 questionnaires. <i>International Journal of Women's Dermatology</i> , 2020, 6, 399-403.	1.1	19
32	Botulinum Toxin Type A Injection for Mammoplasty and Abdominoplasty Scar Management: A Split-Scar Double-Blinded Randomized Controlled Study. <i>Aesthetic Plastic Surgery</i> , 2020, 44, 2270-2276.	0.5	13
33	Estimated cut-off values for pemphigus severity classification according to pemphigus disease area index (PDAI), autoimmune bullous skin disorder intensity score (ABSIS), and anti-desmoglein 1 autoantibodies. <i>BMC Dermatology</i> , 2020, 20, 13.	2.1	3
34	Pityriasis rosea as a cutaneous manifestation of COVID-19 infection. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e436-e437.	1.3	91
35	Topical immunotherapy with diphenylcyclopropanone in patients with alopecia areata: A large retrospective study of 757 patients. <i>Dermatologic Therapy</i> , 2020, 33, e13808.	0.8	4
36	Nonablative fractional laser therapy for treatment of actinic keratosis with 3-months follow-up. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 2893-2897.	0.8	2

#	ARTICLE	IF	CITATIONS
37	Cosmetic surgeries amidst pandemic area of COVID-19: suggested protocol. <i>Journal of Dermatological Treatment</i> , 2020, , 1-2.	1.1	5
38	Correlation of dermal and blood eosinophilia with bullous pemphigoid disease severity. <i>International Journal of Women's Dermatology</i> , 2020, 6, 171-175.	1.1	13
39	Cutaneous cysts: a clinicopathologic analysis of 2,438 cases. <i>International Journal of Dermatology</i> , 2020, 59, 457-462.	0.5	15
40	“Fried Egg Sign”™: A trichoscopic feature in scalp pemphigus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e283-e284.	1.3	2
41	Dermatology department: what we could do amidst the pandemic of COVID-19?. <i>Journal of Dermatological Treatment</i> , 2020, , 1-2.	1.1	4
42	Serum Levels of Interleukin 18 and Interleukin 10 in Iranian Patients with Bullous Pemphigoid and their Correlation with BP180-NC16a and BP230. <i>Iranian Journal of Allergy, Asthma and Immunology</i> , 2020, 19, 102-104.	0.3	1
43	Utility of dermoscopic evaluation in predicting clinical response to diphencyprone in a cohort of patients with alopecia areata. <i>International Journal of Trichology</i> , 2020, 12, 107.	0.1	5
44	Alopecia Areata-Quality of Life Index questionnaire (reliability and validity of the Persian version) in comparison to Dermatology Life Quality Index. <i>International Journal of Trichology</i> , 2020, 12, 227.	0.1	6
45	A case of eosinophilic fasciitis presenting with palmar stiffness. <i>Indian Journal of Dermatology</i> , 2020, 65, 427.	0.1	0
46	Crusted scabies complicated with herpes simplex and sepsis. <i>Indian Journal of Dermatology</i> , 2020, 65, 304.	0.1	3
47	Hypertension in psoriasis patients: based on office and ambulatory blood pressure measurement. <i>Blood Pressure Monitoring</i> , 2020, 25, 351-354.	0.4	0
48	Distinguishing immunohistochemical features of alopecia areata from androgenic alopecia. <i>Journal of Cosmetic Dermatology</i> , 2019, 18, 422-426.	0.8	5
49	Iranian guideline for rituximab therapy in pemphigus patients. <i>Dermatologic Therapy</i> , 2019, 32, e13016.	0.8	28
50	Eosinophilic infiltration: an underreported histological finding in urticarial vasculitis. <i>International Journal of Dermatology</i> , 2019, 58, 825-829.	0.5	8
51	Efficacy and safety of anthralin in combination with diphenylcyclopropenone in the treatment of alopecia areata: a retrospective case series. <i>Archives of Dermatological Research</i> , 2019, 311, 607-613.	1.1	20
52	C4d immunohistochemical stain of formalin-fixed paraffin-embedded tissue as a sensitive method in the diagnosis of bullous pemphigoid. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 723-728.	0.7	6
53	Illness perception of patients with pemphigus vulgaris. <i>International Journal of Women's Dermatology</i> , 2019, 5, 96-99.	1.1	8
54	Skin Cancer Awareness and Sun Protection Behavior Before and Following Treatment Among Skin Cancer-Treated Patients. <i>Journal of Cancer Education</i> , 2019, 34, 285-290.	0.6	7

#	ARTICLE	IF	CITATIONS
55	Quality of Life in Patients with Non-melanoma Skin Cancer: Implications for Healthcare Education Services and Supports. <i>Journal of Cancer Education</i> , 2019, 34, 755-759.	0.6	18
56	Serum and tissue angiotensin-converting enzyme in patients with alopecia areata. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2019, 85, 295.	0.2	3
57	Acantholytic and Pagetoid Variant of Bowen's Disease with Microinvasion on the Scalp of a Young Female Patient: A Case Report. <i>Iranian Journal of Medical Sciences</i> , 2019, 44, 511-514.	0.3	0
58	Nail Changes in Early Mycosis Fungoides. <i>Skin Appendage Disorders</i> , 2018, 4, 55-59.	0.5	6
59	Quality of life in mild and severe alopecia areata patients. <i>International Journal of Women's Dermatology</i> , 2018, 4, 91-94.	1.1	33
60	Bullous pemphigoid induced by Hijama therapy (cupping). <i>Dermatology Practical and Conceptual</i> , 2018, 8, 163-165.	0.5	1
61	A Dual-Type L2 11-88 Peptide from HPV Types 16/18 Formulated in Montanide ISA 720 Induced Strong and Balanced Th1/Th2 Immune Responses, Associated with High Titers of Broad Spectrum Cross-Reactive Antibodies in Vaccinated Mice. <i>Journal of Immunology Research</i> , 2018, 2018, 1-15.	0.9	5
62	A case of pediatric keratosis lichenoides chronica with unusual presentation of severe oral erosions. <i>JAAD Case Reports</i> , 2018, 4, 267-269.	0.4	4
63	Comparison of intralesional verapamil versus intralesional corticosteroids in treatment of keloids and hypertrophic scars: A randomized controlled trial. <i>Burns</i> , 2018, 44, 1482-1488.	1.1	35
64	Pemphigoid gestationis: Clinical and histologic features of twenty-three patients. <i>International Journal of Women's Dermatology</i> , 2017, 3, 86-90.	1.1	28
65	Hydrocortisone 1% cream and sertaconazole 2% cream to treat facial seborrheic dermatitis: A double-blind, randomized clinical trial. <i>International Journal of Women's Dermatology</i> , 2017, 3, 107-110.	1.1	7
66	Merkel cell polyomavirus IgG antibody levels are associated with progression to AIDS among HIV-infected individuals. <i>Archives of Virology</i> , 2017, 162, 963-969.	0.9	7
67	First case of superficial infection due to <i>Naganishia albida</i> (formerly <i>Cryptococcus albidus</i> ) in Iran: A review of the literature. <i>Current Medical Mycology</i> , 2017, 3, 33-37.	0.8	17
68	Immunization of mice by a multimeric L2-based linear epitope (17-36) from HPV type 16/18 induced cross reactive neutralizing antibodies. <i>Research in Pharmaceutical Sciences</i> , 2017, 12, 265.	0.6	3
69	Isolated linear blaschkoid psoriasis. <i>Clinical and Experimental Dermatology</i> , 2016, 41, 775-778.	0.6	3
70	Folliculotropic mycosis fungoides: clinical and histologic features in five patients. <i>Indian Journal of Dermatology</i> , 2016, 61, 554.	0.1	3
71	Prevalence of Merkel Cell Polyomavirus in Tehran: An Age-Specific Serological Study. <i>Iranian Red Crescent Medical Journal</i> , 2016, 18, e26097.	0.5	10
72	A case of blaschkitis with features of both lichenoid and spongiotic dermatitis. <i>Indian Journal of Dermatology</i> , 2016, 61, 348.	0.1	1

#	ARTICLE	IF	CITATIONS
73	Evaluation of Hepatitis B Vaccination among Lichen Planus Patients. Mymensingh Medical Journal: MMJ, 2016, 25, 550-4.	0.0	1