

Byoung-Gie Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2668921/publications.pdf>

Version: 2024-02-01

164
papers

6,461
citations

201674

27
h-index

74163

75
g-index

166
all docs

166
docs citations

166
times ranked

7925
citing authors

#	ARTICLE	IF	CITATIONS
1	Maintenance Olaparib in Patients with Newly Diagnosed Advanced Ovarian Cancer. <i>New England Journal of Medicine</i> , 2018, 379, 2495-2505.	27.0	1,854
2	Olaparib tablets as maintenance therapy in patients with platinum-sensitive, relapsed ovarian cancer and a BRCA1/2 mutation (SOLO2/ENGOT-Ov21): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 1274-1284.	10.7	1,376
3	Bevacizumab and paclitaxel+carboplatin chemotherapy and secondary cytoreduction in recurrent, platinum-sensitive ovarian cancer (NRG Oncology/Gynecologic Oncology Group study GOG-0213): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 779-791.	10.7	460
4	Maintenance olaparib for patients with newly diagnosed advanced ovarian cancer and a BRCA mutation (SOLO1/GOG 3004): 5-year follow-up of a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 1721-1731.	10.7	172
5	Single-port-access laparoscopic-assisted vaginal hysterectomy versus conventional laparoscopic-assisted vaginal hysterectomy: a comparison of perioperative outcomes. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010, 24, 2248-2252.	2.4	121
6	Randomized Phase III Trial of Irinotecan Plus Cisplatin Compared With Paclitaxel Plus Carboplatin As First-Line Chemotherapy for Ovarian Clear Cell Carcinoma: JGOG3017/GCIG Trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 2881-2887.	1.6	114
7	Pembrolizumab plus GX-188E therapeutic DNA vaccine in patients with HPV-16-positive or HPV-18-positive advanced cervical cancer: interim results of a single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2020, 21, 1653-1660.	10.7	89
8	The prognostic significance of the SUVmax (maximum standardized uptake value for F-18) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td results. <i>Gynecologic Oncology</i> , 2009, 115, 65-68.	1.4	78
9	Appraising the role of previously reported risk factors in epithelial ovarian cancer risk: A Mendelian randomization analysis. <i>PLoS Medicine</i> , 2019, 16, e1002893.	8.4	78
10	Efficacy of Maintenance Olaparib for Patients With Newly Diagnosed Advanced Ovarian Cancer With a BRCA Mutation: Subgroup Analysis Findings From the SOLO1 Trial. <i>Journal of Clinical Oncology</i> , 2020, 38, 3528-3537.	1.6	64
11	Prognostic factors and outcomes in endometrial stromal sarcoma with the 2009 FIGO staging system: A multicenter review of 114 cases. <i>Gynecologic Oncology</i> , 2014, 132, 70-75.	1.4	63
12	An Open-Label, Randomized, Parallel, Phase II Trial to Evaluate the Efficacy and Safety of a Cremophor-Free Polymeric Micelle Formulation of Paclitaxel as First-Line Treatment for Ovarian Cancer: A Korean Gynecologic Oncology Group Study (KGOG-3021). <i>Cancer Research and Treatment</i> , 2018, 50, 195-203.	3.0	59
13	Patient-Derived Xenograft Models of Epithelial Ovarian Cancer for Preclinical Studies. <i>Cancer Research and Treatment</i> , 2017, 49, 915-926.	3.0	58
14	Sphingosine kinase 1 is a reliable prognostic factor and a novel therapeutic target for uterine cervical cancer. <i>Oncotarget</i> , 2015, 6, 26746-26756.	1.8	55
15	The Effect of Breastfeeding Duration and Parity on the Risk of Epithelial Ovarian Cancer: A Systematic Review and Meta-analysis. <i>Journal of Preventive Medicine and Public Health</i> , 2016, 49, 349-366.	1.9	54
16	HER2 as a novel therapeutic target for cervical cancer. <i>Oncotarget</i> , 2015, 6, 36219-36230.	1.8	51
17	Proton pump inhibitors enhance the effects of cytotoxic agents in chemoresistant epithelial ovarian carcinoma. <i>Oncotarget</i> , 2015, 6, 35040-35050.	1.8	48
18	Survival analysis of revised 2013 FIGO staging classification of epithelial ovarian cancer and comparison with previous FIGO staging classification. <i>Obstetrics and Gynecology Science</i> , 2015, 58, 124.	1.6	45

#	ARTICLE	IF	CITATIONS
19	Expression of fibroblast growth factor receptor family members is associated with prognosis in early stage cervical cancer patients. <i>Journal of Translational Medicine</i> , 2016, 14, 124.	4.4	40
20	Patient-centred outcomes and effect of disease progression on health status in patients with newly diagnosed advanced ovarian cancer and a BRCA mutation receiving maintenance olaparib or placebo (SOLO1): a randomised, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 632-642.	10.7	40
21	Preoperative assessment of lymph node metastasis in endometrial cancer: A Korean Gynecologic Oncology Group study. <i>Cancer</i> , 2017, 123, 263-272.	4.1	38
22	Prediction of survival outcomes in patients with epithelial ovarian cancer using machine learning methods. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e65.	2.2	38
23	The anti-cancer effects of itraconazole in epithelial ovarian cancer. <i>Scientific Reports</i> , 2017, 7, 6552.	3.3	37
24	c-MET as a Potential Therapeutic Target in Ovarian Clear Cell Carcinoma. <i>Scientific Reports</i> , 2016, 6, 38502.	3.3	34
25	Perioperative administration of propranolol to women undergoing ovarian cancer surgery: A pilot study. <i>Obstetrics and Gynecology Science</i> , 2017, 60, 170.	1.6	33
26	Surgical Outcomes of a New Approach to Laparoscopic Myomectomy: Single-Port and Modified Suture Technique. <i>Journal of Minimally Invasive Gynecology</i> , 2014, 21, 580-585.	0.6	31
27	Interval between secondary cytoreductive surgery and adjuvant chemotherapy is not associated with survivals in patients with recurrent ovarian cancer. <i>Journal of Ovarian Research</i> , 2020, 13, 1.	3.0	31
28	Dual targeting of angiotensin receptors (AGTR1 and AGTR2) in epithelial ovarian carcinoma. <i>Gynecologic Oncology</i> , 2014, 135, 108-117.	1.4	29
29	Clinical outcomes of patients with clear cell and endometrioid ovarian cancer arising from endometriosis. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e18.	2.2	29
30	Papillary serous carcinoma in ovaries of normal size: A clinicopathologic study of 20 cases and comparison with extraovarian peritoneal papillary serous carcinoma. <i>Gynecologic Oncology</i> , 2007, 105, 762-768.	1.4	28
31	Somatic Copy Number Alterations Associated with Japanese or Endometriosis in Ovarian Clear Cell Adenocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0116977.	2.5	28
32	Clinical outcomes in patients treated with radiotherapy after surgery for cervical cancer. <i>Radiation Oncology Journal</i> , 2017, 35, 39-47.	1.5	28
33	Genome-wide association studies identify susceptibility loci for epithelial ovarian cancer in east Asian women. <i>Gynecologic Oncology</i> , 2019, 153, 343-355.	1.4	28
34	Prognostic value of pretreatment hemoglobin level in patients with early cervical cancer. <i>Obstetrics and Gynecology Science</i> , 2014, 57, 28.	1.6	27
35	Linalool-Incorporated Nanoparticles as a Novel Anticancer Agent for Epithelial Ovarian Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 618-627.	4.1	27
36	Targeted Inhibition of FAK, PYK2 and BCL-XL Synergistically Enhances Apoptosis in Ovarian Clear Cell Carcinoma Cell Lines. <i>PLoS ONE</i> , 2014, 9, e88587.	2.5	25

#	ARTICLE	IF	CITATIONS
37	Robotic Single-port Hysterectomy, Adnexectomy, and Lymphadenectomy in Endometrial Cancer. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, 322.	0.6	24
38	Proton Pump Inhibition Enhances the Cytotoxicity of Paclitaxel in Cervical Cancer. <i>Cancer Research and Treatment</i> , 2017, 49, 595-606.	3.0	24
39	Survival impact based on the thoroughness of pelvic lymphadenectomy in intermediate- or high-risk groups of endometrioid-type endometrial cancer: A multi-center retrospective cohort analysis. <i>Gynecologic Oncology</i> , 2016, 141, 440-446.	1.4	23
40	Polygenic risk modeling for prediction of epithelial ovarian cancer risk. <i>European Journal of Human Genetics</i> , 2022, 30, 349-362.	2.8	23
41	Pulmonary metastasectomy in uterine malignancy: outcomes and prognostic factors. <i>Journal of Gynecologic Oncology</i> , 2015, 26, 270.	2.2	22
42	Minimally invasive compared with open surgery in patients with borderline ovarian tumors. <i>Gynecologic Oncology</i> , 2017, 145, 508-512.	1.4	21
43	Biomarker-guided targeted therapy in platinum-resistant ovarian cancer (AMBITION; KGOG 3045): a multicentre, open-label, five-arm, uncontrolled, umbrella trial. <i>Journal of Gynecologic Oncology</i> , 2022, 33, .	2.2	21
44	The clinical value of surgeons' efforts of preventing intraoperative tumor rupture in stage I clear cell carcinoma of the ovary: A Korean multicenter study. <i>Gynecologic Oncology</i> , 2015, 137, 412-417.	1.4	20
45	Impact of lymphadenectomy on survival after recurrence in patients with advanced ovarian cancer without suspected lymph node metastasis. <i>Gynecologic Oncology</i> , 2016, 143, 252-257.	1.4	20
46	Update on rare epithelial ovarian cancers: based on the Rare Ovarian Tumors Young Investigator Conference. <i>Journal of Gynecologic Oncology</i> , 2017, 28, e54.	2.2	20
47	Primary ovarian choriocarcinoma mimicking ectopic pregnancy. <i>Obstetrics and Gynecology Science</i> , 2014, 57, 330.	1.6	19
48	Surgical outcome prediction in patients with advanced ovarian cancer using computed tomography scans and intraoperative findings. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2014, 53, 343-347.	1.3	19
49	Population attributable risks of modifiable reproductive factors for breast and ovarian cancers in Korea. <i>BMC Cancer</i> , 2016, 16, 5.	2.6	19
50	Clinical outcomes of primary surgical treatment for acquired vulvar lymphangioma circumscriptum. <i>Archives of Gynecology and Obstetrics</i> , 2016, 293, 157-162.	1.7	18
51	Extrauterine epithelioid trophoblastic tumor in hysterectomized woman. <i>Obstetrics and Gynecology Science</i> , 2017, 60, 124.	1.6	18
52	Cosmesis and body image after single-port access surgery for gynaecologic disease. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 465-469.	1.0	17
53	Safe Criteria for Less Radical Trachelectomy in Patients with Early-Stage Cervical Cancer: A Multicenter Clinicopathologic Study. <i>Annals of Surgical Oncology</i> , 2012, 19, 1973-1979.	1.5	17
54	Outcomes of laparoscopic fertility-sparing surgery in clinically early-stage epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2016, 27, e20.	2.2	17

#	ARTICLE	IF	CITATIONS
55	Uterine Fibroids: Correlation of T2 Signal Intensity with Semiquantitative Perfusion MR Parameters in Patients Screened for MR-guided High-Intensity Focused Ultrasound Ablation. <i>Radiology</i> , 2016, 278, 925-935.	7.3	17
56	An umbrella study of biomarker-driven targeted therapy in patients with platinum-resistant recurrent ovarian cancer: a Korean Gynecologic Oncology Group study (KGOG 3045), AMBITION. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 789-792.	1.3	17
57	Chemoradiotherapy response prediction model by proteomic expressional profiling in patients with locally advanced cervical cancer. <i>Gynecologic Oncology</i> , 2020, 157, 437-443.	1.4	17
58	A single-arm phase II study of olaparib maintenance with pembrolizumab and bevacizumab in BRCA non-mutated patients with platinum-sensitive recurrent ovarian cancer (OPEB-01). <i>Journal of Gynecologic Oncology</i> , 2021, 32, e31.	2.2	17
59	Comparison of the performance of the PANArray, HPV test and DNA chip test for genotyping of human papillomavirus in cervical swabs. <i>Biochip Journal</i> , 2010, 4, 167-172.	4.9	16
60	Postoperative outcomes of MR-invisible stage IB1 cervical cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 168.e1-168.e7.	1.3	16
61	Preservation of the endometrial enhancement after magnetic resonance imaging-guided high-intensity focused ultrasound ablation of submucosal uterine fibroids. <i>European Radiology</i> , 2017, 27, 3956-3965.	4.5	16
62	Pharmacogenomic analysis of patient-derived tumor cells in gynecologic cancers. <i>Genome Biology</i> , 2019, 20, 253.	8.8	16
63	Laparoscopic single-site (LESS) myomectomy: characteristics of the appropriate myoma. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 175, 58-61.	1.1	15
64	CDK7 is a reliable prognostic factor and novel therapeutic target in epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2020, 156, 211-221.	1.4	15
65	A phase II study of neoadjuvant chemotherapy plus durvalumab and tremelimumab in advanced-stage ovarian cancer: a Korean Gynecologic Oncology Group Study (KGOG 3046), TRU-D. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e112.	2.2	15
66	Recommendation guideline of Korean Society of Gynecologic Oncology and Colposcopy for quadrivalent human papillomavirus vaccine. <i>Korean Journal of Gynecologic Oncology</i> , 2007, 18, 259.	0.1	14
67	Squamous cell carcinoma antigen in cervical cancer and beyond. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 291.	2.2	14
68	Timing and patterns of recurrence in epithelial ovarian cancer patients with no gross residual disease after primary debulking surgery. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016, 56, 639-647.	1.0	14
69	Phase I Study of a B Cell-Based and Monocyte-Based Immunotherapeutic Vaccine, BVAC-C in Human Papillomavirus Type 16- or 18-Positive Recurrent Cervical Cancer. <i>Journal of Clinical Medicine</i> , 2020, 9, 147.	2.4	14
70	Dynamin 2 Inhibitors as Novel Therapeutic Agents Against Cervical Cancer Cells. <i>Anticancer Research</i> , 2016, 36, 6381-6388.	1.1	13
71	Ploidy and S-phase fraction are correlated with lymphovascular space invasion that is predictive of outcomes in endometrial cancer. <i>International Journal of Clinical Oncology</i> , 2012, 17, 590-597.	2.2	11
72	Borderline ovarian tumor in women aged ≥65 years: impact on recurrence and survival. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 184, 38-42.	1.1	11

#	ARTICLE	IF	CITATIONS
73	Time-lapse imaging of sentinel lymph node using indocyanine green with near-infrared fluorescence imaging in early endometrial cancer. <i>Journal of Gynecologic Oncology</i> , 2016, 27, e27.	2.2	11
74	Phase III study of cisplatin with or without S-1 in patients with stage IVB, recurrent, or persistent cervical cancer. <i>British Journal of Cancer</i> , 2018, 119, 530-537.	6.4	11
75	ENGOT-OV43/KEYLYNK-001: A phase III, randomized, double-blind, active- and placebo-controlled study of pembrolizumab plus chemotherapy with olaparib maintenance for first-line treatment of BRCA-nonmutated advanced epithelial ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS5603-TPS5603.	1.6	11
76	Selected Adnexal Cystic Masses in Postmenopausal Women Can be Safely Managed by Laparoscopy. <i>Journal of Korean Medical Science</i> , 2005, 20, 468.	2.5	10
77	The role of appendectomy in patients with mucinous borderline ovarian tumors. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 229, 112-116.	1.1	10
78	Preclinical assessment of the VEGFR inhibitor axitinib as a therapeutic agent for epithelial ovarian cancer. <i>Scientific Reports</i> , 2020, 10, 4904.	3.3	10
79	Comparison between laparoendoscopic single-site and conventional laparoscopic surgery in mature cystic teratoma of the ovary. <i>Gynecology and Minimally Invasive Therapy</i> , 2019, 8, 155.	0.9	10
80	Nomograms Predicting Platinum Sensitivity, Progression-Free Survival, and Overall Survival Using Pretreatment Complete Blood Cell Counts in Epithelial Ovarian Cancer. <i>Cancer Research and Treatment</i> , 2017, 49, 635-642.	3.0	10
81	Analysis of clinical outcomes of patients with adenoid cystic carcinoma of Bartholin glands. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 5688-94.	0.5	10
82	Comparison of survival outcomes after recurrence detected by cancer antigen 125 elevation versus imaging study in epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2016, 27, e46.	2.2	9
83	Prognostic significance of normal-sized ovary in advanced serous epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e13.	2.2	9
84	Primary malignant melanoma of the uterine cervix treated with pembrolizumab after radical surgery: a case report and literature review. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 524.	1.6	9
85	Pretreatment Lymph Node Metastasis as a Prognostic Significance in Cervical Cancer: Comparison between Disease Status. <i>Cancer Research and Treatment</i> , 2020, 52, 516-523.	3.0	9
86	Aggressive angiomyxoma of the vulva: A case report. <i>Obstetrics and Gynecology Science</i> , 2014, 57, 164.	1.6	9
87	Clinical characteristics and outcomes of placental site trophoblastic tumor: experience of single institution in Korea. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 319.	1.6	8
88	Real-World Experience of Olaparib Maintenance in High-Grade Serous Recurrent Ovarian Cancer Patients with BRCA1/2 Mutation: A Korean Multicenter Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1920.	2.4	8
89	Optimal cutoff age for predicting prognosis associated with serous epithelial ovarian cancer: what is the best age cutoff?. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e11.	2.2	8
90	Comparison of CA 125 alone and risk of ovarian malignancy algorithm (ROMA) in patients with adnexal mass: A multicenter study. <i>Current Problems in Cancer</i> , 2020, 44, 100508.	2.0	8

#	ARTICLE	IF	CITATIONS
91	Prognostic Significance of Tumor Regression Rate during Concurrent Chemoradiotherapy in Locally Advanced Cervix Cancer: Analysis by Radiation Phase and Histologic Type. <i>Journal of Clinical Medicine</i> , 2020, 9, 3471.	2.4	8
92	Real-World Experience of Pembrolizumab Monotherapy in Patients with Recurrent or Persistent Cervical Cancer: A Korean Multi-Center Retrospective Study (KGOG1041). <i>Cancers</i> , 2020, 12, 3188.	3.7	8
93	Pazopanib (Paz) monotherapy in Asian women who have not progressed after first-line chemotherapy for advanced ovarian, Fallopian tube, or primary peritoneal carcinoma.. <i>Journal of Clinical Oncology</i> , 2013, 31, 5512-5512.	1.6	8
94	Maintenance olaparib after platinum-based chemotherapy in patients (pts) with newly diagnosed advanced ovarian cancer (OC) and a BRCA mutation (BRCAm): Efficacy by surgical and tumor status in the Phase III SOLO1 trial.. <i>Journal of Clinical Oncology</i> , 2019, 37, 5541-5541.	1.6	8
95	Second-line olaparib maintenance therapy is associated with poor response to subsequent chemotherapy in BRCA1/2-mutated epithelial ovarian cancer: A multicentre retrospective study. <i>Gynecologic Oncology</i> , 2022, 165, 97-104.	1.4	8
96	Port site metastasis after robotic-assisted laparoscopic hysterectomy for uterine cervical cancer: A case report and literature review. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2013, 52, 558-563.	1.3	7
97	Prevalence and oncologic outcomes of BRCA1/2 mutation and variant of unknown significance in epithelial ovarian carcinoma patients in Korea. <i>Obstetrics and Gynecology Science</i> , 2019, 62, 411.	1.6	7
98	Aberrant Transcript Usage Is Associated with Homologous Recombination Deficiency and Predicts Therapeutic Response. <i>Cancer Research</i> , 2022, 82, 142-154.	0.9	7
99	A Phase 2 Trial of Radiation Therapy With Concurrent Paclitaxel Chemotherapy After Surgery in Patients With High-Risk Endometrial Cancer: A Korean Gynecologic Oncologic Group Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 140-146.	0.8	6
100	Update of human papillomavirus vaccination. <i>Journal of the Korean Medical Association</i> , 2015, 58, 313.	0.3	6
101	A prospective comparative study of cosmetic satisfaction for three different surgical approaches. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 190, 48-51.	1.1	6
102	Feasibility of laparoscopic cytoreduction in patients with localized recurrent epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2016, 27, e24.	2.2	6
103	Genomic Network-Based Analysis Reveals Pancreatic Adenocarcinoma Up-Regulating Factor-Related Prognostic Markers in Cervical Carcinoma. <i>Frontiers in Oncology</i> , 2018, 8, 465.	2.8	6
104	Ovarian Gynandroblastoma with a Juvenile Granulosa Cell Tumor Component in a Postmenopausal Woman. <i>Diagnostics</i> , 2020, 10, 537.	2.6	6
105	Anti-Cancer Activity of As4O6 and its Efficacy in a Series of Patient-Derived Xenografts for Human Cervical Cancer. <i>Pharmaceutics</i> , 2020, 12, 987.	4.5	6
106	A multicentre, randomised, open-label, parallel-group Phase 2b study of belotecan versus topotecan for recurrent ovarian cancer. <i>British Journal of Cancer</i> , 2021, 124, 375-382.	6.4	6
107	Prevalence and clinical characterization of BRCA1 and BRCA2 mutations in Korean patients with epithelial ovarian cancer. <i>Cancer Science</i> , 2021, 112, 5055-5067.	3.9	6
108	Combination of a pulmonary recruitment maneuver and intraperitoneal bupivacaine for the reduction of postoperative shoulder pain in gynecologic laparoscopy: a randomized, controlled trial. <i>Obstetrics and Gynecology Science</i> , 2020, 63, 187-194.	1.6	6

#	ARTICLE	IF	CITATIONS
109	A single-arm, phase II study of niraparib and bevacizumab maintenance therapy in platinum-sensitive, recurrent ovarian cancer patients previously treated with a PARP inhibitor: Korean Gynecologic Oncology Group (KGOC 3056)/NIRVANA-R trial. <i>Journal of Gynecologic Oncology</i> , 2022, 33, .	2.2	6
110	The effect of coexisting squamous cell lesions on prognosis in patients with cervical adenocarcinoma in situ. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 190, 26-30.	1.1	5
111	Prognostic factors for recurrence and survival in uterine leiomyosarcoma: Korean single center experience with 50 cases. <i>Obstetrics and Gynecology Science</i> , 2019, 62, 103.	1.6	5
112	Triplet chemotherapy vs doublet chemotherapy plus bevacizumab in metastatic, recurrent, and persistent cervical cancer. <i>Current Problems in Cancer</i> , 2020, 44, 100557.	2.0	5
113	Effect of Waiting Time from Pathological Diagnosis to Definitive Concurrent Chemoradiation for Cervical Cancer on Overall Survival. <i>Cancer Research and Treatment</i> , 2022, 54, 245-252.	3.0	5
114	Long-term outcomes of single-port laparoscopic myomectomy using a modified suture technique. <i>Obstetrics and Gynecology Science</i> , 2020, 63, 164-172.	1.6	5
115	Primary ovarian carcinoid tumor showing unusual histology and nuclear accumulation of β -catenin. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 5749-52.	0.5	5
116	Is laparoendoscopic single-site surgery (LESS) retroperitoneal hysterectomy feasible?: Surgical outcomes of the initial 27 cases. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015, 54, 150-154.	1.3	4
117	Development and Validation of the Korean Version of Hand-Foot Skin Reaction and Quality of Life Questionnaire (HF-QoL-K). <i>Journal of Korean Medical Science</i> , 2016, 31, 1969.	2.5	4
118	Retroperitoneal Approach in Single-Port Laparoscopic Hysterectomy. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2016, 20, e2016.00001.	1.1	4
119	Women with double primary cancers of the colorectum and endometrium: do they have Lynch syndrome?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 199, 208-212.	1.1	4
120	Retrospective study of combination chemotherapy with etoposide and ifosfamide in patients with heavily pretreated recurrent or persistent epithelial ovarian cancer. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 352.	1.6	4
121	Feasibility of Single-Port Access (SPA) Laparoscopy for Large Ovarian Tumor Suspected to Be Borderline Ovarian Tumor. <i>Frontiers in Oncology</i> , 2020, 10, 583515.	2.8	4
122	Comparison of Laparoscopy and Laparotomy for Para-Aortic Lymphadenectomy in Women With Presumed Stage II High-Risk Endometrial Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 451.	2.8	4
123	Metabolic syndrome and persistent cervical human papillomavirus infection. <i>Gynecologic Oncology</i> , 2021, 161, 559-564.	1.4	4
124	Laparoendoscopic single-site radical hysterectomy for early stage cervical cancer. <i>Obstetrics and Gynecology Science</i> , 2017, 60, 110.	1.6	3
125	Significance of serum CA125 level in surgically resected cervical adenocarcinoma with adverse features. <i>Journal of Gynecologic Oncology</i> , 2021, 32, e72.	2.2	3
126	Efficacy of maintenance olaparib for newly diagnosed, advanced ovarian cancer patients (pts) by BRCA1 or BRCA2 mutation in the phase III SOLO1 trial.. <i>Journal of Clinical Oncology</i> , 2019, 37, 5551-5551.	1.6	3

#	ARTICLE	IF	CITATIONS
127	Cost-Utility of a Two-Dose Human Papillomavirus Vaccination Programme Added to Cervical Cancer Screening Compared with Cervical Cancer Screening Alone in Korea. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019, 20, 425-435.	1.2	3
128	Molecular Signature for Lymphatic Invasion Associated with Survival of Epithelial Ovarian Cancer. <i>Cancer Research and Treatment</i> , 2018, 50, 461-473.	3.0	3
129	Decidualization of intranodal endometriosis in a postmenopausal woman. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 1025-30.	0.5	3
130	Mesothelial cell inclusions in pelvic and para-aortic lymph nodes: a clinicopathologic analysis. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 5318-26.	0.5	3
131	Clinical outcome of pulmonary lymphangitic carcinomatosis in gynecologic malignancy: A single-institution experience. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2022, 61, 333-338.	1.3	3
132	Prognostic Significance of HER3 Expression in Patients with Cervical Cancer. <i>Cancers</i> , 2022, 14, 2139.	3.7	3
133	Phase II Study of Combination Chemotherapy with Etoposide and Ifosfamide in Patients with Heavily Pretreated Recurrent or Persistent Epithelial Ovarian Cancer. <i>Journal of Korean Medical Science</i> , 2009, 24, 945.	2.5	2
134	Endometrial cancer six years after colon cancer in Lynch syndrome: Single institution case in Korea. <i>Korean Journal of Obstetrics & Gynecology</i> , 2012, 55, 870.	0.1	2
135	Robotic high para-aortic lymph node dissection with high port placement using same port for pelvic surgery in gynecologic cancer patients. <i>Journal of Gynecologic Oncology</i> , 2015, 26, 222.	2.2	2
136	Catamenial hemoptysis accompanied by subcutaneous endometriosis treated with combination therapy. <i>Obstetrics and Gynecology Science</i> , 2017, 60, 236.	1.6	2
137	Identification of Candidate Genes Associated with Susceptibility to Ovarian Clear Cell Adenocarcinoma Using cis-eQTL Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1137.	2.4	2
138	Minimally-Invasive Versus Abdominal Hysterectomy for Endometrial Carcinoma With Glandular or Stromal Invasion of Cervix. <i>Frontiers in Oncology</i> , 2021, 11, 670214.	2.8	2
139	An umbrella study of biomarker-driven targeted therapy in patients with platinum-resistant recurrent ovarian cancer (KGOG 3045, AMBITION).. <i>Journal of Clinical Oncology</i> , 2021, 39, 5520-5520.	1.6	2
140	Phase IIa study of BVAC-C in HPV type 16 or 18 positive recurrent cervical carcinoma.. <i>Journal of Clinical Oncology</i> , 2021, 39, 5512-5512.	1.6	2
141	Early Metabolic Response Assessed Using 18F-FDG-PET/CT for Image-Guided Intracavitary Brachytherapy Can Better Predict Treatment Outcomes in Patients with Cervical Cancer. <i>Cancer Research and Treatment</i> , 2021, 53, 803-812.	3.0	2
142	Validation of Potential Protein Markers Predicting Chemoradioresistance in Early Cervical Cancer by Immunohistochemistry. <i>Frontiers in Oncology</i> , 2021, 11, 665595.	2.8	2
143	Prognostic Relevance of BRCA1 Expression in Survival of Patients With Cervical Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 770103.	2.8	2
144	Impact of no residual disease on postoperative computed tomography on survival in patients with optimally debulked advanced high-grade serous ovarian cancer during upfront surgery. <i>Gynecologic Oncology</i> , 2022, , .	1.4	2

#	ARTICLE	IF	CITATIONS
145	A rare case of primary ovarian leiomyoma with atypical Meigs' syndrome. Korean Journal of Obstetrics & Gynecology, 2012, 55, 285.	0.1	1
146	Vaginal cancer with multiple liver and pulmonary metastases that achieved long-term survival. Obstetrics and Gynecology Science, 2013, 56, 416.	1.6	1
147	Single-port access (SPA) laparoscopic myomectomy with uterine artery ligation via a retroperitoneal approach is feasible in women with large uterine leiomyoma. Taiwanese Journal of Obstetrics and Gynecology, 2021, 60, 752-757.	1.3	1
148	Frequent use of complex surgeries and survival outcomes in ovarian cancer patients: A propensity score analysis from the Korean Gynecologic Oncology Group.. Journal of Clinical Oncology, 2014, 32, 5537-5537.	1.6	1
149	Randomized phase III trial of carboplatin/paclitaxel alone (CP) or in combination with bevacizumab followed by bevacizumab (CPB) and secondary cytoreduction surgery in platinum-sensitive recurrent ovarian cancer: GOG0213, an NRG Oncology/GOG Studyâ€”Analysis of patient reported outcomes (PRO) on chemotherapy randomization.. Journal of Clinical Oncology, 2015, 33, 5525-5525.	1.6	1
150	Expressions of Tight Junction Protein Claudin-1 and Claudin-7 in Squamous Cell Carcinoma of the Uterine Cervix. Korean Journal of Physiology, 2004, 15, 41.	0.0	1
151	A case of primitive neuroectodermal tumor of the ovary. Korean Journal of Obstetrics & Gynecology, 2012, 55, 777.	0.1	1
152	Interim analysis from a phase II study of olaparib maintenance with pembrolizumab and bevacizumab in <i>BRCA </i>non-mutated patients with platinum-sensitive recurrent ovarian cancer: APGOT-ov4/OPEB-01.. Journal of Clinical Oncology, 2022, 40, e17579-e17579.	1.6	1
153	Effective thermal destruction of residual tubal epithelium using an advanced sealing device in opportunistic salpingectomy: A randomized trial. Gynecology and Minimally Invasive Therapy, 2017, 6, 108-112.	0.9	0
154	Real-world Experience of Niraparib in Newly-diagnosed Epithelial Ovarian Cancer. Anticancer Research, 2021, 41, 4603-4607.	1.1	0
155	Neoadjuvant chemotherapy with mitomycin-C, vincristine and cisplatin (MVC) for patients with loco-regionally advanced cervical carcinoma. Korean Journal of Gynecologic Oncology, 2006, 17, 15.	0.1	0
156	Superior vena cava syndrome secondary to hickman catheter in the advanced cervical cancer patient treated with concurrent chemoradiotherapy: A case report. Korean Journal of Obstetrics & Gynecology, 2012, 55, 761.	0.1	0
157	Reply: Hereditary portion as an initial genetic approach in gynecologic cancer: synchronous tumor of ovary and endometrium. Journal of Gynecologic Oncology, 2012, 23, 73.	2.2	0
158	An open label, randomized, parallel, phase II trial to evaluate the efficacy and safety of cremophor-free, polymeric micelle formulation of paclitaxel compared to paclitaxel in subjects with ovarian cancer.. Journal of Clinical Oncology, 2013, 31, 5568-5568.	1.6	0
159	Propensity-score analysis of neoadjuvant chemotherapy vs. primary surgery in advanced ovarian cancer: Does surgical quality matter?. Journal of Clinical Oncology, 2015, 33, 5568-5568.	1.6	0
160	Efficacy and safety comparison between belotecan and topotecan in patients with recurrent or refractory ovarian cancer: A multi-center, randomized, open-labelled, parallel-group phase IIb trial.. Journal of Clinical Oncology, 2015, 33, 5527-5527.	1.6	0
161	Prognostic model for disease-free survival, lymphatic and/or hematogenous recurrence, in patients with early stage cervical cancer treated with radical hysterectomy: A Korean Gynecologic Oncology Group Study.. Journal of Clinical Oncology, 2016, 34, e17000-e17000.	1.6	0
162	Quality of life (QoL) in a phase III trial of pelvic external beam radiation therapy (PXRT) versus vaginal cuff brachytherapy followed by paclitaxel/carboplatin chemotherapy (VCB/C) in patients with high risk, early stage endometrial carcinoma: An NRG Oncology/Gynecologic Oncology Group study.. Journal of Clinical Oncology, 2018, 36, 5593-5593.	1.6	0

#	ARTICLE	IF	CITATIONS
163	Survival Effects of Cytoreductive Surgery for Refractory Patients after Neoadjuvant Chemotherapy in Advanced Epithelial Ovarian Cancer. Yonsei Medical Journal, 2020, 61, 935.	2.2	0
164	A single-arm, phase II study of niraparib and bevacizumab maintenance therapy in patients with platinum-sensitive, recurrent ovarian cancer previously treated with a PARP inhibitor: Korean Gynecologic Oncology Group (KGOG 3056)/NIRVANA-R trial.. Journal of Clinical Oncology, 2022, 40, TPS5610-TPS5610.	1.6	0