Askhat Bakarov

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2668977/askhat-bakarov-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 190 | 1,762 citations | 21 | 34 |
|--------------------|------------------------------|--------------------|-----------------|
| papers | | h-index | g-index |
| 213 ext. papers | 2, 090 ext. citations | 2.2 avg, IF | 4.44 L-index |

| # | Paper | IF | Citations |
|-----|---|-------|-----------|
| 190 | Diffusion of Photoexcited Holes in a Viscous Electron Fluid <i>Physical Review Letters</i> , 2022 , 128, 136801 | 7.4 | 1 |
| 189 | Suppression of Magneto-Intersubband Resistance Oscillations by Large-Scale Fluctuations of the Intersubband Energy Splitting. <i>JETP Letters</i> , 2021 , 114, 423-428 | 1.2 | 0 |
| 188 | Electrostatic actuation and charge sensing in piezoelectric nanomechanical resonators with a two-dimensional electron gas. <i>Applied Physics Letters</i> , 2021 , 118, 183105 | 3.4 | 1 |
| 187 | Crossing and anticrossing of 1D subbands in a quantum point contact with in-plane side gates. <i>Applied Physics Letters</i> , 2021 , 118, 012104 | 3.4 | 1 |
| 186 | Millimeter-Wave DonorAcceptor-Doped DpHEMT. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 53-56 | 5 2.9 | O |
| 185 | High harmonics of the cyclotron resonance in microwave transmission of a high-mobility two-dimensional electron system. <i>Physical Review Research</i> , 2021 , 3, | 3.9 | 1 |
| 184 | AlSb/InAs Heterostructures for Microwave Transistors. <i>Technical Physics Letters</i> , 2021 , 47, 139-142 | 0.7 | |
| 183 | Temperature damping of magneto-intersubband resistance oscillations in magnetically entangled subbands. <i>Physical Review B</i> , 2021 , 104, | 3.3 | 2 |
| 182 | A Millimeter-Wave Field-Effect Transistor Based on a Pseudomorphic Heterostructure with an Additional Potential Barrier. <i>Technical Physics Letters</i> , 2021 , 47, 329-332 | 0.7 | |
| 181 | Vertical-Cavity Surface-Emitting Lasers for Miniature Quantum Frequency Standards. Optoelectronics, Instrumentation and Data Processing, 2021 , 57, 445-450 | 0.6 | |
| 180 | AllnSb/InSb Heterostructures for IR Photodetectors Grown by Molecular-Beam Epitaxy. <i>Technical Physics Letters</i> , 2020 , 46, 154-157 | 0.7 | 1 |
| 179 | Stokes flow around an obstacle in viscous two-dimensional electron liquid. <i>Scientific Reports</i> , 2020 , 10, 7860 | 4.9 | 4 |
| 178 | Multiperiodic Spin Precession of the Optically Induced Spin Polarization in ({hbox {Al}}_{x}{hbox {Ga}}_{1-x}{hbox {As/AlAs}}) Single Quantum Well 2020 , 44, 549-555 | | |
| 177 | Experimental analysis of the spinBrbit coupling dependence on the drift velocity of a spin packet. <i>AIP Advances</i> , 2020 , 10, 065232 | 1.5 | 0 |
| 176 | Low-temperature dissipation and its persistent photoinduced change in AlGaAs/GaAs-based nanomechanical resonators. <i>Applied Physics Letters</i> , 2020 , 116, 053104 | 3.4 | 2 |
| 175 | Electron-nuclei interaction in the X valley of (In,Al)As/AlAs quantum dots. <i>Physical Review B</i> , 2020 , 101, | 3.3 | 3 |
| 174 | Dependences of the Transport Scattering Time and Quantum Lifetime on the Two-Dimensional Electron Gas Density in Modulation-Doped Single GaAs Quantum Wells with AlAs/GaAs Short-Period Superlattice Barriers. <i>JETP Letters</i> , 2020 , 112, 437-443 | 1.2 | 2 |

(2018-2020)

| 173 | New Type of Heterostructures for Powerful pHEMT Transistors. <i>Optoelectronics, Instrumentation and Data Processing</i> , 2020 , 56, 478-484 | 0.6 | | |
|-----|--|-----|----|--|
| 172 | Double-Channel Electron Transport in Suspended Quantum Point Contacts with in-Plane Side Gates. <i>Semiconductors</i> , 2020 , 54, 1605-1610 | 0.7 | О | |
| 171 | Nonlinear AC and DC Conductivities in a Two-Subband n-GaAs/AlAs Heterostructure. <i>JETP Letters</i> , 2020 , 112, 45-52 | 1.2 | 3 | |
| 170 | Manifestations of classical size effect and electronic viscosity in the magnetoresistance of narrow two-dimensional conductors: Theory and experiment. <i>Physical Review B</i> , 2020 , 101, | 3.3 | 1 | |
| 169 | Beats of Quantum Oscillations of the Resistance in Two-Subband Electron Systems in Tilted Magnetic Fields. <i>JETP Letters</i> , 2019 , 109, 400-405 | 1.2 | 7 | |
| 168 | The deformation-potential scattering and alloy disorder scattering in donor-acceptor pHEMT heterostructures. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 475, 012033 | 0.4 | | |
| 167 | On-Chip Piezoelectric Actuation of Nanomechanical Resonators Containing a Two-Dimensional Electron Gas. <i>JETP Letters</i> , 2019 , 109, 261-265 | 1.2 | O | |
| 166 | Modulation of Magneto-Intersubband Oscillations in a One-Dimensional Lateral Superlattice. <i>JETP Letters</i> , 2019 , 110, 354-358 | 1.2 | 2 | |
| 165 | AC and DC Conductivities in an n-GaAs/AlAs Heterostructure with a Wide Quantum Well in the Integer Quantum Hall Effect Regime. <i>JETP Letters</i> , 2019 , 110, 68-73 | 1.2 | 2 | |
| 164 | Suspended quantum point contact with triple channel selectively driven by side gates. <i>Applied Physics Letters</i> , 2019 , 115, 152101 | 3.4 | 2 | |
| 163 | Lateral-electric-field-induced spin polarization in a suspended GaAs quantum point contact. <i>Applied Physics Letters</i> , 2018 , 112, 082102 | 3.4 | 13 | |
| 162 | Viscous electron flow in mesoscopic two-dimensional electron gas. <i>AIP Advances</i> , 2018 , 8, 025318 | 1.5 | 28 | |
| 161 | Tailoring multilayer quantum wells for spin devices 2018 , 91, 1 | | 2 | |
| 160 | Mobility of the Two-Dimensional Electron Gas in DA-pHEMT Heterostructures with Various B-Layer Profile Widths. <i>Semiconductors</i> , 2018 , 52, 44-52 | 0.7 | 2 | |
| 159 | Kinetics of Structural Changes on GaSb(001) Singular and Vicinal Surfaces During the UHV Annealing. <i>Semiconductors</i> , 2018 , 52, 664-666 | 0.7 | 1 | |
| 158 | Increasing Saturated Electron-Drift Velocity in DonorAcceptor Doped pHEMT Heterostructures. <i>Technical Physics Letters</i> , 2018 , 44, 260-262 | 0.7 | 4 | |
| 157 | Microwave-induced zero-resistance states in a high-mobility two-subband electron system. <i>Journal Physics D: Applied Physics</i> , 2018 , 51, 28LT01 | 3 | 4 | |
| 156 | Electrically controlled spin polarization in suspended GaAs quantum point contacts. <i>Journal of Physics: Conference Series</i> , 2018 , 1124, 061001 | 0.3 | _ | |

| 155 | Spinodal Decomposition in InSb/AlAs Heterostructures. <i>Semiconductors</i> , 2018 , 52, 1392-1397 | 0.7 | 1 |
|-----|--|------------------|-----|
| 154 | Elastic Properties of Suspended Conducting GaAs/AlGaAs Nanostructures by Means of Atomic Force Microscopy. <i>Optoelectronics, Instrumentation and Data Processing</i> , 2018 , 54, 496-501 | 0.6 | |
| 153 | Determination of Electron Temperature in DA-pHEMT Heterostructures by Shubnikov de Haas Oscillation Method. <i>Russian Physics Journal</i> , 2018 , 61, 1202-1209 | 0.7 | |
| 152 | The observation of the Aharonov-Bohm effect in suspended semiconductor ring interferometers. Journal of Physics: Conference Series, 2018, 964, 012008 | 0.3 | 1 |
| 151 | Viscous transport and Hall viscosity in a two-dimensional electron system. <i>Physical Review B</i> , 2018 , 98, | 3.3 | 20 |
| 150 | Vorticity-induced negative nonlocal resistance in a viscous two-dimensional electron system. <i>Physical Review B</i> , 2018 , 97, | 3.3 | 18 |
| 149 | Robustness of spin polarization against temperature in multilayer structure: Triple quantum well. <i>Journal of Applied Physics</i> , 2018 , 123, 214306 | 2.5 | 1 |
| 148 | Large anisotropic spin relaxation time of exciton bound to donor states in triple quantum wells. Journal of Applied Physics, 2017, 121, 205703 | 2.5 | 4 |
| 147 | Determining the structure of energy in heterostructures with diffuse interfaces. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2017 , 81, 1052-1057 | 0.4 | 1 |
| 146 | Electromechanical coupling in suspended nanomechanical resonators with a two-dimensional electron gas. <i>Journal of Physics: Conference Series</i> , 2017 , 864, 012043 | 0.3 | |
| 145 | Gate control of the spin mobility through the modification of the spin-orbit interaction in two-dimensional systems. <i>Physical Review B</i> , 2017 , 95, | 3.3 | 6 |
| 144 | MBE-grown InSb photodetector arrays. <i>Technical Physics</i> , 2017 , 62, 915-919 | 0.5 | 2 |
| 143 | Ballistic magnetotransport in a suspended two-dimensional electron gas with periodic antidot lattices. <i>Semiconductors</i> , 2017 , 51, 8-13 | 0.7 | 9 |
| 142 | Formation of low-dimensional structures in the InSb/AlAs heterosystem. <i>Semiconductors</i> , 2017 , 51, 123 | 33o1 7 39 | 9 3 |
| 141 | Macroscopic transport of a current-induced spin polarization. <i>Journal of Physics: Conference Series</i> , 2017 , 864, 012060 | 0.3 | 2 |
| 140 | Macroscopic transverse drift of long current-induced spin coherence in two-dimensional electron gases. <i>Physical Review B</i> , 2016 , 94, | 3.3 | 8 |
| 139 | Magnetocapacitance oscillations and thermoelectric effect in a two-dimensional electron gas irradiated by microwaves. <i>Physical Review B</i> , 2016 , 94, | 3.3 | 4 |
| 138 | Magnetophonon oscillations of thermoelectric power and combined resonance in two-subband electron systems. <i>Physical Review B</i> , 2016 , 94, | 3.3 | 2 |

(2014-2016)

| Magnetointersubband resistance oscillations in GaAs quantum wells placed in a tilted magnetic field. <i>Physical Review B</i> , 2016 , 93, | 3.3 | 10 | |
|---|--|--|---|
| Piezoelectric Electromechanical Coupling in Nanomechanical Resonators with a Two-Dimensional Electron Gas. <i>Physical Review Letters</i> , 2016 , 117, 017702 | 7.4 | 15 | |
| Quantum dots formed in InSb/AlAs and AlSb/AlAs heterostructures. <i>JETP Letters</i> , 2016 , 103, 692-698 | 1.2 | 8 | |
| Nonequilibrium chemical potential in a two-dimensional electron gas in the quantum-Hall-effect regime. <i>Semiconductors</i> , 2016 , 50, 1049-1053 | 0.7 | О | |
| Excitonic spin-splitting in quantum wells with a tilted magnetic field. <i>Journal of Physics Condensed Matter</i> , 2016 , 28, 055503 | 1.8 | 2 | |
| Monolithically integrated single quantum dots coupled to bowtie nanoantennas. <i>Optics Express</i> , 2016 , 24, 28936-28944 | 3.3 | 14 | |
| Long-lived nanosecond spin coherence in high-mobility 2DEGs confined in double and triple quantum wells. <i>Journal of Applied Physics</i> , 2016 , 119, 215701 | 2.5 | 10 | |
| Structure and morphology of InSb epitaxial films in the AlAs matrix. <i>Nanotechnologies in Russia</i> , 2016 , 11, 12-19 | 0.6 | 1 | |
| Influence of the additional p+ doped layers on the properties of AlGaAs/InGaAs/AlGaAs heterostructures for high power SHF transistors. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 095108 | 3 | 9 | |
| Identification of photoluminescence bands in AlGaAs/InGaAs/GaAs PHEMT heterostructures with donor-acceptor-doped barriers. <i>Semiconductors</i> , 2015 , 49, 224-228 | 0.7 | 3 | |
| Efficient single-photon emitters based on Bragg microcavities containing selectively positioned InAs quantum dots. <i>Semiconductors</i> , 2015 , 49, 33-38 | 0.7 | 4 | |
| Actuation and transduction of resonant vibrations in GaAs/AlGaAs-based nanoelectromechanical systems containing two-dimensional electron gas. <i>Applied Physics Letters</i> , 2015 , 106, 183110 | 3.4 | 13 | |
| Microwave-Induced Magneto-Oscillations and Signatures of Zero-Resistance States in Phonon-Drag Voltage in Two-Dimensional Electron Systems. <i>Physical Review Letters</i> , 2015 , 115, 206801 | 7.4 | 14 | |
| Ballistic thermopower of suspended semiconductor Hall bars with two dimensional electron gas. <i>Journal of Physics: Conference Series</i> , 2015 , 643, 012079 | 0.3 | 1 | |
| Giant microwave photo-conductance of a tunnel point contact with a bridged gate. <i>Applied Physics Letters</i> , 2015 , 107, 072112 | 3.4 | 10 | |
| Microwave-induced nonlocal transport in a two-dimensional electron system. <i>Physical Review B</i> , 2014 , 89, | 3.3 | 4 | |
| The features of ballistic electron transport in a suspended quantum point contact. <i>Applied Physics Letters</i> , 2014 , 104, 203102 | 3.4 | 11 | |
| Hysteretic phenomena in a 2DEG in the quantum Hall effect regime, studied in a transport experiment. <i>Semiconductors</i> , 2014 , 48, 1423-1431 | 0.7 | 3 | |
| | Piezoelectric Electromechanical Coupling in Nanomechanical Resonators with a Two-Dimensional Electron Gas. <i>Physical Review Letters</i> , 2016, 117, 017702 Quantum dots formed in InSb/AlAs and AlSb/AlAs heterostructures. <i>JETP Letters</i> , 2016, 103, 692-698 Nonequilibrium chemical potential in a two-dimensional electron gas in the quantum-Hall-effect regime. <i>Semiconductors</i> , 2016, 50, 1049-1053 Excitonic spin-splitting in quantum wells with a tilted magnetic field. <i>Journal of Physics Condensed Matter</i> , 2016, 28, 055503 Monolithically integrated single quantum dots coupled to bowtie nanoantennas. <i>Optics Express</i> , 2016, 24, 28936-28944 Long-lived nanosecond spin coherence in high-mobility 2DEGs confined in double and triple quantum wells. <i>Journal of Applied Physics</i> , 2016, 119, 215701 Structure and morphology of InSb epitaxial films in the AlAs matrix. <i>Nanotechnologies in Russia</i> , 2016, 11, 12-19 Influence of the additional p+ doped layers on the properties of AlGaAs/InGaAs/AlGaAs heterostructures for high power SHF transistors. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 095108 Identification of photoluminescence bands in AlGaAs/InGaAs/GaAs PHEMT heterostructures with donor-acceptor-doped barriers. <i>Semiconductors</i> , 2015, 49, 224-228 Efficient single-photon emitters based on Bragg microcavities containing selectively positioned InAs quantum dots. <i>Semiconductors</i> , 2015, 49, 33-38 Actuation and transduction of resonant vibrations in GaAs/AlGaAs-based nanoelectromechanical systems containing two-dimensional electron gas. <i>Applied Physics Letters</i> , 2015, 106, 183110 Microwave-Induced Magneto-Oscillations and Signatures of Zero-Resistance States in Phonon-Drag Voltage in Two-Dimensional Electron Systems. <i>Physical Review Letters</i> , 2015, 115, 206801 Ballistic thermopower of suspended semiconductor Hall bars with two dimensional electron gas. <i>Journal of Physics: Conference Series</i> , 2015, 643, 012079 Giant microwave-induced Magneto-Oscillations and Signatures of Zero-Resistance States in Phonon-Drag <i>J</i> | Piezoelectric Electromechanical Coupling in Nanomechanical Resonators with a Two-Dimensional Electron Gas. Physical Review Letters, 2016, 117, 017702 Quantum dots formed in InSb/AlAs and AlSb/AlAs heterostructures. JETP Letters, 2016, 103, 692-698 1.2 Nonequilibrium chemical potential in a two-dimensional electron gas in the quantum-Hall-effect regime. Semiconductors, 2016, 50, 1049-1053 Excitonic spin-splitting in quantum wells with a tilted magnetic field. Journal of Physics Condensed Matter, 2016, 28, 055503 Monolithically integrated single quantum dots coupled to bowtie nanoantennas. Optics Express, 2016, 24, 28936-28944 Long-lived nanosecond spin coherence in high-mobility 2DEGs confined in double and triple quantum wells. Journal of Applied Physics, 2016, 119, 215701 Structure and morphology of InSb epitaxial films in the AlAs matrix. Nanotechnologies in Russia, 2016, 11, 12-19 Influence of the additional p+ doped layers on the properties of AlGaAs/InGaAs/AlGaAs heterostructures for high power SHF transistors. Journal Physics D: Applied Physics, 2016, 49, 095108 Jefficient single-photon emitters based on Bragg microavities containing selectively positioned InAs quantum dots. Semiconductors, 2015, 49, 33-38 Actuation and transduction of resonant vibrations in GaAs/AlGaAs-based nanoelectromechanical systems containing two-dimensional electron gas. Applied Physics Letters, 2015, 106, 183110 Microwave-Induced Magneto-Oscillations and Signatures of Zero-Resistance States in Phonon-Drag Voltage in Two-Dimensional Electron Systems. Physical Review Letters, 2015, 115, 206801 Microwave-Induced Magneto-Oscillations and Signatures of Zero-Resistance States in Phonon-Drag Voltage in Two-Dimensional Electron Systems. Physical Review Letters, 2015, 115, 206801 Microwave-Induced Magneto-Oscillations and Signatures of Zero-Resistance States in Phonon-Drag Voltage in Two-Dimensional Electron Systems. Physical Review Letters, 2015, 115, 206801 Microwave-Induced Magneto-Oscillations and Signatures of Zero-Resi | Field. Physical Review B, 2016, 93, Piezoelectric Electromechanical Coupling in Nanomechanical Resonators with a Two-Dimensional Electron Gas. Physical Review Letters, 2016, 117, 017702 Quantum dots formed in InSb/AlAs and AlSb/AlAs heterostructures. JETP Letters, 2016, 103, 692-698 1.2 8 Nonequilibrium chemical potential in a two-dimensional electron gas in the quantum-Hall-effect regime. Seniconductors, 2016, 50, 1049-1053 Excitonic spin-splitting in quantum wells with a tilted magnetic field. Journal of Physics Condensed Matter, 2016, 28, 055503 Monolithically integrated single quantum dots coupled to bowtie nanoantennas. Optics Express, 2016, 24, 28936-28944 Long-lived nanosecond spin coherence in high-mobility 2DEGs confined in double and triple quantum wells. Journal of Applied Physics, 2016, 119, 215701 Influence of the additional p+ doped layers on the properties of AlGaAs/InGaAs/AlGaAs heterostructures for high power SHF transistors. Journal Physics D: Applied Physics, 2016, 49, 095108 Identification of photoluminescence bands in AlGaAs/InGaAs/GaAs PHEMT heterostructures with donor-acceptor-doped barriers. Semiconductors, 2015, 49, 3224-228 Efficient single-photon emitters based on Bragg microcavities containing selectively positioned in Actuation and transduction of resonant vibrations in GaAs/AlGaAs-based nanoelectromechanical systems containing two-dimensional electron gas. Applied Physics Letters, 2015, 106, 183110 Microwave-induced Magneto-Oscillations and Signatures of Zero-Resistance States in Phonon-Drag Voltage in Two-Dimensional Electron Systems. Physical Review Letters, 2015, 115, 206801 Actuation and transduction of resonant vibrations in GaAs/AlGaAs-based nanoelectromechanical systems containing two-dimensional electron gas. Applied Physics Letters, 2015, 115, 206801 Actuation and transduction of resonant vibrations in GaAs/AlGaAs-based nanoelectromechanical systems containing two-dimensional electron gas. Applied Physics Letters, 2015, 115, 206801 Actuation and transduction |

| 119 | Resonant optical control of the electrically induced spin polarization by periodic excitation. <i>Physical Review B</i> , 2014 , 90, | 3.3 | 9 |
|-----|---|-----|----|
| 118 | Spectroscopic evidence of quantum Hall interlayer tunneling gap collapse caused by tilted magnetic field in a GaAs/AlGaAs triple quantum well. <i>Physical Review B</i> , 2014 , 89, | 3.3 | 7 |
| 117 | Fine structure of the exciton states in InAs quantum dots. <i>JETP Letters</i> , 2013 , 97, 274-278 | 1.2 | 9 |
| 116 | Terahertz radiation-induced magnetoresistance oscillations of a high-density and high-mobility two-dimensional electron gas. <i>JETP Letters</i> , 2013 , 97, 41-44 | 1.2 | 14 |
| 115 | Observation of the intrinsic spin Hall effect in a two-dimensional electron gas. <i>Physical Review B</i> , 2013 , 88, | 3.3 | 21 |
| 114 | Nonequilibrium currents in the quantum Hall effect regime spatially resolved by transport experiment. <i>Journal of Physics: Conference Series</i> , 2013 , 456, 012005 | 0.3 | 1 |
| 113 | Tuning of the Landlg-factor in AlxGa1NAs/AlAs single and double quantum wells. <i>Journal of Physics: Conference Series</i> , 2013 , 456, 012015 | 0.3 | 2 |
| 112 | Spectroscopy of single InAs quantum dots. <i>Optoelectronics, Instrumentation and Data Processing</i> , 2013 , 49, 498-503 | 0.6 | |
| 111 | High-amplitude dynamics of nanoelectromechanical systems fabricated on the basis of GaAs/AlGaAs heterostructures. <i>Applied Physics Letters</i> , 2013 , 103, 131905 | 3.4 | 8 |
| 110 | Shubnikov-de Haas effect in tilted magnetic fields in wide quantum well. <i>Journal of Physics:</i> Conference Series, 2013 , 456, 012025 | 0.3 | |
| 109 | The role of Euler buckling instability in the fabrication of nanoelectromechanical systems on the basis of GaAs/AlGaAs heterostructures. <i>Applied Physics Letters</i> , 2012 , 101, 241916 | 3.4 | 8 |
| 108 | Valence band tail states in disordered superlattices embedded in wide parabolic AlGaAs well. <i>Journal of Applied Physics</i> , 2012 , 111, 123523 | 2.5 | 2 |
| 107 | Magnetic field induced charge redistribution in artificially disordered quantum Hall superlattices. <i>Europhysics Letters</i> , 2012 , 97, 17010 | 1.6 | 4 |
| 106 | Electron transport in suspended semiconductor structures with two-dimensional electron gas. <i>Applied Physics Letters</i> , 2012 , 100, 181902 | 3.4 | 17 |
| 105 | Quantum oscillations of spin polarization in a GaAs/AlGaAs double quantum well. <i>Physical Review B</i> , 2012 , 86, | 3.3 | 5 |
| 104 | Magneto-optical probe of quantum Hall states in a wide parabolic well modulated by random potential. <i>Physical Review B</i> , 2012 , 85, | 3.3 | 4 |
| 103 | Circularly polarized photoluminescence as a probe of density of states in GaAs/AlGaAs quantum Hall bilayers. <i>Physical Review Letters</i> , 2012 , 109, 046802 | 7.4 | 7 |
| 102 | Fractional quantum Hall effect in second subband of a 2DES. <i>Europhysics Letters</i> , 2011 , 94, 37010 | 1.6 | 2 |

(2010-2011)

| 101 | High-speed single-photon source based on self-organized quantum dots. <i>Semiconductor Science and Technology</i> , 2011 , 26, 014003 | 1.8 | 12 |
|-----|--|----------------|----|
| 100 | Acoustic and optical phonon scattering in a single In(Ga)As quantum dot. <i>Physical Review B</i> , 2011 , 83, | 3.3 | 47 |
| 99 | Zero-resistance states in bilayer electron systems induced by microwave irradiation. <i>Journal of Physics: Conference Series</i> , 2011 , 334, 012014 | 0.3 | |
| 98 | Emergent fractional quantum Hall effect at even denominator 3/2 in a triple quantum well in tilted magnetic fields. <i>Journal of Physics: Conference Series</i> , 2011 , 334, 012026 | 0.3 | 1 |
| 97 | Microwave-induced Hall resistance in bilayer electron systems. <i>Physical Review B</i> , 2011 , 83, | 3.3 | 5 |
| 96 | Evidence for zero-differential resistance states in electronic bilayers. <i>Physical Review B</i> , 2011 , 83, | 3.3 | 14 |
| 95 | Interaction correction to conductivity of AlxGa1NAs/GaAs double quantum well heterostructures near the balance. <i>Physical Review B</i> , 2011 , 84, | 3.3 | 5 |
| 94 | Nonlinear transport phenomena in a two-subband system. <i>Physical Review B</i> , 2011 , 84, | 3.3 | 19 |
| 93 | Magnetotransport in a wide parabolic well superimposed with a superlattice. <i>Journal of Applied Physics</i> , 2011 , 109, 102403 | 2.5 | |
| 92 | A study of disorder effects in random (AlxGa1NAs)n(AlyGa1NAs)m superlattices embedded in a wide parabolic potential. <i>Applied Physics Letters</i> , 2010 , 96, 113106 | 3.4 | 7 |
| 91 | Crossover between distinct mechanisms of microwave photoresistance in bilayer systems. <i>Physical Review B</i> , 2010 , 81, | 3.3 | 26 |
| 90 | Magnetic-field-induced transition in a wide parabolic well superimposed with a superlattice. <i>Physical Review B</i> , 2010 , 81, | 3.3 | 10 |
| 89 | Microwave zero-resistance states in a bilayer electron system. <i>Physical Review Letters</i> , 2010 , 105, 02680 | D 4 7.4 | 56 |
| 88 | Dephasing and interwell transitions in double quantum well heterostructures. <i>Physical Review B</i> , 2010 , 82, | 3.3 | 5 |
| 87 | Thermally activated intersubband scattering and oscillating magnetoresistance in quantum wells. <i>Physical Review B</i> , 2010 , 82, | 3.3 | 14 |
| 86 | Single-mode vertical-cavity surface emitting lasers for 87Rb-based chip-scale atomic clock. <i>Semiconductors</i> , 2010 , 44, 1422-1426 | 0.7 | 5 |
| 85 | Magnetoresistance oscillations in triple quantum wells under microwave irradiation. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2010 , 42, 2614-2617 | 3 | |
| 84 | Integer and fractional microwave induced resistance oscillations in a 2D system with moderate mobility. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2010 , 42, 1078-1080 | 3 | |

| 83 | Magneto-intersubband oscillations in triple quantum wells. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2010 , 42, 1088-1090 | 3 | 3 |
|----|--|-----|----|
| 82 | Microwave induced magnetoresistance oscillations and inelastic scattering time in double quantum wells. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2010 , 42, 1075-1077 | 3 | 1 |
| 81 | Blockade of tunneling in a suspended single-electron transistor 2010 , 87, 150 | | |
| 80 | Classical and quantum magnetoresistance in a two-subband electron system. <i>Physical Review B</i> , 2009 , 80, | 3.3 | 20 |
| 79 | High-order fractional microwave-induced resistance oscillations in two-dimensional systems. <i>Physical Review B</i> , 2009 , 80, | 3.3 | 15 |
| 78 | Emergent and reentrant fractional quantum Hall effect in trilayer systems in a tilted magnetic field. <i>Physical Review B</i> , 2009 , 80, | 3.3 | 7 |
| 77 | Magnetoresistance oscillations in multilayer systems: Triple quantum wells. <i>Physical Review B</i> , 2009 , 80, | 3.3 | 33 |
| 76 | QUANTUM HALL FERROMAGNET IN A DOUBLE WELL WITH VANISHING g-FACTOR. <i>International Journal of Modern Physics B</i> , 2009 , 23, 2933-2937 | 1.1 | 2 |
| 75 | MAGNETORESISTANCE OSCILLATIONS IN DOUBLE QUANTUM WELLS UNDER MICROWAVE IRRADIATION. <i>International Journal of Modern Physics B</i> , 2009 , 23, 2943-2947 | 1.1 | |
| 74 | VALLEY SPLITTING AND g-FACTOR IN AlAs QUANTUM WELLS. <i>International Journal of Modern Physics B</i> , 2009 , 23, 2948-2954 | 1.1 | 1 |
| 73 | Nonequilibrium state of the two-dimensional electron gas in the integer quantum Hall effect regime. <i>JETP Letters</i> , 2009 , 89, 46-49 | 1.2 | 4 |
| 72 | Effect of an in-plane magnetic field on magnetoresistance hysteresis of the two-dimensional electron gas in the integer quantum Hall effect regime. <i>JETP Letters</i> , 2009 , 89, 92-95 | 1.2 | 4 |
| 71 | Resonance breakdown of a Coulomb blockade due to the mechanical vibrations of a quantum dot. <i>JETP Letters</i> , 2009 , 90, 574-577 | 1.2 | 5 |
| 70 | Single-mode vertical-cavity surface-emitting lasers for atomic clocks. <i>Optoelectronics, Instrumentation and Data Processing</i> , 2009 , 45, 361-366 | 0.6 | |
| 69 | Nonlinear transport and oscillating magnetoresistance in double quantum wells. <i>Physical Review B</i> , 2009 , 80, | 3.3 | 25 |
| 68 | Quantum Dots for Single- and Entangled-Photon Emitters. <i>IEEE Photonics Journal</i> , 2009 , 1, 58-68 | 1.8 | 44 |
| 67 | Absolute negative resistance in a nonequilibrium two-dimensional electron system in a strong magnetic field. <i>JETP Letters</i> , 2008 , 86, 608-611 | 1.2 | 11 |
| 66 | Microwave photoresistance in a two-dimensional electron system with anisotropic mobility. <i>JETP Letters</i> , 2008 , 86, 779-782 | 1.2 | 6 |

| 65 | Blockade of tunneling in a suspended single-electron transistor. <i>JETP Letters</i> , 2008 , 87, 150-153 | 1.2 | 17 |
|----|---|----------------|----|
| 64 | Interference oscillations of microwave photoresistance in double quantum wells. <i>Physical Review B</i> , 2008 , 78, | 3.3 | 73 |
| 63 | Interlayer interference in double wells in a tilted magnetic field. <i>Physical Review B</i> , 2008 , 78, | 3.3 | 14 |
| 62 | Shubnikov de Haas oscillations in double wells with opposite signs of the electronic g-factor. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008 , 40, 1560-1562 | 3 | 2 |
| 61 | Reentrant quantum Hall effect in bilayer system at high filling factors. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008 , 40, 1576-1578 | 3 | |
| 60 | Resonance oscillations of magnetoresistance in double quantum wells. <i>Physical Review B</i> , 2008 , 77, | 3.3 | 60 |
| 59 | Electrically driven quantum dot single photon source. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2007 , 4, 547-550 | | 12 |
| 58 | Hall breakdown in a modulation-doped GaAs/AlAs heterostructure. <i>JETP Letters</i> , 2007 , 85, 63-66 | 1.2 | 1 |
| 57 | Coexistence of collective and single-particle effects in the photoresponse of a 2D electron gas to microwave radiation. <i>JETP Letters</i> , 2007 , 85, 576-580 | 1.2 | 12 |
| 56 | Giant hysteresis of magnetoresistance in the quantum hall effect regime. JETP Letters, 2007, 86, 264-26 | 5 7 1.2 | 6 |
| 55 | Effect of a dc electric field on the longitudinal resistance of two-dimensional electrons in a magnetic field. <i>Physical Review B</i> , 2007 , 75, | 3.3 | 74 |
| 54 | Zero-differential resistance state of two-dimensional electron systems in strong magnetic fields. <i>Physical Review Letters</i> , 2007 , 99, 116801 | 7.4 | 77 |
| 53 | Reentrant quantum Hall effect and anisotropic transport in a bilayer system at high filling factors. <i>Physical Review Letters</i> , 2007 , 99, 126804 | 7.4 | 15 |
| 52 | Non-classical light emission from a single electrically driven quantum dot. <i>Optics Express</i> , 2007 , 15, 910° | 7-31.3 | 24 |
| 51 | Landau-level crossing in two-subband systems in a tilted magnetic field. <i>Physical Review B</i> , 2007 , 76, | 3.3 | 19 |
| 50 | Prolonged decay of free-to-bound photoluminescence in direct band gap InGaAs and AlGaAs alloys: magnetic resonance studies. <i>Semiconductor Science and Technology</i> , 2006 , 21, 105-111 | 1.8 | |
| 49 | Diffusion and ballistic contributions of the interaction correction to the conductivity of a two-dimensional electron gas. <i>Physical Review B</i> , 2006 , 74, | 3.3 | 32 |
| 48 | Electrically pumped InAs single quantum dot emitter 2006 , 6350, 80 | | |

| 47 | Coulomb blockade and the thermopower of a suspended quantum dot. <i>JETP Letters</i> , 2006 , 83, 122-126 | 1.2 | 15 |
|----|---|-----|----|
| 46 | Resonant Raman scattering in nanostructures with InGaAs/AlAs quantum dots. <i>JETP Letters</i> , 2006 , 83, 505-508 | 1.2 | 11 |
| 45 | Giant magnetoresistance oscillations induced by microwave radiation and a zero-resistance state in a 2D electron system with a moderate mobility. <i>JETP Letters</i> , 2006 , 84, 391-394 | 1.2 | 53 |
| 44 | Exciton-polariton transition induced by elastic exciton-exciton collisions in ultrahigh quality AIGaAs alloys. <i>Semiconductors</i> , 2006 , 40, 527-533 | 0.7 | |
| 43 | Effect of dc and ac excitations on the longitudinal resistance of a two-dimensional electron gas in highly doped GaAs quantum wells. <i>Physical Review B</i> , 2005 , 72, | 3.3 | 93 |
| 42 | Long-time photoluminescence kinetics of InAs/AlAs quantum dots in a magnetic field. <i>Semiconductors</i> , 2005 , 39, 27 | 0.7 | |
| 41 | Lateral photoconductivity of AlGaAs/InGaAs structures with quantum wells and self-organized quantum dots under interband illumination. <i>Semiconductors</i> , 2005 , 39, 103 | 0.7 | 1 |
| 40 | Oscillations of the magnetoresistance of a two-dimensional electron gas in a GaAs quantum well with AlAs/GaAs superlattice barriers in a microwave field. <i>JETP Letters</i> , 2005 , 81, 284-286 | 1.2 | 6 |
| 39 | Negative magnetoresistance of a high-mobility two-dimensional electron gas in a nonlinear regime. <i>JETP Letters</i> , 2005 , 81, 406-408 | 1.2 | 4 |
| 38 | Observation of commensurability oscillations of thermopower in an antidot lattice. <i>JETP Letters</i> , 2005 , 81, 462-466 | 1.2 | 3 |
| 37 | Magnetophonon resonance in a GaAs quantum well with AlAs/GaAs superlattice barriers at high filling factors. <i>JETP Letters</i> , 2005 , 81, 523-526 | 1.2 | 31 |
| 36 | Interface phonons in semiconductor nanostructures with quantum dots. <i>Journal of Experimental and Theoretical Physics</i> , 2005 , 101, 554-561 | 1 | 11 |
| 35 | Excitonic polaritons in semiconductor solid solutions AlxGa1\(\text{As.} \) <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2005 , 2, 900-905 | | 15 |
| 34 | Spin-dependent Hall effect in a parabolic well with a quasi-three-dimensional electron gas. <i>Physical Review B</i> , 2005 , 71, | 3.3 | 4 |
| 33 | Ultralow-threshold cryogenic vertical-cavity surface-emitting laser with AlAsoxideliaAs distributed Bragg reflectors. <i>Journal of Applied Physics</i> , 2004 , 96, 1289-1292 | 2.5 | 3 |
| 32 | Influence of Fermi-system chirality on the temperature dependence of the Aharonov-Bohm effect. <i>JETP Letters</i> , 2004 , 79, 28-31 | 1.2 | |
| 31 | Mesoscopic fluctuations of thermopower in a periodic antidot lattice. <i>JETP Letters</i> , 2004 , 79, 166-170 | 1.2 | 2 |
| 30 | Anisotropic positive magnetoresistance of a nonplanar 2D electron gas in a parallel pagnetic field. JETP Letters, 2004 , 79, 495-498 | 1.2 | 3 |

(2001-2004)

| 29 | Interface phonons in InAs and AlAs quantum dot structures. Physical Review B, 2004, 70, | 3.3 | 31 |
|----|---|--------|----|
| 28 | Recombination of excitons bound on donor acceptor impurity pairs in Edoped type II GaAs/AlAs superlattices. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2003 , 657-660 | | |
| 27 | Millisecond photoluminescence kinetics in a system of direct-bandgap InAs quantum dots in an AlAs matrix. <i>JETP Letters</i> , 2003 , 77, 389-392 | 1.2 | 21 |
| 26 | Commensurate oscillations of the magnetoresistance of a two-dimensional electron gas in GaAs quantum wells with corrugated heteroboundaries. <i>JETP Letters</i> , 2003 , 77, 662-665 | 1.2 | 1 |
| 25 | Resonance backscattering in submicron rings. <i>JETP Letters</i> , 2003 , 78, 30-33 | 1.2 | 5 |
| 24 | Semiclassical negative magnetoresistance of a 2D electron gas caused by scattering by short-range and long-range potentials. <i>JETP Letters</i> , 2003 , 78, 134-137 | 1.2 | 5 |
| 23 | Ring interferometer on the basis of 2D electron gas in a double quantum well. <i>JETP Letters</i> , 2003 , 78, 560-563 | 1.2 | |
| 22 | Coulomb oscillations of conductance in an open ring interferometer in a strong magnetic field. <i>JETP Letters</i> , 2003 , 78, 642-645 | 1.2 | 2 |
| 21 | Geometrical resonance in the resistivity of wide quantum wells. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002 , 13, 777-781 | 3 | 1 |
| 20 | Exciton recombination in Edoped type-II GaAs/AlAs superlattices. <i>Semiconductors</i> , 2002 , 36, 461-465 | 0.7 | 2 |
| 19 | The formation of inas quantum dotsin an aluminum oxide matrix. <i>Technical Physics Letters</i> , 2002 , 28, 554-556 | 0.7 | 3 |
| 18 | Power Microwave FETs Using Epitaxial AlGaAs/GaAs Structures. Russian Microelectronics, 2002, 31, 137 | 7-14.3 | |
| 17 | Thermopower of a multiprobe ballistic conductor. <i>Physical Review B</i> , 2002 , 66, | 3.3 | 12 |
| 16 | Magnetotransport of a quasi-three-dimensional electron gas in the lowest Landau level. <i>Physical Review B</i> , 2002 , 65, | 3.3 | 23 |
| 15 | Raman spectroscopy of self-assembled InAs quantum dots in wide-bandgap matrices of AlAs and aluminium oxide. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 737, 144 | | |
| 14 | Magnetoresistance in a stripe-shaped two-dimensional electron gas. <i>Physica B: Condensed Matter</i> , 2001 , 298, 79-82 | 2.8 | 1 |
| 13 | Anisotropy of magnetic transport and self-organization of corrugated heterointerfaces in selectively doped structures on GaAs(100) substrates. <i>JETP Letters</i> , 2001 , 74, 164-167 | 1.2 | 5 |
| 12 | Quasiclassical negative magnetoresistance of a two-dimensional electron gas in a random magnetic field. <i>Physical Review B</i> , 2001 , 65, | 3.3 | 21 |

| 11 | Vertical longitudinal magnetoresistance of semiconductor superlattices. <i>Physical Review B</i> , 2001 , 63, | 3.3 | 5 |
|----|--|------|----|
| 10 | Coexistence of a two- and three-dimensional Landau states in a wide parabolic quantum well. <i>Physical Review B</i> , 2001 , 64, | 3.3 | 18 |
| 9 | Below bottleneck polaritonic radiation in ultra high quality AlGaAs alloys. <i>Springer Proceedings in Physics</i> , 2001 , 91-92 | 0.2 | 1 |
| 8 | Oscillation of the mirror and fractional RHEED reflections during homoepitaxy on the (2掛)-reconstructed GaAs(001) surface. <i>Technical Physics Letters</i> , 2000 , 26, 307-310 | 0.7 | |
| 7 | Magnetotransport properties of a ballistic ring interferometer on the basis of a GaAs quantum well with a high concentration of 2D electron gas. <i>JETP Letters</i> , 2000 , 72, 209-212 | 1.2 | 13 |
| 6 | Polariton luminescence in high-purity layers of AlGaAs solid solutions. <i>JETP Letters</i> , 2000 , 71, 148-150 | 1.2 | 1 |
| 5 | Photoluminescence of high-quality AlGaAs layers grown by molecular-beam epitaxy. <i>Applied Physics Letters</i> , 2000 , 76, 1131-1133 | 3.4 | 23 |
| 4 | Hall effect in a spatially fluctuating magnetic field with zero mean. <i>Physical Review B</i> , 2000 , 61, 5505-55 | 1303 | 15 |
| 3 | Raman study of self-assembled GaAs and AlAs islands embedded in InAs. <i>Physical Review B</i> , 2000 , 61, 13785-13790 | 3.3 | 26 |
| 2 | Lasing characteristics of lasers with a vertical cavity based on In0.2Ga0.8As quantum wells. <i>Technical Physics Letters</i> , 1999 , 25, 775-777 | 0.7 | 1 |
| 1 | Optical phonons in nanosize GaAs and AlAs clusters in an InAs matrix. <i>JETP Letters</i> , 1999 , 70, 469-475 | 1.2 | |