

# Bradley T Webb

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2670715/bradley-t-webb-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138  
papers

22,322  
citations

48  
h-index

149  
g-index

153  
ext. papers

30,046  
ext. citations

11.2  
avg, IF

7.74  
L-index

#	Paper	IF	Citations
138	Biological insights from 108 schizophrenia-associated genetic loci. <i>Nature</i> , <b>2014</b> , 511, 421-7	50.4	5249
137	LD Score regression distinguishes confounding from polygenicity in genome-wide association studies. <i>Nature Genetics</i> , <b>2015</b> , 47, 291-5	36.3	2096
136	An atlas of genetic correlations across human diseases and traits. <i>Nature Genetics</i> , <b>2015</b> , 47, 1236-41	36.3	1841
135	Schizophrenia risk from complex variation of complement component 4. <i>Nature</i> , <b>2016</b> , 530, 177-83	50.4	1352
134	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , <b>2018</b> , 50, 668-681	36.3	1301
133	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , <b>2019</b> , 51, 431-444	36.3	746
132	Genetic variation in the 6p22.3 gene DTNBP1, the human ortholog of the mouse dysbindin gene, is associated with schizophrenia. <i>American Journal of Human Genetics</i> , <b>2002</b> , 71, 337-48	11	691
131	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , <b>2018</b> , 360,	33.3	666
130	Modeling Linkage Disequilibrium Increases Accuracy of Polygenic Risk Scores. <i>American Journal of Human Genetics</i> , <b>2015</b> , 97, 576-92	11	649
129	Sparse whole-genome sequencing identifies two loci for major depressive disorder. <i>Nature</i> , <b>2015</b> , 523, 588-91	50.4	584
128	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , <b>2017</b> , 49, 27-35	36.3	530
127	Genome-wide association meta-analysis in 269,867 individuals identifies new genetic and functional links to intelligence. <i>Nature Genetics</i> , <b>2018</b> , 50, 912-919	36.3	475
126	Partitioning heritability of regulatory and cell-type-specific variants across 11 common diseases. <i>American Journal of Human Genetics</i> , <b>2014</b> , 95, 535-52	11	411
125	A potential vulnerability locus for schizophrenia on chromosome 6p24-22: evidence for genetic heterogeneity. <i>Nature Genetics</i> , <b>1995</b> , 11, 287-93	36.3	407
124	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , <b>2018</b> , 173, 1705-1715.e16	56.2	360
123	Contrasting genetic architectures of schizophrenia and other complex diseases using fast variance-components analysis. <i>Nature Genetics</i> , <b>2015</b> , 47, 1385-92	36.3	299
122	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , <b>2018</b> , 21, 1656-1669	25.5	257

121	Genome-wide association study of alcohol dependence implicates a region on chromosome 11. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2010</b> , 34, 840-52	3.7	248
120	Assessment of Bidirectional Relationships Between Physical Activity and Depression Among Adults: A 2-Sample Mendelian Randomization Study. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 399-408	14.5	165
119	Evidence for a schizophrenia vulnerability locus on chromosome 8p in the Irish Study of High-Density Schizophrenia Families. <i>American Journal of Psychiatry</i> , <b>1996</b> , 153, 1534-40	11.9	165
118	Genetic influences on schizophrenia and subcortical brain volumes: large-scale proof of concept. <i>Nature Neuroscience</i> , <b>2016</b> , 19, 420-431	25.5	163
117	Prestin, a cochlear motor protein, is defective in non-syndromic hearing loss. <i>Human Molecular Genetics</i> , <b>2003</b> , 12, 1155-62	5.6	145
116	Susceptibility genes for nicotine dependence: a genome scan and followup in an independent sample suggest that regions on chromosomes 2, 4, 10, 16, 17 and 18 merit further study. <i>Molecular Psychiatry</i> , <b>1999</b> , 4, 129-44	15.1	138
115	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , <b>2017</b> , 81, 325-335	7.9	129
114	A comprehensive family-based replication study of schizophrenia genes. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 573-81	14.5	115
113	Genome-wide scans of three independent sets of 90 Irish multiplex schizophrenia families and follow-up of selected regions in all families provides evidence for multiple susceptibility genes. <i>Molecular Psychiatry</i> , <b>2002</b> , 7, 542-59	15.1	115
112	A schizophrenia locus may be located in region 10p15-p11. <i>American Journal of Medical Genetics Part A</i> , <b>1998</b> , 81, 296-301		110
111	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 1214-1225	14.5	109
110	Genomewide association analysis followed by a replication study implicates a novel candidate gene for neuroticism. <i>Archives of General Psychiatry</i> , <b>2008</b> , 65, 1062-71		109
109	Genomewide association study of movement-related adverse antipsychotic effects. <i>Biological Psychiatry</i> , <b>2010</b> , 67, 279-82	7.9	107
108	Gene expression imputation across multiple brain regions provides insights into schizophrenia risk. <i>Nature Genetics</i> , <b>2019</b> , 51, 659-674	36.3	99
107	Genomewide linkage study in the Irish affected sib pair study of alcohol dependence: evidence for a susceptibility region for symptoms of alcohol dependence on chromosome 4. <i>Molecular Psychiatry</i> , <b>2006</b> , 11, 603-11	15.1	98
106	A Genome-Wide Analysis of Liberal and Conservative Political Attitudes. <i>Journal of Politics</i> , <b>2011</b> , 73, 271-285	2.2	91
105	No evidence for linkage or association of neuregulin-1 (NRG1) with disease in the Irish study of high-density schizophrenia families (ISHDSF). <i>Molecular Psychiatry</i> , <b>2004</b> , 9, 777-83; image 729	15.1	87
104	Genetic correlation between amyotrophic lateral sclerosis and schizophrenia. <i>Nature Communications</i> , <b>2017</b> , 8, 14774	17.4	85

103	Complement genes contribute sex-biased vulnerability in diverse disorders. <i>Nature</i> , <b>2020</b> , 582, 577-581	50.4	71
102	Significant correlation in linkage signals from genome-wide scans of schizophrenia and schizotypy. <i>Molecular Psychiatry</i> , <b>2007</b> , 12, 958-65	15.1	70
101	The Genetic Architecture of Major Depressive Disorder in Han Chinese Women. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 162-168	14.5	66
100	A multi-dimensional evidence-based candidate gene prioritization approach for complex diseases-schizophrenia as a case. <i>Bioinformatics</i> , <b>2009</b> , 25, 2595-6602	7.2	66
99	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , <b>2020</b> , 88, 169-184	7.9	57
98	(1)H nuclear magnetic resonance metabolomics analysis identifies novel urinary biomarkers for lung function. <i>Journal of Proteome Research</i> , <b>2010</b> , 9, 3083-90	5.6	55
97	Estimation of Genetic Correlation via Linkage Disequilibrium Score Regression and Genomic Restricted Maximum Likelihood. <i>American Journal of Human Genetics</i> , <b>2018</b> , 102, 1185-1194	11	55
96	Integrated analysis of environmental and genetic influences on cord blood DNA methylation in new-borns. <i>Nature Communications</i> , <b>2019</b> , 10, 2548	17.4	54
95	Clinical features of psychotic disorders and polymorphisms in HT2A, DRD2, DRD4, SLC6A3 (DAT1), and BDNF: a family based association study. <i>American Journal of Medical Genetics Part A</i> , <b>2004</b> , 125B, 69-78		53
94	Integrating mRNA and miRNA Weighted Gene Co-Expression Networks with eQTLs in the Nucleus Accumbens of Subjects with Alcohol Dependence. <i>PLoS ONE</i> , <b>2015</b> , 10, e0137671	3.7	52
93	Genetic risk sum score comprised of common polygenic variation is associated with body mass index. <i>Human Genetics</i> , <b>2011</b> , 129, 221-30	6.3	51
92	Genetic effects influencing risk for major depressive disorder in China and Europe. <i>Translational Psychiatry</i> , <b>2017</b> , 7, e1074	8.6	48
91	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , <b>2018</b> , 84, 138-147	7.9	48
90	Novel linkage to chromosome 20p using latent classes of psychotic illness in 270 Irish high-density families. <i>Biological Psychiatry</i> , <b>2008</b> , 64, 121-7	7.9	48
89	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1430-1446	15.1	47
88	Molecular Genetic Analysis Subdivided by Adversity Exposure Suggests Etiologic Heterogeneity in Major Depression. <i>American Journal of Psychiatry</i> , <b>2018</b> , 175, 545-554	11.9	43
87	Identification of susceptibility loci for alcohol-related traits in the Irish Affected Sib Pair Study of Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2006</b> , 30, 1807-16	3.7	43
86	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , <b>2020</b> , 7, 1032-1045	23.3	43

85	Using genetic information from candidate gene and genome-wide association studies in risk prediction for alcohol dependence. <i>Addiction Biology</i> , <b>2014</b> , 19, 708-21	4.6	40
84	A genome-wide significant linkage for severe depression on chromosome 3: the depression network study. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 840-7	11.9	40
83	An association study of DRD5 with smoking initiation and progression to nicotine dependence. <i>American Journal of Medical Genetics Part A</i> , <b>2001</b> , 105, 259-65		39
82	ERGR: An ethanol-related gene resource. <i>Nucleic Acids Research</i> , <b>2009</b> , 37, D840-5	20.1	35
81	Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , <b>2022</b> ,	50.4	35
80	Hair Cortisol in Twins: Heritability and Genetic Overlap with Psychological Variables and Stress-System Genes. <i>Scientific Reports</i> , <b>2017</b> , 7, 15351	4.9	33
79	A phenome-wide association and Mendelian Randomisation study of polygenic risk for depression in UK Biobank. <i>Nature Communications</i> , <b>2020</b> , 11, 2301	17.4	31
78	Genomewide Association Study of Alcohol Dependence Identifies Risk Loci Altering Ethanol-Response Behaviors in Model Organisms. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2017</b> , 41, 911-928	3.7	30
77	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1673-1687	15.1	30
76	11,670 whole-genome sequences representative of the Han Chinese population from the CONVERGE project. <i>Scientific Data</i> , <b>2017</b> , 4, 170011	8.2	29
75	Molecular validation of the schizophrenia spectrum. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 60-5	1.3	28
74	A joint genomewide linkage analysis of symptoms of alcohol dependence and conduct disorder. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2006</b> , 30, 1972-7	3.7	27
73	The utility of empirically assigning ancestry groups in cross-population genetic studies of addiction. <i>American Journal on Addictions</i> , <b>2017</b> , 26, 494-501	3.7	26
72	A genome-wide scan for modifier loci in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2007</b> , 144B, 589-95	3.5	26
71	Catechol-O-methyltransferase and the clinical features of psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2006</b> , 141B, 935-8	3.5	25
70	Prioritization and association analysis of murine-derived candidate genes in anxiety-spectrum disorders. <i>Biological Psychiatry</i> , <b>2011</b> , 70, 888-96	7.9	24
69	A simple yet accurate correction for winner@ curse can predict signals discovered in much larger genome scans. <i>Bioinformatics</i> , <b>2016</b> , 32, 2598-603	7.2	23
68	Genome-wide association study reveals greater polygenic loading for schizophrenia in cases with a family history of illness. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2016</b> , 171B, 276-89	3.5	23

67	SNP-based heritability estimates of the personality dimensions and polygenic prediction of both neuroticism and major depression: findings from CONVERGE. <i>Translational Psychiatry</i> , <b>2016</b> , 6, e926	8.6	22
66	Meta-analyses of genome-wide linkage scans of anxiety-related phenotypes. <i>European Journal of Human Genetics</i> , <b>2012</b> , 20, 1078-84	5.3	22
65	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depressive disorder		21
64	Multi-species data integration and gene ranking enrich significant results in an alcoholism genome-wide association study. <i>BMC Genomics</i> , <b>2012</b> , 13 Suppl 8, S16	4.5	20
63	Molecular Genetic Influences on Normative and Problematic Alcohol Use in a Population-Based Sample of College Students. <i>Frontiers in Genetics</i> , <b>2017</b> , 8, 30	4.5	18
62	Age of onset and family history as indicators of polygenic risk for major depression. <i>Depression and Anxiety</i> , <b>2017</b> , 34, 446-452	8.4	17
61	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 2457-2470	15.1	17
60	On the association of common and rare genetic variation influencing body mass index: a combined SNP and CNV analysis. <i>BMC Genomics</i> , <b>2014</b> , 15, 368	4.5	17
59	Proteomic biomarkers in plasma that differentiate rapid and slow decline in lung function in adult cigarette smokers with chronic obstructive pulmonary disease (COPD). <i>Analytical and Bioanalytical Chemistry</i> , <b>2010</b> , 397, 1809-19	4.4	17
58	A Comparison of Ten Polygenic Score Methods for Psychiatric Disorders Applied Across Multiple Cohorts. <i>Biological Psychiatry</i> , <b>2021</b> , 90, 611-620	7.9	17
57	Bipolar multiplex families have an increased burden of common risk variants for psychiatric disorders. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 1286-1298	15.1	17
56	Haplotype analysis of the USH1D locus and genotype-phenotype correlations. <i>Clinical Genetics</i> , <b>2001</b> , 60, 58-62	4	16
55	Polygenic prediction of the phenome, across ancestry, in emerging adulthood. <i>Psychological Medicine</i> , <b>2018</b> , 48, 1814-1823	6.9	16
54	No Reliable Association between Runs of Homozygosity and Schizophrenia in a Well-Powered Replication Study. <i>PLoS Genetics</i> , <b>2016</b> , 12, e1006343	6	15
53	A polygenic resilience score moderates the genetic risk for schizophrenia. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 800-815	15.1	15
52	Polygenic Risk Score Prediction of Alcohol Dependence Symptoms Across Population-Based and Clinically Ascertained Samples. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2018</b> , 42, 520-530	3.7	14
51	Quantitative linkage genome scan for atopy in a large collection of Caucasian families. <i>Human Genetics</i> , <b>2007</b> , 121, 83-92	6.3	13
50	Association study of 167 candidate genes for schizophrenia selected by a multi-domain evidence-based prioritization algorithm and neurodevelopmental hypothesis. <i>PLoS ONE</i> , <b>2013</b> , 8, e67778	3.7	13

49	Identification of quantitative trait loci and candidate genes for an anxiolytic-like response to ethanol in BXD recombinant inbred strains. <i>Genes, Brain and Behavior</i> , <b>2016</b> , 15, 367-81	3.6	13
48	E-cigarette use is prospectively associated with initiation of cannabis among college students. <i>Addictive Behaviors</i> , <b>2020</b> , 106, 106312	4.2	12
47	Copy number variation accuracy in genome-wide association studies. <i>Human Heredity</i> , <b>2011</b> , 71, 141-7	1.1	12
46	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , <b>2019</b> , 4, 91-100	3.4	12
45	Shared genetic risk between eating disorder- and substance-use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , <b>2021</b> , 26, e12880	4.6	12
44	Meta-Analysis of Genetic Influences on Initial Alcohol Sensitivity. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2018</b> , 42, 2349-2359	3.7	12
43	A correction for sample overlap in genome-wide association studies in a polygenic pleiotropy-informed framework. <i>BMC Genomics</i> , <b>2018</b> , 19, 494	4.5	11
42	Model-based gene selection shows engrailed 1 is associated with antipsychotic response. <i>Pharmacogenetics and Genomics</i> , <b>2008</b> , 18, 751-9	1.9	11
41	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , <b>2022</b> , 91, 102-117	7.9	11
40	Applying polygenic risk scoring for psychiatric disorders to a large family with bipolar disorder and major depressive disorder. <i>Communications Biology</i> , <b>2018</b> , 1, 163	6.7	11
39	Age at first birth in women is genetically associated with increased risk of schizophrenia. <i>Scientific Reports</i> , <b>2018</b> , 8, 10168	4.9	11
38	CHRONICITY OF DEPRESSION AND MOLECULAR MARKERS IN A LARGE SAMPLE OF HAN CHINESE WOMEN. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 1048-1054	8.4	10
37	In silico whole genome association scan for murine prepulse inhibition. <i>PLoS ONE</i> , <b>2009</b> , 4, e5246	3.7	9
36	An epigenome-wide association study of early-onset major depression in monozygotic twins. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 301	8.6	9
35	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , <b>2020</b> , 87, 419-430	7.9	9
34	ACSL6 is associated with the number of cigarettes smoked and its expression is altered by chronic nicotine exposure. <i>PLoS ONE</i> , <b>2011</b> , 6, e28790	3.7	8
33	High-resolution mass spectrometry proteomics for the identification of candidate plasma protein biomarkers for chronic obstructive pulmonary disease. <i>Biomarkers</i> , <b>2010</b> , 15, 367-77	2.6	8
32	Genomewide linkage survey of nicotine dependence phenotypes. <i>Drug and Alcohol Dependence</i> , <b>2008</b> , 93, 210-6	4.9	8



31	Twin Study of Early-Onset Major Depression Finds DNA Methylation Enrichment for Neurodevelopmental Genes		8
30	ALDH2*2 and peer drinking in East Asian college students. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2017</b> , 43, 678-685	3.7	7
29	Association analysis of the PIP4K2A gene on chromosome 10p12 and schizophrenia in the Irish study of high density schizophrenia families (ISHDSF) and the Irish case-control study of schizophrenia (ICCS). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2010</b> , 153B, 323-31	3.5	7
28	Trans-ancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders		7
27	TWAS pathway method greatly enhances the number of leads for uncovering the molecular underpinnings of psychiatric disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2020</b> , 183, 454-463	3.5	7
26	Replication of the Interaction of PRKG1 and Trauma Exposure on Alcohol Misuse in an Independent African American Sample. <i>Journal of Traumatic Stress</i> , <b>2018</b> , 31, 927-932	3.8	7
25	The Genetic Architecture of Depression in Individuals of East Asian Ancestry: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 1258-1269	14.5	7
24	Genes, Roommates, and Residence Halls: A Multidimensional Study of the Role of Peer Drinking on College Students' Alcohol Use. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2019</b> , 43, 1254-1262	3.7	6
23	Comprehensive gene-based association study of a chromosome 20 linked region implicates novel risk loci for depressive symptoms in psychotic illness. <i>PLoS ONE</i> , <b>2011</b> , 6, e21440	3.7	6
22	Genome-wide interaction study of a proxy for stress-sensitivity and its prediction of major depressive disorder. <i>PLoS ONE</i> , <b>2018</b> , 13, e0209160	3.7	6
21	Polygenic risk for severe psychopathology among Europeans is associated with major depressive disorder in Han Chinese women. <i>Psychological Medicine</i> , <b>2018</b> , 48, 777-789	6.9	5
20	Efficient calculation of empirical P-values for genome-wide linkage analysis through weighted permutation. <i>Behavior Genetics</i> , <b>2009</b> , 39, 91-100	3.2	5
19	JEPEGMIX2: improved gene-level joint analysis of eQTLs in cosmopolitan cohorts. <i>Bioinformatics</i> , <b>2018</b> , 34, 286-288	7.2	4
18	JEPEGMIX: gene-level joint analysis of functional SNPs in cosmopolitan cohorts. <i>Bioinformatics</i> , <b>2016</b> , 32, 295-7	7.2	4
17	Potential causal effect of posttraumatic stress disorder on alcohol use disorder and alcohol consumption in individuals of European descent: A Mendelian Randomization Study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2021</b> , 45, 1616-1623	3.7	4
16	DNA methylation associated with postpartum depressive symptoms overlaps findings from a genome-wide association meta-analysis of depression. <i>Clinical Epigenetics</i> , <b>2019</b> , 11, 169	7.7	4
15	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , <b>2021</b> ,		4
14	Alcohol Metabolizing Polygenic Risk for Alcohol Consumption in European American College Students. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2018</b> , 79, 627-634	1.9	3



13	Unpacking Genetic Risk Pathways for College Student Alcohol Consumption: The Mediating Role of Impulsivity. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2019</b> , 43, 2100-2110	3.7	3
12	Sex-specific risk profiles for substance use among college students. <i>Brain and Behavior</i> , <b>2021</b> , 11, e01959	3.4	3
11	Expanding the phenotype for the recurrent p.Ala391Glu variant in FGFR3: Beyond crouzon syndrome and acanthosis nigricans. <i>Molecular Genetics &amp; Genomic Medicine</i> , <b>2019</b> , 7, e656	2.3	2
10	Population-based identity-by-descent mapping combined with exome sequencing to detect rare risk variants for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2019</b> , 180, 223-231	3.5	2
9	Polygenic prediction of the phenome, across ancestry, in emerging adulthood		2
8	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium		2
7	Increasing the resolution and precision of psychiatric genome-wide association studies by re-imputing summary statistics using a large, diverse reference panel. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2021</b> , 186, 16-27	3.5	2
6	DECO: a framework for jointly analyzing de novo and rare case/control variants, and biological pathways. <i>Briefings in Bioinformatics</i> , <b>2021</b> , 22,	13.4	1
5	Retraction Note: 11,670 whole-genome sequences representative of the Han Chinese population from the CONVERGE project. <i>Scientific Data</i> , <b>2020</b> , 7, 123	8.2	1
4	Determining the stability of genome-wide factors in BMI between ages 40 to 69 years		1
3	Long-Chain EB Levels Are Associated With Increased Alcohol Sensitivity in a Population-Based Sample of Adolescents. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2019</b> , 43, 2620-2626	3.7	0
2	Study protocol to quantify the genetic architecture of sonographic cervical length and its relationship to spontaneous preterm birth.. <i>BMJ Open</i> , <b>2022</b> , 12, e053631	3	0
1	Precollege and New-Onset College Interpersonal Trauma as Predictors of Baseline and Changes in Alcohol Use Disorder Symptoms During College. <i>Journal of Interpersonal Violence</i> , <b>2021</b> , 36, 10842-10852	2.2	