

Mitsuyoshi Hirokawa,, Fiac

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/267201/publications.pdf>

Version: 2024-02-01

199
papers

5,133
citations

94433

37
h-index

144013

57
g-index

200
all docs

200
docs citations

200
times ranked

4383
citing authors

#	ARTICLE	IF	CITATIONS
1	Criteria for follow-up of thyroid nodules diagnosed as follicular neoplasm without molecular testing – The experience of a high-volume thyroid centre in Japan. <i>Diagnostic Cytopathology</i> , 2022, 50, 223-229.	1.0	11
2	Papillary Thyroid Carcinoma with Honeycomb-Like Growth: Clinicopathological Characteristics and Diagnostic Significance as a Novel Variant. <i>Pathobiology</i> , 2022, 89, 107-115.	3.8	0
3	Application of the Bethesda System for Reporting Thyroid Cytopathology in the Pediatric Population. <i>American Journal of Clinical Pathology</i> , 2021, 155, 680-689.	0.7	15
4	Cytologic diagnosis of medullary thyroid carcinoma in the <scp>Asia-Pacific</scp> region. <i>Diagnostic Cytopathology</i> , 2021, 49, 60-69.	1.0	13
5	Fine-needle aspiration of parathyroid adenomas: Indications as a diagnostic approach. <i>Diagnostic Cytopathology</i> , 2021, 49, 70-76.	1.0	19
6	Introduction of histological classification and cytology reporting format of the Japanese General Rules for the Description of Thyroid Cancer with a special focus on the differences of the WHO Histological Classification and The Bethesda System of Thyroid Cytopathology. <i>Endocrine Journal</i> , 2021, 68, 621-630.	1.6	5
7	Histological alterations following fine-needle aspiration for parathyroid adenoma: Incidence and diagnostic problems. <i>Pathology International</i> , 2021, 71, 400-405.	1.3	6
8	High Prevalence of DICER1 Mutations and Low Frequency of Gene Fusions in Pediatric Follicular-Patterned Tumors of the Thyroid. <i>Endocrine Pathology</i> , 2021, 32, 336-346.	9.0	20
9	Clinical significance and cytological detection of tracheal puncture following thyroid fine-needle aspiration: A retrospective study. <i>Diagnostic Cytopathology</i> , 2021, 49, 1116-1121.	1.0	4
10	Constitutive Cytomorphologic Features of Medullary Thyroid Carcinoma Using Different Staining Methods. <i>Diagnostics</i> , 2021, 11, 1396.	2.6	9
11	Evaluation of E-Cadherin and β -Catenin Immunoreactivity for Determining Undifferentiated Cells in Anaplastic Thyroid Carcinoma. <i>Pathobiology</i> , 2021, 88, 351-358.	3.8	1
12	Melanin-producing medullary thyroid carcinoma with transformation to melanoma: A case report. <i>Molecular and Clinical Oncology</i> , 2021, 16, 34.	1.0	1
13	Needle Tract Implantation Following Fine-Needle Aspiration of Thyroid Cancer. <i>World Journal of Surgery</i> , 2020, 44, 378-384.	1.6	16
14	Risk of malignancy and clinical outcomes of cyst fluid only nodules in the thyroid based on ultrasound and aspiration cytology. <i>Diagnostic Cytopathology</i> , 2020, 48, 30-34.	1.0	16
15	Identification of Recurrent TERT Promoter Mutations in Intrathyroid Thymic Carcinomas. <i>Endocrine Pathology</i> , 2020, 31, 274-282.	9.0	11
16	Clinicopathological features of primary thyroid Burkitt's lymphoma: a systematic review and meta-analysis. <i>Diagnostic Pathology</i> , 2020, 15, 13.	2.0	4
17	Prevalence and diagnostic significance of noninvasive follicular thyroid neoplasm with papillary-like nuclear features among tumors previously diagnosed as follicular adenoma: a single-institutional study in Japan. <i>Endocrine Journal</i> , 2020, 67, 1071-1075.	1.6	15
18	The Japanese reporting system for thyroid aspiration cytology 2019 (JRSTAC2019). <i>Gland Surgery</i> , 2020, 9, 1653-1662.	1.1	21

#	ARTICLE	IF	CITATIONS
19	Control of Lung Metastases and Colon Polyposis with Lenvatinib Therapy in a Patient with Cribriform-Morular Variant of Papillary Thyroid Carcinoma and an <i>APC</i> Gene Mutation: A Case Study. <i>Thyroid</i> , 2019, 29, 1511-1517.	4.5	9
20	<i>TERT</i> mRNA Expression as a Novel Prognostic Marker in Papillary Thyroid Carcinomas. <i>Thyroid</i> , 2019, 29, 1105-1114.	4.5	39
21	Thyroid Lymphoepithelial Cysts Mimicking Calcified or Solid Nodules on Ultrasonography. <i>Ultrasound International Open</i> , 2019, 05, E60-E64.	0.6	1
22	Flow cytometric, gene rearrangement, and karyotypic analyses of 110 cases of primary thyroid lymphoma: a single-institutional experience in Japan. <i>Endocrine Journal</i> , 2019, 66, 1083-1091.	1.6	9
23	Cribriform-Morular Variant of Papillary Thyroid Carcinoma Shows High Ki-67 Labeling Indices, despite Its Excellent Prognosis. <i>Pathobiology</i> , 2019, 86, 248-253.	3.8	9
24	The prevalence and surgical outcomes of H ¹⁴ rthle cell lesions in FNAs of the thyroid: A multi-institutional study in 6 Asian countries. <i>Cancer Cytopathology</i> , 2019, 127, 181-191.	2.4	16
25	Tall Cell Variant of Papillary Thyroid Carcinoma. , 2019, , 225-228.		0
26	Intrathyroid Thymic Carcinoma. , 2019, , 317-321.		2
27	Diagnostic Clues for Thyroid Aspiration Cytology. , 2019, , 1-18.		0
28	Important cytological findings for distinction between follicular variant and conventional papillary thyroid carcinoma, including noninvasive follicular thyroid tumors with papillary-like nuclear features. <i>Endocrine Journal</i> , 2019, 66, 475-483.	1.6	12
29	Interobserver and intraobserver variation in the morphological evaluation of noninvasive follicular thyroid neoplasm with papillary-like nuclear features in Asian practice. <i>Pathology International</i> , 2019, 69, 202-210.	1.3	42
30	A Novel Diagnostic Method for Thyroid Follicular Tumors Based on Immunofluorescence Analysis of p53-Binding Protein 1 Expression: Detection of Genomic Instability. <i>Thyroid</i> , 2019, 29, 657-665.	4.5	9
31	Diagnostic clues indicating tall cell variants of papillary thyroid carcinoma in fine needle aspiration. <i>Diagnostic Cytopathology</i> , 2019, 47, 452-457.	1.0	12
32	Optimal needle size for thyroid fine needle aspiration cytology. <i>Endocrine Journal</i> , 2019, 66, 143-147.	1.6	18
33	Stromal tiny black dots, like "sugar-coated", of von Kossa stain is a diagnostic clue to hyalinizing trabecular tumor of the thyroid gland. <i>Pathology International</i> , 2018, 68, 176-182.	1.3	6
34	Prognostic value of the 8 th edition of the tumor-node-metastasis classification for patients with papillary thyroid carcinoma: a single-institution study at a high-volume center in Japan. <i>Endocrine Journal</i> , 2018, 65, 707-716.	1.6	7
35	Identification of Cytological Features Distinguishing Mucosa-Associated Lymphoid Tissue Lymphoma from Reactive Lymphoid Proliferation Using Thyroid Liquid-Based Cytology. <i>Acta Cytologica</i> , 2018, 62, 93-98.	1.3	10
36	Serum calcitonin reference values for calcium stimulation tests by electrochemiluminescence immunoassay in Japanese men with non-medullary thyroid carcinoma. <i>Surgery Today</i> , 2018, 48, 223-228.	1.5	6

#	ARTICLE	IF	CITATIONS
37	Utility of monoclonal PAX8 antibody for distinguishing intrathyroid thymic carcinoma from follicular cell-derived thyroid carcinoma. <i>Endocrine Journal</i> , 2018, 65, 1171-1175.	1.6	15
38	Aggressive cribriform-morular variant of papillary thyroid carcinoma: Report of an unusual case with pulmonary metastasis displaying poorly differentiated features. <i>Pathology International</i> , 2018, 68, 700-705.	1.3	10
39	Thyroid Fine-Needle Aspiration and Smearing Techniques. <i>VideoEndocrinology</i> , 2018, 5, .	0.1	18
40	Proteinase K treatment improves RNA recovery from thyroid cells fixed with liquid-based cytology solution. <i>BMC Research Notes</i> , 2018, 11, 822.	1.4	3
41	Thrombotic Microangiopathy with Severe Proteinuria Induced by Lenvatinib for Radioactive Iodine-Refractory Papillary Thyroid Carcinoma. <i>Case Reports in Oncology</i> , 2018, 11, 735-741.	0.7	12
42	Impact of the modification of the diagnostic criteria in the 2017 Bethesda System for Reporting Thyroid Cytopathology: a report of a single institution in Japan. <i>Endocrine Journal</i> , 2018, 65, 1193-1198.	1.6	15
43	Phantom Nodules Detected by Ultrasound Examination of the Neck: The Possibility of Ectopic Cervical Thymic Tissue in Adults. <i>Ultrasound International Open</i> , 2018, 4, E119-E123.	0.6	2
44	Calcitonin measurement in fine-needle aspirate washout fluid by electrochemiluminescence immunoassay for thyroid tumors. <i>Thyroid Research</i> , 2018, 11, 15.	1.5	16
45	Immunohistochemical and Molecular Analyses Focusing on Mesenchymal Cells in Papillary Thyroid Carcinoma with Desmoid-Type Fibromatosis. <i>Pathobiology</i> , 2018, 85, 300-303.	3.8	12
46	Prognostic value of the 8 th tumor-node-metastasis classification for follicular carcinoma and poorly differentiated carcinoma of the thyroid in Japan. <i>Endocrine Journal</i> , 2018, 65, 621-627.	1.6	11
47	Successful treatment switch from lenvatinib to sorafenib in a patient with radioactive iodine-refractory differentiated thyroid cancer intolerant to lenvatinib due to severe proteinuria. <i>Auris Nasus Larynx</i> , 2018, 45, 1249-1252.	1.2	9
48	Warthin-like papillary thyroid carcinoma with immunoglobulin G4-positive plasma cells possibly related to Hashimoto's thyroiditis. <i>Endocrine Journal</i> , 2018, 65, 175-180.	1.6	6
49	Re-evaluation of MIB-1 immunostaining for diagnosing hyalinizing trabecular tumour of the thyroid: semi-automated techniques with manual antigen retrieval are more accurate than fully automated techniques. <i>Endocrine Journal</i> , 2018, 65, 239-244.	1.6	18
50	Derivation of thyroid lymphoepithelial cysts from follicular cells. <i>Endocrine Journal</i> , 2018, 65, 579-586.	1.6	3
51	Characteristics and natural course of hypoechoic thyroid lesions diagnosed as possible thyroid lymphomas by fine needle aspiration cytology. <i>Thyroid Research</i> , 2018, 11, 8.	1.5	3
52	Comment on: "Derivation of thyroid lymphoepithelial cysts from follicular cells". <i>Endocrine Journal</i> , 2018, 65, 877-878.	1.6	0
53	Calcifications in Thyroid Tumors on Ultrasonography: Calcification Types and Relationship with Histopathological Type. <i>Ultrasound International Open</i> , 2018, 04, E45-E51.	0.6	18
54	Thyroid sclerosing mucoepidermoid carcinoma with eosinophilia distinct from the salivary type. <i>Endocrine Journal</i> , 2018, 65, 427-436.	1.6	12

#	ARTICLE	IF	CITATIONS
55	Transoral videolaryngoscopic surgery for papillary carcinoma arising in lingual thyroid. <i>Auris Nasus Larynx</i> , 2018, 45, 1127-1129.	1.2	7
56	TERT promoter mutations and Ki-67 labeling index as a prognostic marker of papillary thyroid carcinomas: combination of two independent factors. <i>Scientific Reports</i> , 2017, 7, 41752.	3.3	45
57	Frequent BRAF V600E and Absence of TERT Promoter Mutations Characterize Sporadic Pediatric Papillary Thyroid Carcinomas in Japan. <i>Endocrine Pathology</i> , 2017, 28, 103-111.	9.0	45
58	“Nodule in Nodule” on Thyroid Ultrasonography: Possibility of Follicular Carcinoma Transformed from Benign Thyroid Tumor. <i>European Thyroid Journal</i> , 2017, 6, 101-107.	2.4	10
59	Low Rate of Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features in Asian Practice. <i>Thyroid</i> , 2017, 27, 983-984.	4.5	89
60	Paediatric follicular thyroid carcinoma “indolent cancer with low prevalence of <i>RAS</i> mutations and absence of <i>PAX8</i> <i>PPARG</i> fusion in a Japanese population. <i>Histopathology</i> , 2017, 71, 760-768.	2.9	24
61	<i>TERT</i> Promoter Mutations Were Not Found in Papillary Thyroid Microcarcinomas That Showed Disease Progression on Active Surveillance. <i>Thyroid</i> , 2017, 27, 1206-1207.	4.5	48
62	<i>CEACAM1</i> long isoform has opposite effects on the growth of human mastocytosis and medullary thyroid carcinoma cells. <i>Cancer Medicine</i> , 2017, 6, 845-856.	2.8	12
63	Letter to the Editor: Reply. <i>World Journal of Surgery</i> , 2017, 41, 2645-2646.	1.6	0
64	A rare case of poorly differentiated thyroid carcinoma probably arising from a nodular goiter. <i>BMC Clinical Pathology</i> , 2017, 17, 9.	1.8	4
65	Genotype Analyses in the Japanese and Belarusian Populations Reveal Independent Effects of rs965513 and rs1867277 but Do Not Support the Role of <i>FOXE1</i> Polyalanine Tract Length in Conferring Risk for Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2017, 27, 224-235.	4.5	18
66	Prognostic Significance of the Proportion of Tall Cell Components in Papillary Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2017, 41, 742-747.	1.6	25
67	Chromophobe renal cell carcinoma-like thyroid carcinoma: A novel clinicopathologic entity possibly associated with tuberous sclerosis complex. <i>Endocrine Journal</i> , 2017, 64, 843-850.	1.6	8
68	Cytoplasmic Lipid Accumulation Characteristic of the Cribriform Variant of Papillary Thyroid Carcinoma. <i>Pathobiology</i> , 2017, 84, 251-257.	3.8	11
69	Comparative histopathological analysis of sporadic pediatric papillary thyroid carcinoma from Japan and Ukraine. <i>Endocrine Journal</i> , 2017, 64, 977-993.	1.6	10
70	Papillary thyroid carcinoma with desmoid-type fibromatosis: A clinical, pathological, and immunohistochemical study of 14 cases. <i>Endocrine Journal</i> , 2017, 64, 1017-1023.	1.6	21
71	Fine-needle aspiration cytology for medullary thyroid carcinoma: a single institutional experience in Japan. <i>Endocrine Journal</i> , 2017, 64, 1099-1104.	1.6	27
72	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features: a single-institutional experience in Japan. <i>Endocrine Journal</i> , 2017, 64, 1149-1155.	1.6	45

#	ARTICLE	IF	CITATIONS
73	Preoperative diagnostic algorithm of primary thyroid lymphoma using ultrasound, aspiration cytology, and flow cytometry. <i>Endocrine Journal</i> , 2017, 64, 859-865.	1.6	33
74	Reappraisal of "cyst fluid only" on thyroid fine-needle aspiration cytology. <i>Endocrine Journal</i> , 2017, 64, 759-765.	1.6	22
75	A Novel Germline Mutation of KEAP1 (R483H) Associated with a Non-Toxic Multinodular Goiter. <i>Frontiers in Endocrinology</i> , 2016, 7, 131.	3.5	16
76	Differentiating between benign follicular nodules and follicular neoplasms in thyroid liquid-based cytology preparations. <i>Diagnostic Cytopathology</i> , 2016, 44, 659-664.	1.0	7
77	High endothelial venule-like vessels and lymphocyte recruitment in diffuse sclerosing variant of papillary thyroid carcinoma. <i>Pathology</i> , 2016, 48, 666-674.	0.6	21
78	Genetic alterations of differentiated thyroid carcinoma in iodine-rich and iodine-deficient countries. <i>Cancer Medicine</i> , 2016, 5, 1883-1889.	2.8	45
79	The Bethesda System for Reporting Thyroid Cytopathology: proposed modifications and updates for the second edition from an international panel. <i>Journal of the American Society of Cytopathology</i> , 2016, 5, 245-251.	0.5	23
80	Diagnosis and surgical indications of oxyphilic follicular tumors in Japan: Surgical specimens and cytology. <i>Endocrine Journal</i> , 2016, 63, 977-982.	1.6	11
81	Diagnostic value of GATA-3 in cytological identification of parathyroid tissues. <i>Endocrine Journal</i> , 2016, 63, 621-626.	1.6	21
82	Histopathological analysis of anaplastic thyroid carcinoma cases with long-term survival: A report from the Anaplastic Thyroid Carcinoma Research Consortium of Japan. <i>Endocrine Journal</i> , 2016, 63, 441-447.	1.6	27
83	Pathological characteristics of low-risk papillary thyroid microcarcinoma with progression during active surveillance. <i>Endocrine Journal</i> , 2016, 63, 805-810.	1.6	57
84	Reference values of serum calcitonin with calcium stimulation tests by electrochemiluminescence immunoassay before/after total thyroidectomy in Japanese patients with thyroid diseases other than medullary thyroid carcinoma. <i>Endocrine Journal</i> , 2016, 63, 627-632.	1.6	14
85	Prognostic impact of Ki-67 labeling index in minimally invasive follicular thyroid carcinoma. <i>Endocrine Journal</i> , 2016, 63, 913-917.	1.6	12
86	Age- and Gender-Specific Risk of Thyroid Cancer in Patients With Familial Adenomatous Polyposis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4611-4617.	3.6	37
87	The Bethesda System for Reporting Thyroid Cytopathology: Proposed Modifications and Updates for the Second Edition from an International Panel. <i>Acta Cytologica</i> , 2016, 60, 399-405.	1.3	110
88	Malignant melanoma arising in melanin-producing medullary thyroid carcinoma. <i>International Journal of Surgery Case Reports</i> , 2016, 20, 118-122.	0.6	7
89	Immunohistochemical detection of NRASQ61R protein in follicular-patterned thyroid tumors. <i>Human Pathology</i> , 2016, 53, 51-57.	2.0	26
90	Tumor protrusion with intensive blood signals on ultrasonography is a strongly suggestive finding of follicular thyroid carcinoma.. <i>Medical Ultrasonography</i> , 2016, 18, 25.	0.8	20

#	ARTICLE	IF	CITATIONS
91	Clinicopathological features of Riedel's thyroiditis associated with IgG4-related disease in Japan. <i>Endocrine Journal</i> , 2015, 62, 725-731.	1.6	29
92	Diagnostic significance of PAX8 in thyroid squamous cell carcinoma. <i>Endocrine Journal</i> , 2015, 62, 991-995.	1.6	46
93	Occurrence of thyroxine tablet (Thyradin S [®]) - induced liver dysfunction in a patient with subclinical hypothyroidism. <i>Endocrine Journal</i> , 2015, 62, 719-724.	1.6	5
94	Subclassification of Follicular Neoplasms Recommended by the Japan Thyroid Association Reporting System of Thyroid Cytology. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-6.	1.5	15
95	Graves' Disease Patients with Persistent Hyperthyroidism and Diffuse Lymphoplasmacytic Infiltration in the Thyroid Show No Histopathological Compatibility with IgG4-Related Disease. <i>PLoS ONE</i> , 2015, 10, e0134143.	2.5	14
96	The Common Genetic Variant rs944289 on Chromosome 14q13.3 Associates with Risk of Both Malignant and Benign Thyroid Tumors in the Japanese Population. <i>Thyroid</i> , 2015, 25, 333-340.	4.5	36
97	Cytological characteristics of papillary thyroid carcinoma on LBC specimens, compared with conventional specimens. <i>Diagnostic Cytopathology</i> , 2015, 43, 108-113.	1.0	33
98	Metastatic carcinoma to the thyroid gland from renal cell carcinoma: role of ultrasonography in preoperative diagnosis. <i>Thyroid Research</i> , 2015, 8, 4.	1.5	24
99	Is an Increase in Thyroid Nodule Volume a Risk Factor for Malignancy?. <i>Thyroid</i> , 2015, 25, 804-811.	4.5	30
100	Cytological Findings for the Diagnosis of Primary Thyroid Mucosa-Associated Lymphoid Tissue Lymphoma by Fine Needle Aspiration. <i>Acta Cytologica</i> , 2015, 59, 26-36.	1.3	15
101	Characteristic sonographic features of cribriform papillary thyroid carcinoma for differentiation from other thyroid nodules. <i>Journal of Medical Ultrasonics</i> (2001), 2015, 42, 83-87.	1.3	12
102	Cytologic findings and differential diagnoses of primary thyroid MALT lymphoma with striking plasma cell differentiation and amyloid deposition. <i>Diagnostic Cytopathology</i> , 2014, 42, 73-77.	1.0	18
103	Sorting Nexin 2 (SNX2). <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014, 22, 302-307.	1.2	3
104	Diffuse sclerosing variant of papillary thyroid carcinoma: a study of fine needle aspiration cytology in 20 patients. <i>Cytopathology</i> , 2014, 25, 199-204.	0.7	38
105	Papillary Thyroid Microcarcinoma Might Progress During Pregnancy. <i>Thyroid</i> , 2014, 24, 840-844.	4.5	75
106	Prognostic significance of patient age in minimally and widely invasive follicular thyroid carcinoma: Investigation of three age groups. <i>Endocrine Journal</i> , 2014, 61, 265-271.	1.6	25
107	Proposed algorithm for cytological diagnosis of thyroid follicular lesions and the reporting system. <i>The Journal of the Japanese Society of Clinical Cytology</i> , 2014, 53, 264-270.	0.0	2
108	Functional characterization of the novel BRAF complex mutation, BRAF ^{V600delinsYM} , identified in papillary thyroid carcinoma. <i>International Journal of Cancer</i> , 2013, 132, 738-743.	5.1	16

#	ARTICLE	IF	CITATIONS
109	Evaluation of cytologically benign solitary thyroid nodules by ultrasonography: A retrospective analysis of 1877 cases. <i>Auris Nasus Larynx</i> , 2013, 40, 308-311.	1.2	19
110	Distinct morphologic, phenotypic, and clinical-course characteristics of indolent peripheral T-cell lymphoma. <i>Human Pathology</i> , 2013, 44, 1927-1936.	2.0	22
111	Ki-67 Labeling Index Is a Predictor of Postoperative Persistent Disease and Cancer Growth and a Prognostic Indicator in Papillary Thyroid Carcinoma. <i>European Thyroid Journal</i> , 2013, 2, 57-64.	2.4	40
112	Intrathyroidal epithelial thymoma/carcinoma showing thymus-like differentiation; comparison with thymic lymphoepithelioma-like carcinoma and a possibility of development from a multipotential stem cell. <i>Apmis</i> , 2013, 121, 523-530.	2.0	28
113	Immunoglobulin G4 Thyroiditis in a Graves' Disease Patient with a Large Goiter Developing Hypothyroidism. <i>Thyroid</i> , 2013, 23, 1496-1497.	4.5	17
114	Significance of p53-binding protein 1 (53BP1) expression in thyroid papillary microcarcinoma: association with <i>BRAF</i> ^{V600E} mutation status. <i>Histopathology</i> , 2013, 63, 726-734.	2.9	18
115	Prognostic factors of minimally invasive follicular thyroid carcinoma: Extensive vascular invasion significantly affects patient prognosis. <i>Endocrine Journal</i> , 2013, 60, 637-642.	1.6	85
116	Distant metastasis at diagnosis and large tumor size are significant prognostic factors of widely invasive follicular thyroid carcinoma. <i>Endocrine Journal</i> , 2013, 60, 829-833.	1.6	27
117	The miR-221/222 cluster, miR-10b and miR-92a are highly upregulated in metastatic minimally invasive follicular thyroid carcinoma. <i>International Journal of Oncology</i> , 2013, 42, 1858-1868.	3.3	56
118	Biological Behavior of Papillary Carcinoma of the Thyroid Including Squamous Cell Carcinoma Components and Prognosis of Patients Who Underwent Locally Curative Surgery. <i>Journal of Thyroid Research</i> , 2012, 2012, 1-5.	1.3	18
119	Clinical Significance and Prognostic Impact of Subcutaneous or Intrastrap Muscular Recurrence of Papillary Thyroid Carcinoma. <i>Journal of Thyroid Research</i> , 2012, 2012, 1-4.	1.3	8
120	Prognosis and prognostic factors of papillary thyroid carcinoma in patients under 20 years. <i>Endocrine Journal</i> , 2012, 59, 539-545.	1.6	39
121	Validity of 6 th edition of UICC TNM classification system for medullary thyroid carcinoma: A proposal for intraoperative evaluation of T category. <i>Endocrine Journal</i> , 2012, 59, 407-416.	1.6	3
122	Measurement of <i>TFF3</i> mRNA in aspirates from thyroid nodules using mesh filtration: The first clinical trial in 130 cases. <i>Endocrine Journal</i> , 2012, 59, 621-630.	1.6	4
123	Prognostic value of poorly differentiated carcinoma in Japanese Society of Thyroid Surgery in a series of papillary thyroid carcinoma patients: Comparison with risk classification system in Kuma Hospital. <i>Endocrine Journal</i> , 2012, 59, 817-821.	1.6	4
124	Clinical trial of weekly paclitaxel chemotherapy for papillary thyroid carcinoma with squamous cell carcinoma component. <i>Endocrine Journal</i> , 2012, 59, 839-844.	1.6	11
125	Cytological findings of intrathyroidal epithelial thymoma/carcinoma showing thymus-like differentiation: A study of eight cases. <i>Diagnostic Cytopathology</i> , 2012, 40, E16-20.	1.0	29
126	The FOXE1 and NKX2-1 loci are associated with susceptibility to papillary thyroid carcinoma in the Japanese population. <i>Journal of Medical Genetics</i> , 2011, 48, 645-648.	3.2	76

#	ARTICLE	IF	CITATIONS
127	Role of ultrasonography in patients with cytologically follicular thyroid tumor. <i>Auris Nasus Larynx</i> , 2011, 38, 508-511.	1.2	20
128	Pathologic features of polycystic thyroid disease: Comparison with benign nodular goiter. <i>Endocrine Journal</i> , 2011, 58, 783-788.	1.6	3
129	A solid thyroid benign nodule that showed a significant decrease in size and ultrasonographic findings mimicking papillary carcinoma during 16-year follow-up. <i>Endocrine Journal</i> , 2011, 58, 19-22.	1.6	5
130	Diagnosis of Hashimoto's thyroiditis and IgG4-related sclerosing disease. <i>Pathology International</i> , 2011, 61, 175-183.	1.3	59
131	Final Pathology Findings After Immediate or Delayed Surgery in Patients with Cytologically Benign or Follicular Thyroid Nodules. <i>World Journal of Surgery</i> , 2011, 35, 558-562.	1.6	21
132	Tumor Thrombus of Thyroid Malignancies in Veins: Importance of Detection by Ultrasonography. <i>Thyroid</i> , 2011, 21, 527-531.	4.5	34
133	Neuropilin-2 Expression in Papillary Thyroid Carcinoma: Correlation with VEGF-D Expression, Lymph Node Metastasis, and VEGF-D-Induced Aggressive Cancer Cell Phenotype. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1857-E1861.	3.6	27
134	Prognostic Significance of Ki-67 Labeling Index in Papillary Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2010, 34, 3015-3021.	1.6	64
135	Prognostic Impact of Extrathyroid Extension and Clinical Lymph Node Metastasis in Papillary Thyroid Carcinoma Depend on Carcinoma Size. <i>World Journal of Surgery</i> , 2010, 34, 3007-3014.	1.6	36
136	Benign nodular goiter with spindle cell component. <i>Pathology International</i> , 2010, 60, 586-590.	1.3	14
137	Cribriform-morular variant of papillary thyroid carcinoma—Cytological and immunocytochemical findings of 18 cases. <i>Diagnostic Cytopathology</i> , 2010, 38, 890-896.	1.0	57
138	Nodal metastasis in well-differentiated follicular carcinoma of the thyroid: Its incidence and clinical significance. <i>Oncology Letters</i> , 2010, 1, 873-876.	1.8	4
139	Induction Chemotherapy with Weekly Paclitaxel Administration for Anaplastic Thyroid Carcinoma. <i>Thyroid</i> , 2010, 20, 7-14.	4.5	132
140	Distinct Clinical, Serological, and Sonographic Characteristics of Hashimoto's Thyroiditis Based with and without IgG4-Positive Plasma Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1309-1317.	3.6	152
141	Distribution of IgG4- and/or IgG-Positive Plasma Cells in Hashimoto's Thyroiditis: An Immunohistochemical Study. <i>Pathobiology</i> , 2010, 77, 267-272.	3.8	30
142	Diagnosis of parathyroid carcinoma using immunohistochemical staining against hTERT. <i>International Journal of Molecular Medicine</i> , 2009, 24, 733-41.	4.0	11
143	Biological behavior and prognosis of familial papillary thyroid carcinoma. <i>Surgery</i> , 2009, 145, 100-105.	1.9	94
144	Classification of follicular cell tumors of the thyroid gland: Analysis involving Japanese patients from one institute. <i>Pathology International</i> , 2009, 59, 359-367.	1.3	50

#	ARTICLE	IF	CITATIONS
145	Investigation of the Validity of UICC Stage Grouping of Anaplastic Carcinoma of the Thyroid. Asian Journal of Surgery, 2009, 32, 47-50.	0.4	30
146	A Patient with Primary Hyperparathyroidism Associated with Familial Hypocalciuric Hypercalcemia Induced by a Novel Germline CaSR Gene Mutation. Asian Journal of Surgery, 2009, 32, 118-122.	0.4	21
147	Mucinous breast carcinoma with myoepithelial-like spindle cells. Diagnostic Cytopathology, 2009, 37, 393-396.	1.0	1
148	Cytologic findings of primary thyroid MALT lymphoma with extreme plasma cell differentiation: FNA cytology of two cases. Diagnostic Cytopathology, 2009, 37, 815-819.	1.0	19
149	Excellent Prognosis of Patients with Nonhereditary Medullary Thyroid Carcinoma with Ultrasonographic Findings of Follicular Tumor or Benign Nodule. World Journal of Surgery, 2009, 33, 963-8.	1.6	27
150	Clinicopathologic Characteristics and Prognosis of Diffuse Sclerosing Variant of Papillary Thyroid Carcinoma in Japan: An 18-Year Experience at a Single Institution. World Journal of Surgery, 2009, 33, 958-962.	1.6	54
151	BRAF Mutation in Papillary Thyroid Carcinoma in a Japanese Population: Its Lack of Correlation with High-Risk Clinicopathological Features and Disease-Free Survival of Patients. Endocrine Journal, 2009, 56, 89-97.	1.6	227
152	Preoperative Administration of Excess Iodide Increases Thyroid Volume of Patients with Graves' Disease. Endocrine Journal, 2009, 56, 371-375.	1.6	14
153	Clinical Significance of Extrathyroid Extension to the Parathyroid Gland of Papillary Thyroid Carcinoma. Endocrine Journal, 2009, 56, 251-255.	1.6	18
154	Macrofollicular Variant of Papillary Thyroid Carcinoma: Its Clinicopathological Features and Long-Term Prognosis. Endocrine Journal, 2009, 56, 503-508.	1.6	15
155	Prevalence and Prognostic Significance of Poor Differentiation and Tall Cell Variant in Papillary Carcinoma in Japan. World Journal of Surgery, 2008, 32, 1535-1543.	1.6	93
156	Biological Behavior and Prognosis of Encapsulated Papillary Carcinoma of the Thyroid: Experience of a Japanese Hospital for Thyroid Care. World Journal of Surgery, 2008, 32, 1789-1794.	1.6	26
157	Occult Papillary Thyroid Carcinoma: Diagnostic and Clinical Implications in the Era of Routine Ultrasonography. World Journal of Surgery, 2008, 32, 1955-60.	1.6	28
158	Thyroid adenomatous nodule with bizarre nuclei: A case report and mutation analysis of the p53 gene. Pathology Research and Practice, 2008, 204, 191-195.	2.3	7
159	CXCR4 expression in papillary thyroid carcinoma: induction by nitric oxide and correlation with lymph node metastasis. BMC Cancer, 2008, 8, 274.	2.6	40
160	Inappropriate use of the term oncocytic lipoadenoma of the submandibular gland – reply. Human Pathology, 2008, 39, 1716.	2.0	0
161	Epithelial–myoepithelial carcinoma arising in the nasal cavity. Auris Nasus Larynx, 2008, 35, 408-413.	1.2	31
162	Papillary Carcinoma Obscured by Complication with Subacute Thyroiditis: Sequential Ultrasonographic and Histopathological Findings in Five Cases. Thyroid, 2008, 18, 1221-1225.	4.5	33

#	ARTICLE	IF	CITATIONS
163	Unusual Finding on Ultrasonography of Follicular Thyroid Carcinoma Including Poorly Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2008, 18, 1021-1022.	4.5	1
164	Prevalence and biological behaviour of variants of papillary thyroid carcinoma experience at a single institute. <i>Pathology</i> , 2008, 40, 617-622.	0.6	51
165	Distant and Lymph Node Metastases of Thyroid Nodules with No Pathological Evidence of Malignancy: A Limitation of Pathological Examination. <i>Endocrine Journal</i> , 2008, 55, 889-894.	1.6	26
166	Prognosis of Patients with Papillary Carcinoma Showing Anaplastic Transformation in Regional Lymph Nodes that Were Curatively Resected. <i>Endocrine Journal</i> , 2008, 55, 985-989.	1.6	27
167	Hyalinizing Trabecular Tumors of the Thyroid Gland are Almost all Benign. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1877-1889.	3.7	105
168	Sebaceous Epithelial-Myoepithelial Carcinoma of the Salivary Gland: Clinicopathologic and Immunohistochemical Analysis of 6 Cases of a New Histologic Variant. <i>American Journal of Surgical Pathology</i> , 2008, 32, 913-923.	3.7	56
169	Lymphoepithelioma-like carcinoma of the esophagus: Report of a case with non-progressive behavior. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 2344-2347.	2.8	15
170	Carcinosarcoma ex recurrent pleomorphic adenoma of the submandibular gland.. <i>Apmis</i> , 2007, 115, 789-794.	2.0	12
171	Prognosis and Prognostic Factors of Follicular Carcinoma in Japan: Importance of Postoperative Pathological Examination. <i>World Journal of Surgery</i> , 2007, 31, 1417-1424.	1.6	86
172	Hyalinizing trabecular tumor of the thyroid gland: characteristic features on ultrasonography. <i>Journal of Medical Ultrasonics (2001)</i> , 2007, 34, 43-47.	1.3	6
173	Sustained fever resolved promptly after total thyroidectomy due to huge Hashimoto's fibrous thyroiditis. <i>Endocrine</i> , 2007, 31, 88-91.	2.2	1
174	Poorly differentiated neuroendocrine cell carcinoma of the rectum: report of a case and literal review. <i>Journal of Medical Investigation</i> , 2006, 53, 317-320.	0.5	7
175	Colonic pseudolipomatosis, microscopically classified into two groups. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006, 21, 65-70.	2.8	11
176	Duodenal lymphangitis carcinomatosa: Endoscopic characteristics and clinical significance. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006, 21, 79-83.	2.8	12
177	Benign Thyroid Teratomas Manifest Painful Cystic and Solid Composite Nodules: Three Case Reports and a Review of the Literature. <i>Endocrine</i> , 2006, 30, 231-236.	2.2	11
178	Inactivation of RASSF1A tumor suppressor gene by aberrant promoter hypermethylation in human pituitary adenomas. <i>Laboratory Investigation</i> , 2005, 85, 464-473.	3.7	47
179	Histological and immunohistochemical study of composite neuroendocrine-exocrine carcinomas of the stomach. <i>Journal of Medical Investigation</i> , 2005, 52, 191-202.	0.5	24
180	A patient with adult extrahepatic portal obstruction, of which distinction from intrahepatic cholangiocarcinoma was difficult. <i>Journal of Medical Investigation</i> , 2005, 52, 203-207.	0.5	3

#	ARTICLE	IF	CITATIONS
181	Colorectal xanthomas with polypoid lesion: Report of 25 cases. <i>Apmis</i> , 2004, 112, 3-10.	2.0	29
182	Morules in cribriform-morular variant of papillary thyroid carcinoma: Immunohistochemical characteristics and distinction from squamous metaplasia. <i>Apmis</i> , 2004, 112, 275-282.	2.0	47
183	Loss of caspase-2, -6 and -7 expression in gastric cancers. <i>Apmis</i> , 2004, 112, 330-335.	2.0	72
184	Unique cell membrane expression of topoisomerase-II alpha as a useful diagnostic marker of liposarcoma. <i>Pathology International</i> , 2004, 54, 145-150.	1.3	7
185	Expression of Adhesion Molecules and Cytokeratin 20 in Merkel Cell Carcinomas. <i>Endocrine Pathology</i> , 2004, 15, 117-130.	9.0	19
186	Melanotic oncocytic metaplasia of the nasopharynx: a report of seven cases and review of the literature. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004, 444, 345-349.	2.8	27
187	Expression of cell adhesion molecules in chordomas: an immunohistochemical study of 16 cases. <i>Acta Neuropathologica</i> , 2004, 107, 91-96.	7.7	23
188	Cytoplasmic Expression of Fibroblast Growth Factor Receptor-4 in Human Pituitary Adenomas: Relation to Tumor Type, Size, Proliferation, and Invasiveness. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 1904-1911.	3.6	72
189	Cribriform-Morular Variant of Papillary Thyroid Carcinoma. <i>Acta Cytologica</i> , 2004, 48, 431-436.	1.3	25
190	A Case of Mucin-Producing Cholangiocarcinoma Diagnosed by Intraductal Ultrasonography and Peroral Cholangioscopy. <i>Japanese Journal of Gastroenterological Surgery</i> , 2004, 37, 1417-1422.	0.1	0
191	Secretory Carcinoma of the Breast with a Cystically Dilated Intraductal Component: Report of a Case. <i>Surgery Today</i> , 2003, 33, 110-113.	1.5	16
192	Esophageal xanthoma: Report of two cases and a review of the literature. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 1105-1108.	2.8	19
193	Prostatic carcinosarcoma: A case report and review of literature. <i>International Journal of Urology</i> , 2003, 10, 108-113.	1.0	34
194	Cribriform-morular variant of papillary thyroid carcinoma: a pathological and molecular genetic study with evidence of frequent somatic mutations in exon 3 of the <i>hTERT</i> gene. <i>Journal of Pathology</i> , 2003, 199, 58-67.	4.5	125
195	Spindle epithelial tumor with thymus-like differentiation of the thyroid: A case report with pathological and molecular genetics study. <i>Human Pathology</i> , 2003, 34, 190-193.	2.0	34
196	Cytology of Pleomorphic Lobular Carcinoma with Apocrine Cell Differentiation of the Breast. <i>Acta Cytologica</i> , 2003, 47, 265-269.	1.3	9
197	Cytologic Features of Hyalinizing Trabecular Adenoma of the Thyroid. <i>Acta Cytologica</i> , 2003, 47, 399-404.	1.3	39
198	Role of E-Cadherin, β 1-, β 2-, and β 3-Catenins, and p120 (Cell Adhesion Molecules) in Prolactinoma Behavior. <i>Modern Pathology</i> , 2002, 15, 1357-1365.	5.5	55

#	ARTICLE	IF	CITATIONS
199	Expression of Corticotropin-Releasing Hormone Messenger Ribonucleic Acid in Human Pituitary Corticotroph Adenomas Associated with Proliferative Potential. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 1220-1225.	3.6	6