

# Laura E Nagy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2672492/publications.pdf>

Version: 2024-02-01

123  
papers

7,870  
citations

41344

49  
h-index

60623

81  
g-index

128  
all docs

128  
docs citations

128  
times ranked

8782  
citing authors

#	ARTICLE	IF	CITATIONS
1	Macrophage-derived MLKL in alcohol-associated liver disease: Regulation of phagocytosis. <i>Hepatology</i> , 2023, 77, 902-919.	7.3	15
2	A genetic risk score and diabetes predict development of alcohol-related cirrhosis in drinkers. <i>Journal of Hepatology</i> , 2022, 76, 275-282.	3.7	33
3	IL-1 receptor antagonist plus pentoxifylline and zinc for severe alcohol-associated hepatitis. <i>Hepatology</i> , 2022, 76, 1058-1068.	7.3	41
4	Phosphoproteomics identifies pathways underlying the role of receptor-interaction protein kinase 3 in alcohol-associated liver disease and uncovers apoptosis signal-regulating kinase 1 as a target. <i>Hepatology Communications</i> , 2022, 6, 2022-2041.	4.3	3
5	TH17 cells promote CNS inflammation by sensing danger signals via Mincle. <i>Nature Communications</i> , 2022, 13, 2406.	12.8	13
6	Natural History of Alcohol-Associated Liver Disease: Understanding the Changing Landscape of Pathophysiology and Patient Care. <i>Gastroenterology</i> , 2022, 163, 840-851.	1.3	7
7	Diagnostic and Prognostic Significance of Complement in Patients With Alcohol-Associated Hepatitis. <i>Hepatology</i> , 2021, 73, 983-997.	7.3	17
8	Effect of Acid Suppressants on the Risk of COVID-19: A Propensity Score-Matched Study Using UK Biobank. <i>Gastroenterology</i> , 2021, 160, 455-458.e5.	1.3	31
9	Immunological mechanisms and therapeutic targets of fatty liver diseases. <i>Cellular and Molecular Immunology</i> , 2021, 18, 73-91.	10.5	98
10	Differential role of MLKL in alcohol-associated and non-alcohol-associated fatty liver diseases in mice and humans. <i>JCI Insight</i> , 2021, 6, .	5.0	27
11	Identification of a MicroRNA-E3 Ubiquitin Ligase Regulatory Network for Hepatocyte Death in Alcohol-Associated Hepatitis. <i>Hepatology Communications</i> , 2021, 5, 830-845.	4.3	3
12	Role of MIF in coordinated expression of hepatic chemokines in patients with alcohol-associated hepatitis. <i>JCI Insight</i> , 2021, 6, .	5.0	5
13	Alcohol Consumption Is Associated with Poor Prognosis in Obese Patients with COVID-19: A Mendelian Randomization Study Using UK Biobank. <i>Nutrients</i> , 2021, 13, 1592.	4.1	16
14	The long and the small collide: LncRNAs and small heterodimer partner (SHP) in liver disease. <i>Molecular and Cellular Endocrinology</i> , 2021, 528, 111262.	3.2	5
15	Non-coding RNA crosstalk with nuclear receptors in liver disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166083.	3.8	12
16	Inhibition of IRAK4 kinase activity improves ethanol-induced liver injury in mice. <i>Journal of Hepatology</i> , 2020, 73, 1470-1481.	3.7	18
17	Design and rationale of a multicenter defeat alcoholic steatohepatitis trial: (DASH) randomized clinical trial to treat alcohol-associated hepatitis. <i>Contemporary Clinical Trials</i> , 2020, 96, 106094.	1.8	16
18	Functionally Diverse Inflammatory Responses in Peripheral and Liver Monocytes in Alcohol-Associated Hepatitis. <i>Hepatology Communications</i> , 2020, 4, 1459-1476.	4.3	19

#	ARTICLE	IF	CITATIONS
19	MLKL contributes to Western diet-induced liver injury through inhibiting autophagy. <i>Autophagy</i> , 2020, 16, 1351-1352.	9.1	22
20	Alcoholic-Hepatitis, Links to Brain and Microbiome: Mechanisms, Clinical and Experimental Research. <i>Biomedicines</i> , 2020, 8, 63.	3.2	15
21	MLKL-dependent signaling regulates autophagic flux in a murine model of non-alcohol-associated fatty liver and steatohepatitis. <i>Journal of Hepatology</i> , 2020, 73, 616-627.	3.7	96
22	Programmed cell death in alcohol-associated liver disease. <i>Clinical and Molecular Hepatology</i> , 2020, 26, 618-625.	8.9	44
23	Specifically Sized Hyaluronan (35 kDa) Prevents Ethanol-Induced Disruption of Epithelial Tight Junctions Through a layilin-Dependent Mechanism in Caco-2 Cells. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 1848-1858.	2.4	7
24	Oxidative stress mediates ethanol-induced skeletal muscle mitochondrial dysfunction and dysregulated protein synthesis and autophagy. <i>Free Radical Biology and Medicine</i> , 2019, 145, 284-299.	2.9	63
25	The non-transcriptional activity of IRF3 modulates hepatic immune cell populations in acute-on-chronic ethanol administration in mice. <i>Journal of Hepatology</i> , 2019, 70, 974-984.	3.7	30
26	Safety of Hyaluronan 35 in Healthy Human Subjects: A Pilot Study. <i>Nutrients</i> , 2019, 11, 1135.	4.1	8
27	miRNAs Involved in M1/M2 Hyperpolarization Are Clustered and Coordinately Expressed in Alcoholic Hepatitis. <i>Frontiers in Immunology</i> , 2019, 10, 1295.	4.8	21
28	Novel Role of Macrophage Migration Inhibitory Factor in Upstream Control of the Unfolded Protein Response After Ethanol Feeding in Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 1439-1451.	2.4	18
29	Ethanol sensitizes skeletal muscle to ammonia-induced molecular perturbations. <i>Journal of Biological Chemistry</i> , 2019, 294, 7231-7244.	3.4	31
30	Nontranscriptional Activity of Interferon Regulatory Factor 3 Protects Mice From High-Fat Diet-Induced Liver Injury. <i>Hepatology Communications</i> , 2019, 3, 1626-1641.	4.3	12
31	Inflammatory pathways in alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2019, 70, 249-259.	3.7	238
32	Hepatic Immune System: Adaptations to Alcohol. <i>Handbook of Experimental Pharmacology</i> , 2018, 248, 347-367.	1.8	9
33	Layilin is critical for mediating hyaluronan 35 kDa-induced intestinal epithelial tight junction protein ZO-1 in vitro and in vivo. <i>Matrix Biology</i> , 2018, 66, 93-109.	3.6	41
34	Anaphylatoxin Receptors C3aR and C5aR1 Are Important Factors That Influence the Impact of Ethanol on the Adipose Secretome. <i>Frontiers in Immunology</i> , 2018, 9, 2133.	4.8	22
35	Complement Factor D protects mice from ethanol-induced inflammation and liver injury. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, G66-G79.	3.4	34
36	Hepatic Knockdown of Splicing Regulator Slu7 Ameliorates Inflammation and Attenuates Liver Injury in Ethanol-Fed Mice. <i>American Journal of Pathology</i> , 2018, 188, 1807-1819.	3.8	9

#	ARTICLE	IF	CITATIONS
37	Limited Excessive Voluntary Alcohol Drinking Leads to Liver Dysfunction in Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 345-358.	2.4	19
38	Prophylactic tributyrin treatment mitigates chronic binge ethanol-induced intestinal barrier and liver injury. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1587-1597.	2.8	107
39	Myeloid MyD88 Contributes to Ethanol-Induced Liver Injury in Mice Linking Hepatocellular Death to Inflammation. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 719-726.	2.4	6
40	MicroRNA 181b and its target importin $\beta 5$ regulate toll-like receptor 4 signaling in Kupffer cells and liver injury in mice in response to ethanol. <i>Hepatology</i> , 2017, 66, 602-615.	7.3	66
41	Hyaluronic acid 35 normalizes TLR4 signaling in Kupffer cells from ethanol-fed rats via regulation of microRNA291b and its target Tollip. <i>Scientific Reports</i> , 2017, 7, 15671.	3.3	39
42	Hepatocyte-derived macrophage migration inhibitory factor mediates alcohol-induced liver injury in mice and patients. <i>Journal of Hepatology</i> , 2017, 67, 1018-1025.	3.7	48
43	Role of MIF in Hepatic Inflammatory Diseases and Fibrosis. , 2017, , 109-134.		3
44	Not All Industry-Affiliated Groups Are Created Equal: Some Conditions Under Which Science and Industry May Coexist Ethically and for the Public Good. <i>Journal of Studies on Alcohol and Drugs</i> , 2016, 77, 541-544.	1.0	7
45	Receptor interacting protein 3 protects mice from high-fat diet-induced liver injury. <i>Hepatology</i> , 2016, 64, 1518-1533.	7.3	123
46	Myeloid Mixed Lineage Kinase 3 Contributes to Chronic Ethanol-Induced Inflammation and Hepatocyte Injury in Mice. <i>Gene Expression</i> , 2016, 17, 61-77.	1.2	4
47	Physiological processes underlying organ injury in alcohol abuse. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016, 311, E605-E619.	3.5	24
48	IRAKMinncl axis links cell death to inflammation: Pathophysiological implications for chronic alcoholic liver disease. <i>Hepatology</i> , 2016, 64, 1978-1993.	7.3	55
49	Differential contribution of complement receptor C5aR in myeloid and non-myeloid cells in chronic ethanol-induced liver injury in mice. <i>Molecular Immunology</i> , 2016, 75, 122-132.	2.2	21
50	Soluble IgM links apoptosis to complement activation in early alcoholic liver disease in mice. <i>Molecular Immunology</i> , 2016, 72, 9-18.	2.2	16
51	Linking Pathogenic Mechanisms of Alcoholic Liver Disease With Clinical Phenotypes. <i>Gastroenterology</i> , 2016, 150, 1756-1768.	1.3	136
52	Standard Definitions and Common Data Elements for Clinical Trials in Patients With Alcoholic Hepatitis: Recommendation From the NIAAA Alcoholic Hepatitis Consortia. <i>Gastroenterology</i> , 2016, 150, 785-790.	1.3	387
53	Glutamine supplementation attenuates ethanol-induced disruption of apical junctional complexes in colonic epithelium and ameliorates gut barrier dysfunction and fatty liver in mice. <i>Journal of Nutritional Biochemistry</i> , 2016, 27, 16-26.	4.2	52
54	Clinical Impact of Alcohol-Related Cirrhosis in the Next Decade: Estimates Based on Current Epidemiological Trends in the United States. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 2085-2094.	2.4	70

#	ARTICLE	IF	CITATIONS
55	Alternative complement pathway component Factor D contributes to efficient clearance of tissue debris following acute CCl4-induced injury. <i>Molecular Immunology</i> , 2015, 64, 9-17.	2.2	12
56	Myeloperoxidase formation of PAF receptor ligands induces PAF receptor-dependent kidney injury during ethanol consumption. <i>Free Radical Biology and Medicine</i> , 2015, 86, 179-190.	2.9	40
57	Adiponectin as an Anti-fibrotic and Anti-inflammatory Adipokine in the Liver. <i>Current Pathobiology Reports</i> , 2015, 3, 243-252.	3.4	42
58	Macrophage migration inhibitory factor is required for recruitment of scar-associated macrophages during liver fibrosis. <i>Journal of Leukocyte Biology</i> , 2015, 97, 161-169.	3.3	43
59	Inflammatory PAF Receptor Signaling Initiates Hedgehog Signaling and Kidney Fibrogenesis During Ethanol Consumption. <i>PLoS ONE</i> , 2015, 10, e0145691.	2.5	11
60	The Role of Innate Immunity in Alcoholic Liver Disease. , 2015, 37, 237-50.		52
61	Alcohol-induced autophagy contributes to loss in skeletal muscle mass. <i>Autophagy</i> , 2014, 10, 677-690.	9.1	121
62	Cot/tpl2 participates in the activation of macrophages by adiponectin. <i>Journal of Leukocyte Biology</i> , 2014, 95, 917-930.	3.3	13
63	Tributyryn Supplementation Protects Mice from Acute Ethanol-Induced Gut Injury. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 1489-1501.	2.4	90
64	Protective role of HO-1 and carbon monoxide in ethanol-induced hepatocyte cell death and liver injury in mice. <i>Journal of Hepatology</i> , 2014, 61, 1029-1037.	3.7	75
65	Globular Adiponectin Inhibits Ethanol-Induced Reactive Oxygen Species Production through Modulation of NADPH Oxidase in Macrophages: Involvement of Liver Kinase B1/AMP-Activated Protein Kinase Pathway. <i>Molecular Pharmacology</i> , 2014, 86, 284-296.	2.3	34
66	Innate immunity and cell death in alcoholic liver disease: Role of cytochrome P4502E1. <i>Redox Biology</i> , 2014, 2, 929-935.	9.0	45
67	Moderate, chronic ethanol feeding exacerbates carbon tetrachloride-induced hepatic fibrosis via hepatocyte-specific hypoxia-inducible factor 1 $\beta$ . <i>Pharmacology Research and Perspectives</i> , 2014, 2, e00061.	2.4	25
68	Anaphylatoxin C5a modulates hepatic stellate cell migration. <i>Fibrogenesis and Tissue Repair</i> , 2014, 7, 9.	3.4	18
69	Chronic ethanol ingestion induces oxidative kidney injury through taurine-inhibitable inflammation. <i>Free Radical Biology and Medicine</i> , 2014, 69, 403-416.	2.9	64
70	Kupffer Cells in the Liver. , 2013, 3, 785-797.		466
71	Absence of receptor interacting protein kinase 3 prevents ethanol-induced liver injury. <i>Hepatology</i> , 2013, 57, 1773-1783.	7.3	266
72	Genetic Resistance to Liver Fibrosis on A/J Mouse Chromosome 17. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 1668-1679.	2.4	10

#	ARTICLE	IF	CITATIONS
73	Mice Lacking C1q Are Protected from High Fat Diet-induced Hepatic Insulin Resistance and Impaired Glucose Homeostasis. <i>Journal of Biological Chemistry</i> , 2013, 288, 22565-22575.	3.4	31
74	Macrophage migration inhibitory factor contributes to ethanol-induced liver injury by mediating cell injury, steatohepatitis, and steatosis. <i>Hepatology</i> , 2013, 57, 1980-1991.	7.3	66
75	Caspase-1 as a Central Regulator of High Fat Diet-Induced Non-Alcoholic Steatohepatitis. <i>PLoS ONE</i> , 2013, 8, e56100.	2.5	154
76	Adenosine 2A Receptor Antagonist Prevented and Reversed Liver Fibrosis in a Mouse Model of Ethanol-Exacerbated Liver Fibrosis. <i>PLoS ONE</i> , 2013, 8, e69114.	2.5	60
77	Synergistic interaction between C5a and NOD2 signaling in the regulation of chemokine expression in RAW 264.7 macrophages. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2013, 04, 30-37.	0.7	15
78	Inflammation in Alcoholic Liver Disease. <i>Annual Review of Nutrition</i> , 2012, 32, 343-368.	10.1	229
79	Ethanol-induced Oxidative Stress via the CYP2E1 Pathway Disrupts Adiponectin Secretion from Adipocytes. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 214-222.	2.4	77
80	Inhibition of Apoptosis Protects Mice from Ethanol-mediated Acceleration of Early Markers of Alcohol-induced Fibrosis but not Steatosis or Inflammation. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 1139-1147.	2.4	68
81	Innate immunity in alcoholic liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G516-G525.	3.4	191
82	Identification of a Cytochrome P450 2E1/Bid/C1q-dependent Axis Mediating Inflammation in Adipose Tissue after Chronic Ethanol Feeding to Mice. <i>Journal of Biological Chemistry</i> , 2011, 286, 35989-35997.	3.4	96
83	Molecular Mechanism for Adiponectin-dependent M2 Macrophage Polarization. <i>Journal of Biological Chemistry</i> , 2011, 286, 13460-13469.	3.4	220
84	Redox Signaling and the Innate Immune System in Alcoholic Liver Disease. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 523-534.	5.4	62
85	Obesity, diabetes mellitus, and liver fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G697-G702.	3.4	164
86	The anti-inflammatory effects of adiponectin are mediated via a heme oxygenase-1-dependent pathway in rat Kupffer cells. <i>Hepatology</i> , 2010, 51, 1420-1429.	7.3	129
87	Anti-inflammatory pathways and alcoholic liver disease: Role of an adiponectin/interleukin-10/heme oxygenase-1 pathway. <i>World Journal of Gastroenterology</i> , 2010, 16, 1330.	3.3	88
88	Adiponectin and Heme Oxygenase-1 Suppress TLR4/MyD88-Independent Signaling in Rat Kupffer Cells and in Mice after Chronic Ethanol Exposure. <i>Journal of Immunology</i> , 2010, 185, 4928-4937.	0.8	80
89	Chronic Alcohol Exposure Increases Circulating Bioactive Oxidized Phospholipids. <i>Journal of Biological Chemistry</i> , 2010, 285, 22211-22220.	3.4	58
90	Complement and Alcoholic Liver Disease: Role of C1q in the Pathogenesis of Ethanol-Induced Liver Injury in Mice. <i>Gastroenterology</i> , 2010, 139, 664-674.e1.	1.3	120

#	ARTICLE	IF	CITATIONS
91	Early growth response-1 attenuates liver injury and promotes hepatoprotection after carbon tetrachloride exposure in mice. <i>Journal of Hepatology</i> , 2010, 53, 655-662.	3.7	44
92	Hepatic Fibrosis Is Enhanced and Accompanied by Robust Oval Cell Activation after Chronic Carbon Tetrachloride Administration to Egr-1-Deficient Mice. <i>American Journal of Pathology</i> , 2010, 176, 2743-2752.	3.8	44
93	Formation of $\beta$ -ketoaldehyde-protein adducts during ethanol-induced liver injury in mice. <i>Free Radical Biology and Medicine</i> , 2009, 47, 1526-1538.	2.9	35
94	An early complement-dependent and TLR-4-independent phase in the pathogenesis of ethanol-induced liver injury in mice. <i>Hepatology</i> , 2009, 49, 1326-1334.	7.3	90
95	Exogenous thioredoxin prevents ethanol-induced oxidative damage and apoptosis in mouse liver. <i>Hepatology</i> , 2009, 49, 1709-1717.	7.3	76
96	Taurine supplementation prevents ethanol-induced decrease in serum adiponectin and reduces hepatic steatosis in rats. <i>Hepatology</i> , 2009, 49, 1554-1562.	7.3	97
97	Genetic difference between A/J and C57BL/6J mice response to chronic alcohol consumption.. <i>FASEB Journal</i> , 2009, 23, 981.4.	0.5	0
98	Mechanisms for the anti-inflammatory effects of adiponectin in macrophages. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, S50-3.	2.8	82
99	Methods to Investigate the Effects of Chronic Ethanol on Adipocytes. <i>Methods in Molecular Biology</i> , 2008, 447, 357-366.	0.9	7
100	Genetic Contribution to Alcoholic Steatohepatitis. <i>FASEB Journal</i> , 2008, 22, 1037.10.	0.5	0
101	Chronic Ethanol and Triglyceride Turnover in White Adipose Tissue in Rats. <i>Journal of Biological Chemistry</i> , 2007, 282, 28465-28473.	3.4	92
102	Chronic ethanol feeding to rats decreases adiponectin secretion by subcutaneous adipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E621-E628.	3.5	73
103	Early growth response-1 contributes to galactosamine/lipopolysaccharide-induced acute liver injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, G1124-G1133.	3.4	33
104	Regulation of macrophage activation in alcoholic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, S53-6.	2.8	87
105	Chronic Ethanol-Induced Insulin Resistance Is Associated With Macrophage Infiltration Into Adipose Tissue and Altered Expression of Adipocytokines. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 1581-1588.	2.4	96
106	Differential Contributions of C3, C5, and Decay-Accelerating Factor to Ethanol-Induced Fatty Liver in Mice. <i>Gastroenterology</i> , 2007, 132, 1117-1126.	1.3	141
107	Regulation of Kupffer cell activity during chronic ethanol exposure: Role of adiponectin. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006, 21, S30-S33.	2.8	35
108	Adiponectin normalizes LPS-stimulated TNF- $\alpha$ production by rat Kupffer cells after chronic ethanol feeding. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, G998-G1007.	3.4	127

#	ARTICLE	IF	CITATIONS
109	Chronic ethanol feeding increases activation of NADPH oxidase by lipopolysaccharide in rat Kupffer cells: role of increased reactive oxygen in LPS-stimulated ERK1/2 activation and TNF- $\alpha$ production. <i>Journal of Leukocyte Biology</i> , 2006, 79, 1348-1356.	3.3	174
110	Roles of Kupffer Cells in Alcoholic Liver Disease. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 1116-1120.	2.4	11
111	Early Growth Response-1 Transcription Factor Is Essential for Ethanol-Induced Fatty Liver Injury in Mice. <i>Gastroenterology</i> , 2005, 128, 2066-2076.	1.3	102
112	Stabilization of tumor necrosis factor-alpha mRNA in macrophages in response to chronic ethanol exposure. <i>Alcohol</i> , 2004, 33, 229-233.	1.7	28
113	MOLECULAR ASPECTS OF ALCOHOL METABOLISM: Transcription Factors Involved in Early Ethanol-Induced Liver Injury. <i>Annual Review of Nutrition</i> , 2004, 24, 55-78.	10.1	128
114	Chronic Ethanol Exposure Increases the Binding of HuR to the TNF- $\alpha$ 3' UTR Untranslated Region in Macrophages. <i>Journal of Biological Chemistry</i> , 2003, 278, 38333-38341.	3.4	49
115	Recent Insights into the Role of the Innate Immune System in the Development of Alcoholic Liver Disease. <i>Experimental Biology and Medicine</i> , 2003, 228, 882-890.	2.4	205
116	Nutritional Control of mRNA Stability Is Mediated by a Conserved AU-rich Element That Binds the Cytoplasmic Shuttling Protein HuR. <i>Journal of Biological Chemistry</i> , 2002, 277, 41539-41546.	3.4	101
117	Ethanol and Membrane Protein Trafficking: Diverse Mechanisms of Ethanol Action. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 287-293.	2.4	11
118	Stabilization of Tumor Necrosis Factor $\alpha$ mRNA by Chronic Ethanol. <i>Journal of Biological Chemistry</i> , 2001, 276, 41930-41937.	3.4	96
119	GLUT4 vesicle trafficking in rat adipocytes after ethanol feeding: regulation by heterotrimeric G-proteins. <i>Biochemical Journal</i> , 2001, 354, 323.	3.7	23
120	GLUT4 vesicle trafficking in rat adipocytes after ethanol feeding: regulation by heterotrimeric G-proteins. <i>Biochemical Journal</i> , 2001, 354, 323-330.	3.7	29
121	Ethanol stimulates glucose uptake and translocation of GLUT-4 in H9c2 myotubes via a Ca <sup>2+</sup> -dependent mechanism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 279, E1358-E1365.	3.5	22
122	Mobilization of GLUT-4 from intracellular vesicles by insulin and K <sup>+</sup> depolarization in cultured H9c2 myotubes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 277, E259-E267.	3.5	21
123	Ethanol dissociates hormone-stimulated cAMP production from inhibition of TNF- $\alpha$ production in rat Kupffer cells. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 276, G98-G106.	3.4	20