

Murugavel Ponnusamy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/267276/murugavel-ponnusamy-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

3,194

citations

33

h-index

56

g-index

73

ext. papers

3,816

ext. citations

7

avg, IF

5.21

L-index

#	Paper	IF	Citations
69	NFATc3-dependent expression of miR-153-3p promotes mitochondrial fragmentation in cardiac hypertrophy by impairing mitofusin-1 expression. <i>Theranostics</i> , 2020 , 10, 553-566	12.1	19
68	The piRNA CHAPIR regulates cardiac hypertrophy by controlling METTL3-dependent N-methyladenosine methylation of Parp10 mRNA. <i>Nature Cell Biology</i> , 2020 , 22, 1319-1331	23.4	36
67	FOXK transcription factors: Regulation and critical role in cancer. <i>Cancer Letters</i> , 2019 , 458, 1-12	9.9	22
66	Long Noncoding RNA CPR (Cardiomyocyte Proliferation Regulator) Regulates Cardiomyocyte Proliferation and Cardiac Repair. <i>Circulation</i> , 2019 , 139, 2668-2684	16.7	76
65	Foxo3a-dependent miR-633 regulates chemotherapeutic sensitivity in gastric cancer by targeting Fas-associated death domain. <i>RNA Biology</i> , 2019 , 16, 233-248	4.8	16
64	The circular RNA ACR attenuates myocardial ischemia/reperfusion injury by suppressing autophagy via modulation of the Pink1/ FAM65B pathway. <i>Cell Death and Differentiation</i> , 2019 , 26, 1299-1315	12.7	127
63	LncRNA CAIF inhibits autophagy and attenuates myocardial infarction by blocking p53-mediated myocardin transcription. <i>Nature Communications</i> , 2018 , 9, 29	17.4	162
62	Understanding the role of non-coding RNA (ncRNA) in stent restenosis. <i>Atherosclerosis</i> , 2018 , 272, 153-161	16.1	38
61	Role of noncoding RNAs in regulation of cardiac cell death and cardiovascular diseases. <i>Cellular and Molecular Life Sciences</i> , 2018 , 75, 291-300	10.3	21
60	Critical role of FOXO3a in carcinogenesis. <i>Molecular Cancer</i> , 2018 , 17, 104	42.1	165
59	Non-coding RNA-linked epigenetic regulation in cardiac hypertrophy. <i>International Journal of Biological Sciences</i> , 2018 , 14, 1133-1141	11.2	15
58	The Long Noncoding RNA D63785 Regulates Chemotherapy Sensitivity in Human Gastric Cancer by Targeting miR-422a. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 12, 405-419	10.7	56
57	The role of K63-linked polyubiquitination in cardiac hypertrophy. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 4558-4567	5.6	8
56	Therapeutically Targeting TGR5 and P2Y Receptors 2018 , 57-76		
55	A comprehensive review of circRNA: from purification and identification to disease marker potential. <i>PeerJ</i> , 2018 , 6, e5503	3.1	58
54	Overview of G-Protein Coupled Receptor 2018 , 1-18		
53	Metabotropic GPCRs: TGR5 and P2Y Receptors in Health and Diseases 2018 ,		1

52	Noncoding RNAs as therapeutic targets in atherosclerosis with diabetes mellitus. <i>Cardiovascular Therapeutics</i> , 2018 , 36, e12436	3.3	39
51	Circular RNA mediates cardiomyocyte death via miRNA-dependent upregulation of MTP18 expression. <i>Cell Death and Differentiation</i> , 2017 , 24, 1111-1120	12.7	237
50	miRNAs as potential therapeutic targets and diagnostic biomarkers for cardiovascular disease with a particular focus on WO2010091204. <i>Expert Opinion on Therapeutic Patents</i> , 2017 , 27, 1021-1029	6.8	32
49	Effects of miRNAs on myocardial apoptosis by modulating mitochondria related proteins. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017 , 44, 431-440	3	21
48	A FGFR1 inhibitor patent review: progress since 2010. <i>Expert Opinion on Therapeutic Patents</i> , 2017 , 27, 439-454	6.8	5
47	Channelopathies: Application of Natural Products Using Nanotechnology 2017 , 73-86		
46	PIWI family emerging as a decisive factor of cell fate: An overview. <i>European Journal of Cell Biology</i> , 2017 , 96, 746-757	6.1	33
45	Calcium Signaling: From Physiology to Diseases 2017 ,		7
44	Calcium Ion in Biological Systems 2017 , 1-14		1
43	The role of miR-214 in cardiovascular diseases. <i>European Journal of Pharmacology</i> , 2017 , 816, 138-145	5.3	37
42	MiR-485-5p modulates mitochondrial fission through targeting mitochondrial anchored protein ligase in cardiac hypertrophy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 2871-2881	6.9	33
41	The role of ubiquitin proteasomal system and autophagy-lysosome pathway in Alzheimer's disease. <i>Reviews in the Neurosciences</i> , 2017 , 28, 861-868	4.7	49
40	Efficient production of recombinant glycoprotein D of herpes simplex virus type 2 in <i>Pichia pastoris</i> and its protective efficacy against viral challenge in mice. <i>Archives of Virology</i> , 2017 , 162, 701-711	2.6	1
39	Understanding cardiomyocyte proliferation: an insight into cell cycle activity. <i>Cellular and Molecular Life Sciences</i> , 2017 , 74, 1019-1034	10.3	44
38	The Role of MicroRNA and LncRNA-MicroRNA Interactions in Regulating Ischemic Heart Disease. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2017 , 22, 105-111	2.6	26
37	Circular RNAs: A novel type of non-coding RNA and their potential implications in antiviral immunity. <i>International Journal of Biological Sciences</i> , 2017 , 13, 1497-1506	11.2	77
36	MicroRNA as a Therapeutic Target in Cardiac Remodeling. <i>BioMed Research International</i> , 2017 , 2017, 1278436	3	41
35	MEF2 signaling and human diseases. <i>Oncotarget</i> , 2017 , 8, 112152-112165	3.3	36

34	Calcium Signalling in Neurological Disorders 2017 , 43-60		2
33	Regulation of Calcium in Muscle Physiology 2017 , 15-30		
32	Regulatory Action of Calcium in Pain Pathway 2017 , 31-42		
31	Voltage-Dependent Calcium Channels: From Physiology to Diseases 2017 , 61-72		0
30	Src inhibition blocks renal interstitial fibroblast activation and ameliorates renal fibrosis. <i>Kidney International</i> , 2016 , 89, 68-81	9.9	65
29	Enhancer of Zeste Homolog 2 Inhibition Attenuates Renal Fibrosis by Maintaining Smad7 and Phosphatase and Tensin Homolog Expression. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 2092-108	12.7	106
28	Activation of Sirtuin-1 Promotes Renal Fibroblast Activation and Aggravates Renal Fibrogenesis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015 , 354, 142-51	4.7	18
27	Blocking sirtuin 1 and 2 inhibits renal interstitial fibroblast activation and attenuates renal interstitial fibrosis in obstructive nephropathy. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014 , 350, 243-56	4.7	54
26	Role of Nrf2 in chronic liver disease. <i>World Journal of Gastroenterology</i> , 2014 , 20, 13079-87	5.6	130
25	Sustained activation of EGFR triggers renal fibrogenesis after acute kidney injury. <i>American Journal of Pathology</i> , 2013 , 183, 160-72	5.8	86
24	Necrotic renal epithelial cell inhibits renal interstitial fibroblast activation: role of protein tyrosine phosphatase 1B. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 304, F698-709	4.3	5
23	Blocking the class I histone deacetylase ameliorates renal fibrosis and inhibits renal fibroblast activation via modulating TGF-beta and EGFR signaling. <i>PLoS ONE</i> , 2013 , 8, e54001	3.7	111
22	Src Kinase Mediates Renal Interstitial Fibroblast Activation and Proliferation. <i>FASEB Journal</i> , 2013 , 27, 1044.2	0.9	
21	Phosphodiesterase-5 Inhibitors in Cardioprotection 2013 , 439-458		
20	Autophagy protects against necrotic renal epithelial cell-induced death of renal interstitial fibroblasts. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 303, F83-91	4.3	10
19	Genetic or pharmacologic blockade of EGFR inhibits renal fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 854-67	12.7	114
18	Histone deacetylase 1/2 mediates proliferation of renal interstitial fibroblasts and expression of cell cycle proteins. <i>Journal of Cellular Biochemistry</i> , 2011 , 112, 2138-48	4.7	42
17	Delayed administration of suramin attenuates the progression of renal fibrosis in obstructive nephropathy. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011 , 338, 758-66	4.7	24

16	Protective role of diallyl tetrasulfide on cadmium-induced testicular damage in adult rats: a biochemical and histological study. <i>Toxicology and Industrial Health</i> , 2011 , 27, 407-16	1.8	17
15	P2X7 receptors mediate deleterious renal epithelial-fibroblast cross talk. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 300, F62-70	4.3	24
14	Suramin inhibits renal fibrosis in chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 1064-75	12.7	64
13	ERK pathway mediates P2X7 expression and cell death in renal interstitial fibroblasts exposed to necrotic renal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, F650-9	4.3	19
12	A novel STAT3 inhibitor, S3I-201, attenuates renal interstitial fibroblast activation and interstitial fibrosis in obstructive nephropathy. <i>Kidney International</i> , 2010 , 78, 257-68	9.9	188
11	Transglutaminase-1 protects renal epithelial cells from hydrogen peroxide-induced apoptosis through activation of STAT3 and AKT signaling pathways. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F1361-70	4.3	24
10	Inhibition of histone deacetylase activity attenuates renal fibroblast activation and interstitial fibrosis in obstructive nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F996-F1005	4.3	173
9	Effects of diallyl tetrasulfide on cadmium-induced oxidative damage in the liver of rats. <i>Human and Experimental Toxicology</i> , 2007 , 26, 527-34	3.4	46
8	Diallyl tetrasulfide improves cadmium induced alterations of acetylcholinesterase, ATPases and oxidative stress in brain of rats. <i>Toxicology</i> , 2007 , 234, 44-50	4.4	66
7	Diallyl tetrasulfide modulates the cadmium-induced impairment of membrane bound enzymes in rats. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2007 , 18, 37-48	1.6	10
6	Diallyl tetrasulfide protects cadmium-induced alterations in lipids and plasma lipoproteins in rats. <i>Nutrition Research</i> , 2007 , 27, 356-361	4	29
5	Cytoprotective and antioxidant role of diallyl tetrasulfide on cadmium induced renal injury: an in vivo and in vitro study. <i>Life Sciences</i> , 2007 , 80, 650-8	6.8	72
4	Cadmium induced mitochondrial injury and apoptosis in vero cells: protective effect of diallyl tetrasulfide from garlic. <i>International Journal of Biochemistry and Cell Biology</i> , 2007 , 39, 161-70	5.6	37
3	Role of diallyl tetrasulfide in ameliorating the cadmium induced biochemical changes in rats. <i>Environmental Toxicology and Pharmacology</i> , 2005 , 20, 493-500	5.8	57
2	Protective effect of alpha-lipoic acid against chloroquine-induced hepatotoxicity in rats. <i>Journal of Applied Toxicology</i> , 2004 , 24, 21-6	4.1	37
1	Attenuation of chloroquine-induced renal damage by alpha-lipoic acid: possible antioxidant mechanism. <i>Renal Failure</i> , 2004 , 26, 517-24	2.9	25