

Hong Pang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2674931/publications.pdf>

Version: 2024-02-01

135
papers

1,807
citations

430874
18
h-index

395702
33
g-index

137
all docs

137
docs citations

137
times ranked

1723
citing authors

#	ARTICLE	IF	CITATIONS
1	Genomic insight into the scale specialization of the biological control agent <i>Novius pumilus</i> (Weise,) Tj ETQq1 1 0.784314 rgBT /Overoo	2.8	6
2	Mesozoic Cleroidea (Coleoptera): First record of mid-Cretaceous Lophocateridae from Burmese amber and notes on the disputed genera <i>Cervicatinius</i> Tan & Ren (Trogossitidae) and <i>Forticatinius</i> Tan & Ren (Artematopodidae). Cretaceous Research, 2021, 119, 104680.	1.4	4
3	Horizontally acquired antibacterial genes associated with adaptive radiation of ladybird beetles. BMC Biology, 2021, 19, 7.	3.8	11
4	Morphological phylogenetics provide new insights into the classification and evolution of fossil soldier beetles from Mid-Cretaceous Burmese amber (Coleoptera: Cantharidae). Zoological Journal of the Linnean Society, 2021, 193, 1271-1293.	2.3	13
5	Genomic insight into diet adaptation in the biological control agent <i>Cryptolaemus montrouzieri</i> . BMC Genomics, 2021, 22, 135.	2.8	7
6	Investigating the Parasitoid Community Associated with the Invasive Mealybug <i>Phenacoccus solenopsis</i> in Southern China. Insects, 2021, 12, 290.	2.2	11
7	New insights into the phylogeny and evolution of lady beetles (Coleoptera: Coccinellidae) by extensive sampling of genes and species. Molecular Phylogenetics and Evolution, 2021, 156, 107045.	2.7	36
8	Phylogeny of true ladybird beetles (Coccinellidae: Coccinellini) reveals pervasive convergent evolution and a rapid Cenozoic radiation. Systematic Entomology, 2021, 46, 611-631.	3.9	13
9	The mid-Miocene Zhangpu biota reveals an outstandingly rich rainforest biome in East Asia. Science Advances, 2021, 7, .	10.3	51
10	<i>Ophelimus bipolaris</i> sp. n. (Hymenoptera, Eulophidae), a New Invasive Eucalyptus Pest and Its Host Plants in China. Insects, 2021, 12, 778.	2.2	4
11	Elytra coupling of the ladybird <i>Coccinella septempunctata</i> functions as an energy absorber in intentional falls. Bioinspiration and Biomimetics, 2021, 16, 056018.	2.9	8
12	New mimarachnids (Hemiptera, Fulgoromorpha, Fulgoroidea) in mid-Cretaceous Burmese amber. ZooKeys, 2021, 1057, 37-48.	1.1	4
13	A New Genus and Species of Lophocateridae from Mid-Cretaceous Amber of Myanmar (Coleoptera). Insects, 2021, 12, 1052.	2.2	0
14	Salsolaius gen. nov. a new genus of Apalochrini (Coleoptera, Melyridae, Malachiinae) from the salt Lake Way of Western Australia. Zootaxa, 2021, 5082, 393-400.	0.5	0
15	New minute clubbed beetles (Coleoptera, Monotomidae, Lenacini) from mid-Cretaceous amber of Northern Myanmar. Cretaceous Research, 2020, 107, 104255.	1.4	20
16	Burmapseudomorphus planus gen. et sp. nov. â€“ a Late Cretaceous stem group member of the specialized Pseudomorphini (Carabidae, Coleoptera) from northern Myanmar. Cretaceous Research, 2020, 107, 104274.	1.4	5
17	Stemâ€group fossils of Symphrasinae shed light on early evolution of Mantispidae (Insecta, Neuroptera). Papers in Palaeontology, 2020, 6, 143-154.	1.5	17
18	<p>Revision of the genus Oxyscelio Kieffer (Hymenoptera, Scelionidae) from China</p>. Zootaxa, 2020, 4816, 251-310.	0.5	1

#	ARTICLE	IF	CITATIONS
19	Notointybia gen. nov., a new genus of the Australian soft-winged flower beetles (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.4	2
20	Cretaceous mantid lacewings with specialized raptorial forelegs illuminate modification of prey capture (Insecta: Neuroptera). <i>Zoological Journal of the Linnean Society</i> , 2020, 190, 1054-1070.	2.3	9
21	Comprehensive approaches reveal three cryptic species of genus Nidirana (Anura, Ranidae) from China. <i>ZooKeys</i> , 2020, 914, 127-159.	1.1	9
22	A comprehensive phylogeny of flat bark beetles (Coleoptera: Cucujidae) with a revised classification and a new South American genus. <i>Systematic Entomology</i> , 2020, 45, 248-268.	3.9	24
23	Museomics reveals extensive cryptic diversity of Australian prionine longhorn beetles with implications for their classification and conservation. <i>Systematic Entomology</i> , 2020, 45, 745-770.	3.9	25
24	Revision of the Australian Coccinellidae (Coleoptera). Genus Novius Mulsant of Tribe Noviini. <i>Annales Zoologici</i> , 2020, 70, 1.	0.8	12
25	New species and new records of Trigonalidae (Hymenoptera) from Tibet, China. <i>ZooKeys</i> , 2020, 918, 83-98.	1.1	4
26	Application of DNA barcoding confirms the host of Gonatopus viet Olmi, 1986 (Hymenoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	1.1	3
27	Notes on the hosts of Trissolcus Ashmead (Hymenoptera: Scelionidae) from China. <i>Biodiversity Data Journal</i> , 2020, 8, e53786.	0.8	4
28	Changes in life history traits and transcriptional regulation of Coccinellini ladybirds in using alternative prey. <i>BMC Genomics</i> , 2020, 21, 44.	2.8	3
29	A New Species of Novius Mulsant from New Caledonia (Coleoptera: Coccinellidae: Noviini). <i>Annales Zoologici</i> , 2020, 70, 25.	0.8	0
30	A Review of the Australian Macrotomini (Coleoptera: Cerambycidae: Prioninae). <i>Annales Zoologici</i> , 2020, 70, 33.	0.8	4
31	Description of a new species of Eucinetidae (Coleoptera, Scirtoidea) from Cretaceous Burmese amber. <i>ZooKeys</i> , 2020, 982, 1-9.	1.1	4
32	A new genus of giant lacewing (Insecta, Neuroptera, Ithonidae) from the Middle Jurassic of China. <i>Zootaxa</i> , 2019, 4613, zootaxa.4613.2.11.	0.5	1
33	A new species of Amolops (Anura: Ranidae) from China, with taxonomic comments on A. liangshanensis and Chinese populations of A. marmoratus. <i>Zootaxa</i> , 2019, 4609, zootaxa.4609.2.3.	0.5	22
34	The earliest fossil record of Belidae and its implications for the early evolution of Curculionoidea (Coleoptera). <i>Journal of Systematic Palaeontology</i> , 2019, 17, 2105-2117.	1.5	6
35	Genomic changes in the biological control agent <i>Cryptolaemus montrouzieri</i> associated with introduction. <i>Evolutionary Applications</i> , 2019, 12, 989-1000.	3.1	9
36	Mesopassandrinae subfam. nov., a basal group of parasitic flat beetle (Coleoptera: Passandridae) from Cretaceous Burmese amber. <i>Journal of Systematic Palaeontology</i> , 2019, 17, 1947-1956.	1.5	6

#	ARTICLE	IF	CITATIONS
37	The oldest Silvanid beetles from the Upper Cretaceous Burmese amber (Coleoptera, Silvanidae.) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.4	10
38	Reconciling past and present: Mesozoic fossil record and a new phylogeny of the family Cerophytidae (Coleoptera: Elateroidea). Cretaceous Research, 2019, 99, 51-70.	1.4	10
39	The first Mesozoic Helotidae (Coleoptera: Cucujoidea). Cretaceous Research, 2019, 96, 113-119.	1.4	4
40	The first wounded-tree beetle (Coleoptera: Nosodendridae) from Cretaceous Burmese amber. Cretaceous Research, 2019, 93, 211-215.	1.4	2
41	Discovery of a new species of <i>Stromatium Audinetâ€Serville, 1834</i> (Coleoptera: Cerambycidae) native to Australia, based on morphology and DNA barcoding. Austral Entomology, 2019, 58, 137-147.	1.4	1
42	Optimization of microencapsulated artificial diets for mass rearing of the predacious big eyed bug, <i>Geocoris pallidipennis</i> . Entomologia Generalis, 2019, 39, 353-363.	3.1	6
43	<p>New species of Doratomantispa from the mid-Cretaceous of northern Myanmar (Insecta, Neuroptera, Mantispidae)</p>. Palaeoentomology, 2019, 2, 446-452.	1.0	4
44	Description of a new species of Music frogs (Anura, Ranidae, Nidirana) from Mt Dayao, southern China. ZooKeys, 2019, 858, 109-126.	1.1	9
45	Incubation behaviour of a high-altitude species: the Fire-tailed Sunbird <i>Aethopyga ignicauda</i> . Bird Study, 2018, 65, 261-265.	1.0	4
46	Evolutionary history of Coleoptera revealed by extensive sampling of genes and species. Nature Communications, 2018, 9, 205.	12.8	352
47	Population admixture can enhance establishment success of the introduced biological control agent <i>Cryptolaemus montrouzieri</i> . BMC Evolutionary Biology, 2018, 18, 36.	3.2	11
48	<i>Palaeoboganius</i> gen. nov. from the Middle Jurassic of China (Coleoptera: Cucujoidea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302	1.5	11
49	Physiological and Evolutionary Changes in a Biological Control Agent During Prey Shifts Over Several Generations. Frontiers in Physiology, 2018, 9, 971.	2.8	1
50	The first fossil brown lacewing from the Miocene of the Tibetan Plateau (Neuroptera, Hemerobiidae). ZooKeys, 2018, 726, 145-154.	1.1	4
51	The First Fossil Limnichidae from the Upper Cretaceous Burmese Amber (Coleoptera: Byrrhoidea). Annales Zoologici, 2018, 68, 843-848.	0.8	6
52	A Review of the Neotenic Genus <i>Atelius</i> Waterhouse, 1878 from China (Coleoptera: Lycidae). Annales Zoologici, 2018, 68, 351-356.	0.8	7
53	<i>Allostrophus cretaceus</i> gen. et sp. nov.: A new polypore fungus beetle (Coleoptera, Tetratomidae) from the Cretaceous Myanmar amber. Cretaceous Research, 2018, 92, 195-200.	1.4	3
54	New genus and species of sisyrids (Insecta, Neuroptera) from the Late Cretaceous Myanmar amber. ZooKeys, 2018, 739, 151-158.	1.1	6

#	ARTICLE	IF	CITATIONS
55	An artificial diet containing plant pollen for the mealybug predator <i>Cryptolaemus montrouzieri</i>. Pest Management Science, 2017, 73, 541-545.	3.4	15
56	Development and characterization of novel microsatellite markers for the Common Pheasant (<i>Phasianus colchicus</i>) using RAD-seq. Avian Research, 2017, 8, .	1.2	13
57	Molecular phylogeny of the tribe Erotini with description of a new genus from China (Coleoptera:) Tj ETQq1 1 0.784314 rgBT _{0.6} /Overlock ₅		
58	Genome-wide survey of nuclear protein-coding markers for beetle phylogenetics and their application in resolving both deep and shallow-level divergences. Molecular Ecology Resources, 2017, 17, 1342-1358.	4.8	31
59	The first Mesozoic colydiid beetles (Coleoptera: Zopheridae: Colydiinae) from the Upper Cretaceous amber of Myanmar. Cretaceous Research, 2017, 78, 71-77.	1.4	7
60	Review of Australian genera <i>Tessaromma</i> Newman and <i>Phlyctaenodes</i> Newman with description of a new genus and species (Coleoptera: Cerambycidae: Cerambycinae: Phlyctaenodini). Zootaxa, 2017, 4277, 67.	0.5	0
61	Review of the genus <i>Zeugomutilla</i> Chen, 1957 (Hymenoptera, Mutillidae, Mutillini), with description of two new species. Zootaxa, 2017, 4247, 1-15.	0.5	8
62	Two new species of <i>Allophrys</i> Förster from the Oriental Region (Hymenoptera: Ichneumonidae:) Tj ETQq0 0 0 rgBT _{0.5} /Overlock ₆ 10 Tf 50 4		
63	New Cretaceous carpet beetles (Coleoptera: Dermestidae) from Burmese amber. Cretaceous Research, 2017, 76, 1-6.	1.4	8
64	New EST-SSR markers reveal strong genetic differentiation in native and introduced populations of the mealybug destroyer <i>Cryptolaemus montrouzieri</i> . Biological Control, 2017, 109, 21-26.	3.0	4
65	<i>Brochocoleus Zhiyuani</i>, a New Species of Brochocolein Beetle (Coleoptera: Ommatidae) from the Cretaceous Amber of Myanmar. Annales Zoologici, 2017, 67, 79-85.	0.8	11
66	The Oldest Dermestid Beetle from the Middle Jurassic of China (Coleoptera: Dermestidae). Annales Zoologici, 2017, 67, 109-112.	0.8	9
67	Revision of the Soft-Winged Flower Beetle Genus <i>Dicranolaius</i> Champion, 1921 (Coleoptera:) Tj ETQq1 1 0.784314 rgBT _{0.8} /Overlock ₅		
68	The First Record of Cretaceous Thaneroclerids (Insecta: Coleoptera) from the Burmese Amber. Annales Zoologici, 2017, 67, 549-554.	0.8	6
69	The Taxonomy of Neotenic Net-Winged Beetles from China Based on Morphology and Molecular Data (Coleoptera: Lycidae). Annales Zoologici, 2017, 67, 679-687.	0.8	7
70	Molecular phylogeny reveals food plasticity in the evolution of true ladybird beetles (Coleoptera:) Tj ETQq0 0 0 rgBT _{3.2} /Overlock ₅₂ 10 Tf 50 1		
71	A new genus and species of soldier beetle from Upper Cretaceous Burmese amber (Coleoptera,) Tj ETQq1 1 0.784314 rgBT _{1.4} /Overlock ₁₅ 10 Tf 50 1		
72	Taxonomic notes on the genus <i>Laemoglyptus</i> Fairmaire from Taiwan (Coleoptera, Cantharidae). Zootaxa, 2017, 4318, 587.	0.5	0

#	ARTICLE	IF	CITATIONS
73	The first fossil wedge-shaped beetle (Coleoptera, Ripiphoridae) from the middle Jurassic of China. European Journal of Taxonomy, 2017, , .	0.6	2
74	First record of the genus Lethades Davis, 1897 from the Oriental region, with description of a new species (Hymenoptera, Ichneumonidae, Ctenopelmatinae). ZooKeys, 2017, 644, 43-50.	1.1	1
75	Community-wide changes in intertaxonomic temporal co-occurrence resulting from phenological shifts. Global Change Biology, 2016, 22, 1746-1754.	9.5	26
76	Contribution to the Knowledge of the Australian <i>Dicranolaius</i> Champion (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 T	0.8	
77	A new Late Cretaceous genus and species of polypore fungus beetles (Coleoptera, Tetratomidae) from northern Myanmar. Cretaceous Research, 2016, 68, 34-39.	1.4	4
78	Cassidinae (Coleoptera: Chrysomelidae) types deposited at Sun Yat-sen
University, Guangzhou, China. Zootaxa, 2016, 4084, 50-78.	0.5	1
79	A new species of Synchroa Newman from China (Coleoptera: Synchroidae). Zootaxa, 2016, 4093, 595-600.	0.5	1
80	Identification of two lineages of host-associated eriophyoid mites predisposed to different levels of host diversification. Molecular Phylogenetics and Evolution, 2016, 105, 235-240.	2.7	20
81	Variation in life history traits and transcriptome associated with adaptation to diet shifts in the ladybird Cryptolaemus montrouzieri. BMC Genomics, 2016, 17, 281.	2.8	20
82	Episodic positive selection at mitochondrial genome in an introduced biological control agent. Mitochondrion, 2016, 28, 67-72.	3.4	9
83	Larval nutrition-induced plasticity affects reproduction and gene expression of the ladybeetle, Cryptolaemus montrouzieri. BMC Evolutionary Biology, 2015, 15, 276.	3.2	25
84	Transcriptome responses to heat- and cold-stress in ladybirds (Cryptolaemus montrouzieri Mulasnt) analyzed by deep-sequencing. Biological Research, 2015, 48, 66.	3.4	38
85	Molecular phylogeny of <i><scp>M</scp><scp>acrolycus</i> (<scp>C</scp>oleoptera: <scp>L</scp>yidae) with description of new species from <scp>C</scp>hina. Entomological Science, 2015, 18, 319-329.	0.6	6
86	Notes on Australian Laius GuÃ©rin-MÃ©neville, Dicranolaius Champion and Intybia Pascoe with description of new species related to Dicranolaius c-purpureus (Lea) (Coleoptera: Melyridae: Malachiinae). Zootaxa, 2015, 3936, 272.	0.5	8
87	A new species of the genus Odorrana (Amphibia: Ranidae) and the first record of Odorrana bacboensis from China. Zootaxa, 2015, 3999, 235.	0.5	11
88	Description of New Species of Lyponiini from China (Coleoptera: Lycidae). Annales Zoologici, 2015, 65, 9-19.	0.8	3
89	The Oldest Prionoceridae (Coleoptera: Cleroidea) from the Middle Jurassic of China. Annales Zoologici, 2015, 65, 41-52.	0.8	8
90	Physiological effects of compensatory growth during the larval stage of the ladybird, Cryptolaemus montrouzieri. Journal of Insect Physiology, 2015, 83, 37-42.	2.0	11

#	ARTICLE	IF	CITATIONS
91	Genetic Differentiation in Native and Introduced Populations of <i>Cryptolaemus montrouzieri</i> (Coleoptera: Coccinellidae) and Its Implications for Biological Control Programs. Journal of Economic Entomology, 2015, 108, 2458-2464.	1.8	7
92	DNA-based species delimitation separates highly divergent populations within morphologically coherent clades of poorly dispersing beetles. Zoological Journal of the Linnean Society, 2015, 175, 59-72.	2.3	30
93	New genera and species of bark-gnawing beetles (Coleoptera: Trogossitidae) from the Yixian Formation (Lower Cretaceous) of Western Liaoning, China. Cretaceous Research, 2015, 53, 89-97.	1.4	12
94	A new longhorn beetle (Coleoptera: Cerambycidae) from the Early Cretaceous Jehol Biota of Western Liaoning in China. Cretaceous Research, 2015, 52, 453-460.	1.4	18
95	<p>Description of two new species of the genus Megophrys (Amphibia: Anura: Megophryidae) from Heishiding Nature Reserve, Fengkai, Guangdong, China, based on molecular and morphological data</p>. Zootaxa, 2014, 3795, 449.	1.4	8
96	Nutrition-dependent phenotypes affect sexual selection in a ladybird. Scientific Reports, 2015, 5, 13111.	3.3	15
97	<p>Description of a new species of Anomala Samouelle (Coleoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.5	29
98	Description of a new species of Anomala Samouelle (Coleoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 T		
99	Enigmatic Mesozoic Bark-Gnawing Beetles (Coleoptera: Trogossitidae) from the Jiulongshan Formation in China. Annales Zoologici, 2014, 64, 667-676.	0.8	11
100	Effects of mating patterns on reproductive performance and offspring fitness in <i>Cryptolaemus montrouzieri</i>. Entomologia Experimentalis Et Applicata, 2014, 153, 20-23.	1.4	11
101	<i>Cryptolaemus montrouzieri</i> as a predator of the striped mealybug, <i>Ferrisia virgata,</i> reared on two hosts. Journal of Applied Entomology, 2014, 138, 662-669.	1.8	9
102	Ladies in stripes: taxonomic confusion in a potential mimicry complex among Wallacean Coccinellidae (Coleoptera: Coccinellidae). Zootaxa, 2014, 3900, 592-600.	0.5	2
103	Effects of Transgenic Cry1Ac + CpTI Cotton on Non-Target Mealybug Pest Ferrisia virgata and Its Predator Cryptolaemus montrouzieri. PLoS ONE, 2014, 9, e95537.	2.5	10
104	A New Mesozoic Species of Soft-Bodied Plant Beetle (Coleoptera: Dascillidae) from the Early Cretaceous of Inner Mongolia, China with a Review of Fossil Dascillidae. Annales Zoologici, 2013, 63, 501-509.	0.8	7
105	Phylogeny and Classification of Rhipicerinae (Coleoptera: Rhipiceridae) with a Review of the Australian Taxa. Annales Zoologici, 2013, 63, 275-317.	0.8	5
106	Genera of Dascillinae (Coleoptera: Dascillidae) with a Review of the Asian Species of <i>Dascillus</i> Latreille, <i>Petalon</i> Schonherr and <i>Sinocaulus</i> Fairmaire. Annales Zoologici, 2013, 63, 551-652.	0.8	18
107	A new damsel-dragonfly from the Mesozoic of China with a hook-like male anal angle (Odonata:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T		
108	The first euthemistid damsel-dragonfly from the Middle Jurassic of China (Odonata, Epiproctophora,) Tj ETQq0 0 0 rgBT /Overlock 10 T		

#	ARTICLE	IF	CITATIONS
109	Early Pennsylvanian Odonatoptera from the Xiaheyan locality (Ningxia, China): new material, taxa, and perspectives. <i>Fossil Record</i> , 2013, 16, 117-139.	0.5	23
110	A new fossil jewel beetle (Coleoptera: Buprestidae) from the Early Cretaceous of Inner Mongolia, China. <i>Zootaxa</i> , 2013, 3637, 355.	0.5	6
111	A revision of the genus <i>Notodascillus</i> Carter (Coleoptera: Dascillidae). <i>Zootaxa</i> , 2013, 3613, 245-56.	0.5	8
112	Forever Love: The Hitherto Earliest Record of Copulating Insects from the Middle Jurassic of China. <i>PLoS ONE</i> , 2013, 8, e78188.	2.5	23
113	The First Fossil Bark-Gnawing Beetle from the Middle Jurassic of Inner Mongolia, China (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 0.8	0.8	18
114	Next-generation sequencing-based transcriptome analysis of <i>Cryptolaemus montrouzieri</i> under insecticide stress reveals resistance-relevant genes in ladybirds. <i>Genomics</i> , 2012, 100, 35-41.	2.9	42
115	A new damsel-dragonfly from the Lower Cretaceous of China enlightens the systematics of the Isophlebioidea (Odonata: Isophlebioptera: Campterophlebiidae). <i>Cretaceous Research</i> , 2012, 34, 340-343.	1.4	21
116	A new fossil petalurid dragonfly (Odonata: Petaluroidea: Aktassiidae) from the Cretaceous of China. <i>Alcheringa</i> , 2012, 36, 319-322.	1.2	6
117	New gomphaechnids and progobiaeshnids from the Yixian Formation in Liaoning Province (China) illustrate the tremendous Upper Mesozoic diversity of the aeshnopteran dragonflies. <i>Geobios</i> , 2012, 45, 339-350.	1.4	9
118	Revision of the Australian Coccinellidae (Coleoptera) Part 8. Genus <i>Scymnus</i> Kugelann. <i>Annales Zoologici</i> , 2012, 62, 679-704.	0.8	7
119	New species of <i>Macrolycus</i> Waterhouse, 1878 from China and Laos, with a checklist of the genus (Coleoptera: Lycidae). <i>Zootaxa</i> , 2012, 3232, 44.	0.5	3
120	Reassessment of the Jurassic damsel-dragonfly genus <i>Karatawia</i> (Odonata: Campterophlebiidae). <i>Zootaxa</i> , 2012, 3417, 64.	0.5	3
121	Redescription of the damsel-dragonfly <i>Parafleckium senjituense</i> on the basis of a more complete specimen (Odonata: Isophlebioptera: Campterophlebiidae). <i>Zootaxa</i> , 2012, 3597, 53.	0.5	4
122	Revision of the genus <i>Sunotettigarcta</i> Hong, 1983 (Hemiptera, Tettigarctidae), with a new species from Daohugou, Inner Mongolia, China. <i>Alcheringa</i> , 2012, 36, 501-507.	1.2	11
123	New discoveries of Neogene hawker dragonflies (Insecta, Odonata, Aeshnidae) from Shandong province in China. <i>Zoosystema</i> , 2011, 33, 577-590.	0.6	3
124	A new genus and species of hawker dragonfly of uncertain affinities from the Middle Jurassic of China (Odonata: Aeshnoptera). <i>Zootaxa</i> , 2011, 2927, 57.	0.5	10
125	Inferring the origin of populations introduced from a genetically structured native range by approximate Bayesian computation: case study of the invasive ladybird <i>Harmonia axyridis</i> . <i>Molecular Ecology</i> , 2011, 20, 4654-4670.	3.9	134
126	Revision of the Genus <math>Macroilleis</math> Miyatake, 1965 (Coleoptera: Coccinellidae). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	0.8	2

#	ARTICLE	IF	CITATIONS
127	Revision of the Australian Coccinellidae (Coleoptera). Genus <i>Diomus</i> Mulsant. Part 2. <i>Annales Zoologici</i> , 2010, 60, 493-545.	0.8	4
128	Revision of the Genus <i>Australoneda</i> lablokoff-Khnzorian, 1984 (Coleoptera: Coccinellidae) Tj ETQq0 0 0 rgBT /Overlock_2	0.8	7
129	Revision of the Australian Coccinellidae (Coleoptera). Genus <i> <i>Diomus</i> </i> Mulsant. Part 1. <i>Annales Zoologici</i> , 2009, 59, 641-698.	0.8	11
130	New dragonflies (Insecta: Odonata: Comphaeschnidae) from the Yixian Formation in Inner Mongolia, China. <i>Progress in Natural Science: Materials International</i> , 2008, 18, 59-64.	4.4	17
131	A new genus and species of Chresmodidae (Insecta: Grylloidea) from Upper Jurassic-Lower Cretaceous of Yixian Formation, Inner Mongolia, China. <i>Zootaxa</i> , 2008, 1702, 26.	0.5	14
132	Descriptions of larval and pupal morphologies of <i>Macrohyliota militaris</i> (Erichson) (Silvanidae) Tj ETQq0 0 0 rgBT /Overlock_1	0.4	542
133	An exquisitely preserved tiny bark-eating beetle (Coleoptera: Trogossitidae) from mid-Cretaceous Burmese amber and the phylogeny of Trogossitidae. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 0, , .	1.4	3
134	Two new species of the genus <i>Rhorus</i> Förster, 1869 from Thailand (Hymenoptera, Ichneumonidae). <i>Journal of Hymenoptera Research</i> , 0, 54, 79-92.	0.8	3
135	»DNA barcoding for molecular identification of the genus <i>Oxyscelio</i> (Hymenoptera, Scelionidae) from southern China, with descriptions of five new species. <i>Journal of Hymenoptera Research</i> , 0, 87, 613-633.	0.8	2