

Mirosław Banasik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2676228/publications.pdf>

Version: 2024-02-01

74
papers

992
citations

516561
16
h-index

477173
29
g-index

75
all docs

75
docs citations

75
times ranked

1395
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of endothelin II type A receptor (ETAR) in transplant injury. <i>Transplant Immunology</i> , 2022, 70, 101505.	0.6	9
2	Anti-ETAR and suPAR as markers of disease activity in renal ANCA-associated vasculitis. <i>Advances in Medical Sciences</i> , 2022, 67, 23-28.	0.9	3
3	Lung Congestion Severity in Kidney Transplant Recipients Is Not Affected by Arteriovenous Fistula Function. <i>Journal of Clinical Medicine</i> , 2022, 11, 842.	1.0	0
4	Non-HLA Antibodies in Hand Transplant Recipients Are Connected to Multiple Acute Rejection Episodes and Endothelial Activation. <i>Journal of Clinical Medicine</i> , 2022, 11, 833.	1.0	6
5	Adherence to Immunosuppressive Therapies after Kidney Transplantation from a Biopsychosocial Perspective: A Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 1381.	1.0	6
6	The Application of Nanoparticles in Diagnosis and Treatment of Kidney Diseases. <i>International Journal of Molecular Sciences</i> , 2022, 23, 131.	1.8	13
7	The Association between Psychosocial and Age-Related Factors with Adherence to Immunosuppressive Therapies after Renal Transplantation. <i>Journal of Clinical Medicine</i> , 2022, 11, 2386.	1.0	7
8	Prone Position Facilitates Creation of Ulnar-Basilic Arteriovenous Fistula. <i>Journal of Clinical Medicine</i> , 2022, 11, 2610.	1.0	0
9	Biomarkers in Primary Focal Segmental Glomerulosclerosis in Optimal Diagnostic-Therapeutic Strategy. <i>Journal of Clinical Medicine</i> , 2022, 11, 3292.	1.0	7
10	Endothelin A Receptors Expressed in Glomeruli of Renal Transplant Patients May Be Associated with Antibody-Mediated Rejection. <i>Journal of Clinical Medicine</i> , 2021, 10, 422.	1.0	6
11	The impact of location and patency of the arteriovenous fistula on quality of life of kidney transplant recipients. <i>Renal Failure</i> , 2021, 43, 113-122.	0.8	5
12	Vascular Access Perspectives in Patients After Kidney Transplantation. <i>Frontiers in Surgery</i> , 2021, 8, 640986.	0.6	4
13	Brain-dead and coma patients exhibit different serum metabolic profiles: preliminary investigation of a novel diagnostic approach in neurocritical care. <i>Scientific Reports</i> , 2021, 11, 15519.	1.6	1
14	Evaluation of Frailty Syndrome and Adherence to Recommendations in Elderly Patients with Hypertension. <i>Journal of Clinical Medicine</i> , 2021, 10, 3771.	1.0	2
15	Donor-Derived Cell-Free DNA in Kidney Transplantation as a Potential Rejection Biomarker: A Systematic Literature Review. <i>Journal of Clinical Medicine</i> , 2021, 10, 193.	1.0	22
16	Urine proteomics for prediction of disease progression in patients with IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2021, 37, 42-52.	0.4	36
17	The Summarized Assessment of Endothelin A Receptor Expression in Renal Transplant Compartments Associated with Antibody-Mediated Rejection. <i>Diagnostics</i> , 2021, 11, 2366.	1.3	4
18	Serum metabolomics approach to monitor the changes in metabolite profiles following renal transplantation. <i>Scientific Reports</i> , 2020, 10, 17223.	1.6	16

#	ARTICLE	IF	CITATIONS
19	Pleural effusion with arm, breast, and face edema as a complication of subclavian vein catheterization and arteriovenous fistula in a patient after renal transplantation: A therapeutic approach. <i>Journal of Vascular Access</i> , 2020, 22, 112972982096195.	0.5	0
20	Toll-like 4 receptor (TLR4) expression on peripheral blood mononuclear cells in renal transplant recipients with pre-transplant chronic interstitial nephritis indicates patients at risk of graft deterioration. <i>Transplant Immunology</i> , 2020, 62, 101319.	0.6	0
21	Angiotensin II Type 1 Receptor Expression in Renal Transplant Biopsies and Anti-AT1R Antibodies in Serum Indicates the Risk of Transplant Loss. <i>Transplantation Proceedings</i> , 2020, 52, 2299-2304.	0.3	13
22	MO041URINE PROTEOMICS FOR PREDICTION OF DISEASE PROGRESSION IN PATIENTS WITH IGA NEPHROPATHY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	7
23	P1764EXPRESSION OF TOLL-LIKE RECEPTOR 4, BUT NOT THE TOLL-LIKE RECEPTOR 2, MAY BE USEFUL I ASSESSING THE RISK OF RENAL TRANSPLANT DETERIORATION IN RECIPIENTS WHO HAVE RECOVERED FROM CYTOMEGALOVIRUS INFECTION. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
24	Toll-Like 4 Receptor Expression on Peripheral Blood Mononuclear Cells in Renal Transplant Recipients Can Help to Indicate the Risk of Graft Deterioration in Patients Who Experienced an Episode of Symptomatic Cytomegalovirus Infection. <i>Transplantation Proceedings</i> , 2020, 52, 2394-2402.	0.3	0
25	SO031ANGIOTENSIN II TYPE 1 RECEPTOR (AT1R) EXPRESSION IN RENAL TRANSPLANT BIOPSIES AND ANTI-AT1R ANTIBODIES IN SERUM AS AN INDICATOR OF THE RISK OF TRANSPLANT LOSS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
26	Assessment of Hemoglobin Levels in Patients Qualified for Kidney Transplantation in the Perioperative Period and Its Impact on the Occurrence of Delayed Graft Function. <i>Transplantation Proceedings</i> , 2020, 52, 2059-2061.	0.3	3
27	Effect of Perioperative Optimization of Arterial Oxygen Content and Perfusion Pressure on the Function of the Transplanted Kidney in the Retrospective Study of Excretory Function and Assessment of New Markers of Kidney Damage: IL-18, Neutrophil Gelatinase-Associated Lipocalin, and Clusterin. <i>Transplantation Proceedings</i> , 2020, 52, 2284-2287.	0.3	1
28	The significance of angiotensin II type 1 receptor (AT1 receptor) in renal transplant injury. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 629-633.	0.6	7
29	Intra-arterial computed tomography angiography with ultra-low volume of iodine contrast and stent implantation in transplant renal artery stenosis in terms of contrast-induced kidney injury – a preliminary report. <i>Polish Journal of Radiology</i> , 2020, 85, 174-177.	0.5	1
30	Are Females More Prone Than Males to Become Obese After Kidney Transplantation?. <i>Annals of Transplantation</i> , 2019, 24, 57-61.	0.5	7
31	Can the Toll-like receptors 4 expression in peripheral blood mononuclear cells help assess the effectiveness of immunosuppression and the chance of a future good renal transplant function?. <i>Transplant Immunology</i> , 2019, 53, 43-50.	0.6	2
32	The role of toll-like receptors in multifactorial mechanisms of early and late renal allotransplant injury, with a focus on the TLR4 receptor and mononuclear cells. <i>Advances in Clinical and Experimental Medicine</i> , 2019, 28, 981-987.	0.6	16
33	Histopathological Relevance of Angiotensin II Type 1 Receptor in Renal Transplant Biopsy. <i>Transplantation Proceedings</i> , 2018, 50, 1847-1849.	0.3	4
34	Renal Artery Denervation Due to Refractory Hypertension in a Patient After Kidney Transplantation – 3 Years of Observation: A Case Report. <i>Transplantation Proceedings</i> , 2018, 50, 3946-3949.	0.3	2
35	SP700THE PRESENCE OF ANTI-AT1R ANTIBODIES IN BLOOD AND AT1 RECEPTOR EXPRESSION IN BIOPSY FOR CAUSE OF RENAL TRANSPLANT RECIPIENTS MAY BE ASSOCIATED WITH HIGHER GRAFT LOSS AND MORE ANTIBODY MEDIATED REJECTION CASES. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i582-i582.	0.4	0
36	SP768RECURRENT AND DE NOVO IDIOPATIC FSGS AFTER RENAL TRANSPLANTATION TREATED WITH RITUXIMAB. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i606-i606.	0.4	0

#	ARTICLE	IF	CITATIONS
37	FP705ENDOTHELIN A (ETA) RECEPTORS EXPRESSED IN GLOMERULI OF RENAL TRANSPLANT PATIENTS MAY BE ASSOCIATED WITH ANTIBODY MEDIATED REJECTION. Nephrology Dialysis Transplantation, 2018, 33, i283-i283.	0.4	0
38	SP158SUPAR AND ANTI-ETAR AS PROGNOSTIC BIOMARKERS IN RENAL ANCA-ASSOCIATED VASCULITIS. Nephrology Dialysis Transplantation, 2018, 33, i397-i397.	0.4	0
39	Endothelin A Receptors Expressed in Renal Blood Vessels of Renal Transplant Patients Are Connected With Acute Tubular Necrosis or Antibody-Mediated Rejection. Transplantation Proceedings, 2018, 50, 1760-1764.	0.3	7
40	Interdisciplinary therapeutic application of potassium citrate in internal diseases. Postępy Higieny i Medycyny Doswiadczalnej, 2018, 72, 461-470.	0.1	0
41	Association of kidney fibrosis with urinary peptides: a path towards non-invasive liquid biopsies?. Scientific Reports, 2017, 7, 16915.	1.6	67
42	Immune activation- and regulation-related patterns in stable hand transplant recipients. Transplant International, 2017, 30, 144-152.	0.8	5
43	Pretransplant Immune- and Apoptosis-Related Gene Expression Is Associated with Kidney Allograft Function. Mediators of Inflammation, 2016, 2016, 1-9.	1.4	4
44	Renal Artery Denervation in Patient After Heart and Kidney Transplantation With Refractory Hypertension. Transplantation Proceedings, 2016, 48, 1858-1860.	0.3	4
45	SP839CIGARETTE SMOKING STRENGTHENS THE INFLUENCE OF AGE ON THE RISK OF DEATH IN RENAL TRANSPLANT RECIPIENTS IN 2 YEARS FOLLOW-UP. Nephrology Dialysis Transplantation, 2015, 30, iii654-iii654.	0.4	0
46	Type of Renal Replacement Therapy (Hemodialysis versus Peritoneal Dialysis) Does Not Affect Cytokine Gene Expression or Clinical Parameters of Renal Transplant Candidates. BioMed Research International, 2015, 2015, 1-7.	0.9	2
47	Immunological characteristics of the elderly allograft recipient. Transplantation Reviews, 2015, 29, 219-223.	1.2	19
48	Increased Numbers of 6-sulfo LacNAc (sIa ⁿ) Dendritic Cells in Hand Transplant Recipients. Annals of Transplantation, 2015, 20, 649-654.	0.5	2
49	Intraarterial CT Angiography Using Ultra Low Volume of Iodine Contrast – Own Experiences. Polski Przegląd Radiologii i Medycyny Nuklearnej, 2015, 80, 344-349.	1.0	4
50	Serum and urine metabolomic fingerprinting in diagnostics of inflammatory bowel diseases. World Journal of Gastroenterology, 2014, 20, 163.	1.4	148
51	The influence of non-HLA antibodies directed against angiotensin II type 1 receptor (AT1R) on early renal transplant outcomes. Transplant International, 2014, 27, 1029-1038.	0.8	81
52	Successful Renal Artery Denervation in a Renal Transplant Recipient With Refractory Hypertension. American Journal of Hypertension, 2014, 27, 982-984.	1.0	6
53	A Significant Role for Anti-Human Leukocyte Antigen Antibodies and Antibody-Mediated Rejection in the Biopsy-for-Cause Population. Transplantation Proceedings, 2014, 46, 2613-2617.	0.3	2
54	Non-HLA Antibodies: Angiotensin II Type 1 Receptor (Anti-AT1R) and Endothelin-1 Type A Receptor (Anti-ETAR) Are Associated With Renal Allograft Injury and Graft Loss. Transplantation Proceedings, 2014, 46, 2618-2621.	0.3	51

#	ARTICLE	IF	CITATIONS
55	Humoral immunity in hand transplantation: Anti-HLA and non-HLA response. Human Immunology, 2014, 75, 859-862.	1.2	20
56	The impact of non-HLA antibodies directed against endothelin-1 type A receptors (ETAR) on early renal transplant outcomes. Transplant Immunology, 2014, 30, 24-29.	0.6	63
57	Increased Plasma Tissue Inhibitors of Metalloproteinase Concentrations as Negative Predictors Associated With Deterioration of Kidney Allograft Function Upon Long-Term Observation. Transplantation Proceedings, 2013, 45, 1458-1461.	0.3	6
58	Using Metabolomics to Monitor Kidney Transplantation Patients by Means of Clustering to Spot Anomalous Patient Behavior. Transplantation Proceedings, 2013, 45, 1511-1515.	0.3	11
59	Long-term Follow-up of Non-HLA and Anti-HLA Antibodies: Incidence and Importance in Renal Transplantation. Transplantation Proceedings, 2013, 45, 1462-1465.	0.3	37
60	The Impact of De Novo Donor-specific Anti-Human Leukocyte Antigen Antibodies on 5-Year Renal Transplant Outcome. Transplantation Proceedings, 2013, 45, 1449-1452.	0.3	28
61	Successful Embolization of the Peripheral Branches of the Superior Mesenteric Artery Performed Because of Tuberculosis-Associated Acute Bleeding in a Patient After a Renal Transplant. Experimental and Clinical Transplantation, 2013, 11, 447-449.	0.2	0
62	A rare variant route of the ulnar artery does not contraindicate the creation of a fistula in the wrist of a diabetic patient with end-stage renal disease. Postępy Higieny i Medycyny Doswiadczalnej, 2011, 65, 654-657.	0.1	2
63	Myoglobinuria caused by exertional rhabdomyolysis misdiagnosed as psychiatric illness. Medical Science Monitor, 2008, 14, CS1-4.	0.5	5
64	Obesity is not an obstacle for successful autogenous arteriovenous fistula creation in haemodialysis. Nephrology Dialysis Transplantation, 2007, 23, 1318-1322.	0.4	36
65	Blood Group Lewis Alloantibodies Cause Antibody-Mediated Rejection in Renal Transplant Recipients. Transplantation Proceedings, 2007, 39, 2711-2714.	0.3	12
66	Variability in Donor-Specific Alloantibody Production After Transplantation. Transplantation Proceedings, 2007, 39, 2715-2717.	0.3	16
67	C4D Deposition and Positive Posttransplant Crossmatch Are Not Necessarily Markers of Antibody-Mediated Rejection in Renal Allograft Recipients. Transplantation Proceedings, 2007, 39, 2718-2720.	0.3	17
68	Radial Artery—Perforating Vein Fistula for Hemodialysis. American Journal of Kidney Diseases, 2007, 49, 824-830.	2.1	21
69	Conversion to Sirolimus From Cyclosporine May Induce Nephrotic Proteinuria and Progressive Deterioration of Renal Function in Chronic Allograft Nephropathy Patients. Transplantation Proceedings, 2006, 38, 101-104.	0.3	44
70	Influence of Cytomegalovirus Disease on Early and Late Renal Graft Function. Transplantation Proceedings, 2006, 38, 147-150.	0.3	8
71	Living donor transplantation—the real gift of life. Procurement and the ethical assessment. Annals of Transplantation, 2006, 11, 4-6.	0.5	0
72	Chronic allograft nephropathy—immunologic and nonimmunologic factors. Annals of Transplantation, 2006, 11, 7-10.	0.5	22

#	ARTICLE	IF	CITATIONS
73	Sirolimus Delays Recovery From Posttransplant Renal Failure in Kidney Graft Recipients. Transplantation Proceedings, 2005, 37, 839-842.	0.3	21
74	Influence of hypercholesterolemia and acute graft rejection on chronic nephropathy development in renal transplant recipients. Transplantation Proceedings, 2003, 35, 2209-2212.	0.3	11