

# Yong Fang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2676260/publications.pdf>

Version: 2024-02-01

55  
papers

1,263  
citations

361413

20  
h-index

377865

34  
g-index

60  
all docs

60  
docs citations

60  
times ranked

2352  
citing authors

#	ARTICLE	IF	CITATIONS
1	Whole-Process Treatment of Combined Small Cell Lung Cancer Initially Diagnosed as “Lung Squamous Cell Carcinoma”: A Case Report and Review of the Literature. <i>Frontiers in Immunology</i> , 2022, 13, 831698.	4.8	3
2	Comprehensive Molecular Profiling of Colorectal Cancer With Situs Inversus Totalis by Next-Generation Sequencing. <i>Frontiers in Oncology</i> , 2022, 12, 813253.	2.8	1
3	The efficacy and safety of taletrectinib in patients with TKI-naïve or crizotinib-pretreated ROS1-positive non-small cell lung cancer (NSCLC).. <i>Journal of Clinical Oncology</i> , 2022, 40, 8572-8572.	1.6	4
4	A Light-weight High-accuracy 4-DOF Robot for CT-image Guided Percutaneous Interventions. , 2022, , .		2
5	Camrelizumab Plus Apatinib in Extensive-Stage SCLC (PASSION): A Multicenter, Two-Stage, Phase 2 Trial. <i>Journal of Thoracic Oncology</i> , 2021, 16, 299-309.	1.1	72
6	CT-guided percutaneous minimally invasive radiofrequency ablation for the relief of cancer related pain from metastatic non-small cell lung cancer patients: a retrospective study. <i>Annals of Palliative Medicine</i> , 2021, 10, 1494-1502.	1.2	5
7	Novel Nutrition-Based Nomograms to Assess the Outcomes of Lung Cancer Patients Treated With Anlotinib or Apatinib. <i>Frontiers in Oncology</i> , 2021, 11, 628693.	2.8	3
8	Taletrectinib (AB-106; DS-6051b) in metastatic non-small cell lung cancer (NSCLC) patients with ROS1 fusion: Preliminary results of TRUST.. <i>Journal of Clinical Oncology</i> , 2021, 39, 9066-9066.	1.6	7
9	Abstract CT041: ORIENT-3: A randomized, open-label, phase 3 study of sintilimab versus docetaxel in previously treated advanced/metastatic squamous non-small-cell lung cancer (sqNSCLC). <i>Cancer Research</i> , 2021, 81, CT041-CT041.	0.9	3
10	Deep Sequencing of T-Cell Receptors for Monitoring Peripheral CD8+ T Cells in Chinese Advanced Non-small-Cell Lung Cancer Patients Treated With the Anti-PD-L1 Antibody. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 679130.	3.5	11
11	Apatinib Plus Gefitinib as First-Line Treatment in Advanced EGFR-Mutant NSCLC: The Phase III ACTIVE Study (CTONG1706). <i>Journal of Thoracic Oncology</i> , 2021, 16, 1533-1546.	1.1	64
12	Molecular profiling and identification of prognostic factors in Chinese patients with small bowel adenocarcinoma. <i>Cancer Science</i> , 2021, 112, 4758-4771.	3.9	7
13	Exploring the Interobserver Agreement in Computer-Aided Radiologic Tumor Measurement and Evaluation of Tumor Response. <i>Frontiers in Oncology</i> , 2021, 11, 691638.	2.8	0
14	Expert consensus on thermal ablation therapy of pulmonary subsolid nodules (2021 Edition). <i>Journal of Cancer Research and Therapeutics</i> , 2021, 17, 1141.	0.9	23
15	Real-world efficacy and potential mechanism of resistance of icotinib in Asian advanced non-small cell lung cancer with EGFR uncommon mutations: A multicenter study. <i>Cancer Medicine</i> , 2020, 9, 12-18.	2.8	10
16	A Real-World Study in Advanced Non-small Cell Lung Cancer with KRAS Mutations. <i>Translational Oncology</i> , 2020, 13, 329-335.	3.7	24
17	Pemetrexed-based chemotherapy for non-small-cell lung cancer patients with EGFR exon 20 insertion mutation: a multicenter study. <i>Translational Lung Cancer Research</i> , 2020, 9, 1853-1861.	2.8	18
18	A Pan-cancer Clinical Study of Personalized Neoantigen Vaccine Monotherapy in Treating Patients with Various Types of Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2020, 26, 4511-4520.	7.0	56

#	ARTICLE	IF	CITATIONS
19	An ultralow dose of the NADPH oxidase inhibitor diphenyleioidonium (DPI) is an economical and effective therapeutic agent for the treatment of colitis-associated colorectal cancer. <i>Theranostics</i> , 2020, 10, 6743-6757.	10.0	20
20	Potential mechanism of primary resistance to icotinib in patients with advanced non-small cell lung cancer harboring uncommon mutant epidermal growth factor receptor: A multicenter study. <i>Cancer Science</i> , 2020, 111, 679-686.	3.9	15
21	A phase I study to evaluate safety, tolerability, pharmacokinetics, and preliminary antitumor activity of TQ-B3101. <i>Journal of Clinical Oncology</i> , 2020, 38, e21705-e21705.	1.6	7
22	Real-world mutational profiling of Chinese non-small cell lung cancer patients with epidermal growth factor receptor (EGFR) uncommon mutations acquired resistant to icotinib using next generation sequencing: A multicenter study. <i>Journal of Clinical Oncology</i> , 2020, 38, e21557-e21557.	1.6	0
23	TP53 fusions with next-generation sequencing (NGS) in Chinese non-small cell lung cancer (NSCLC): A multicenter study. <i>Journal of Clinical Oncology</i> , 2020, 38, e21742-e21742.	1.6	0
24	APC fusions analysis in Chinese non-small cell lung cancer (NSCLC) using comprehensive NGS panel: A multicenter study. <i>Journal of Clinical Oncology</i> , 2020, 38, e21086-e21086.	1.6	0
25	CSCO ablation expert workshop report. <i>Journal of Cancer Research and Therapeutics</i> , 2020, 16, 350-355.	0.9	1
26	Association between BRAF mutant classification and the efficacy of pemetrexed-based chemotherapy in Chinese advanced non-small cell lung cancer patients: a multicenter retrospective study. <i>Translational Cancer Research</i> , 2020, 9, 6039-6049.	1.0	1
27	Molecular and clinical analysis of Chinese patients with anaplastic lymphoma kinase (ALK)-rearranged non-small cell lung cancer. <i>Cancer Science</i> , 2019, 110, 3382-3390.	3.9	26
28	Ultrasonic Cavitation Ameliorates Antitumor Efficacy of Residual Cancer After Incomplete Radiofrequency Ablation in Rabbit VX2 Liver Tumor Model. <i>Translational Oncology</i> , 2019, 12, 1113-1121.	3.7	6
29	Cyclosporine A sensitizes lung cancer cells to crizotinib through inhibition of the Ca <sup>2+</sup> /calcineurin/Erk pathway. <i>EBioMedicine</i> , 2019, 42, 326-339.	6.1	14
30	Efficacy and safety of gemcitabine plus anti-angiogenesis therapy for advanced pancreatic cancer: a systematic review and meta-analysis of clinical randomized phase III trials. <i>Journal of Cancer</i> , 2019, 10, 968-978.	2.5	9
31	Deletion of low-density lipoprotein-related receptor 5 inhibits liver Cancer cell proliferation via destabilizing Nucleoporin 37. <i>Cell Communication and Signaling</i> , 2019, 17, 174.	6.5	14
32	Incidence of FGFR-TACC gene fusions in Chinese non-small cell lung cancer (NSCLC): A multicenter study. <i>Journal of Clinical Oncology</i> , 2019, 37, e13001-e13001.	1.6	1
33	Real-world large-scale study of ERBB2 gene fusions and its response to afatinib in Chinese non-small cell lung cancer (NSCLC): A multicenter study. <i>Journal of Clinical Oncology</i> , 2019, 37, e13002-e13002.	1.6	2
34	Real-world fusion landscape in advanced Chinese gastric cancer using next generation sequencing: A multicenter study. <i>Journal of Clinical Oncology</i> , 2019, 37, 51-51.	1.6	0
35	Mechanisms of primary resistance to icotinib in Chinese non-small-cell lung cancer patients with EGFR uncommon mutations: A multicenter study. <i>Journal of Clinical Oncology</i> , 2019, 37, e20501-e20501.	1.6	0
36	An EGFR extracellular domain mutation data in the East Asian non-small cell lung cancer populations and response to icotinib: A multicenter study. <i>Journal of Clinical Oncology</i> , 2019, 37, e13000-e13000.	1.6	0

#	ARTICLE	IF	CITATIONS
37	Identification of key tumorigenesis-related genes and their microRNAs in colon cancer. <i>Oncology Reports</i> , 2018, 40, 3551-3560.	2.6	23
38	Multiple Primary Malignant Tumors - A Clinical Analysis of 15,321 Patients with Malignancies at a Single Center in China. <i>Journal of Cancer</i> , 2018, 9, 2795-2801.	2.5	58
39	Genetic mutation as biomarker for advanced cancer patients receiving apatinib: An analysis based on whole exome sequencing. <i>Journal of Clinical Oncology</i> , 2018, 36, e24219-e24219.	1.6	0
40	Deep sequencing of the t-cell receptors for monitoring peripheral CD8 <sup>+</sup> T cells in advanced NSCLC Chinese patients treated with anti-PD-L1 antibody. <i>Journal of Clinical Oncology</i> , 2018, 36, e15025-e15025.	1.6	0
41	Beta-catenin can induce hair follicle stem cell differentiation into transit-amplifying cells through c-myc activation. <i>Tissue and Cell</i> , 2017, 49, 28-34.	2.2	23
42	Quantitation of cell-free DNA in blood is a potential screening and diagnostic maker of breast cancer: a meta-analysis. <i>Oncotarget</i> , 2017, 8, 102336-102345.	1.8	3
43	Salvianolic acid B, a novel autophagy inducer, exerts antitumor activity as a single agent in colorectal cancer cells. <i>Oncotarget</i> , 2016, 7, 61509-61519.	1.8	59
44	p53 suppresses stress-induced cellular senescence via regulation of autophagy under the deprivation of serum. <i>Molecular Medicine Reports</i> , 2015, 11, 1214-1220.	2.4	13
45	Meta-analyses of gene methylation and smoking behavior in non-small cell lung cancer patients. <i>Scientific Reports</i> , 2015, 5, 8897.	3.3	59
46	p53 controls colorectal cancer cell invasion by inhibiting the NF- $\kappa$ B-mediated activation of Fascin. <i>Oncotarget</i> , 2015, 6, 22869-22879.	1.8	20
47	Epigenetic modifications as regulatory elements of autophagy in cancer. <i>Cancer Letters</i> , 2015, 360, 106-113.	7.2	58
48	The anticancer immune response of anti-PD-1/PD-L1 and the genetic determinants of response to anti-PD-1/PD-L1 antibodies in cancer patients. <i>Oncotarget</i> , 2015, 6, 19393-19404.	1.8	61
49	Autophagy: A novel therapeutic target for hepatocarcinoma (Review). <i>Oncology Letters</i> , 2014, 7, 1345-1351.	1.8	28
50	Construction of a tumor cell-targeting non-viral gene delivery vector with polyethylenimine modified with RGD sequence-containing peptide. <i>Oncology Letters</i> , 2014, 7, 487-492.	1.8	19
51	Comparison of long-term effectiveness and complications of radiofrequency ablation with hepatectomy for small hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 193-200.	2.8	138
52	Enzyme activated photodynamic therapy for methicillin-resistant <i>Staphylococcus aureus</i> infection both inv itro and in vivo. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2014, 136, 72-80.	3.8	25
53	Use of Metformin Alone Is Not Associated with Survival Outcomes of Colorectal Cancer Cell but AMPK Activator AICAR Sensitizes Anticancer Effect of 5-Fluorouracil through AMPK Activation. <i>PLoS ONE</i> , 2014, 9, e97781.	2.5	44
54	Cyclin D1 Downregulation Contributes to Anticancer Effect of Isorhapontigenin on Human Bladder Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 1492-1503.	4.1	49

#	ARTICLE	IF	CITATIONS
55	The Chinese Herb Isolate Isorhapontigenin Induces Apoptosis in Human Cancer Cells by Down-regulating Overexpression of Antiapoptotic Protein XIAP. <i>Journal of Biological Chemistry</i> , 2012, 287, 35234-35243.	3.4	57