

Carlo G Zambonin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2676335/carlo-g-zambonin-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97 papers	2,564 citations	29 h-index	46 g-index
100 ext. papers	2,799 ext. citations	4.4 avg, IF	5.13 L-index

#	Paper	IF	Citations
97	Recent Applications of Solid Phase Microextraction Coupled to Liquid Chromatography. <i>Separations</i> , 2021 , 8, 34	3.1	5
96	MALDI-TOF Mass Spectrometry Applications for Food Fraud Detection. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 3374	2.6	5
95	Determination of VOCs in Surgical Resected Tissues from Colorectal Cancer Patients by Solid Phase Microextraction Coupled to Gas ChromatographyMass Spectrometry. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 6910	2.6	1
94	Targeting mitochondrial metabolite transporters in <i>Penicillium expansum</i> for reducing patulin production. <i>Plant Physiology and Biochemistry</i> , 2021 , 158, 158-181	5.4	6
93	Advanced Gel Permeation Chromatography system with increased loading capacity: Polycyclic aromatic hydrocarbons detection in olive oil as a case of study. <i>Journal of Chromatography A</i> , 2021 , 1639, 461920	4.5	1
92	Determination of hydroxytyrosol and tyrosol in human urine after intake of extra virgin olive oil produced with an ultrasounds-based technology. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 203, 114204	3.5	2
91	Determination of Commercial Animal and Vegetable MilksRLipid Profile and Its Correlation with Cell Viability and Antioxidant Activity on Human Intestinal Caco-2 Cells. <i>Molecules</i> , 2021 , 26,	4.8	1
90	Supercritical CO Extraction of Phytocompounds from Olive Pomace Subjected to Different Drying Methods. <i>Molecules</i> , 2021 , 26,	4.8	7
89	Development, Optimization, and Comparison of Different Sample Pre-Treatments for Simultaneous Determination of Vitamin E and Vitamin K in Vegetables. <i>Molecules</i> , 2020 , 25,	4.8	3
88	Photoallergic contact dermatitis caused by wooden catholic bracelets: A report of two cases. <i>Contact Dermatitis</i> , 2020 , 83, 71-73	2.7	1
87	Relationship between cancer tissue derived and exhaled volatile organic compound from colorectal cancer patients. Preliminary results. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 180, 113053	3.5	9
86	Measurement of squalene in olive oil by fractional crystallization or headspace solid phase microextraction coupled with gas chromatography. <i>International Journal of Food Properties</i> , 2020 , 23, 1845-1853	3	5
85	Ultra-Trace Determination of Sudan I, II, III, and IV in Wastewater by Solid-Phase Microextraction (SPME) and on-Line Solid-Phase Extraction (SPE) with High-Performance Liquid Chromatography (HPLC). <i>Analytical Letters</i> , 2020 , 53, 2559-2570	2.2	4
84	Determination of Polyphenols and Vitamins in Wine-Making by-Products by Supercritical Fluid Extraction (SFE). <i>Analytical Letters</i> , 2020 , 53, 2585-2595	2.2	6
83	Solid-phase microextraction and on-fiber derivatization for assessment of mammalian and vegetable milks with emphasis on the content of major phytoestrogens. <i>Scientific Reports</i> , 2019 , 9, 63984	4.9	2
82	Determination of Ciprofloxacin, Enrofloxacin, and Marbofloxacin in Bovine Urine, Serum, and Milk by Microextraction by a Packed Sorbent Coupled to Ultra-High Performance Liquid Chromatography. <i>Analytical Letters</i> , 2019 , 52, 790-802	2.2	15
81	Determination of Trans-resveratrol in Wines, Spirits, and Grape Juices Using Solid-Phase Micro Extraction Coupled to Liquid Chromatography with UV Diode-Array Detection. <i>Food Analytical Methods</i> , 2018 , 11, 426-431	3.4	16

80	Determination of α -Tocopherol in Olive Oil by Solid-Phase Microextraction and Gas Chromatography-Mass Spectrometry. <i>Analytical Letters</i> , 2017 , 50, 1580-1592	2.2	8
79	MALDI Mass Spectrometry: A Promising Non-Chromatographic Technique 2017 , 393-411		
78	Determination of Isoflavones in Soybean Flour by Matrix Solid-Phase Dispersion Extraction and Liquid Chromatography with UV-Diode Array Detection. <i>Journal of Food Quality</i> , 2017 , 2017, 1-5	2.7	5
77	Functions of vasopressin and oxytocin in bone mass regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 164-9	11.5	38
76	Simultaneous determination of salicylic, 3-methyl salicylic, 4-methyl salicylic, acetylsalicylic and benzoic acids in fruit, vegetables and derived beverages by SPME-LC-UV/DAD. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 121, 63-68	3.5	20
75	Determination of Major Isoflavones in Soy Drinks by Solid-Phase Micro Extraction Coupled to Liquid Chromatography. <i>Food Analytical Methods</i> , 2016 , 9, 925-933	3.4	17
74	Bovine and soybean milk bioactive compounds: Effects on inflammatory response of human intestinal Caco-2 cells. <i>Food Chemistry</i> , 2016 , 210, 276-85	8.5	19
73	Ultra-trace measurement of Dechloranes to investigate food as a route of human exposure. <i>Chemosphere</i> , 2015 , 139, 525-33	8.4	9
72	Analytical investigations on the lindane bioremediation capability of the demosponge <i>Hymeniacidon perlevis</i> . <i>Marine Pollution Bulletin</i> , 2015 , 90, 143-9	6.7	18
71	A Simple and Effective Mass Spectrometric Approach to Identify the Adulteration of the Mediterranean Diet Component Extra-Virgin Olive Oil with Corn Oil. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 20896-912	6.3	17
70	Highly selective palladium-benzothiazole carbene-catalyzed allylation of active methylene compounds under neutral conditions. <i>Beilstein Journal of Organic Chemistry</i> , 2015 , 11, 994-9	2.5	4
69	MALDI-TOF MS for quality control of high protein content sport supplements. <i>Food Chemistry</i> , 2015 , 176, 396-402	8.5	12
68	MALDI-MS and HILIC ESI-MS/MS as Versatile Tools for Detection of Monoethanolamine Degradation Products in a Real Postcombustion Carbon Dioxide Capture Plant. <i>Energy & Fuels</i> , 2014 , 28, 1295-1303	4.1	2
67	Determination of hidden hazelnut oil proteins in extra virgin olive oil by cold acetone precipitation followed by in-solution tryptic digestion and MALDI-TOF-MS analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9401-9	5.7	22
66	Development of a direct in-matrix extraction (DIME) protocol for MALDI-TOF-MS detection of glycated phospholipids in heat-treated food samples. <i>Journal of Mass Spectrometry</i> , 2014 , 49, 831-9	2.2	12
65	Osteoblast regulation via ligand-activated nuclear trafficking of the oxytocin receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 16502-7	11.5	45
64	Proteomic analysis of complex protein samples by MALDI-TOF mass spectrometry. <i>Methods in Molecular Biology</i> , 2014 , 1129, 365-80	1.4	7
63	MALDI-TOF mass spectrometric determination of intact phospholipids as markers of illegal bovine milk adulteration of high-quality milk. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 1641-9	4.4	44

62	Proteomic approach based on MALDI-TOF MS to detect powdered milk in fresh cowB milk. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 1609-17	5.7	64
61	MALDI-Q-TOF-MS Ionization and Fragmentation of Phospholipids and Neutral Lipids of Dairy Interest Using Variable Doping Salts. <i>Journal of Advances in Dairy Research</i> , 2013 , 01,	0	3
60	Urticaria and angioedema to rubisco allergen in spinach and tomato. <i>Annals of Allergy, Asthma and Immunology</i> , 2012 , 108, 60-61	3.2	11
59	Detection of sheep and goat milk adulterations by direct MALDI-TOF MS analysis of milk tryptic digests. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 1141-9	2.2	55
58	MALDI-TOF mass spectrometry detection of extra-virgin olive oil adulteration with hazelnut oil by analysis of phospholipids using an ionic liquid as matrix and extraction solvent. <i>Food Chemistry</i> , 2012 , 134, 1192-8	8.5	83
57	Lipid fingerprinting of gram-positive lactobacilli by intact--matrix-assisted laser desorption/ionization mass spectrometry using a proton sponge based matrix. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 1757-64	2.2	38
56	Optimization of analytical and pre-analytical conditions for MALDI-TOF-MS human urine protein profiles. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 907-14	3.5	29
55	Detection of hazelnut oil in extra-virgin olive oil by analysis of polar components by micro-solid phase extraction based on hydrophilic liquid chromatography and MALDI-ToF mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2010 , 45, 981-8	2.2	21
54	Solid phase microextraction--liquid chromatography (SPME-LC) determination of chloramphenicol in urine and environmental water samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 440-4	3.5	46
53	Selective extraction of phospholipids from dairy products by micro-solid phase extraction based on titanium dioxide microcolumns followed by MALDI-TOF-MS analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 394, 1453-61	4.4	37
52	Occupational allergic contact dermatitis associated with dimethyl fumarate in clothing. <i>Contact Dermatitis</i> , 2009 , 61, 122-4	2.7	23
51	A matrix assisted laser desorption ionization time-of-flight mass spectrometry investigation to assess the composition of cod liver oil based products which displayed a different in vivo allergenic power. <i>Food and Chemical Toxicology</i> , 2008 , 46, 3580-5	4.7	7
50	Impact of sample preparation in peptide/protein profiling in human serum by MALDI-TOF mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 46, 157-64	3.5	39
49	Determination of clenbuterol in human urine and serum by solid-phase microextraction coupled to liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 47, 641-5	3.5	58
48	Assessment of lectin and HILIC based enrichment protocols for characterization of serum glycoproteins by mass spectrometry. <i>Journal of Proteomics</i> , 2008 , 71, 304-17	3.9	110
47	Determination of ochratoxin A in green coffee beans by solid-phase microextraction and liquid chromatography with fluorescence detection. <i>Journal of Chromatography A</i> , 2008 , 1187, 145-50	4.5	38
46	Automated high-throughput method using solid-phase microextraction-liquid chromatography-tandem mass spectrometry for the determination of ochratoxin A in human urine. <i>Journal of Chromatography A</i> , 2008 , 1201, 215-21	4.5	78
45	Determination of ochratoxin A in human urine by solid-phase microextraction coupled with liquid chromatography-fluorescence detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 1014-8	3.5	16

44	Occupational contact dermatitis to a limonene-based solvent in a histopathology technician. <i>Contact Dermatitis</i> , 2007 , 56, 109-12	2.7	10
43	A laser desorption ionization time-of-flight mass spectrometry investigation into triacylglycerols oxidation during thermal stressing of edible oils. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 389, 2075-84	4.4	17
42	Ochratoxin a determination in beer by solid-phase microextraction coupled to liquid chromatography with fluorescence detection: a fast and sensitive method for assessment of noncompliance to legal limits. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 1594-8	5.7	34
41	Laser desorption/ionization time-of-flight mass spectrometry of squalene in oil samples. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 325-7	2.2	22
40	Determination of Ochratoxin A in wine at sub ng/mL levels by solid-phase microextraction coupled to liquid chromatography with fluorescence detection. <i>Journal of Chromatography A</i> , 2006 , 1115, 196-201	4.5	73
39	Profiling urinary metabolites of naproxen by liquid chromatography-electrospray mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 1312-6	3.5	26
38	Solid-phase microextraction-gas chromatography mass spectrometry and multivariate analysis for the characterization of roasted coffees. <i>Talanta</i> , 2005 , 66, 261-5	6.2	46
37	Determination of naproxen in human urine by solid-phase microextraction coupled to liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 39, 643-7	3.5	83
36	Simultaneous determination of caffeine, theobromine, theophylline, paraxanthine and nicotine in human milk by liquid chromatography with diode array UV detection. <i>Food Chemistry</i> , 2005 , 93, 177-181	8.5	55
35	Laser desorption/ionization time-of-flight mass spectrometry of triacylglycerols in oils. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 1315-20	2.2	53
34	Determination of methylxanthines in urine by liquid chromatography with diode array UV detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 36, 621-4	3.5	21
33	Determination of the immunosuppressant mycophenolic acid in human serum by solid-phase microextraction coupled to liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 806, 89-93	3.2	22
32	Solid-phase microextraction Gas chromatography mass spectrometry: A fast and simple screening method for the assessment of organophosphorus pesticides residues in wine and fruit juices. <i>Food Chemistry</i> , 2004 , 86, 269-274	8.5	159
31	Simultaneous determination of free mycophenolic acid and its glucuronide in serum of patients under mycophenolate mophetil therapy by ion-pair reversed-phase liquid chromatography with diode array UV detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 818, 197-202	3.2	13
30	Coupling solid-phase microextraction to liquid chromatography. A review. <i>Analytical and Bioanalytical Chemistry</i> , 2003 , 375, 73-80	4.4	78
29	Simultaneous determination of ochratoxin A and cyclopiazonic, mycophenolic, and tenuazonic acids in cornflakes by solid-phase microextraction coupled to high-performance liquid chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 5232-7	5.7	48
28	Determination of delorazepam in urine by solid-phase microextraction coupled to high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 28, 965-72	3.5	15
27	SPME-LC with UV detection to study delorazepam-serum albumin interactions. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 29, 895-900	3.5	13

26	Amino-bonded silica as stationary phase for liquid chromatographic determination of cyclopiazonic acid in fungal extracts. <i>Journal of Chromatography A</i> , 2002 , 955, 79-86	4.5	16
25	Solid-phase microextraction-high performance liquid chromatography and diode array detection for the determination of mycophenolic acid in cheese. <i>Food Chemistry</i> , 2002 , 78, 249-254	8.5	26
24	Solid-phase microextraction and gas chromatography-mass spectrometry for the rapid screening of triazole residues in wine and strawberries. <i>Journal of Chromatography A</i> , 2002 , 967, 255-60	4.5	63
23	Analysis of Organochlorine Pesticides by Solid-Phase Microextraction followed by Gas Chromatography-Mass Spectrometry. <i>International Journal of Environmental Analytical Chemistry</i> , 2002 , 82, 651-657	1.8	7
22	LC-ion trap electrospray MS-MS for the determination of cyclopiazonic acid in milk samples. <i>Analyst, The</i> , 2002 , 127, 499-502	5	27
21	Solid-phase microextraction coupled to gas chromatography-mass spectrometry for the study of soil adsorption coefficients of organophosphorus pesticides. <i>Journal of Environmental Monitoring</i> , 2002 , 4, 477-81		13
20	Determination of cyclopiazonic acid in cheese samples using solid-phase microextraction and high performance liquid chromatography. <i>Food Chemistry</i> , 2001 , 75, 249-254	8.5	44
19	Determination of triazines in soil leachates by solid-phase microextraction coupled to gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2000 , 874, 247-55	4.5	79
18	Disposable interference-free glucose biosensor based on an electropolymerised poly(pyrrole) permselective film. <i>Analytica Chimica Acta</i> , 2000 , 420, 9-17	6.6	42
17	Degradation of chlortoluron in water disinfection processes: a kinetic study. <i>Journal of Environmental Monitoring</i> , 2000 , 2, 582-6		11
16	An electrospray ionization ion trap mass spectrometric (ESI-MS-MSn) study of dehydroascorbic acid hydrolysis at neutral pH. <i>Analyst, The</i> , 2000 , 125, 2244-8	5	19
15	Liquid chromatographic determination of urinary 5-methyl-2Rdeoxycytidine and pseudouridine as potential biological markers for leukaemia. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1999 , 21, 1045-51	3.5	25
14	Liquid chromatography with electrocatalytic detection of oxalic acid by a palladium-based glassy carbon electrode. <i>Journal of Chromatography A</i> , 1999 , 833, 75-82	4.5	19
13	Electrospray ionization mass spectrometry of 5-methyl-2Rdeoxycytidine and its determination in urine by liquid chromatography/electrospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1999 , 13, 2160-5	2.2	16
12	In vitro toxicity of N3-methyl-5Rdeoxy-5-fluorouridine, a novel metabolite of doxifluridine: a bioanalytical investigation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998 , 17, 11-6	3.5	9
11	Determination of N3-methyl-5Rdeoxy-5-fluorouridine, a novel metabolite of doxifluridine, in body fluids by high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998 , 17, 291-7	3.5	
10	Determination of sugars and alditols in food samples by HPAEC with integrated pulsed amperometric detection using alkaline eluents containing barium or strontium ions. <i>Food Chemistry</i> , 1998 , 62, 109-115	8.5	50
9	Solid phase microextraction coupled to gas chromatography- mass spectrometry for the determination of the adsorption coefficients of triazines in soil. <i>Analyst, The</i> , 1998 , 123, 2825-2828	5	23

8	Lactate Amperometric Biosensor Based on an Electrosynthesized Bilayer Film with Covalently Immobilized Enzyme. <i>Analyst, The</i> , 1997 , 122, 365-369	5	62
7	Kinetic Investigation of the Reactions Connected to the System Ascorbate + O ₂ by Amperometric Detection of H ₂ O ₂ at a Modified Platinum Electrode. <i>Analytical Chemistry</i> , 1997 , 69, 4113-4119	7.8	21
6	Derivatization reactions for gas chromatography/mass spectrometry determination of N ³ -methyl-5 β -deoxy-5-fluorouridine. <i>Rapid Communications in Mass Spectrometry</i> , 1997 , 11, 1529-1535	2.2	4
5	Simultaneous determination of 5 β -deoxy-5-fluorouridine, 5-fluorouracil and 5,6-dihydro-5-fluorouracil in plasma by gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 1996 , 329, 143-152	6.6	10
4	Gas chromatography-mass spectrometry identification of a novel N ³ -methylated metabolite of 5 β -deoxy-5-fluorouridine in plasma of cancer patients undergoing chemotherapy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1996 , 14, 1521-8	3.5	6
3	Double electropolymer modified platinum electrode to follow the kinetic process H ₂ O ₂ + ascorbic acid. Influence of the reaction on amperometric biosensor applications. <i>Journal of Electroanalytical Chemistry</i> , 1996 , 410, 181-187	4.1	18
2	Simultaneous determination of pseudouridine, neopterin and creatinine in urine by ion-pair high-performance liquid chromatography with in-series ultraviolet and fluorescence detection. <i>Analyst, The</i> , 1995 , 120, 2185-9	5	9
1	Simultaneous determination of 5 β -deoxy-5-fluorouridine, 5-fluorouracil and 5,6-dihydro-5-fluorouracil in serum by liquid chromatography with diode array UV detection. <i>Analytica Chimica Acta</i> , 1994 , 296, 43-50	6.6	12