

Mario L Moreira

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2676338/mario-l-moreira-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69 papers	1,604 citations	20 h-index	39 g-index
71 ext. papers	1,792 ext. citations	3.5 avg, IF	4.38 L-index

#	Paper	IF	Citations
69	Wetting-state transition of random surfaces. <i>Thin Solid Films</i> , 2022 , 745, 139102	2.2	0
68	Facile preparation of Nb ₂ O ₅ /TiO ₂ heterostructures for photocatalytic application. <i>Chemical Physics Impact</i> , 2022 , 100079	1.6	0
67	Properties of zinc titanates synthesized by microwave assisted hydrothermal method. <i>Heliyon</i> , 2021 , 7, e06521	3.6	1
66	Photocatalytic degradation of rhodamine B using Nb ₂ O ₅ synthesized with different niobium precursors: Factorial design of experiments. <i>Ceramics International</i> , 2021 , 47, 20570-20578	5.1	11
65	Synthesis of NaNbO ₃ nanowires and their photocatalytic activity. <i>Ceramics International</i> , 2021 , 47, 10185-10188	5.1	11
64	Influence of Nb ₂ O ₅ crystal structure on photocatalytic efficiency. <i>Chemical Physics Letters</i> , 2021 , 764, 138271	2.5	6
63	A Statistical Study of Assembly Parameter Modifications Effects on the Photovoltaic Response of Dye-Sensitized Solar Cells. <i>Journal of Electronic Materials</i> , 2021 , 50, 6149-6158	1.9	1
62	Correlation between local structure and electronic properties of BaZrO ₃ :TbYb Optical Ceramics. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , 2021 , 251, 147106	1.7	2
61	Multi-Photonic behavior of Nb ₂ O ₅ and its correlation with synthetic methods. <i>Journal of Materials Science</i> , 2021 , 56, 7889-7905	4.3	4
60	Influence of Eu valence on the optical activity of BaTiO decorated with CaF synthesized by microwave-assisted hydrothermal method. <i>Dalton Transactions</i> , 2020 , 49, 8540-8548	4.3	1
59	A description of the formation and growth processes of CaTiO ₃ mesocrystals: a joint experimental and theoretical approach. <i>Molecular Systems Design and Engineering</i> , 2020 , 5, 1255-1266	4.6	3
58	In situ microwave-assisted deposition of CoS counter electrode for dye-sensitized solar cells. <i>Solar Energy</i> , 2020 , 198, 658-664	6.8	12
57	Structural and Electronic Properties of Bulk ZnX (X = O, S, Se, Te), ZnF, and ZnO/ZnF: A DFT Investigation within PBE, PBE + , and Hybrid HSE Functionals. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 3778-3785	2.8	17
56	Increase of Voc using heterojunctions of BaTiO ₃ without sensitization. <i>Ceramics International</i> , 2020 , 46, 4907-4913	5.1	14
55	An investigation of the photovoltaic parameters of ZnS grown on ZnO(101). <i>New Journal of Chemistry</i> , 2020 , 44, 20600-20609	3.6	0
54	Unveiling the infrared complex dielectric function of ilmenite CdTiO ₃ . <i>Journal of Alloys and Compounds</i> , 2020 , 813, 152136	5.7	5
53	Unveiling the efficiency of microwave-assisted hydrothermal treatment for the preparation of SrTiO mesocrystals. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 22031-22038	3.6	6

52	Quantitative evaluation of the surface stability and morphological changes of CuO particles. <i>Heliyon</i> , 2019 , 5, e02500	3.6	15
51	Black SiO ₂ nanoparticles obtained by pyrolysis of rice husk. <i>Dyes and Pigments</i> , 2019 , 164, 272-278	4.6	16
50	Evolutionary design algorithm for optimal light trapping in solar cells. <i>Journal of Applied Physics</i> , 2019 , 125, 043105	2.5	5
49	Physico-chemical description of titanium dioxide/cellulose nanocomposite formation by microwave radiation with high thermal stability. <i>Cellulose</i> , 2018 , 25, 2331-2341	5.5	5
48	Band alignment and charge transfer predictions of ZnO/ZnX (X = S, Se or Te) interfaces applied to solar cells: a PBE+U theoretical study. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 4953-4961	3.6	13
47	Photoresponse of KNbO ₃ /FeO ₃ (A = Bi ³⁺ or La ³⁺) ceramics and its relationship with bandgap narrowing. <i>Materials Letters</i> , 2018 , 221, 326-329	3.3	15
46	Microwave-assisted solvothermal: An efficient and new method to obtain hydrophobic wood surfaces. <i>Maderas: Ciencia Y Tecnologia</i> , 2018 , 0-0	1	
45	Resistance of TiO ₂ -treated Eucalyptus botryoides Wood to the Fungus Ganoderma applanatum. <i>Floresta E Ambiente</i> , 2018 , 25,	1	1
44	Redu da inflamabilidade da madeira de Pinus elliottii modificada com partulas de TiO ₂ . <i>Revista Materia</i> , 2018 , 23,	0.8	1
43	Investigation of the properties of niobium pentoxide for use in dye-sensitized solar cells. <i>Journal of the American Ceramic Society</i> , 2018 , 102, 1884	3.8	2
42	Processing conditions for the production of polystyrene microcapsules containing demineralized water. <i>Advanced Powder Technology</i> , 2017 , 28, 1221-1227	4.6	1
41	Functionalized pink AlO:Mn pigments applied in prosthetic dentistry. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 771-777	4	3
40	The effect of titanium dioxide nanoparticles obtained by microwave-assisted hydrothermal method on the color and decay resistance of pinewood. <i>Maderas: Ciencia Y Tecnologia</i> , 2017 , 0-0	1	5
39	A first-principles investigation on the luminescence emissions of BaZrO ₃ obtained by microwave-assisted hydrothermal method. <i>Journal of Luminescence</i> , 2016 , 180, 73-80	3.8	2
38	Optical and structural investigation of ZnO@ZnS core-shell nanostructures. <i>Materials Chemistry and Physics</i> , 2016 , 173, 347-354	4.4	15
37	Study of the Evolution of Phase Calcium Aluminate through the Method for Polymeric Precursors C12A7. <i>Materials Science Forum</i> , 2015 , 820, 137-142	0.4	2
36	Microstructure and Thermal Conductivity of Porous Al ₂ O ₃ -ZrO ₂ Ceramics. <i>Materials Science Forum</i> , 2015 , 820, 268-273	0.4	
35	Influence of titanium precursor on photoluminescent emission of micro-cube-shaped CaTiO ₃ . <i>Journal of Luminescence</i> , 2015 , 165, 130-137	3.8	8

34	Fingerprints of short-range and long-range structure in BaZr(1-x)Hf _x O ₃ solid solutions: an experimental and theoretical study. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 11341-9	3.6	9
33	Development of a Yellow Pigment Based on Bismuth and Molybdenum-Doped TiO ₂ for Coloring Polymers. <i>International Journal of Applied Ceramic Technology</i> , 2015 , 12, E112-E119	2	7
32	Chemical Synthesis and Sintering Behaviour of Ca ₃ Al ₂ O ₆ Obtained by Polymeric Precursor Method. <i>Materials Science Forum</i> , 2015 , 820, 143-148	0.4	2
31	Europium-doped calcium titanate: Optical and structural evaluations. <i>Journal of Alloys and Compounds</i> , 2014 , 585, 154-162	5.7	13
30	Insight into the Effects of Fe Addition on the Local Structure and Electronic Properties of SrTiO ₃ . <i>Journal of Physical Chemistry C</i> , 2014 , 118, 4930-4940	3.8	40
29	Quantum mechanical modeling of excited electronic states and their relationship to cathodoluminescence of BaZrO ₃ . <i>Journal of Applied Physics</i> , 2013 , 114, 043714	2.5	15
28	Sintering of porous alumina obtained by biotemplate fibers for low thermal conductivity applications. <i>Journal of the European Ceramic Society</i> , 2013 , 33, 1087-1092	6	16
27	Long-range and short-range structures of cube-like shape SrTiO ₃ powders: microwave-assisted hydrothermal synthesis and photocatalytic activity. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 12386-12393	3.6	74
26	SnO ₂ nanocrystals synthesized by microwave-assisted hydrothermal method: towards a relationship between structural and optical properties. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	42
25	Quantum Mechanics Insight into the Microwave Nucleation of SrTiO ₃ Nanospheres. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 24792-24808	3.8	52
24	CeO ₂ nanoparticles synthesized by a microwave-assisted hydrothermal method: evolution from nanospheres to nanorods. <i>CrystEngComm</i> , 2012 , 14, 1150-1154	3.3	96
23	Novel SrTi _{1-x} FexO ₃ nanocubes synthesized by microwave-assisted hydrothermal method. <i>CrystEngComm</i> , 2012 , 14, 4068	3.3	20
22	Interfacial photoluminescence emission properties of core/shell Al ₂ O ₃ /ZrO ₂ . <i>CrystEngComm</i> , 2012 , 14, 393-396	3.3	13
21	Morphological and Structural changes of CaxSr _{1-x} TiO ₃ Powders Obtained by the Microwave-Assisted Hydrothermal Method. <i>International Journal of Applied Ceramic Technology</i> , 2012 , 9, 186-192	2	11
20	Relationship between Crystal Shape, Photoluminescence, and Local Structure in SrTiO ₃ Synthesized by Microwave-Assisted Hydrothermal Method. <i>Journal of Nanomaterials</i> , 2012 , 2012, 1-6	3.2	18
19	Influence of different solvents on the structural, optical and morphological properties of CdS nanoparticles. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 6880-6883	5.7	44
18	Radioluminescence properties of decaoctahedral BaZrO ₃ . <i>Scripta Materialia</i> , 2011 , 64, 118-121	5.6	31
17	Order-disorder degree of self-assembled clusters: Influence on photoluminescence emission and morphology of BaxSr _{1-x} TiO ₃ nanocrystals. <i>Chemical Physics Letters</i> , 2011 , 514, 301-306	2.5	9

16	BaZrO ₃ photoluminescence property: An ab initio analysis of structural deformation and symmetry changes. <i>International Journal of Quantum Chemistry</i> , 2011 , 111, 694-701	2.1	18
15	On the reversed crystal growth of BaZrO ₃ decaoctahedron: shape evolution and mechanism. <i>CrystEngComm</i> , 2011 , 13, 5818	3.3	39
14	Joint experimental and theoretical analysis of order-disorder effects in cubic BaZrO ₃ assembled nanoparticles under decaoctahedral shape. <i>Journal of Physical Chemistry A</i> , 2011 , 115, 4482-90	2.8	24
13	Morphology and Properties of (Ba, Sr, Ca) Titanates Synthesized by Microwave-Assisted Hydrothermal Method. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011 , 18, 062019	0.4	
12	An efficient microwave-assisted hydrothermal synthesis of BaZrO ₃ microcrystals: growth mechanism and photoluminescence emissions. <i>CrystEngComm</i> , 2010 , 12, 3612	3.3	64
11	CaTiO ₃ :Eu ³⁺ obtained by microwave assisted hydrothermal method: A photoluminescent approach. <i>Optical Materials</i> , 2010 , 32, 990-997	3.3	58
10	ZnO architectures synthesized by a microwave-assisted hydrothermal method and their photoluminescence properties. <i>Solid State Ionics</i> , 2010 , 181, 775-780	3.3	79
9	Photoluminescence of barium/calcium titanates obtained by the microwave-assisted hydrothermal method (MAH). <i>Chemical Physics Letters</i> , 2010 , 488, 54-56	2.5	18
8	First principles calculations on the origin of violet-blue and green light photoluminescence emission in SrZrO ₃ and SrTiO ₃ perovskites. <i>Theoretical Chemistry Accounts</i> , 2009 , 124, 385-394	1.9	63
7	High-efficient microwave synthesis and characterisation of SrSnO ₃ . <i>Chemical Engineering Journal</i> , 2009 , 155, 905-909	14.7	40
6	Photoluminescent behavior of SrZrO ₃ /SrTiO ₃ multilayer thin films. <i>Chemical Physics Letters</i> , 2009 , 473, 293-298	2.5	27
5	Structural and optical properties of CaTiO ₃ perovskite-based materials obtained by microwave-assisted hydrothermal synthesis: An experimental and theoretical insight. <i>Acta Materialia</i> , 2009 , 57, 5174-5185	8.4	157
4	Synthesis of Fine Micro-sized BaZrO ₃ Powders Based on a Decaoctahedron Shape by the Microwave-Assisted Hydrothermal Method. <i>Crystal Growth and Design</i> , 2009 , 9, 833-839	3.5	76
3	Hydrothermal Microwave: A New Route to Obtain Photoluminescent Crystalline BaTiO ₃ Nanoparticles. <i>Chemistry of Materials</i> , 2008 , 20, 5381-5387	9.6	147
2	Photoluminescence of barium titanate and barium zirconate in multilayer disordered thin films at room temperature. <i>Journal of Physical Chemistry A</i> , 2008 , 112, 8938-42	2.8	68
1	Crystal phase analysis of SnO ₂ -based varistor ceramic using the Rietveld method. <i>Materials Characterization</i> , 2006 , 57, 193-198	3.9	21