

Taizo Matsuki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2677794/publications.pdf>

Version: 2024-02-01

23
papers

2,775
citations

471061

17
h-index

713013

21
g-index

23
all docs

23
docs citations

23
times ranked

6371
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost-Effectiveness Analysis Update of the Adjuvanted Recombinant Zoster Vaccine in Japanese Older Adults. <i>Dermatology and Therapy</i> , 2022, 12, 1447-1467.	1.4	7
2	Risk of herpes zoster in the Japanese population with immunocompromising and chronic disease conditions: Results from a claims database cohort study, from 2005 to 2014. <i>Journal of Dermatology</i> , 2020, 47, 236-244.	0.6	11
3	Burden of Herpes Zoster in the Japanese Population with Immunocompromised/Chronic Disease Conditions: Results from a Cohort Study Claims Database from 2005-2014. <i>Dermatology and Therapy</i> , 2019, 9, 117-133.	1.4	23
4	Impact of rotavirus vaccination on the burden of acute gastroenteritis in Nagoya city, Japan. <i>Vaccine</i> , 2018, 36, 527-534.	1.7	16
5	Impact of Herpes Zoster and Post-Herpetic Neuralgia on Health-Related Quality of Life in Japanese Adults Aged 60 Years or Older: Results from a Prospective, Observational Cohort Study. <i>Clinical Drug Investigation</i> , 2018, 38, 29-37.	1.1	29
6	Disease severity and economic burden in Japanese patients with systemic lupus erythematosus: A retrospective, observational study. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1609-1618.	0.9	35
7	Burden of herpes zoster and postherpetic neuralgia in Japanese adults 60 years of age or older: Results from an observational, prospective, physician practice-based cohort study. <i>Journal of Dermatology</i> , 2017, 44, 414-422.	0.6	31
8	Economic Burden of Herpes Zoster and Post-Herpetic Neuralgia in Adults 60 Years of Age or Older: Results from a Prospective, Physician Practice-Based Cohort Study in Kushiro, Japan. <i>Drugs - Real World Outcomes</i> , 2017, 4, 187-198.	0.7	13
9	Deficiency of p62/Sequestosome 1 Causes Hyperphagia Due to Leptin Resistance in the Brain. <i>Journal of Neuroscience</i> , 2013, 33, 14767-14777.	1.7	55
10	Deficiency of Interleukin-1 Receptor Antagonist Induces Aortic Valve Disease in BALB/c Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 708-715.	1.1	66
11	TNF, but Not IL-6 and IL-17, Is Crucial for the Development of T Cell-Independent Psoriasis-Like Dermatitis in <i>IL1rn^{-/-}</i> Mice. <i>Journal of Immunology</i> , 2010, 185, 1887-1893.	0.4	36
12	Selective loss of GABA _B receptors in orexin-producing neurons results in disrupted sleep/wakefulness architecture. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 4459-4464.	3.3	115
13	Orexins and Orexin Receptors: From Molecules to Integrative Physiology. , 2008, 46, 27-55.		69
14	Selective loss of GABAB receptors in orexin/hypocretin-producing neurons results in disrupted sleep/wakefulness architecture. <i>Nature Precedings</i> , 2007, , .	0.1	0
15	Abnormal T cell activation caused by the imbalance of the IL-1/IL-1R antagonist system is responsible for the development of experimental autoimmune encephalomyelitis. <i>International Immunology</i> , 2006, 18, 399-407.	1.8	128
16	IL-17 Plays an Important Role in the Development of Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2006, 177, 566-573.	0.4	1,412
17	Involvement of Tumor Necrosis Factor- α in the Development of T Cell-Dependent Aortitis in Interleukin-1 Receptor Antagonist-Deficient Mice. <i>Circulation</i> , 2005, 112, 1323-1331.	1.6	42
18	Deficiency of Interleukin-1 Receptor Antagonist Deteriorates Fatty Liver and Cholesterol Metabolism in Hypercholesterolemic Mice. <i>Journal of Biological Chemistry</i> , 2005, 280, 7002-7009.	1.6	79

#	ARTICLE	IF	CITATIONS
19	Lack of Interleukin-1 Receptor Antagonist Modulates Plaque Composition in Apolipoprotein E α -Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 1068-1073.	1.1	149
20	TNF- α is crucial for the development of autoimmune arthritis in IL-1 receptor antagonist α -deficient mice. <i>Journal of Clinical Investigation</i> , 2004, 114, 1603-1611.	3.9	110
21	IL-1 Plays an Important Role in Lipid Metabolism by Regulating Insulin Levels under Physiological Conditions. <i>Journal of Experimental Medicine</i> , 2003, 198, 877-888.	4.2	194
22	Deficiency of Interleukin-1 Receptor Antagonist Promotes Neointimal Formation After Injury. <i>Circulation</i> , 2003, 108, 516-518.	1.6	97
23	Identification by Differential Display of a Hypertonicity-inducible Inward Rectifier Potassium Channel Highly Expressed in Chloride Cells. <i>Journal of Biological Chemistry</i> , 1999, 274, 11376-11382.	1.6	58