

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2678551/kadir-bilisik-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 papers	1,295 citations	19 h-index	31 g-index
101 ext. papers	1,493 ext. citations	2.2 avg, IF	5.74 L-index

#	Paper	IF	Citations
89	Three-dimensional braiding for composites: A review. <i>Textile Reseach Journal</i> , 2013 , 83, 1414-1436	1.7	146
88	Multiaxis three-dimensional weaving for composites: A review. <i>Textile Reseach Journal</i> , 2012 , 82, 725-743	1.7	107
87	Two-dimensional (2D) fabrics and three-dimensional (3D) preforms for ballistic and stabbing protection: A review. <i>Textile Reseach Journal</i> , 2017 , 87, 2275-2304	1.7	65
86	Multiaxis 3D Woven Preform and Properties of Multiaxis 3D Woven and 3D Orthogonal Woven Carbon/Epoxy Composites. <i>Journal of Reinforced Plastics and Composites</i> , 2010 , 29, 1173-1186	2.9	61
85	Properties of yarn pull-out in para-aramid fabric structure and analysis by statistical model. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011 , 42, 1930-1942	8.4	39
84	Three-dimensional fully interlaced woven preforms for composites. <i>Textile Reseach Journal</i> , 2013 , 83, 2060-2084	1.7	33
83	Structure-unit cell-based approach on three-dimensional representative braided preforms from four-step braiding: Experimental determination of effects of structure-process parameters on predetermined yarn path. <i>Textile Reseach Journal</i> , 2012 , 82, 220-241	1.7	31
82	Plant-Based Natural Fibre Reinforced Composites: A Review on Fabrication, Properties and Applications. <i>Coatings</i> , 2020 , 10, 973	2.9	30
81	Experimental characterization of multistitched two-dimensional (2D) woven E-glass/polyester composites under low-velocity impact load. <i>Journal of Composite Materials</i> , 2014 , 48, 2145-2162	2.7	29
80	Multiaxis 3D weaving: Comparison of developed two weaving methods (tube-rapier weaving versus tube-carrier weaving) and effects of bias yarn path to the preform properties. <i>Fibers and Polymers</i> , 2010 , 11, 104-114	2	29
79	Dimensional stability of multiaxis 3D-woven carbon preforms. <i>Journal of the Textile Institute</i> , 2010 , 101, 380-388	1.5	27
78	Three-dimensional axial braided preforms: experimental determination of effects of structure-process parameters on unit cell. <i>Textile Reseach Journal</i> , 2011 , 81, 2095-2116	1.7	26
77	Experimental determination of yarn pull-out properties of para-aramid (Kevlar®) woven fabric. <i>Journal of Industrial Textiles</i> , 2012 , 41, 201-221	1.6	25
76	Bending behavior of multilayered and multidirectional stitched aramid woven fabric structures. <i>Textile Reseach Journal</i> , 2011 , 81, 1748-1761	1.7	24
75	Flexural characterization of 3D prepreg/stitched carbon/epoxy/multiwalled carbon nanotube preforms and composites. <i>Journal of Composite Materials</i> , 2019 , 53, 563-577	2.7	21
74	Experimental determination of fabric shear by yarn pull-out method. <i>Textile Reseach Journal</i> , 2012 , 82, 1050-1064	1.7	20
73	Stick-slip behavior of para-aramid (Twaron®) fabric in yarn pull-out. <i>Textile Reseach Journal</i> , 2013 , 83, 13-33	1.7	17

72	Warp and weft directional tensile properties of multistitched woven fabric E-glass/polyester nano composites. <i>Fibers and Polymers</i> , 2014 , 15, 1051-1061	2	15
71	Shear characterization of para-aramid (Twaron®) fabric by yarn pull-out method. <i>Textile Research Journal</i> , 2012 , 82, 1442-1456	1.7	15
70	Experimental determination of bending behavior of multilayered and multidirectionally-stitched E-Glass fabric structures for composites. <i>Textile Research Journal</i> , 2012 , 82, 1038-1049	1.7	15
69	Fiber Architectures for Composite Applications 2016 , 75-134		15
68	Experimental off-axis tensile characterization of multistitched woven nano composites. <i>Fibers and Polymers</i> , 2014 , 15, 614-624	2	14
67	Experimental determination of fracture toughness properties of nanostitched and nanoprepreg carbon/epoxy composites. <i>Engineering Fracture Mechanics</i> , 2018 , 189, 293-306	4.2	14
66	Flexural behavior of 3D -aramid/phenolic/nano (MWCNT) composites.. <i>RSC Advances</i> , 2018 , 8, 7213-7224	3.7	13
65	Warp and weft directional tensile properties of multistitched biaxial woven E-glass/polyester composites. <i>Journal of the Textile Institute</i> , 2014 , 105, 1014-1028	1.5	13
64	Short beam strength properties of multistitched biaxial woven E-glass/polyester nano composites. <i>Journal of Industrial Textiles</i> , 2015 , 45, 199-221	1.6	12
63	Multiaxis Three Dimensional (3D) Woven Fabric 2011 ,		12
62	Compression after low-velocity impact (CAI) properties of multistitched composites. <i>Mechanics of Advanced Materials and Structures</i> , 2018 , 25, 623-636	1.8	11
61	Three-dimensional circular various weave patterns in woven preform structures. <i>Textile Research Journal</i> , 2014 , 84, 638-654	1.7	11
60	Multiaxis multilayered non-interlaced/non-Z E-glass/polyester preform and analysis of tensile properties of composite structures by statistical model. <i>Textile Research Journal</i> , 2012 , 82, 336-351	1.7	11
59	Mode-II toughness of nanostitched carbon/epoxy multiwall carbon nanotubes prepreg composites: Experimental investigation by using end notched flexure. <i>Journal of Composite Materials</i> , 2019 , 53, 4249-4271	2.7	10
58	Multiaxis three-dimensional circular woven preforms [Radial crossing weaving] and [Radial in/out weaving] preliminary investigation of feasibility of weaving and methods. <i>Journal of the Textile Institute</i> , 2010 , 101, 967-987	1.5	10
57	Short-beam shear of nanoprepreg/nanostitched three-dimensional carbon/epoxy multiwall carbon nanotube composites. <i>Journal of Composite Materials</i> , 2020 , 54, 311-329	2.7	10
56	Single and multiple yarn pull-out on E-glass woven fabric structures. <i>Textile Research Journal</i> , 2011 , 81, 2043-2055	1.7	9
55	Pull-out properties of polyester woven fabrics: Effects of softening agent and interlacement on single and multiple yarn pull-out forces and analysis by statistical model. <i>Fibers and Polymers</i> , 2011 , 12, 1106-1118	2	8

54	Tensile properties of nanoprepreg/nanostitched 3D carbon/epoxy MWCNTs composites. <i>Mechanics of Materials</i> , 2019 , 128, 11-23	3.3	8
53	A Review on the Production Methods and Applications of Graphene-Based Materials. <i>Nanomaterials</i> , 2021 , 11,	5.4	8
52	Mechanical characterization of flocked fabric for automobile seat cover. <i>Fibers and Polymers</i> , 2011 , 12, 111-120	2	7
51	Analysis and off-axis tensile characterization of air-entangled textured polyester woven fabrics depending on unit cell interlacing frequency. <i>Fibers and Polymers</i> , 2010 , 11, 805-811	2	7
50	3D Fabrics for Technical Textile Applications 2016 ,		7
49	In-plane response of para-aramid/phenolic nanostitched and nanoprepreg 3D composites under tensile loading. <i>Polymer Composites</i> , 2019 , 40, 1275-1286	3	7
48	Carbon nanotubes in carbon/epoxy multiscale textile preform composites: A review. <i>Polymer Composites</i> , 2021 , 42, 1670-1697	3	7
47	Three-dimensional nanoprepreg and nanostitched aramid/phenolic multiwall carbon nanotubes composites: Experimental determination of in-plane shear. <i>Journal of Composite Materials</i> , 2019 , 53, 4077-4096	2.7	6
46	In-plane shear of nanoprepreg/nanostitched three-dimensional carbon/epoxy multiwalled carbon nanotubes composites. <i>Journal of Composite Materials</i> , 2019 , 53, 3413-3431	2.7	6
45	Cartesian 3D braiding 2016 , 107-145		6
44	Fracture Toughness (Mode-I) of Para-Aramid/Phenolic Nano Preform Composites. <i>Applied Composite Materials</i> , 2018 , 25, 877-890	2	6
43	Off-axis tensile properties of multistitched plain woven E-glass/polyester composites. <i>Fibers and Polymers</i> , 2014 , 15, 589-598	2	6
42	Tensile/Shear Behaviour of Multi-stitched/Nano Composites. <i>Journal of Electronic Materials</i> , 2017 , 46, 3987-3994	1.9	6
41	Weft directional stick-slip force of yarn pullout in para-aramid fabric for ballistics. <i>Journal of Thermoplastic Composite Materials</i> , 2014 , 27, 1167-1191	1.9	6
40	Low-velocity impact characterization of multistitched woven E-glass/polyester nano/micro composites. <i>Textile Research Journal</i> , 2014 , 84, 1411-1427	1.7	6
39	Effect of weaving process on tensile characterization of single and multiple ends of air-entangled textured polyester yarns. <i>Fibers and Polymers</i> , 2011 , 12, 376-383	2	6
38	In-plane shear properties of para-aramid (Kevlar®) fabric by yarn pull-out method. <i>Journal of Industrial Textiles</i> , 2012 , 42, 76-96	1.6	6
37	Analysis and tensile characterization of air-entangled textured polyester woven fabrics depending on interlacement and yarn sets. <i>Fibers and Polymers</i> , 2011 , 12, 390-398	2	5

36	Effect of Fabric Weave on Stick-Slip Properties of Woven Fabrics. <i>Autex Research Journal</i> , 2014 , 14, 205-217	5
35	Graphene nanocomposites: A review on processes, properties, and applications. <i>Journal of Industrial Textiles</i> , 152808372110242	1.6 5
34	Warp/weft directional bending properties of multistitched biaxial woven E-glass/polyester nano composites. <i>Journal of Industrial Textiles</i> , 2015 , 45, 66-100	1.6 4
33	Characterization of multi-stitched woven nano composites under compression after low velocity impact (CALVI) load. <i>Polymer Composites</i> , 2018 , 39, 3750-3764	3 4
32	Properties of stick-slip stage of yarn pull-out in para-aramid woven fabric. <i>Fibers and Polymers</i> , 2013 , 14, 630-638	2 4
31	Analyses and statistical modeling of crimp extension stage of single and multiple yarn ends pull-out in textured polyester woven fabric. <i>Journal of Industrial Textiles</i> , 2013 , 42, 319-339	1.6 4
30	Analysis and tensile characterization of flocked fabric after rubbing. <i>Journal of the Textile Institute</i> , 2011 , 102, 808-822	1.5 4
29	In-plane shear properties of polyester satin fabric by yarn pull-out method. <i>Textile Research Journal</i> , 2012 , 82, 1263-1281	1.7 4
28	Mode-II fracture of nanostitched para-aramid/phenolic nanoprepreg composites by end-notched flexure. <i>Journal of Composite Materials</i> , 2020 , 54, 3537-3557	2.7 4
27	Multiaxis three-dimensional (3D) glass fiber preform/cementitious matrix concrete composites: Experimental characterizations by panel test. <i>Cement and Concrete Composites</i> , 2021 , 119, 104020	8.6 4
26	Multiaxis three dimensional (3D) carbon and basalt preforms/cementitious matrix concretes: Experimental study on fiber orientation and placement by panel test. <i>Construction and Building Materials</i> , 2021 , 271, 121863	6.7 4
25	Applications of Glass Fibers in 3D Preform Composites 2018 ,	4
24	Impact-resistant fabrics (ballistic/stabbing/slashing/spike) 2018 , 377-434	3
23	Graphene nanoplatelets/epoxy nanocomposites: A review on functionalization, characterization techniques, properties, and applications. <i>Journal of Reinforced Plastics and Composites</i> , 073168442110492	2.9 3
22	Plain para-aramid/phenolic multiwall carbon nanotubes prepreg/multistitched preform composites: Experimental characterization of mode-I toughness. <i>Journal of Composite Materials</i> , 2019 , 53, 1847-1864	2.7 3
21	Characterizations of stick-slip stage of yarn pull-out in dry and softening treated polyester plain woven fabric. <i>Fibers and Polymers</i> , 2013 , 14, 1358-1371	2 2
20	Analysis and tensile-tear properties of abraded denim fabrics depending on pattern relations using statistical and artificial neural network models. <i>Fibers and Polymers</i> , 2011 , 12, 422-430	2 2
19	Dimensional and mechanical characterization of newly developed denim fabrics based on experimentally determined property-structural pattern relations for upholstery applications. <i>Fibers and Polymers</i> , 2010 , 11, 521-530	2 2

18	Applications of Braided Structures in Transportation 2015 , 255-295		2
17	Stick-slip properties of single and multiple yarn pull-out in dry and softening treated polyester satin woven fabrics in boundary region. <i>International Journal of Clothing Science and Technology</i> , 2014 , 26, 67-95	0.7	1
16	Determination of para-aramid single fabric shear by yarn pull-out and analysis by statistical model. <i>Fibers and Polymers</i> , 2013 , 14, 603-615	2	1
15	Analysis and in-plane shear characterization of polyester plain fabric by yarn pull-out method. <i>Fibers and Polymers</i> , 2013 , 14, 473-481	2	1
14	Development Of Multistitched Three-Dimensional (3D) Nanocomposite And Evaluation Of Its Mechanical And Impact Properties. <i>Autex Research Journal</i> , 2017 , 17, 238-249	1	1
13	Effects of sample dimensions on pull-out properties of woven fabric structures. <i>Fibers and Polymers</i> , 2012 , 13, 1326-1334	2	1
12	Determination of stick-slip stage of single and multiple yarn ends pull-out in para-aramid (Kevlar®) woven fabric. <i>Journal of Industrial Textiles</i> , 2013 , 43, 90-115	1.6	1
11	Braiding and Recent Developments 2019 , 131-152		1
10	Fracture Toughness (Mode-II) of Nanostitched Composites. <i>Procedia Structural Integrity</i> , 2019 , 21, 146-153		1
9	Interlaminar shear properties of nanostitched/nanoprepreg aramid/phenolic composites by short beam method. <i>Journal of Composite Materials</i> , 2019 , 53, 2941-2957	2.7	1
8	Protective textiles in defence and ballistic protective clothing 2022 , 689-749		1
7	Developments of Multi-nanostitched 3D Carbon/epoxy Nanocomposites: Tensile/shear and Interlaminar Properties. <i>Applied Composite Materials</i> , 1	2	0
6	Polymer nanocomposites based on graphite nanoplatelets (GNPs): a review on thermal-electrical conductivity, mechanical and barrier properties. <i>Journal of Materials Science</i> , 2022 , 57, 7425-7480	4.3	0
5	In-plane shear properties of multistitched nano composites by bias tensile test. <i>Fibers and Polymers</i> , 2015 , 16, 2636-2644	2	
4	In-Plane Shear and Interlaminar Fracture Toughness Properties of MWCNT stitch Para-aramid/Phenolic Nanocomposites. <i>Procedia Structural Integrity</i> , 2022 , 35, 210-218	1	
3	Bioprocessing of natural textile fibres and clothes 2021 , 221-262		
2	Tensile characterization of 3D nanostitched p-aramid/phenolic MWCNTs composites. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 406, 012032	0.4	
1	Aramid fiber reinforced composites 2021 , 515-559		

