

Harish Poptani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2678713/publications.pdf>

Version: 2024-02-01

120
papers

5,818
citations

87888

38
h-index

85541

71
g-index

123
all docs

123
docs citations

123
times ranked

7477
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing Tumour Haemodynamic Heterogeneity and Response to Choline Kinase Inhibition Using Clustered Dynamic Contrast Enhanced MRI Parameters in Rodent Models of Glioblastoma. <i>Cancers</i> , 2022, 14, 1223.	3.7	3
2	Differentiating Nonenhancing Grade II Gliomas from Grade III Gliomas Using Diffusion Tensor Imaging and Dynamic Susceptibility Contrast MRI. <i>World Neurosurgery</i> , 2021, 146, e555-e564.	1.3	2
3	High-frequency electrical properties tomography at 9.4T as a novel contrast mechanism for brain tumors. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 382-392.	3.0	11
4	Physiological Imaging Methods for Evaluating Response to Immunotherapies in Glioblastomas. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3867.	4.1	13
5	Pharmacological Activation of Nrf2 Enhances Functional Liver Regeneration. <i>Hepatology</i> , 2021, 74, 973-986.	7.3	29
6	Measuring Kidney Perfusion, pH, and Renal Clearance Consecutively Using MRI and Multispectral Optoacoustic Tomography. <i>Molecular Imaging and Biology</i> , 2020, 22, 494-503.	2.6	13
7	Global CNS correction in a large brain model of human alpha-mannosidosis by intravascular gene therapy. <i>Brain</i> , 2020, 143, 2058-2072.	7.6	14
8	Diffusion kurtosis imaging for characterizing tumor heterogeneity in an intracranial rat glioblastoma model. <i>NMR in Biomedicine</i> , 2020, 33, e4386.	2.8	3
9	Prediction of distant metastases in patients with squamous cell carcinoma of head and neck using DWI and DCE-MRI. <i>Head and Neck</i> , 2020, 42, 3295-3306.	2.0	6
10	Diffusion- and Perfusion-Weighted Magnetic Resonance Imaging Methods in Nonenhancing Gliomas. <i>World Neurosurgery</i> , 2020, 141, 123-130.	1.3	9
11	Does the application of diffusion weighted imaging improve the prediction of survival in patients with resected brain metastases? A retrospective multicenter study. <i>Cancer Imaging</i> , 2020, 20, 16.	2.8	8
12	Multiparametric MRI: practical approach and pictorial review of a useful tool in the evaluation of brain tumours and tumour-like lesions. <i>Insights Into Imaging</i> , 2020, 11, 84.	3.4	42
13	Imaging of cancer lipid metabolism in response to therapy. <i>NMR in Biomedicine</i> , 2019, 32, e4070.	2.8	10
14	Methodological consensus on clinical proton MRS of the brain: Review and recommendations. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 527-550.	3.0	280
15	Detection of occult neoplastic infiltration in the corpus callosum and prediction of overall survival in patients with glioblastoma using diffusion tensor imaging. <i>European Journal of Radiology</i> , 2019, 112, 106-111.	2.6	16
16	Three-dimensional echo planar spectroscopic imaging for differentiation of true progression from pseudoprogression in patients with glioblastoma. <i>NMR in Biomedicine</i> , 2019, 32, e4042.	2.8	38
17	Multiparametric magnetic resonance imaging in the assessment of anti-EGFRvIII chimeric antigen receptor T cell therapy in patients with recurrent glioblastoma. <i>British Journal of Cancer</i> , 2019, 120, 54-56.	6.4	27
18	<i>In vivo</i> fate of free and encapsulated iron oxide nanoparticles after injection of labelled stem cells. <i>Nanoscale Advances</i> , 2019, 1, 367-377.	4.6	16

#	ARTICLE	IF	CITATIONS
19	Differentiation of brain infection from necrotic glioblastoma using combined analysis of diffusion and perfusion MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 184-194.	3.4	17
20	Measurement of blood-brain barrier permeability using dynamic contrast-enhanced magnetic resonance imaging with reduced scan time. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 1686-1696.	3.0	7
21	A convolutional neural network to filter artifacts in spectroscopic MRI. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 1765-1775.	3.0	67
22	Dynamic Contrast-Enhanced MRI-Derived Intracellular Water Lifetime ($T_{1\rho}$): A Prognostic Marker for Patients with Head and Neck Squamous Cell Carcinomas. <i>American Journal of Neuroradiology</i> , 2018, 39, 138-144.	2.4	24
23	Magnetic Resonance Imaging for Characterization of a Chick Embryo Model of Cancer Cell Metastases. <i>Molecular Imaging</i> , 2018, 17, 153601211880958.	1.4	19
24	Non-invasive imaging reveals conditions that impact distribution and persistence of cells after in vivo administration. <i>Stem Cell Research and Therapy</i> , 2018, 9, 332.	5.5	66
25	Linking spatial gene expression patterns to sex-specific brain structural changes on a mouse model of 16p11.2 hemideletion. <i>Translational Psychiatry</i> , 2018, 8, 109.	4.8	43
26	Noninvasive imaging of nanoparticle-labeled transplant populations within polymer matrices for neural cell therapy. <i>Nanomedicine</i> , 2018, 13, 1333-1348.	3.3	2
27	Non-uniformly weighted sampling for faster localized two-dimensional correlated spectroscopy of the brain in vivo. <i>Journal of Magnetic Resonance</i> , 2017, 277, 104-112.	2.1	8
28	Preclinical imaging methods for assessing the safety and efficacy of regenerative medicine therapies. <i>Npj Regenerative Medicine</i> , 2017, 2, 28.	5.2	47
29	Dynamic and accurate assessment of acetaminophen-induced hepatotoxicity by integrated photoacoustic imaging and mechanistic biomarkers in vivo. <i>Toxicology and Applied Pharmacology</i> , 2017, 332, 64-74.	2.8	20
30	Creatine CEST MRI for Differentiating Gliomas with Different Degrees of Aggressiveness. <i>Molecular Imaging and Biology</i> , 2017, 19, 225-232.	2.6	45
31	Magnetic Resonance Spectroscopy for Detection of 2-Hydroxyglutarate as a Biomarker for IDH Mutation in Gliomas. <i>Metabolites</i> , 2017, 7, 29.	2.9	48
32	Near infrared fluorescent imaging of choline kinase alpha expression and inhibition in breast tumors. <i>Oncotarget</i> , 2017, 8, 16518-16530.	1.8	21
33	Non-invasive detection of 2-hydroxyglutarate in IDH-mutated gliomas using two-dimensional localized correlation spectroscopy (2D L-COSY) at 7 Tesla. <i>Journal of Translational Medicine</i> , 2016, 14, 274.	4.4	35
34	Assessment of early response to tumor-treating fields in newly diagnosed glioblastoma using physiologic and metabolic MRI: initial experience. <i>CNS Oncology</i> , 2016, 5, 137-144.	3.0	18
35	Imaging technologies for monitoring the safety, efficacy and mechanisms of action of cell-based regenerative medicine therapies in models of kidney disease. <i>European Journal of Pharmacology</i> , 2016, 790, 74-82.	3.5	25
36	Co-precipitation of DEAE-dextran coated SPIONs: how synthesis conditions affect particle properties, stem cell labelling and MR contrast. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 362-370.	0.8	24

#	ARTICLE	IF	CITATIONS
37	Evaluating the effectiveness of transferrin receptor-1 (TfR1) as a magnetic resonance reporter gene. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 236-244.	0.8	25
38	Development of Multifunctional Magnetic Nanoparticles for Genetic Engineering and Tracking of Neural Stem Cells. <i>Advanced Healthcare Materials</i> , 2016, 5, 841-849.	7.6	27
39	Diffusion Tensor Imaging for Assessing Brain Gray and White Matter Abnormalities in a Feline Model of α -Mannosidosis. <i>Journal of Neuropathology and Experimental Neurology</i> , 2016, 75, 35-43.	1.7	14
40	Differentiating Tumor Progression from Pseudoprogression in Patients with Glioblastomas Using Diffusion Tensor Imaging and Dynamic Susceptibility Contrast MRI. <i>American Journal of Neuroradiology</i> , 2016, 37, 28-36.	2.4	116
41	CEST signal at 2 ppm (CEST@2ppm) from Z-spectral fitting correlates with creatine distribution in brain tumor. <i>NMR in Biomedicine</i> , 2015, 28, 1-8.	2.8	180
42	Magnetic Resonance Spectroscopy for Detection of Choline Kinase Inhibition in the Treatment of Brain Tumors. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 899-908.	4.1	31
43	Prognostic Value of Dynamic Susceptibility Contrast-Enhanced and Diffusion-Weighted MR Imaging in Patients with Glioblastomas. <i>American Journal of Neuroradiology</i> , 2015, 36, 1247-1252.	2.4	28
44	Radiation Injury to the Normal Brain Measured by 3D Echo-Planar Spectroscopic Imaging and Diffusion Tensor Imaging: Initial Experience. <i>Journal of Neuroimaging</i> , 2015, 25, 97-104.	2.0	35
45	High Resolution Magnetic Resonance Imaging for Characterization of the Neuroligin-3 Knock-in Mouse Model Associated with Autism Spectrum Disorder. <i>PLoS ONE</i> , 2014, 9, e109872.	2.5	36
46	High-Resolution Magnetic Resonance Microscopy and Diffusion Tensor Imaging to Assess Brain Structural Abnormalities in the Murine Mucopolysaccharidosis VII Model. <i>Journal of Neuropathology and Experimental Neurology</i> , 2014, 73, 39-49.	1.7	14
47	Extraventricular Neurocytoma and Ganglioneurocytoma: Advanced MR Imaging, Histopathological, and Chromosomal Findings. <i>Journal of Neuroimaging</i> , 2014, 24, 613-616.	2.0	11
48	Clinical Proton MR Spectroscopy in Central Nervous System Disorders. <i>Radiology</i> , 2014, 270, 658-679.	7.3	524
49	Quantitative, noninvasive, in vivo longitudinal monitoring of gene expression in the brain by co-AAV transduction with a PET reporter gene. <i>Molecular Therapy - Methods and Clinical Development</i> , 2014, 1, 14016.	4.1	8
50	Tongue Fat and its Relationship to Obstructive Sleep Apnea. <i>Sleep</i> , 2014, 37, 1639-1648.	1.1	268
51	Implementation of two-dimensional L^{∞} COSY at 7 tesla: An investigation of reproducibility in human brain. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 1319-1327.	3.4	14
52	In vivo Magnetic Resonance Imaging of Tumor Protease Activity. <i>Scientific Reports</i> , 2014, 4, 6081.	3.3	57
53	Morphologic MRI features, diffusion tensor imaging and radiation dosimetric analysis to differentiate pseudo-progression from early tumor progression. <i>Journal of Neuro-Oncology</i> , 2013, 112, 413-420.	2.9	31
54	Impact of transvascular and cellular interstitial water exchange on dynamic contrast-enhanced magnetic resonance imaging estimates of blood to tissue transfer constant and blood plasma volume. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 435-444.	3.4	16

#	ARTICLE	IF	CITATIONS
55	Noninvasive Phosphorus Magnetic Resonance Spectroscopic Imaging Predicts Outcome to First-line Chemotherapy in Newly Diagnosed Patients with Diffuse Large B-Cell Lymphoma. <i>Academic Radiology</i> , 2013, 20, 1122-1129.	2.5	9
56	MR spectroscopy of head and neck cancer. <i>European Journal of Radiology</i> , 2013, 82, 982-989.	2.6	82
57	Pretreatment Diffusion-Weighted and Dynamic Contrast-Enhanced MRI for Prediction of Local Treatment Response in Squamous Cell Carcinomas of the Head and Neck. <i>American Journal of Roentgenology</i> , 2013, 200, 35-43.	2.2	133
58	Advanced MR Imaging Techniques in the Evaluation of Nonenhancing Gliomas: Perfusion-Weighted Imaging Compared with Proton Magnetic Resonance Spectroscopy and Tumor Grade. <i>Neuroradiology Journal</i> , 2013, 26, 531-541.	1.2	37
59	Whole-Brain Analysis of Amyotrophic Lateral Sclerosis by Using Echo-Planar Spectroscopic Imaging. <i>Radiology</i> , 2013, 267, 851-857.	7.3	40
60	Determination of Grade and Subtype of Meningiomas by Using Histogram Analysis of Diffusion-Tensor Imaging Metrics. <i>Radiology</i> , 2012, 262, 584-592.	7.3	67
61	Frontal lobe abnormalities on MRS correlate with poor letter fluency in ALS. <i>Neurology</i> , 2012, 79, 583-588.	1.1	32
62	Mechanisms of blood flow and hypoxia production in rat 9L-epigastric tumors. <i>Tumor Microenvironment and Therapy</i> , 2012, 1, 1-13.	1.2	23
63	Prediction and Early Detection of Response by NMR Spectroscopy and Imaging. <i>PET Clinics</i> , 2012, 7, 119-126.	3.0	2
64	Longitudinal in-vivo diffusion tensor imaging for assessing brain developmental changes in BALB/c mice, a model of reduced sociability relevant to autism. <i>Brain Research</i> , 2012, 1455, 56-67.	2.2	32
65	Association between sociability and diffusion tensor imaging in BALB/c mice. <i>NMR in Biomedicine</i> , 2012, 25, 104-112.	2.8	15
66	Diffusion Weighted Imaging in Predicting Progression Free Survival in Patients with Squamous Cell Carcinomas of the Head and Neck Treated with Induction Chemotherapy. <i>Academic Radiology</i> , 2011, 18, 1225-1232.	2.5	32
67	Role of Diffusion Tensor Imaging in Differentiation of Glioblastomas from Solitary Brain Metastases. , 2011, , 113-121.		0
68	Diffusion Tensor Imaging of the Corticospinal Tract in Patients with Brain Neoplasms. <i>Magnetic Resonance in Medical Sciences</i> , 2011, 10, 239-243.	2.0	17
69	Neuroimaging in Amyotrophic Lateral Sclerosis. <i>Neurotherapeutics</i> , 2011, 8, 63-71.	4.4	44
70	MR-visible lipids and the tumor microenvironment. <i>NMR in Biomedicine</i> , 2011, 24, 592-611.	2.8	134
71	NMR Metabolic and Physiological Markers of Therapeutic Response. <i>Advances in Experimental Medicine and Biology</i> , 2011, 701, 129-135.	1.6	4
72	Diffusion Tensor Imaging in Rat Models of Invasive Brain Tumors. , 2011, , 131-144.		0

#	ARTICLE	IF	CITATIONS
73	Proton Magnetic Resonance Spectroscopy in Differentiating Glioblastomas From Primary Cerebral Lymphomas and Brain Metastases. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 836-841.	0.9	67
74	Characteristic MR spectroscopy in fucosidosis: in vitro investigation. <i>Pediatric Radiology</i> , 2010, 40, 1446-1449.	2.0	9
75	Quantitative proton magnetic resonance spectroscopy detects abnormalities in dorsolateral prefrontal cortex and motor cortex of patients with frontotemporal lobar degeneration. <i>Journal of Neurology</i> , 2010, 257, 114-121.	3.6	14
76	Magnetic resonance spectroscopy of the occipital cortex and the cerebellar vermis distinguishes individual cats affected with alpha-mannosidosis from normal cats. <i>NMR in Biomedicine</i> , 2010, 23, 74-79.	2.8	21
77	Early detection of radiation therapy response in non-Hodgkin's lymphoma xenografts by ¹ H magnetic resonance spectroscopy and imaging. <i>NMR in Biomedicine</i> , 2010, 23, 624-632.	2.8	39
78	Dynamic susceptibility contrast perfusion weighted imaging in grading of nonenhancing astrocytomas. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 803-808.	3.4	37
79	Effects of cardiac pulsation in diffusion tensor imaging of the rat brain. <i>Journal of Neuroscience Methods</i> , 2010, 194, 116-121.	2.5	7
80	Role of Proton Magnetic Resonance Spectroscopy in Differentiating Oligodendrogliomas from Astrocytomas. <i>Journal of Neuroimaging</i> , 2010, 20, 3-8.	2.0	30
81	EGFR Targeted Fluorescence Imaging in Gliomas. <i>Academic Radiology</i> , 2010, 17, 1-2.	2.5	4
82	Detection of lactate with a hadamard slice selected, selective multiple quantum coherence, chemical shift imaging sequence (HDMSelMQCCSI) on a clinical MRI scanner: Application to tumors and muscle ischemia. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 1404-1413.	3.0	29
83	¹ H MRS of WSUΔLCL2 human non-Hodgkin's lymphoma xenografts: response to rituximab and rituximab plus CHOP. <i>NMR in Biomedicine</i> , 2009, 22, 259-265.	2.8	16
84	Enhanced delineation of white matter structures of the fixed mouse brain using Gd-DTPA in microscopic MRI. <i>NMR in Biomedicine</i> , 2009, 22, 303-309.	2.8	27
85	Magnetic resonance perfusion-weighted imaging defines angiogenic subtypes of oligodendroglioma according to p19q and EGFR status. <i>Journal of Neuro-Oncology</i> , 2009, 92, 373-386.	2.9	60
86	Proton and Phosphorous MR Spectroscopy in Squamous Cell Carcinomas of the Head and Neck. <i>Academic Radiology</i> , 2009, 16, 1366-1372.	2.5	20
87	Diffusion-weighted imaging in head and neck cancers. <i>Future Oncology</i> , 2009, 5, 959-975.	2.4	82
88	Diffusion-Weighted Magnetic Resonance Imaging for Predicting and Detecting Early Response to Chemoradiation Therapy of Squamous Cell Carcinomas of the Head and Neck. <i>Clinical Cancer Research</i> , 2009, 15, 986-994.	7.0	363
89	Differentiation between glioblastomas and solitary brain metastases using diffusion tensor imaging. <i>NeuroImage</i> , 2009, 44, 653-660.	4.2	141
90	Quantitative Estimation of Dynamic Contrast Enhanced MRI Parameters in Rat Brain Gliomas Using a Dual Surface Coil System. <i>Academic Radiology</i> , 2009, 16, 341-350.	2.5	8

#	ARTICLE	IF	CITATIONS
91	Diffusion tensor MRI in rat models of invasive and well-demarcated brain tumors. NMR in Biomedicine, 2008, 21, 208-216.	2.8	48
92	<i>In vivo</i> MRS markers of response to CHOP chemotherapy in the WSU DLCL2 human diffuse large B-cell lymphoma xenograft. NMR in Biomedicine, 2008, 21, 723-733.	2.8	32
93	Monitoring response to chemotherapy of non-Hodgkin's lymphoma xenografts by T ₂ -weighted and diffusion-weighted MRI. NMR in Biomedicine, 2008, 21, 1021-1029.	2.8	48
94	Automatic correction of in-plane bulk motion artifacts in self-navigated radial MRI. Magnetic Resonance Imaging, 2008, 26, 367-378.	1.8	7
95	Magnetic Resonance Imaging Detects Differences in Migration Between Primary and Immortalized Neural Stem Cells. Academic Radiology, 2008, 15, 1269-1281.	2.5	30
96	Transplantation and Magnetic Resonance Imaging of Canine Neural Progenitor Cell Grafts in the Postnatal Dog Brain. Journal of Neuropathology and Experimental Neurology, 2008, 67, 954-962.	1.7	10
97	Anatomic, Physiologic and Metabolic Imaging in Neuro-Oncology. Cancer Treatment and Research, 2008, 143, 3-42.	0.5	8
98	Intraaxial Brain Masses: MR Imaging-based Diagnostic Strategy Initial Experience. Radiology, 2007, 243, 539-550.	7.3	207
99	In Vivo Monitoring Response to Chemotherapy of Human Diffuse Large B-Cell Lymphoma Xenografts in SCID Mice by ¹ H and ³¹ P MRS. Academic Radiology, 2007, 14, 1531-1539.	2.5	25
100	Detection of Human Immunodeficiency Virus-induced Inflammation and Oxidative Stress in Lenticular Nuclei With Magnetic Resonance Spectroscopy Despite Antiretroviral Therapy. Archives of Neurology, 2007, 64, 1249.	4.5	43
101	Transcytolemmal water exchange in pharmacokinetic analysis of dynamic contrast-enhanced MRI data in squamous cell carcinoma of the head and neck. Journal of Magnetic Resonance Imaging, 2007, 26, 1607-1617.	3.4	57
102	Molecular Imaging of Gene Therapy for Neurogenetic Diseases. , 2006, , 335-350.		2
103	Actinomycotic brain infection: registered diffusion, perfusion MR imaging and MR spectroscopy. Neuroradiology, 2006, 48, 346-350.	2.2	25
104	Amyotrophic Lateral Sclerosis: Diffusion-Tensor and Chemical Shift MR Imaging at 3.0 T. Radiology, 2006, 239, 831-838.	7.3	95
105	Structure-Specific Patterns of Neural Stem Cell Engraftment After Transplantation in the Adult Mouse Brain. Human Gene Therapy, 2006, 17, 693-704.	2.7	41
106	MR techniques for in vivo molecular and cellular imaging. Radiologic Clinics of North America, 2005, 43, 205-220.	1.8	44
107	Increases in NMR-visible lipid and glycerophosphocholine during phenylbutyrate-induced apoptosis in human prostate cancer cells. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2005, 1734, 1-12.	2.4	79
108	2D CSI H1 MR spectroscopy of cerebral metabolites in HIV associated dementia (HAD). Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S350-S350.	4.3	0

#	ARTICLE	IF	CITATIONS
109	High-resolution assessment of blood flow in murine RIF-1 tumors by monitoring uptake of H217O with proton T1 ρ -weighted imaging. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 1-6.	3.0	27
110	Detecting early response to cyclophosphamide treatment of RIF-1 tumors using selective multiple quantum spectroscopy (SelMQC) and dynamic contrast enhanced imaging. <i>NMR in Biomedicine</i> , 2003, 16, 102-111.	2.8	31
111	Cyclophosphamide treatment modifies tumor oxygenation and glycolytic rates of RIF-1 tumors: ¹³ C magnetic resonance spectroscopy, Eppendorf electrode, and redox scanning. <i>Cancer Research</i> , 2003, 63, 8813-20.	0.9	23
112	Prediction of Treatment Response of Head and Neck Cancers with P-31 MR Spectroscopy from Pretreatment Relative Phosphomonoester Levels. <i>Academic Radiology</i> , 2002, 9, 688-694.	2.5	38
113	T1 ρ -Imaging of Murine Brain Tumors at 4 T. <i>Academic Radiology</i> , 2001, 8, 42-47.	2.5	44
114	Lactate editing and lipid suppression by continuous wavelet transform analysis: Application to simulated and ¹ H MRS brain tumor time-domain data. <i>Magnetic Resonance in Medicine</i> , 2000, 43, 649-656.	3.0	18
115	¹ H MRS detects polyunsaturated fatty acid accumulation during gene therapy of glioma: Implications for the in vivo detection of apoptosis. <i>Nature Medicine</i> , 1999, 5, 1323-1327.	30.7	249
116	Diagnostic assessment of brain tumours and non-neoplastic brain disorders in vivo using proton nuclear magnetic resonance spectroscopy and artificial neural networks. <i>Journal of Cancer Research and Clinical Oncology</i> , 1999, 125, 343-349.	2.5	79
117	Role of In Vivo Proton Magnetic Resonance Spectroscopy in the Diagnosis and Management of Brain Abscesses. <i>Neurosurgery</i> , 1998, 42, 37-43.	1.1	103
118	Finger printing of mycobacterium tuberculosis in patients with intracranial tuberculomas by using in vivo, ex vivo, and in vitro magnetic resonance spectroscopy. <i>Magnetic Resonance in Medicine</i> , 1996, 36, 829-833.	3.0	67
119	Cystic intracranial mass lesions: Possible role of in vivo MR spectroscopy in its differential diagnosis. <i>Magnetic Resonance Imaging</i> , 1995, 13, 1019-1029.	1.8	100
120	Brain metabolite changes on in vivo proton magnetic resonance spectroscopy in children with congenital hypothyroidism. <i>Journal of Pediatrics</i> , 1995, 126, 389-392.	1.8	45