## Marvin Wickens

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2678836/publications.pdf

Version: 2024-02-01

61857 54797 7,594 91 43 84 citations h-index g-index papers 100 100 100 4761 docs citations times ranked citing authors all docs

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | A PUF family portrait: 3′UTR regulation as a way of life. Trends in Genetics, 2002, 18, 150-157.   | 2.9  | 565       |
| 2  | CONTROL OF TRANSLATION INITIATION IN ANIMALS. Annual Review of Cell and Developmental Biology, 1998, 14, 399-458.  | 4.0  | 478       |
| 3  | A conserved RNA-binding protein controls germline stem cells in Caenorhabditis elegans. Nature, 2002, 417, 660-663.                                      | 13.7 | 393       |
| 4  | Multifunctional deadenylase complexes diversify mRNA control. Nature Reviews Molecular Cell Biology, 2008, 9, 337-344.                                   | 16.1 | 359       |
| 5  | Life and death in the cytoplasm: messages from the 3′ end. Current Opinion in Genetics and Development, 1997, 7, 220-232.                                | 1.5  | 329       |
| 6  | PUF proteins bind Pop2p to regulate messenger RNAs. Nature Structural and Molecular Biology, 2006, 13, 533-539.  | 3.6  | 278       |
| 7  | A regulatory cytoplasmic poly(A) polymerase in Caenorhabditis elegans. Nature, 2002, 419, 312-316.   | 13.7 | 272       |
| 8  | NANOS-3 and FBF proteins physically interact to control the sperm–oocyte switch in Caenorhabditis elegans. Current Biology, 1999, 9, 1009-1018.          | 1.8  | 247       |
| 9  | Polyadenylation of c-mos mRNA as a control point in Xenopus meiotic maturation. Nature, 1995, 374, 511-516.  | 13.7 | 233       |
| 10 | FBF-1 and FBF-2 Regulate the Size of the Mitotic Region in the C. elegans Germline. Developmental Cell, 2004, 7, 697-707.                                | 3.1  | 167       |
| 11 | PUF Protein-mediated Deadenylation Is Catalyzed by Ccr4p. Journal of Biological Chemistry, 2007, 282, 109-114.   | 1.6  | 141       |
| 12 | CPEB proteins control two key steps in spermatogenesis in C. elegans. Genes and Development, 2000, 14, 2596-2609.  | 2.7  | 139       |
| 13 | GLD-3, a Bicaudal-C Homolog that Inhibits FBF to Control Germline Sex Determination in C. elegans. Developmental Cell, 2002, 3, 697-710.                 | 3.1  | 133       |
| 14 | Mammalian GLD-2 homologs are poly(A) polymerases. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 4407-4412. | 3.3  | 128       |
| 15 | Analyzing mRNA–protein complexes using a yeast three-hybrid system. Methods, 2002, 26, 123-141.  | 1.9  | 125       |
| 16 | A family of poly(U) polymerases. Rna, 2007, 13, 860-867.   | 1.6  | 124       |
| 17 | RNA-protein interactions in the yeast three-hybrid system: Affinity, sensitivity, and enhanced library screening. Rna, 2005, 11, 227-233.                | 1.6  | 121       |
| 18 | FBF and Its Dual Control of <i>gld-1</i> Expression in the <i>Caenorhabditis elegans</i> Germline. Genetics, 2009, 181, 1249-1260.                       | 1.2  | 119       |

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 19 | Binding specificity and mRNA targets of a C. elegans PUF protein, FBF-1. Rna, 2005, 11, 447-458.   | 1.6  | 116       |
| 20 | Conserved Regulation of MAP Kinase Expression by PUF RNA-Binding Proteins. PLoS Genetics, 2007, 3, e233.   | 1.5  | 114       |
| 21 | Translational Repression by Deadenylases. Journal of Biological Chemistry, 2010, 285, 28506-28513.   | 1.6  | 114       |
| 22 | PAP- and GLD-2-type poly(A) polymerases are required sequentially in cytoplasmic polyadenylation and oogenesis in <i>Drosophila</i> i>Development (Cambridge), 2008, 135, 1969-1979.                     | 1.2  | 113       |
| 23 | Structural basis for specific recognition of multiple mRNA targets by a PUF regulatory protein. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 20186-20191. | 3.3  | 109       |
| 24 | Cooperativity in RNA-Protein Interactions: Global Analysis of RNA Binding Specificity. Cell Reports, 2012, 1, 570-581.   | 2.9  | 106       |
| 25 | A single spacer nucleotide determines the specificities of two mRNA regulatory proteins. Nature Structural and Molecular Biology, 2005, 12, 945-951.   | 3.6  | 97        |
| 26 | Vertebrate GLD2 poly(A) polymerases in the germline and the brain. Rna, 2005, 11, 1117-1130.   | 1.6  | 91        |
| 27 | poly(UG)-tailed RNAs in genome protection and epigenetic inheritance. Nature, 2020, 582, 283-288.  | 13.7 | 88        |
| 28 | Purification of RNA and RNA-protein complexes by an R17 coat protein affinity method. Nucleic Acids Research, 1990, 18, 6587-6594.   | 6.5  | 84        |
| 29 | A $5\hat{a}\in^2$ cytosine binding pocket in Puf3p specifies regulation of mitochondrial mRNAs. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 20192-20197. | 3.3  | 83        |
| 30 | Deviants — or emissaries. Nature, 1994, 367, 17-18.  | 13.7 | 81        |
| 31 | Multi-omics Reveal Specific Targets of the RNA-Binding Protein Puf3p and Its Orchestration of Mitochondrial Biogenesis. Cell Systems, 2018, 6, 125-135.e6.   | 2.9  | 80        |
| 32 | Two Yeast PUF Proteins Negatively Regulate a Single mRNA. Journal of Biological Chemistry, 2007, 282, 15430-15438.   | 1.6  | 79        |
| 33 | Protein-RNA networks revealed through covalent RNA marks. Nature Methods, 2015, 12, 1163-1170.   | 9.0  | 79        |
| 34 | Dose-dependent control of proliferation and sperm specification by FOG-1/CPEB. Development (Cambridge), 2005, 132, 3471-3481.  | 1.2  | 78        |
| 35 | Targeted translational regulation using the PUF protein family scaffold. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 15870-15875.                        | 3.3  | 74        |
| 36 | A protein-RNA specificity code enables targeted activation of an endogenous human transcript. Nature Structural and Molecular Biology, 2014, 21, 732-738.  | 3.6  | 74        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | GLD2 poly(A) polymerase is required for long-term memory. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 14644-14649.  | 3.3 | 70        |
| 38 | LIP-1 phosphatase controls the extent of germline proliferation in Caenorhabditis elegans. EMBO Journal, 2006, 25, 88-96.   | 3.5 | 68        |
| 39 | SYGL-1 and LST-1 link niche signaling to PUF RNA repression for stem cell maintenance in Caenorhabditis elegans. PLoS Genetics, 2017, 13, e1007121.   | 1.5 | 64        |
| 40 | Identification of RNAs that bind to a specific protein using the yeast three-hybrid system. Rna, 1999, 5, 596-601.  | 1.6 | 63        |
| 41 | Analysis of yeast prp20 mutations and functional complementation by the human homologue RCC1, a protein involved in the control of chromosome condensation. Molecular Genetics and Genomics, 1991, 227, 417-423.          | 2.4 | 60        |
| 42 | RNA regulatory networks diversified through curvature of the PUF protein scaffold. Nature Communications, 2015, 6, 8213.  | 5.8 | 56        |
| 43 | The PUF binding landscape in metazoan germ cells. Rna, 2016, 22, 1026-1043.   | 1.6 | 53        |
| 44 | Unbiased screen of RNA tailing activities reveals a poly(UG) polymerase. Nature Methods, 2019, 16, 437-445.   | 9.0 | 52        |
| 45 | Poly(A) Polymerase and the Regulation of Cytoplasmic Polyadenylation. Journal of Biological Chemistry, 2001, 276, 41810-41816.  | 1.6 | 49        |
| 46 | A Caenorhabditis elegans PUF protein family with distinct RNA binding specificity. Rna, 2008, 14, 1550-1557.  | 1.6 | 47        |
| 47 | RNA Targets and Specificity of Staufen, a Double-stranded RNA-binding Protein in Caenorhabditis elegans. Journal of Biological Chemistry, 2013, 288, 2532-2545.   | 1.6 | 45        |
| 48 | Stacking interactions in PUF–RNA complexes. Rna, 2011, 17, 718-727.   | 1.6 | 43        |
| 49 | Patterns and plasticity in RNA-protein interactions enable recruitment of multiple proteins through a single site. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 6054-6059. | 3.3 | 43        |
| 50 | A single <i>C. elegans</i> PUF protein binds RNA in multiple modes. Rna, 2009, 15, 1090-1099.   | 1.6 | 42        |
| 51 | MOLECULAR BIOLOGY: A Place to Die, a Place to Sleep. Science, 2003, 300, 753-755.   | 6.0 | 41        |
| 52 | Identification of a Conserved Interface between PUF and CPEB Proteins. Journal of Biological Chemistry, 2012, 287, 18854-18862.   | 1.6 | 40        |
| 53 | Probing RNA–protein networks: biochemistry meets genomics. Trends in Biochemical Sciences, 2015, 40, 157-164.   | 3.7 | 39        |
| 54 | Tethered function assays using 3′ untranslated regions. Methods, 2002, 26, 142-150.   | 1.9 | 38        |

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 55 | Translational repression by PUF proteins in vitro. Rna, 2010, 16, 1217-1225.  | 1.6  | 38        |
| 56 | Divergence of Pumilio/fem-3 mRNA Binding Factor (PUF) Protein Specificity through Variations in an RNA-binding Pocket. Journal of Biological Chemistry, 2012, 287, 6949-6957.       | 1.6  | 37        |
| 57 | Target selection by natural and redesigned PUF proteins. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 15868-15873.                   | 3.3  | 33        |
| 58 | Recurrent rewiring and emergence of RNA regulatory networks. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E2816-E2825.               | 3.3  | 32        |
| 59 | Architecture and dynamics of overlapped RNA regulatory networks. Rna, 2017, 23, 1636-1647.  | 1.6  | 32        |
| 60 | Springtime in the desert. Nature, 1993, 363, 305-306.   | 13.7 | 30        |
| 61 | Autoregulation of GLD-2 cytoplasmic poly(A) polymerase. Rna, 2006, 13, 188-199.   | 1.6  | 30        |
| 62 | <i>Xenopus</i> CAF1 requires NOT1-mediated interaction with 4E-T to repress translation in vivo. Rna, 2015, 21, 1335-1345.  | 1.6  | 28        |
| 63 | A PUF Hub Drives Self-Renewal in <i>Caenorhabditis elegans</i> Germline Stem Cells. Genetics, 2020, 214, 147-161.   | 1.2  | 26        |
| 64 | C. elegans germ granules require both assembly and localized regulators for mRNA repression. Nature Communications, 2021, 12, 996.  | 5.8  | 26        |
| 65 | A three-hybrid screen identifies mRNAs controlled by a regulatory protein. Rna, 2006, 12, 1594-1600.  | 1.6  | 25        |
| 66 | Divergent RNA binding specificity of yeast Puf2p. Rna, 2011, 17, 1479-1488.   | 1.6  | 25        |
| 67 | Context-dependent function of a conserved translational regulatory module. Development (Cambridge), 2012, 139, 1509-1521.   | 1.2  | 24        |
| 68 | The molecular basis of LST-1 self-renewal activity and its control of stem cell pool size. Development (Cambridge), 2019, 146, .  | 1.2  | 24        |
| 69 | Analysis of RNA–Protein Interactions Using a Yeast Three-Hybrid System. Methods in Enzymology, 2008, 449, 295-315.  | 0.4  | 22        |
| 70 | A Tail Tale for U. Science, 2008, 319, 1344-1345.   | 6.0  | 22        |
| 71 | The Nucleic Acid-binding Domain and Translational Repression Activity of a Xenopus Terminal Uridylyl Transferase. Journal of Biological Chemistry, 2013, 288, 20723-20733.          | 1.6  | 21        |
| 72 | PGL germ granule assembly protein is a base-specific, single-stranded RNase. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 1279-1284. | 3.3  | 21        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | A Role for the Poly(A)-binding Protein Pab1p in PUF Protein-mediated Repression. Journal of Biological Chemistry, 2011, 286, 33268-33278.  | 1.6 | 19        |
| 74 | Chapter 5 Regulated Deadenylation In Vitro. Methods in Enzymology, 2008, 448, 77-106.  | 0.4 | 18        |
| 75 | Biochemical Characterization of the Caenorhabditis elegans FBFâCPB-1 Translational Regulation Complex Identifies Conserved Protein Interaction Hotspots. Journal of Molecular Biology, 2013, 425, 725-737. | 2.0 | 18        |
| 76 | MOLECULAR BIOLOGY: Knives, Accomplices, and RNA. Science, 2004, 306, 1299-1300.  | 6.0 | 16        |
| 77 | A Proteinâ«Protein Interaction Platform Involved in Recruitment of GLD-3 to the FBFâ«fem-3 mRNA<br>Complex. Journal of Molecular Biology, 2013, 425, 738-754.  | 2.0 | 16        |
| 78 | Toward Identifying Subnetworks from FBF Binding Landscapes in <i>Caenorhabditis</i> Spermatogenic or Oogenic Germlines. G3: Genes, Genomes, Genetics, 2019, 9, 153-165.                                    | 0.8 | 16        |
| 79 | Records of RNA locations in living yeast revealed through covalent marks. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 23539-23547.                         | 3.3 | 15        |
| 80 | An RNA-Binding Multimer Specifies Nematode Sperm Fate. Cell Reports, 2018, 23, 3769-3775.  | 2.9 | 14        |
| 81 | Distinct RNA-binding modules in a single PUF protein cooperate to determine RNA specificity. Nucleic Acids Research, 2019, 47, 8770-8784.  | 6.5 | 9         |
| 82 | Expanding the binding specificity for RNA recognition by a PUF domain. Nature Communications, 2021, 12, 5107.  | 5.8 | 8         |
| 83 | Determining the RNA Specificity and Targets of RNA-Binding Proteins using a Three-Hybrid System.<br>Methods in Enzymology, 2014, 539, 163-181.   | 0.4 | 7         |
| 84 | Identifying Proteins that Bind a Known RNA Sequence Using the Yeast Three-Hybrid System. Methods in Enzymology, 2014, 539, 195-214.  | 0.4 | 3         |
| 85 | RNA Tagging: Preparation of High-Throughput Sequencing Libraries. Methods in Molecular Biology, 2018, 1649, 455-471.   | 0.4 | 3         |
| 86 | Dissecting a Known RNA–Protein Interaction using a Yeast Three-Hybrid System. Methods in Enzymology, 2014, 539, 183-193.   | 0.4 | 2         |
| 87 | TRAID-seq: Unbiased analysis of RNA tailing enzyme activity at single-nucleotide resolution. Protocol Exchange, 0, , .   | 0.3 | 1         |
| 88 | Lessons from the RNA World: humility and hubris. Rna, 2015, 21, 482-482.   | 1.6 | 0         |
| 89 | Reply to Hogan: Direct evidence of RNA–protein interactions and rewiring. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E10854-E10855.                       | 3.3 | 0         |
| 90 | mRNA control: PUF repressors and GLD2 activators. FASEB Journal, 2008, 22, .   | 0.2 | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | Probing RNA sequence specificity and function of PUF proteins. FASEB Journal, 2009, 23, . | 0.2 | O         |