## **Marvin Wickens**

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2678836/marvin-wickens-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 6,352 41 79 g-index

100 7,090 12 5.72 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
89	C. elegans germ granules require both assembly and localized regulators for mRNA repression.  Nature Communications, <b>2021</b> , 12, 996	17.4	9
88	Expanding the binding specificity for RNA recognition by a PUF domain. <i>Nature Communications</i> , <b>2021</b> , 12, 5107	17.4	0
87	poly(UG)-tailed RNAs in genome protection and epigenetic inheritance. <i>Nature</i> , <b>2020</b> , 582, 283-288	50.4	38
86	A PUF Hub Drives Self-Renewal in Germline Stem Cells. <i>Genetics</i> , <b>2020</b> , 214, 147-161	4	5
85	Records of RNA locations in living yeast revealed through covalent marks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 23539-23547	11.5	4
84	The molecular basis of LST-1 self-renewal activity and its control of stem cell pool size. <i>Development (Cambridge)</i> , <b>2019</b> , 146,	6.6	7
83	Unbiased screen of RNA tailing activities reveals a poly(UG) polymerase. <i>Nature Methods</i> , <b>2019</b> , 16, 437	-4456	25
82	Toward Identifying Subnetworks from FBF Binding Landscapes in Spermatogenic or Oogenic Germlines. <i>G3: Genes, Genomes, Genetics</i> , <b>2019</b> , 9, 153-165	3.2	8
81	Distinct RNA-binding modules in a single PUF protein cooperate to determine RNA specificity. <i>Nucleic Acids Research</i> , <b>2019</b> , 47, 8770-8784	20.1	4
80	Multi-omics Reveal Specific Targets of the RNA-Binding Protein Puf3p and Its Orchestration of Mitochondrial Biogenesis. <i>Cell Systems</i> , <b>2018</b> , 6, 125-135.e6	10.6	43
79	RNA Tagging: Preparation of High-Throughput Sequencing Libraries. <i>Methods in Molecular Biology</i> , <b>2018</b> , 1649, 455-471	1.4	2
78	An RNA-Binding Multimer Specifies Nematode Sperm Fate. Cell Reports, 2018, 23, 3769-3775	10.6	7
77	Recurrent rewiring and emergence of RNA regulatory networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, E2816-E2825	11.5	17
76	Architecture and dynamics of overlapped RNA regulatory networks. <i>Rna</i> , <b>2017</b> , 23, 1636-1647	5.8	17
75	Reply to Hogan: Direct evidence of RNA-protein interactions and rewiring. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, E10854-E10855	11.5	
74	SYGL-1 and LST-1 link niche signaling to PUF RNA repression for stem cell maintenance in Caenorhabditis elegans. <i>PLoS Genetics</i> , <b>2017</b> , 13, e1007121	6	30
73	PGL germ granule assembly protein is a base-specific, single-stranded RNase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 1279-84	11.5	14

72	The PUF binding landscape in metazoan germ cells. <i>Rna</i> , <b>2016</b> , 22, 1026-43	5.8	36
71	Lessons from the RNA World: humility and hubris. <i>Rna</i> , <b>2015</b> , 21, 482	5.8	
70	Protein-RNA networks revealed through covalent RNA marks. <i>Nature Methods</i> , <b>2015</b> , 12, 1163-70	21.6	56
69	RNA regulatory networks diversified through curvature of the PUF protein scaffold. <i>Nature Communications</i> , <b>2015</b> , 6, 8213	17.4	44
68	Xenopus CAF1 requires NOT1-mediated interaction with 4E-T to repress translation in vivo. <i>Rna</i> , <b>2015</b> , 21, 1335-45	5.8	20
67	Target selection by natural and redesigned PUF proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 15868-73	11.5	26
66	Probing RNA-protein networks: biochemistry meets genomics. <i>Trends in Biochemical Sciences</i> , <b>2015</b> , 40, 157-64	10.3	35
65	A protein-RNA specificity code enables targeted activation of an endogenous human transcript.  Nature Structural and Molecular Biology, <b>2014</b> , 21, 732-8	17.6	62
64	Identifying proteins that bind a known RNA sequence using the yeast three-hybrid system. <i>Methods in Enzymology</i> , <b>2014</b> , 539, 195-214	1.7	1
63	Determining the RNA specificity and targets of RNA-binding proteins using a three-hybrid system. <i>Methods in Enzymology</i> , <b>2014</b> , 539, 163-81	1.7	5
62	Dissecting a known RNA-protein interaction using a yeast three-hybrid system. <i>Methods in Enzymology</i> , <b>2014</b> , 539, 183-93	1.7	1
61	Biochemical characterization of the Caenorhabditis elegans FBF.CPB-1 translational regulation complex identifies conserved protein interaction hotspots. <i>Journal of Molecular Biology</i> , <b>2013</b> , 425, 725	-375	11
60	RNA targets and specificity of Staufen, a double-stranded RNA-binding protein in Caenorhabditis elegans. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 2532-45	5.4	41
59	A protein.protein interaction platform involved in recruitment of GLD-3 to the FBF.fem-3 mRNA complex. <i>Journal of Molecular Biology</i> , <b>2013</b> , 425, 738-54	6.5	10
58	The nucleic acid-binding domain and translational repression activity of a Xenopus terminal uridylyl transferase. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 20723-33	5.4	20
57	Context-dependent function of a conserved translational regulatory module. <i>Development</i> (Cambridge), 2012, 139, 1509-21	6.6	20
56	Cooperativity in RNA-protein interactions: global analysis of RNA binding specificity. <i>Cell Reports</i> , <b>2012</b> , 1, 570-81	10.6	86
55	Identification of a conserved interface between PUF and CPEB proteins. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 18854-62	5.4	33

54	Patterns and plasticity in RNA-protein interactions enable recruitment of multiple proteins through a single site. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 6054-9	11.5	36
53	Divergence of Pumilio/fem-3 mRNA binding factor (PUF) protein specificity through variations in an RNA-binding pocket. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 6949-57	5.4	33
52	Stacking interactions in PUF-RNA complexes. <i>Rna</i> , <b>2011</b> , 17, 718-27	5.8	38
51	Divergent RNA binding specificity of yeast Puf2p. <i>Rna</i> , <b>2011</b> , 17, 1479-88	5.8	19
50	A role for the poly(A)-binding protein Pab1p in PUF protein-mediated repression. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 33268-78	5.4	18
49	Targeted translational regulation using the PUF protein family scaffold. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 15870-5	11.5	64
48	Translational repression by PUF proteins in vitro. <i>Rna</i> , <b>2010</b> , 16, 1217-25	5.8	34
47	Translational repression by deadenylases. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 28506-13	5.4	92
46	A single C. elegans PUF protein binds RNA in multiple modes. <i>Rna</i> , <b>2009</b> , 15, 1090-9	5.8	33
45	FBF and its dual control of gld-1 expression in the Caenorhabditis elegans germline. <i>Genetics</i> , <b>2009</b> , 181, 1249-60	4	99
44	A 5Vcytosine binding pocket in Puf3p specifies regulation of mitochondrial mRNAs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 20192-7	11.5	72
43	Structural basis for specific recognition of multiple mRNA targets by a PUF regulatory protein.  Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 20186-91	11.5	94
42	Multifunctional deadenylase complexes diversify mRNA control. <i>Nature Reviews Molecular Cell Biology</i> , <b>2008</b> , 9, 337-44	48.7	287
41	Chapter 14. Analysis of RNA-protein interactions using a yeast three-hybrid system. <i>Methods in Enzymology</i> , <b>2008</b> , 449, 295-315	1.7	22
40	Molecular biology. A tail tale for U. <i>Science</i> , <b>2008</b> , 319, 1344-5	33.3	20
39	A Caenorhabditis elegans PUF protein family with distinct RNA binding specificity. <i>Rna</i> , <b>2008</b> , 14, 1550-	<b>7</b> 5.8	38
38	GLD2 poly(A) polymerase is required for long-term memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 14644-9	11.5	64
37	PAP- and GLD-2-type poly(A) polymerases are required sequentially in cytoplasmic polyadenylation and oogenesis in Drosophila. <i>Development (Cambridge)</i> , <b>2008</b> , 135, 1969-79	6.6	95

## (2003-2008)

36	Regulated deadenylation in vitro. <i>Methods in Enzymology</i> , <b>2008</b> , 448, 77-106	1.7	13
35	Autoregulation of GLD-2 cytoplasmic poly(A) polymerase. <i>Rna</i> , <b>2007</b> , 13, 188-99	5.8	28
34	PUF protein-mediated deadenylation is catalyzed by Ccr4p. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 109-14	5.4	121
33	A family of poly(U) polymerases. <i>Rna</i> , <b>2007</b> , 13, 860-7	5.8	112
32	Conserved regulation of MAP kinase expression by PUF RNA-binding proteins. <i>PLoS Genetics</i> , <b>2007</b> , 3, e233	6	98
31	Two yeast PUF proteins negatively regulate a single mRNA. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 15430-8	5.4	73
30	A three-hybrid screen identifies mRNAs controlled by a regulatory protein. <i>Rna</i> , <b>2006</b> , 12, 1594-600	5.8	25
29	PUF proteins bind Pop2p to regulate messenger RNAs. <i>Nature Structural and Molecular Biology</i> , <b>2006</b> , 13, 533-9	17.6	247
28	LIP-1 phosphatase controls the extent of germline proliferation in Caenorhabditis elegans. <i>EMBO Journal</i> , <b>2006</b> , 25, 88-96	13	63
27	A single spacer nucleotide determines the specificities of two mRNA regulatory proteins. <i>Nature Structural and Molecular Biology</i> , <b>2005</b> , 12, 945-51	17.6	78
26	Dose-dependent control of proliferation and sperm specification by FOG-1/CPEB. <i>Development</i> ( <i>Cambridge</i> ), <b>2005</b> , 132, 3471-81	6.6	67
25	Binding specificity and mRNA targets of a C. elegans PUF protein, FBF-1. <i>Rna</i> , <b>2005</b> , 11, 447-58	5.8	99
24	Vertebrate GLD2 poly(A) polymerases in the germline and the brain. Rna, 2005, 11, 1117-30	5.8	84
23	RNA-protein interactions in the yeast three-hybrid system: affinity, sensitivity, and enhanced library screening. <i>Rna</i> , <b>2005</b> , 11, 227-33	5.8	96
22	Mammalian GLD-2 homologs are poly(A) polymerases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 4407-12	11.5	119
21	Molecular biology. Knives, accomplices, and RNA. <i>Science</i> , <b>2004</b> , 306, 1299-300	33.3	14
20	FBF-1 and FBF-2 regulate the size of the mitotic region in the C. elegans germline. <i>Developmental Cell</i> , <b>2004</b> , 7, 697-707	10.2	142
19	Molecular biology. A place to die, a place to sleep. <i>Science</i> , <b>2003</b> , 300, 753-5	33.3	36

18	A PUF family portrait: 3\UTR regulation as a way of life. <i>Trends in Genetics</i> , <b>2002</b> , 18, 150-7	8.5	487
17	A regulatory cytoplasmic poly(A) polymerase in Caenorhabditis elegans. <i>Nature</i> , <b>2002</b> , 419, 312-6	50.4	241
16	A conserved RNA-binding protein controls germline stem cells in Caenorhabditis elegans. <i>Nature</i> , <b>2002</b> , 417, 660-3	50.4	341
15	Analyzing mRNA-protein complexes using a yeast three-hybrid system. <i>Methods</i> , <b>2002</b> , 26, 123-41	4.6	111
14	Tethered function assays using 3Vuntranslated regions. <i>Methods</i> , <b>2002</b> , 26, 142-50	4.6	36
13	GLD-3, a bicaudal-C homolog that inhibits FBF to control germline sex determination in C. elegans. <i>Developmental Cell</i> , <b>2002</b> , 3, 697-710	10.2	114
12	Poly(A) polymerase and the regulation of cytoplasmic polyadenylation. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 41810-6	5.4	43
11	CPEB proteins control two key steps in spermatogenesis in C. elegans. <i>Genes and Development</i> , <b>2000</b> , 14, 2596-609	12.6	121
10	Identification of RNAs that bind to a specific protein using the yeast three-hybrid system. <i>Rna</i> , <b>1999</b> , 5, 596-601	5.8	58
9	NANOS-3 and FBF proteins physically interact to control the sperm-oocyte switch in Caenorhabditis elegans. <i>Current Biology</i> , <b>1999</b> , 9, 1009-18	6.3	222
8	Control of translation initiation in animals. <i>Annual Review of Cell and Developmental Biology</i> , <b>1998</b> , 14, 399-458	12.6	447
7	Life and death in the cytoplasm: messages from the 3Vend. <i>Current Opinion in Genetics and Development</i> , <b>1997</b> , 7, 220-32	4.9	296
6	Polyadenylation of c-mos mRNA as a control point in Xenopus meiotic maturation. <i>Nature</i> , <b>1995</b> , 374, 511-6	50.4	217
5	Analysis of yeast prp20 mutations and functional complementation by the human homologue RCC1, a protein involved in the control of chromosome condensation. <i>Molecular Genetics and Genomics</i> , <b>1991</b> , 227, 417-23		50
4	Purification of RNA and RNA-protein complexes by an R17 coat protein affinity method. <i>Nucleic Acids Research</i> , <b>1990</b> , 18, 6587-94	20.1	70
3	poly(UG)-tailed RNAs in Genome Protection and Epigenetic Inheritance		1
2	Unbiased screen of RNA tailing enzymes at single-nucleotide resolution reveals a poly(UG) polymerase required for genome integrity and RNA silencing		1
1	Records of RNA localization through covalent tagging		1