

Zhengke Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/267994/publications.pdf>

Version: 2024-02-01

26
papers

653
citations

643344

15
h-index

651938

25
g-index

27
all docs

27
docs citations

27
times ranked

1289
citing authors

#	ARTICLE	IF	CITATIONS
1	Long Non-coding RNA GAS5 Regulates T Cell Functions via miR21-Mediated Signaling in People Living With HIV. <i>Frontiers in Immunology</i> , 2021, 12, 601298.	2.2	24
2	ATR prevents Ca ²⁺ overload-induced necrotic cell death through phosphorylation-mediated inactivation of PARP1 without DNA damage signaling. <i>FASEB Journal</i> , 2021, 35, e21373.	0.2	4
3	Mitochondrial Functions Are Compromised in CD4 T Cells From ART-Controlled PLHIV. <i>Frontiers in Immunology</i> , 2021, 12, 658420.	2.2	20
4	Telomeric injury by KML001 in human T cells induces mitochondrial dysfunction through the p53-PGC-1 β pathway. <i>Cell Death and Disease</i> , 2020, 11, 1030.	2.7	23
5	PP2A Regulates Phosphorylation-Dependent Isomerization of Cytoplasmic and Mitochondrial-Associated ATR by Pin1 in DNA Damage Responses. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 813.	1.8	8
6	Telomere and ATM Dynamics in CD4 T-Cell Depletion in Active and Virus-Suppressed HIV Infections. <i>Journal of Virology</i> , 2020, 94, .	1.5	9
7	Inhibition of topoisomerase IIA (Top2 β) induces telomeric DNA damage and T cell dysfunction during chronic viral infection. <i>Cell Death and Disease</i> , 2020, 11, 196.	2.7	21
8	A Matter of Life or Death: Productively Infected and Bystander CD4 T Cells in Early HIV Infection. <i>Frontiers in Immunology</i> , 2020, 11, 626431.	2.2	18
9	LncRNA HOTAIRM1 promotes MDSC expansion and suppressive functions through the HOXA1-miR124 axis during HCV infection. <i>Scientific Reports</i> , 2020, 10, 22033.	1.6	19
10	ATM Deficiency Accelerates DNA Damage, Telomere Erosion, and Premature T Cell Aging in HIV-Infected Individuals on Antiretroviral Therapy. <i>Frontiers in Immunology</i> , 2019, 10, 2531.	2.2	27
11	A novel thyroid hormone receptor isoform, TR β 2-46, promotes SKP2 expression and retinoblastoma cell proliferation. <i>Journal of Biological Chemistry</i> , 2019, 294, 2961-5929.	1.6	4
12	Reprint of: XPA is primarily cytoplasmic but is transported into the nucleus upon UV damage in a cell cycle dependent manner. <i>DNA Repair</i> , 2018, 62, 28-29.	1.3	1
13	hDNA ² nuclease/helicase promotes centromeric DNA replication and genome stability. <i>EMBO Journal</i> , 2018, 37, .	3.5	42
14	High-Carbohydrate/Low-Fat Diet-Induced Gender-Specific Serum Lipid Profile Changes Are Associated with LEPR Polymorphisms in Chinese Youth. <i>Annals of Nutrition and Metabolism</i> , 2017, 70, 1-8.	1.0	4
15	SKP2 Activation by Thyroid Hormone Receptor β 2 Bypasses Rb-Dependent Proliferation in Rb-Deficient Cells. <i>Cancer Research</i> , 2017, 77, 6838-6850.	0.4	8
16	XPA is primarily cytoplasmic but is transported into the nucleus upon UV damage in a cell cycle dependent manner. <i>DNA Repair</i> , 2017, 60, 50-51.	1.3	8
17	Xeroderma Pigmentosa Group A (XPA), Nucleotide Excision Repair and Regulation by ATR in Response to Ultraviolet Irradiation. <i>Advances in Experimental Medicine and Biology</i> , 2017, 996, 41-54.	0.8	22
18	A Selective Small Molecule DNA2 Inhibitor for Sensitization of Human Cancer Cells to Chemotherapy. <i>EBioMedicine</i> , 2016, 6, 73-86.	2.7	68

#	ARTICLE	IF	CITATIONS
19	Association of Leptin Receptor Gene Polymorphisms with Genetic Susceptibility to Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 2128-2133.	0.7	9
20	ATR Plays a Direct Antiapoptotic Role at Mitochondria, which Is Regulated by Prolyl Isomerase Pin1. <i>Molecular Cell</i> , 2015, 60, 35-46.	4.5	71
21	DNA-PK, ATM and ATR collaboratively regulate p53â€™RPA interaction to facilitate homologous recombination DNA repair. <i>Oncogene</i> , 2013, 32, 2452-2462.	2.6	88
22	UV-Induced Nuclear Import of XPA Is Mediated by Importin-Î±4 in An ATR-Dependent Manner. <i>PLoS ONE</i> , 2013, 8, e68297.	1.1	29
23	A high carbohydrate diet induces the beneficial effect of the CC genotype of hepatic lipase C-514T polymorphism on the apoB100/apoA1 ratio only in young Chinese males. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 563-569.	0.6	5
24	XPA-Mediated Regulation of Global Nucleotide Excision Repair by ATR Is p53-Dependent and Occurs Primarily in S-Phase. <i>PLoS ONE</i> , 2011, 6, e28326.	1.1	29
25	Differential DNA damage responses in p53 proficient and deficient cells: cisplatin-induced nuclear import of XPA is independent of ATR checkpoint in p53-deficient lung cancer cells. <i>International Journal of Biochemistry and Molecular Biology</i> , 2011, 2, 138-145.	0.1	17
26	Checkpoint Kinase ATR Promotes Nucleotide Excision Repair of UV-induced DNA Damage via Physical Interaction with Xeroderma Pigmentosum Group A. <i>Journal of Biological Chemistry</i> , 2009, 284, 24213-24222.	1.6	69