
## Oyekoya Ayonrinde

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2681016/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The Western Dietary Pattern Is Prospectively Associated With Nonalcoholic Fatty Liver Disease in Adolescence. American Journal of Gastroenterology, 2013, 108, 778-785.   | 0.2 | 223       |
| 2  | Gender-specific differences in adipose distribution and adipocytokines influence adolescent nonalcoholic fatty liver disease. Hepatology, 2011, 53, 800-809.  | 3.6 | 191       |
| 3  | Childhood adiposity trajectories and risk of nonalcoholic fatty liver disease in adolescents. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 163-171.  | 1.4 | 106       |
| 4  | Infant nutrition and maternal obesity influence the risk of non-alcoholic fatty liver disease in adolescents. Journal of Hepatology, 2017, 67, 568-576.   | 1.8 | 92        |
| 5  | The impact of phlebotomy in nonalcoholic fatty liver disease: A prospective, randomized, controlled<br>trial. Hepatology, 2015, 61, 1555-1564.  | 3.6 | 89        |
| 6  | The rediscovery of methadone for cancer pain management. Medical Journal of Australia, 2000, 173,<br>536-540.   | 0.8 | 86        |
| 7  | Association between liver-specific gene polymorphisms and their expression levels with nonalcoholic fatty liver disease. Hepatology, 2013, 57, 590-600.   | 3.6 | 71        |
| 8  | Importance of cardiometabolic risk factors in the association between nonalcoholic fatty liver disease and arterial stiffness in adolescents. Hepatology, 2013, 58, 1306-1314.  | 3.6 | 68        |
| 9  | Low serum 25â€hydroxyvitamin <scp>D</scp> concentrations associate with nonâ€alcoholic fatty liver<br>disease in adolescents independent of adiposity. Journal of Gastroenterology and Hepatology<br>(Australia), 2014, 29, 1215-1222.      | 1.4 | 54        |
| 10 | Textureâ€based classification of liver fibrosis using MRI. Journal of Magnetic Resonance Imaging, 2015, 41, 322-328.  | 1.9 | 53        |
| 11 | Epigenetic Age Acceleration in Adolescence Associates With BMI, Inflammation, and Risk Score for<br>Middle Age Cardiovascular Disease. Journal of Clinical Endocrinology and Metabolism, 2019, 104,<br>3012-3024.                           | 1.8 | 53        |
| 12 | Sex differences between parental pregnancy characteristics and nonalcoholic fatty liver disease in adolescents. Hepatology, 2018, 67, 108-122.  | 3.6 | 51        |
| 13 | HCV, Iron, and Oxidative Stress: The New Choreography of Hepcidin. Gastroenterology, 2008, 134, 348-351.  | 0.6 | 46        |
| 14 | Lower Fructose Intake May Help Protect Against Development of Nonalcoholic Fatty Liver in<br>Adolescents With Obesity. Journal of Pediatric Gastroenterology and Nutrition, 2014, 58, 624-631.  | 0.9 | 41        |
| 15 | Adverse metabolic phenotype of adolescent girls with nonâ€alcoholic fatty liver disease plus polycystic<br>ovary syndrome compared with other girls and boys. Journal of Gastroenterology and Hepatology<br>(Australia), 2016, 31, 980-987. | 1.4 | 34        |
| 16 | Cholesteryl ester transfer protein gene polymorphisms increase the risk of fatty liver in females<br>independent of adiposity. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 1520-1527.                                 | 1.4 | 33        |
| 17 | Historical narrative from fatty liver in the nineteenth century to contemporary NAFLD – Reconciling the present with the past. JHEP Reports, 2021, 3, 100261.   | 2.6 | 31        |
| 18 | The relationship between abdominal pain and emotional wellbeing in children and adolescents in the<br>Raine Study. Scientific Reports, 2020, 10, 1646.  | 1.6 | 24        |

Oyekoya Ayonrinde

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Clinical Perspectives on Hereditary Hemochromatosis. Critical Reviews in Clinical Laboratory<br>Sciences, 2008, 45, 451-484.  | 2.7 | 22        |
| 20 | Association between remnant lipoprotein cholesterol levels andÂnon-alcoholic fatty liver disease in<br>adolescents. JHEP Reports, 2020, 2, 100150.  | 2.6 | 20        |
| 21 | Stereological Analysis of Liver Biopsy Histology Sections as a Reference Standard for Validating<br>Non-Invasive Liver Fat Fraction Measurements by MRI. PLoS ONE, 2016, 11, e0160789.  | 1.1 | 20        |
| 22 | Red blood cell transfusion is associated with further bleeding and freshâ€frozen plasma with mortality in nonvariceal upper gastrointestinal bleeding. Transfusion, 2016, 56, 816-826.  | 0.8 | 18        |
| 23 | Paroxetineâ€induced SIADH. Medical Journal of Australia, 1995, 163, 390-390.  | 0.8 | 17        |
| 24 | Diagnostic Performance of a Rapid Magnetic Resonance Imaging Method of Measuring Hepatic Steatosis. PLoS ONE, 2013, 8, e59287.  | 1.1 | 10        |
| 25 | Utility of hepatic or total body iron burden in the assessment of advanced hepatic fibrosis in HFE hemochromatosis. Scientific Reports, 2019, 9, 20234.   | 1.6 | 9         |
| 26 | Clinical expression of hemochromatosis gene (HFE) variants. Hepatology, 2007, 46, 960-962.  | 3.6 | 8         |
| 27 | Association between gestational cannabis exposure and maternal, perinatal, placental, and childhood outcomes. Journal of Developmental Origins of Health and Disease, 2021, 12, 694-703.  | 0.7 | 8         |
| 28 | Assessment of Liver Fibrosis Markers in People with Rheumatoid Arthritis on Methotrexate. Internal<br>Medicine Journal, 2020, , .   | 0.5 | 5         |
| 29 | Validation of fatty liver disease scoring systems for ultrasound diagnosed non-alcoholic fatty liver disease in adolescents. Digestive and Liver Disease, 2021, 53, 746-752.  | 0.4 | 5         |
| 30 | Seeing the fetus from a DOHaD perspective: discussion paper from the advanced imaging techniques of DOHaD applications workshop held at the 2019 DOHaD World Congress. Journal of Developmental Origins of Health and Disease, 2021, 12, 153-167.       | 0.7 | 4         |
| 31 | Clinical relevance of Shear Wave Elastography compared with Transient Elastography and other markers of liver fibrosis ‒ a crossâ€sectional study. Internal Medicine Journal, 2021, , .   | 0.5 | 4         |
| 32 | Disparate age and sex distribution of sessile serrated lesions and conventional adenomas in an<br>outpatient colonoscopy population–implications for colorectal cancer screening?. International<br>Journal of Colorectal Disease, 2022, 37, 1569-1579. | 1.0 | 4         |
| 33 | Prospective dietary polyunsaturated fatty acid intake is associated with trajectories of fatty liver disease: an 8Âyear follow-up study from adolescence to young adulthood. European Journal of Nutrition, 2022, 61, 3987-4000.                        | 1.8 | 4         |
| 34 | Genetics of hereditary hemochromatosis: a clinical perspective. Expert Review of Endocrinology and Metabolism, 2009, 4, 225-239.  | 1.2 | 3         |
| 35 | Bowel patterns, gastrointestinal symptoms, and emotional wellâ€being in adolescents: A cohort study.<br>Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 1946-1954.  | 1.4 | 3         |
| 36 | Decreased Physical Working Capacity in Adolescents With Nonalcoholic Fatty Liver Disease Associates<br>With Reduced Iron Availability. Clinical Gastroenterology and Hepatology, 2020, 18, 1584-1591.   | 2.4 | 3         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Should the high prevalence of sessile serrated lesions in patients aged below 50 years influence screening colonoscopy recommendations?. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 2022-2023. | 1.4 | 3         |
| 38 | Prior oral protonâ€pump inhibitor use is associated with reduced severity of aspirinâ€related upper<br>gastrointestinal bleeding in older people. Internal Medicine Journal, 2022, 52, 663-666.                       | 0.5 | 3         |
| 39 | The prevalence and significance of gestational cannabis use at an Australian tertiary hospital.<br>Australian and New Zealand Journal of Obstetrics and Gynaecology, 2023, 63, 6-12.                                  | 0.4 | 3         |
| 40 | Hepatic steatosis: Ultrasound assessment using attenuation imaging ( <scp>ATI</scp> ) with liver biopsy correlation. Journal of Medical Imaging and Radiation Oncology, 2022, , .                                     | 0.9 | 2         |
| 41 | PAHA model: An alternative nonâ€invasive predictor of liver cirrhosis in patients with chronic hepatitis<br>B infection. Journal of Gastroenterology and Hepatology (Australia), 2010, 25, 3-4.                       | 1.4 | 1         |
| 42 | Authors' Response. Journal of Pediatric Gastroenterology and Nutrition, 2015, 60, e35-6.  | 0.9 | 1         |
| 43 | Editorial: global liver fat accumulation and global health–towards a sustainable development goal.<br>Alimentary Pharmacology and Therapeutics, 2022, 55, 487-488.  | 1.9 | 1         |
| 44 | P2-64 The influence of diet on development of non-alcoholic fatty liver (NAFL). Early Human<br>Development, 2007, 83, S147.   | 0.8 | 0         |
| 45 | Maternal Obesity and Duration of Breastfeeding Influence the Risk of Non-Alcoholic Fatty Liver<br>Disease in Adolescents. Journal of Hepatology, 2016, 64, S491-S492.   | 1.8 | 0         |
| 46 | Comparison of the clinical usefulness of shear wave elastography relative to transient elastography and other markers of liver fibrosis. Ultrasound in Medicine and Biology, 2019, 45, S80.                           | 0.7 | 0         |
| 47 | A healthy dietary pattern is protective against nonâ€alcoholic fatty liver disease in centrally obese<br>adolescents. FASEB Journal, 2013, 27, lb411.   | 0.2 | 0         |
| 48 | Impaired Pulmonary Function as a Potential Contributor to Reduced Exercise Capacity Associated with MAFLD. Journal of Clinical and Translational Hepatology, 2022, 000, 000-000.                                      | 0.7 | 0         |