

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2681358/qinghua-wu-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

200 papers	4,026 citations	32 h-index	59 g-index
254 ext. papers	5,116 ext. citations	4.1 avg, IF	5.91 L-index

#	Paper	IF	Citations
200	Signal-to-Signal Translation for Fault Diagnosis of Bearings and Gears With Few Fault Samples. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2021</b> , 1-1	5.2	1
199	Robust Load Frequency Control of Power Systems Against Random Time-Delay Attacks. <i>IEEE Transactions on Smart Grid</i> , <b>2021</b> , 12, 909-911	10.7	18
198	Decentralized Detection and Mitigation of Multiple False Data Injection Attacks in Multi-area Power Systems. <i>IEEE Journal of Emerging and Selected Topics in Industrial Electronics</i> , <b>2021</b> , 1-1	2.6	3
197	Bifurcation Control Method for Buck-Boost Converters based on Energy Balance Principle. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , <b>2021</b> , 1-1	5.6	
196	Duty Cycle-Based Differential Protection Scheme for Power Transformers. <i>IEEE Transactions on Power Delivery</i> , <b>2021</b> , 1-1	4.3	1
195	Resilient Economic Control for Distributed Microgrids Under False Data Injection Attacks. <i>IEEE Transactions on Smart Grid</i> , <b>2021</b> , 12, 4435-4446	10.7	2
194	Real-Time Detection of Cyber-Physical False Data Injection Attacks on Power Systems. <i>IEEE Transactions on Industrial Informatics</i> , <b>2021</b> , 17, 6810-6819	11.9	3
193	Multi-Objective Optimization for Coordinated Day-Ahead Scheduling Problem of Integrated Electricity-Natural Gas System With Microgrid. <i>IEEE Access</i> , <b>2020</b> , 8, 86788-86796	3.5	6
192	. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2020</b> , 67, 3512-3520	3.9	2
191	Transformer inrush identification based on improved mathematical gradient with dissociative structuring element. <i>IEEE Transactions on Electrical and Electronic Engineering</i> , <b>2020</b> , 15, 1126-1127	1	
190	Robust Current Sensorless Control of VSC-based MTDC Transmissions for Integrating Wind Farms. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , <b>2020</b> , 1-1	5.6	1
189	A Data-Driven Method for Fault Detection and Isolation of the Integrated Energy-Based District Heating System. <i>IEEE Access</i> , <b>2020</b> , 8, 23787-23801	3.5	5
188	Maximum Power Point Scanning for PV Systems Under Various Partial Shading Conditions. <i>IEEE Transactions on Sustainable Energy</i> , <b>2020</b> , 11, 2556-2566	8.2	10
187	Typical current modelling and feature extraction of high voltage circuit breaker towards condition analysis and fault diagnosis. <i>IET Generation, Transmission and Distribution</i> , <b>2020</b> , 14, 1521-1527	2.5	3
186	Relaxed Alternating Direction Method of Multipliers for Hedging Communication Packet Loss in Integrated Electrical and Heating System. <i>Journal of Modern Power Systems and Clean Energy</i> , <b>2020</b> , 8, 874-883	4	2
185	Distributed Multi-Area Economic Dispatch Considering Reactive Power Using Critical Region Projection <b>2020</b> ,		1
184	Real-time recognition of power quality disturbance-based deep belief network using embedded parallel computing platform. <i>IEEE Transactions on Electrical and Electronic Engineering</i> , <b>2020</b> , 15, 519-526 <sup>1</sup>		4

183	Improved Energy Balance Control for Boost Converters Without Estimating Circuit Energy Losses. <i>IEEE Access</i> , <b>2020</b> , 8, 146323-146330	3.5	
182	Decentralized State Estimation of Combined Heat and Power System Considering Communication Packet Loss. <i>Journal of Modern Power Systems and Clean Energy</i> , <b>2020</b> , 8, 646-656	4	6
181	Diagnosis of Multiple Open-Circuit Switch Faults Based on Long Short-Term Memory Network for DFIG-Based Wind Turbine Systems. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , <b>2020</b> , 8, 2600-2610	5.6	29
180	Robust Scheduling of Integrated Electricity and Heating System Hedging Heating Network Uncertainties. <i>IEEE Transactions on Smart Grid</i> , <b>2020</b> , 11, 1543-1555	10.7	31
179	Modified Carbon Trading Based Low-carbon Economic Dispatch Strategy for Integrated Energy System with CCHP <b>2019</b> ,		1
178	Stochastic optimization of cost-risk for integrated energy system considering wind and solar power correlated. <i>Journal of Modern Power Systems and Clean Energy</i> , <b>2019</b> , 7, 1472-1483	4	6
177	Deep Learning for Daily Peak Load Forecasting: A Novel Gated Recurrent Neural Network Combining Dynamic Time Warping. <i>IEEE Access</i> , <b>2019</b> , 7, 17184-17194	3.5	56
176	Impact Factor Identification for Switching Overvoltage in an Offshore Wind Farm by Analyzing Multiple Ignition Transients. <i>IEEE Access</i> , <b>2019</b> , 7, 64651-64662	3.5	10
175	Non-Intrusive Load Monitoring Using Additive Factorial Approximate Maximum a Posteriori Based on Iterative Fuzzy $\zeta$ -Means. <i>IEEE Transactions on Smart Grid</i> , <b>2019</b> , 10, 6667-6677	10.7	27
174	Estimation of Low Frequency Oscillation Parameters Using Singular Value Decomposition Combined Group Search Optimizer. <i>Electric Power Components and Systems</i> , <b>2019</b> , 47, 275-287	1	4
173	A Data-Driven Residual-Based Method for Fault Diagnosis and Isolation in Wind Turbines. <i>IEEE Transactions on Sustainable Energy</i> , <b>2019</b> , 10, 895-904	8.2	47
172	Towards Many-Objective Optimization: Objective Analysis, Multi-Objective Optimization and Decision-Making. <i>IEEE Access</i> , <b>2019</b> , 7, 93742-93751	3.5	6
171	Switching Fault-Tolerant Control for DFIG-Based Wind Turbines With Rotor and Stator Current Sensor Faults. <i>IEEE Access</i> , <b>2019</b> , 7, 103390-103403	3.5	6
170	Operating mechanism for profit improvement of a smart microgrid based on dynamic demand response. <i>IET Smart Grid</i> , <b>2019</b> , 2, 364-370	2.7	3
169	A Data-Driven Diagnosis Method of Open-Circuit Switch Faults for PMSG-Based Wind Generation System <b>2019</b> ,		4
168	Control of DFIG Rotor-Side Converter With Decoupling of Current Loops Using Observer-Based Fractional-Order Sliding-Mode Regulators. <i>IEEE Access</i> , <b>2019</b> , 7, 163412-163420	3.5	3
167	On-line Transmission Line Fault Classification using Long Short-Term Memory <b>2019</b> ,		2
166	Switching Fault Ride-Through of GSCs Via Observer-Based Bang-Bang Funnel Control. <i>IEEE Transactions on Industrial Electronics</i> , <b>2019</b> , 66, 7442-7446	8.9	4

165	Forecasting a short-term wind speed using a deep belief network combined with a local predictor. <i>IEEJ Transactions on Electrical and Electronic Engineering</i> , <b>2019</b> , 14, 238-244	1	9
164	Approximate Linear Power Flow Using Logarithmic Transform of Voltage Magnitudes With Reactive Power and Transmission Loss Consideration. <i>IEEE Transactions on Power Systems</i> , <b>2018</b> , 33, 4593-4603	7	46
163	Sensor Fault Tolerance Enhancement of DFIG-WTs via Perturbation Observer-Based DPC and Two-Stage Kalman Filters. <i>IEEE Transactions on Energy Conversion</i> , <b>2018</b> , 33, 483-495	5.4	8
162	Design and Hardware-in-the-Loop Experiment of Multiloop Adaptive Control for DFIG-WT. <i>IEEE Transactions on Industrial Electronics</i> , <b>2018</b> , 65, 7049-7059	8.9	22
161	Mathematical morphology-based single phase-to-ground fault feeder selector for a resonant grounded distribution system. <i>IEEJ Transactions on Electrical and Electronic Engineering</i> , <b>2018</b> , 13, 517-518	1	3
160	Short-term local prediction of wind speed and wind power based on singular spectrum analysis and locality-sensitive hashing. <i>Journal of Modern Power Systems and Clean Energy</i> , <b>2018</b> , 6, 317-329	4	20
159	Robust Rotor-Current Sensorless Control of Doubly Fed Induction Generators. <i>IEEE Transactions on Energy Conversion</i> , <b>2018</b> , 33, 897-899	5.4	15
158	A Robust Optimization Approach for Demand Side Scheduling Considering Uncertainty of Manually Operated Appliances. <i>IEEE Transactions on Smart Grid</i> , <b>2018</b> , 9, 743-755	10.7	38
157	An Identification Method Based on Mathematical Morphology for Sympathetic Inrush. <i>IEEE Transactions on Power Delivery</i> , <b>2018</b> , 33, 12-21	4.3	22
156	Switching Control of GSC of DFIGWTs for Disturbance Rejection Based on BangBang Control. <i>IEEE Transactions on Power Delivery</i> , <b>2018</b> , 33, 3256-3259	4.3	8
155	Open-end transformer-based power tap for interconnection of AC/DC micro-grids. <i>IET Power Electronics</i> , <b>2018</b> , 11, 1169-1177	2.2	
154	. <i>IEEE Transactions on Power Systems</i> , <b>2018</b> , 33, 2239-2247	7	90
153	Short-term Load Forecasting Using Deep Belief Network with Empirical Mode Decomposition and Local Predictor <b>2018</b> ,		5
152	Co-simulation for Cyber-Physical Distribution Network Under Cyber Attacks <b>2018</b> ,		1
151	Wind power forecast with error feedback and its economic benefit in power system dispatch. <i>IET Generation, Transmission and Distribution</i> , <b>2018</b> , 12, 5730-5738	2.5	5
150	Optimal location of PEVCSs using MAS and ER approach. <i>IET Generation, Transmission and Distribution</i> , <b>2018</b> , 12, 4377-4387	2.5	10
149	Analyzing the correlation and predictability of wind speed series based on mutual information. <i>IEEJ Transactions on Electrical and Electronic Engineering</i> , <b>2018</b> , 13, 1829-1830	1	1
148	Investigation on Switching Overvoltage in an Offshore Wind Farm and Its Mitigation Methods Based on Laboratory Experiments <b>2018</b> ,		1

147	A modified Ward equivalent based on sensitivity matrices for static security analysis. <i>IEEE Transactions on Electrical and Electronic Engineering</i> , <b>2018</b> , 13, 1675-1676	1	
146	Primary frequency control of DFIG-WTs using bang-bang phase angle controller. <i>IET Generation, Transmission and Distribution</i> , <b>2018</b> , 12, 2670-2678	2.5	6
145	Current Transformer Saturation Detection Using Morphological Gradient and Morphological Decomposition and Its Hardware Implementation. <i>IEEE Transactions on Industrial Electronics</i> , <b>2017</b> , 64, 4721-4729	8.9	12
144	Many-objective optimization for coordinated operation of integrated electricity and gas network. <i>Journal of Modern Power Systems and Clean Energy</i> , <b>2017</b> , 5, 350-363	4	18
143	. <i>IEEE Transactions on Energy Conversion</i> , <b>2017</b> , 32, 1574-1582	5.4	52
142	Identification of Dominant Low Frequency Oscillation Modes Based on Blind Source Separation. <i>IEEE Transactions on Power Systems</i> , <b>2017</b> , 32, 4774-4782	7	9
141	A morphological filter-based local prediction method with multi-variable inputs for short-term load forecast <b>2017</b> ,		2
140	CCM-DCM average current control for both continuous and discontinuous conduction modes boost PFC converters <b>2017</b> ,		7
139	Energy balance analysis and control for boost converters <b>2017</b> ,		2
138	Unscented transformation-based fast scheduling optimization for large-scale unit commitment considering uncertainties of wind and solar power <b>2017</b> ,		1
137	Development of Novel Robust Regulator for Maximum Wind Energy Extraction Based upon Perturbation and Observation. <i>Energies</i> , <b>2017</b> , 10, 569	3.1	6
136	Energy Balance Control of a Cascaded Multilevel Inverter for Standalone Solar Photovoltaic Applications. <i>Energies</i> , <b>2017</b> , 10, 1805	3.1	3
135	Online Area Load Modeling in Power Systems Using Enhanced Reinforcement Learning. <i>Energies</i> , <b>2017</b> , 10, 1852	3.1	8
134	Optimal Capacity Configuration for Energy Hubs Considering Part-Load Characteristics of Generation Units. <i>Energies</i> , <b>2017</b> , 10, 1966	3.1	15
133	Symmetrical Short-Circuit Parameters Comparison of DFIGWT. <i>International Journal of Electrical and Computer Engineering Systems</i> , <b>2017</b> , 8, 77-83	0.4	8
132	Downside Risk Constrained Probabilistic Optimal Power Flow With Wind Power Integrated. <i>IEEE Transactions on Power Systems</i> , <b>2016</b> , 31, 1649-1650	7	23
131	Detection and classification of power quality disturbances in time domain using probabilistic neural network <b>2016</b> ,		6
130	Voltage sensorless predictive direct power control of three-phase PWM converters. <i>IET Power Electronics</i> , <b>2016</b> , 9, 1009-1018	2.2	25

129	Switching Control of Buck Converter Based on Energy Conservation Principle. <i>IEEE Transactions on Control Systems Technology</i> , <b>2016</b> , 24, 1779-1787	4.8	12
128	Co-Ordinated Multiloop Switching Control of DFIG for Resilience Enhancement of Wind Power Penetrated Power Systems. <i>IEEE Transactions on Sustainable Energy</i> , <b>2016</b> , 7, 1089-1099	8.2	31
127	Using mathematical morphology to discriminate between internal fault and inrush current of transformers. <i>IET Generation, Transmission and Distribution</i> , <b>2016</b> , 10, 73-80	2.5	41
126	Modeling and Mitigation for High Frequency Switching Transients Due to Energization in Offshore Wind Farms. <i>Energies</i> , <b>2016</b> , 9, 1044	3.1	12
125	An adaptive morphological lifting wavelet and its application on power disturbances detection <b>2016</b> ,		1
124	Short-term wind power prediction based on intrinsic time-scale decomposition and LS-SVM <b>2016</b> ,		3
123	Assessment of an integrated energy system embedded with power-to-gas plant <b>2016</b> ,		10
122	Optimal power and gas dispatch of the integrated electricity and natural gas networks <b>2016</b> ,		3
121	Maximum power point tracking of DFIG-WT using feedback linearization control based current regulators <b>2016</b> ,		2
120	CT saturation detection and compensation using mathematical morphology and linear regression <b>2016</b> ,		6
119	Optimal operation of energy hubs in an integrated energy network considering multiple energy carriers <b>2016</b> ,		5
118	Stochastic day-ahead generation scheduling with pumped-storage stations and wind power integrated <b>2016</b> ,		2
117	Short-term load forecasting using Support Vector Regression-based Local Predictor <b>2015</b> ,		2
116	Wide-Area Damping Controller for Power System Interarea Oscillations: A Networked Predictive Control Approach. <i>IEEE Transactions on Control Systems Technology</i> , <b>2015</b> , 23, 27-36	4.8	138
115	Economic Dispatch With Non-Smooth ObjectivesPart II: Dimensional Steepest Decline Method. <i>IEEE Transactions on Power Systems</i> , <b>2015</b> , 30, 722-733	7	32
114	Economic Dispatch With Non-Smooth ObjectivesPart I: Local Minimum Analysis. <i>IEEE Transactions on Power Systems</i> , <b>2015</b> , 30, 710-721	7	26
113	Power quality disturbance detection based on morphology singular entropy <b>2015</b> ,		4
112	Exponentially decaying DC offset removal for phasor measurement using second-order differential. <i>IEEE Transactions on Electrical and Electronic Engineering</i> , <b>2015</b> , 10, 726-728	1	1

111	Power quality disturbance identification using morphological pattern spectrum and probabilistic neural network <b>2015</b> ,		3
110	Capacity configuration optimization for island microgrid with wind/solar/pumped storage considering demand response <b>2015</b> ,		4
109	Hybrid quadratic programming and compact formulation method for economic dispatch with prohibited operating zones and network losses <b>2015</b> ,		1
108	Identification of Power Disturbances Using Generalized Morphological Open-Closing and Close-Opening Undecimated Wavelet. <i>IEEE Transactions on Industrial Electronics</i> , <b>2015</b> , 1-1	8.9	20
107	Voltage sensorless predictive direct power control for renewable energy integration under grid fault conditions <b>2015</b> ,		2
106	Dual-Mode Control of AC/VSC-HVDC Hybrid Transmission Systems With Wind Power Integrated. <i>IEEE Transactions on Power Delivery</i> , <b>2015</b> , 30, 1686-1693	4.3	17
105	Skewness-Based Differential Protection Scheme for EHV/UHV Transmission Lines. <i>IEEE Transactions on Power Delivery</i> , <b>2014</b> , 29, 1518-1520	4.3	5
104	A Hybrid Least-square Support Vector Machine Approach to Incipient Fault Detection for Oil-immersed Power Transformer. <i>Electric Power Components and Systems</i> , <b>2014</b> , 42, 453-463	1	7
103	Dissolved gas analysis method based on novel feature prioritisation and support vector machine. <i>IET Electric Power Applications</i> , <b>2014</b> , 8, 320-328	1.8	35
102	Wide-Area Damping Controller of FACTS Devices for Inter-Area Oscillations Considering Communication Time Delays. <i>IEEE Transactions on Power Systems</i> , <b>2014</b> , 29, 318-329	7	207
101	Finite-Element Modeling for Analysis of Radial Deformations Within Transformer Windings. <i>IEEE Transactions on Power Delivery</i> , <b>2014</b> , 29, 2297-2305	4.3	33
100	Perturbation Estimation Based Nonlinear Adaptive Control of a Full-Rated Converter Wind Turbine for Fault Ride-Through Capability Enhancement. <i>IEEE Transactions on Power Systems</i> , <b>2014</b> , 29, 2733-2743	7	42
99	Individual-based model for an integrated energy-based water-heating system <b>2014</b> ,		2
98	Detection and classification of power disturbances using mathematical morphology with trapezoid structuring elements and signal envelopes <b>2014</b> ,		3
97	Optimal reactive power dispatch with wind power integrated using group search optimizer with intraspecific competition and Levy walk. <i>Journal of Modern Power Systems and Clean Energy</i> , <b>2014</b> , 2, 308-318	4.1	13
96	Dynamic economic dispatch with wind power penetration using group search optimizer with adaptive strategies <b>2014</b> ,		2
95	Power system dispatch with wind power integrated using mean-variance model and group search optimizer <b>2014</b> ,		5
94	Adaptive sequential importance sampling technique for short-term composite power system adequacy evaluation. <i>IET Generation, Transmission and Distribution</i> , <b>2014</b> , 8, 730-741	2.5	21



93	Optimal coordinated control of PSS and STATCOM in a multimachine power system <b>2014</b> ,		3
92	A novel approach to power transformer fault diagnosis based on ontology and Bayesian network <b>2014</b> ,		2
91	Virtual-flux-based predictive direct power control of three-phase AC/DC converters <b>2014</b> ,		1
90	Load frequency control with dynamic demand control for deregulated power system <b>2014</b> ,		4
89	. <i>IEEE Transactions on Power Systems</i> , <b>2014</b> , 29, 2905-2915	7	32
88	Multi-objective optimization by learning automata. <i>Journal of Global Optimization</i> , <b>2013</b> , 55, 459-487	1.5	10
87	A feedback linearization control strategy for maximum power point tracking of a PMSG based wind turbine <b>2013</b> ,		3
86	Parameter optimization of PID controllers by reinforcement learning <b>2013</b> ,		1
85	Support vector regression-based short-term wind power prediction with false neighbours filtered <b>2013</b> ,		7
84	Optimal power flow using group search optimizer with intraspecific competition and Levy walk <b>2013</b> ,		2
83	Feature selection in power transformer fault diagnosis based on dissolved gas analysis <b>2013</b> ,		4
82	Disturbance identification based on mathematical morphology and radial coordinate visualization <b>2013</b> ,		5
81	Further Results on Delay-Dependent Stability of Multi-Area Load Frequency Control. <i>IEEE Transactions on Power Systems</i> , <b>2013</b> , 28, 4465-4474	7	131
80	Stability analysis for control systems with aperiodically sampled data using an augmented Lyapunov functional method. <i>IET Control Theory and Applications</i> , <b>2013</b> , 7, 1219-1226	2.5	43
79	Networked predictive control based wide-area supplementary damping controller of SVC with communication delays compensation <b>2013</b> ,		3
78	Constrained optimization applying decomposed unlimited point method based on KKT condition <b>2013</b> ,		6
77	Fast identification of inrush current using a weighted morphological approach <b>2013</b> ,		3
76	Modeling of a central heating electric boiler integrated with a stand-alone wind generator <b>2013</b> ,		2



75	Detection and classification of low-frequency power disturbances using a morphological max-lifting scheme <b>2013</b> ,		5
74	Inrush identification by applying improved Morphological Gradient Algorithm <b>2013</b> ,		4
73	Identification of current transformers saturation intervals using morphological gradient and morphological decomposition <b>2013</b> ,		4
72	. <i>IEEE Transactions on Power Systems</i> , <b>2012</b> , 27, 932-941	7	34 <sup>1</sup>
71	Implementation of Gaia methodology for multi-agent based transformer condition monitoring <b>2012</b> ,		2
70	Risk-oriented preventive control of transmission lines overload <b>2012</b> ,		4
69	Fast identification of power transformer magnetizing inrush currents based on mathematical morphology and ANN <b>2011</b> ,		4
68	Integrated maintenance scheduling of generators and transmission lines based on fast group searching optimizer <b>2011</b> ,		2
67	Optimal power flow with environmental constraints using paired bacterial optimizer <b>2011</b> ,		2
66	Delay-Dependent Stability Analysis of the Power System With a Wide-Area Damping Controller Embedded. <i>IEEE Transactions on Power Systems</i> , <b>2011</b> , 26, 233-240	7	157
65	Multi-kernel support vector classifier for fault diagnosis of transformers <b>2011</b> ,		1
64	Derivation of a complete transfer function for a wind turbine generator system by experiments <b>2011</b> ,		4
63	Optimal power flow in wind power integrated systems using function optimization by learning automata <b>2011</b> ,		1
62	Frequency response analysis of power transformer winding deformation based on a hybrid model <b>2011</b> ,		2
61	A morphological scheme for the correction of CT saturation waveforms <b>2011</b> ,		10
60	Function Optimization by Reinforcement Learning for power system dispatch and voltage stability <b>2010</b> ,		4
59	Detection of minor winding deformation fault in high frequency range for power transformer <b>2010</b> ,		12
58	Multi-objective optimisation by reinforcement learning <b>2010</b> ,		2

57	High-dimensional Function Optimisation by Reinforcement Learning <b>2010</b> ,	5
56	Ontology-based fault diagnosis for power transformers <b>2010</b> ,	15
55	Stochastic Optimal Power Flow using a Paired-Bacteria Optimizer <b>2010</b> ,	6
54	Design of wide-area damping controllers based on networked predictive control considering communication delays <b>2010</b> ,	8
53	Electric Load Forecasting Based on Locally Weighted Support Vector Regression. <i>IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews</i> , <b>2010</b> , 40, 438-447	164
52	Instance Seriation for Prototype Abstraction <b>2010</b> ,	2
51	Short-term wind speed prediction using support vector regression <b>2010</b> ,	13
50	Multi-objective optimization by reinforcement learning for power system dispatch and voltage stability <b>2010</b> ,	12
49	Decaying DC offset removal operator using mathematical morphology for phasor measurement <b>2010</b> ,	2
48	Integrating KPCA and locally weighted support vector regression for short-term load forecasting <b>2010</b> ,	3
47	Fast compensation of current transformer saturation <b>2010</b> ,	8
46	Transformer Core Parameter Identification Using Frequency Response Analysis. <i>IEEE Transactions on Magnetics</i> , <b>2010</b> , 46, 141-149	2 47
45	An agent brokering-based scheme for anti-islanding protection of distributed generation <b>2009</b> ,	5
44	Forecasting electric daily peak load based on local prediction <b>2009</b> ,	22
43	Group Search Optimizer: An Optimization Algorithm Inspired by Animal Searching Behavior. <i>IEEE Transactions on Evolutionary Computation</i> , <b>2009</b> , 13, 973-990	15.6 478
42	An adaptive wide-area damping controller based on generalized predictive control and model identification <b>2009</b> ,	10
41	Delay-dependent stability for load frequency control with constant and time-varying delays <b>2009</b> ,	5
40	A Morphological Scheme for Inrush Identification in Transformer Protection. <i>IEEE Transactions on Power Delivery</i> , <b>2009</b> , 24, 560-568	4.3 40

39	An adaptive distance relaying algorithm with a morphological fault detector embedded <b>2009</b> ,		4
38	Power Transformer Fault Classification Based on Dissolved Gas Analysis by Implementing Bootstrap and Genetic Programming. <i>IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews</i> , <b>2009</b> , 39, 69-79		93
37	Association Rule Mining-Based Dissolved Gas Analysis for Fault Diagnosis of Power Transformers. <i>IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews</i> , <b>2009</b> , 39, 597-610		81
36	A novel mathematical morphology filter for the accurate fault location in power transmission lines <b>2009</b> ,		3
35	A Hybrid Winding Model of Disc-Type Power Transformers for Frequency Response Analysis. <i>IEEE Transactions on Power Delivery</i> , <b>2009</b> , 24, 730-739	4-3	43
34	A Probabilistic Classifier for Transformer Dissolved Gas Analysis With a Particle Swarm Optimizer. <i>IEEE Transactions on Power Delivery</i> , <b>2008</b> , 23, 751-759	4-3	76
33	Bacterial Foraging Algorithm for Optimal Power Flow in Dynamic Environments. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2008</b> , 55, 2433-2442	3-9	60
32	Optimal Harmonic Estimation Using A Particle Swarm Optimizer. <i>IEEE Transactions on Power Delivery</i> , <b>2008</b> , 23, 1166-1174	4-3	61
31	Morphological Lifting Scheme for Current Transformer Saturation Detection and Compensation. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2008</b> , 55, 3349-3357	3-9	55
30	Optimal placement of FACTS devices by a Group Search Optimizer with Multiple Producer <b>2008</b> ,		27
29	Optimal allocation of FACTS devices with multiple objectives achieved by bacterial swarming algorithm <b>2008</b> ,		16
28	A novel Genetic Particle-Pair Optimizer for Vector Quantization in image coding <b>2008</b> ,		2
27	Optimal morphological filter design using a bacterial swarming algorithm <b>2008</b> ,		1
26	Optimal harmonic estimation Using Dynamic Bacterial Swarming Algorithm <b>2008</b> ,		1
25	Requantization codebook design using particle-pair optimizer <b>2008</b> ,		1
24	A Fast Bacterial Swarming Algorithm for high-dimensional function optimization <b>2008</b> ,		4
23	A phase selector based on mathematical morphology for double circuit transmission lines <b>2008</b> ,		7
22	A Bayesian network approach to power system asset management for transformer dissolved gas analysis <b>2008</b> ,		11

21	BFA based neural network for image compression. <i>Journal of Electronics</i> , <b>2008</b> , 25, 405-408		0
20	A novel intelligent particle optimizer for global optimization of multimodal functions <b>2007</b> ,		15
19	Optimal location of FACTS devices by a Bacterial Swarming Algorithm for reactive power planning <b>2007</b> ,		9
18	A bacterial swarming algorithm for global optimization <b>2007</b> ,		18
17	Development of a Multisegment Coal Mill Model Using an Evolutionary Computation Technique. <i>IEEE Transactions on Energy Conversion</i> , <b>2007</b> , 22, 718-727	5.4	52
16	Observer-based nonlinear control of a torque motor with perturbation estimation. <i>International Journal of Automation and Computing</i> , <b>2006</b> , 3, 84-90	3.5	4
15	Optimal Power Flow With Dynamic Loads Using Bacterial Foraging Algorithm <b>2006</b> ,		22
14	Sliding Mode Control of Robot Manipulators Based on Sliding Mode Perturbation Observation. <i>Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering</i> , <b>2006</b> , 220, 201-210	1	3
13	Improving Control Ability of Relay Protection System with Intelligent Agents <b>2006</b> ,		1
12	Modeling of a Power Transformer Winding for Deformation Detection Based on Frequency Response Analysis <b>2006</b> ,		1
11	Simulated Bacterially-Inspired Problem Solving in the Behavioural Domain. <i>Natural Computing</i> , <b>2006</b> , 5, 43-65	1.3	6
10	Fast training of Support Vector Machines using error-center-based optimization. <i>International Journal of Automation and Computing</i> , <b>2005</b> , 2, 6-12	3.5	4
9	Power system aggregate load area modelling by particle swarm optimization. <i>International Journal of Automation and Computing</i> , <b>2005</b> , 2, 171-178	3.5	3
8	Revenue Reconciliation for Spot Pricing: Implementation and Implication. <i>Electric Power Components and Systems</i> , <b>2004</b> , 32, 53-73	1	1
7	e-Automation, an architecture for distributed industrial automation systems. <i>International Journal of Automation and Computing</i> , <b>2004</b> , 1, 17-25	3.5	5
6	Optimal Bidding Strategies in Electricity Markets Using Reinforcement Learning. <i>Electric Power Components and Systems</i> , <b>2004</b> , 32, 175-192	1	11
5	Decentralized Adaptive Control of Interconnected Non-Linear Systems Using High Gain Observer. <i>International Journal of Control</i> , <b>2004</b> , 77, 703-712	1.5	33
4	Power System Load Modeling by Evolutionary Computation Based on System Measurements. <i>Electric Power Components and Systems</i> , <b>2003</b> , 31, 423-439	1	5

3	Dispatching <b>1999</b> ,		2
2	Teaching Genetic Algorithm Using Matlab. <i>International Journal of Electrical Engineering and Education</i> , <b>1999</b> , 36, 139-153	0.6	39
1	An improved Lyapunov function for power system stability analysis. <i>International Journal of Control</i> , <b>1996</b> , 65, 791-802	1.5	5