

# Anna Pulakka

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2683266/publications.pdf>

Version: 2024-02-01

37  
papers

849  
citations

516215

16  
h-index

525886

27  
g-index

37  
all docs

37  
docs citations

37  
times ranked

1292  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Effect of a Consumer-Based Activity Tracker Intervention on Accelerometer-Measured Sedentary Time Among Retirees: A Randomized Controlled REACT Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 579-587.	1.7	5
2	Associations of sleep and individual characteristics with accelerometer-measured catch-up sleep among older employees. <i>Sleep Epidemiology</i> , 2022, 2, 100021.	0.7	2
3	The Effect of Consumer-based Activity Tracker Intervention on Physical Activity among Recent Retirees—An RCT Study. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 1756-1765.	0.2	14
4	Contexts of sedentary time and physical activity among ageing workers and recent retirees: cross-sectional GPS and accelerometer study. <i>BMJ Open</i> , 2021, 11, e042600.	0.8	6
5	Commuting distance and behavior-related health: A longitudinal study. <i>Preventive Medicine</i> , 2021, 150, 106665.	1.6	11
6	Association of job strain with accelerometer-based sleep duration and timing of sleep among older employees. <i>Journal of Sleep Research</i> , 2021, , e13498.	1.7	2
7	Mortality Among Young Adults Born Preterm and Early Term in 4 Nordic Nations. <i>JAMA Network Open</i> , 2021, 4, e2032779.	2.8	75
8	Changes in prolonged sedentary behaviour across the transition to retirement. <i>Occupational and Environmental Medicine</i> , 2021, 78, 409-412.	1.3	13
9	Objectively Measured Sedentary Time Before and After Transition to Retirement: The Finnish Retirement and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1737-1743.	1.7	17
10	Emerging collaborative research platforms for the next generation of physical activity, sleep and exercise medicine guidelines: the Prospective Physical Activity, Sitting, and Sleep consortium (ProPASS). <i>British Journal of Sports Medicine</i> , 2020, 54, 435-437.	3.1	51
11	Associations of accelerometer-based sleep duration and self-reported sleep difficulties with cognitive function in late mid-life: the Finnish Retirement and Aging Study. <i>Sleep Medicine</i> , 2020, 68, 42-49.	0.8	11
12	Changes in accelerometer-measured sleep during the transition to retirement: the Finnish Retirement and Aging (FIREA) study. <i>Sleep</i> , 2020, 43, .	0.6	16
13	Comparison between recent and long-term physical activity levels as predictors of cardiometabolic risk: a cohort study. <i>BMJ Open</i> , 2020, 10, e033797.	0.8	8
14	Daily Physical Activity Patterns and Their Association With Health-Related Physical Fitness Among Aging Workers—The Finnish Retirement and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 76, 1242-1250.	1.7	15
15	Cross-sectional associations of neighbourhood socioeconomic disadvantage and greenness with accelerometer-measured leisure-time physical activity in a cohort of ageing workers. <i>BMJ Open</i> , 2020, 10, e038673.	0.8	11
16	Physical Activity across Retirement Transition by Occupation and Mode of Commute. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1900-1907.	0.2	19
17	Commuting time to work and behaviour-related health: a fixed-effect analysis. <i>Occupational and Environmental Medicine</i> , 2020, 77, 77-83.	1.3	19
18	Comparison of Sedentary Time Between Thigh-Worn and Wrist-Worn Accelerometers. <i>Journal for the Measurement of Physical Behaviour</i> , 2020, 3, 234-243.	0.5	20

#	ARTICLE	IF	CITATIONS
19	The effects of supplementing maternal and infant diets with lipid-based nutrient supplements on physical activity and sedentary behaviour at preschool age in Ghana. <i>British Journal of Nutrition</i> , 2019, 122, 884-894.	1.2	4
20	Path analyses of risk factors for linear growth faltering in four prospective cohorts of young children in Ghana, Malawi and Burkina Faso. <i>BMJ Global Health</i> , 2019, 4, e001155.	2.0	34
21	Daily physical activity patterns among aging workers: the Finnish Retirement and Aging Study (FIREA). <i>Occupational and Environmental Medicine</i> , 2019, 76, 33-39.	1.3	23
22	Changes in Smoking During Retirement Transition: A Longitudinal Cohort Study. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 876-884.	1.2	3
23	Changes in non-occupational sedentary behaviours across the retirement transition: the Finnish Retirement and Aging (FIREA) study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 695-701.	2.0	52
24	Change in physical activity and accumulation of cardiometabolic risk factors. <i>Preventive Medicine</i> , 2018, 112, 31-37.	1.6	27
25	Association Between Employment Status and Objectively Measured Physical Activity and Sedentary Behavior—The Maastricht Study. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 309-315.	0.9	22
26	Classification and Processing of 24-Hour Wrist Accelerometer Data. <i>Journal for the Measurement of Physical Behaviour</i> , 2018, 1, 51-59.	0.5	20
27	Trajectories of risky drinking around the time of statutory retirement: a longitudinal latent class analysis. <i>Addiction</i> , 2017, 112, 1163-1170.	1.7	28
28	Predictors and pathways of language and motor development in four prospective cohorts of young children in Ghana, Malawi, and Burkina Faso. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017, 58, 1264-1275.	3.1	60
29	Effect of 12-month intervention with lipid-based nutrient supplement on the physical activity of Malawian toddlers: a randomised, controlled trial. <i>British Journal of Nutrition</i> , 2017, 117, 511-518.	1.2	7
30	Height gain after two years of age is associated with better cognitive capacity, measured with Raven's coloured matrices at 15 years of age in Malawi. <i>Maternal and Child Nutrition</i> , 2017, 13, .	1.4	14
31	Distance From Home to the Nearest Tobacco Outlet May Not Reflect the True Accessibility—Reply. <i>JAMA Internal Medicine</i> , 2017, 177, 287.	2.6	3
32	Association Between Distance From Home to Tobacco Outlet and Smoking Cessation and Relapse. <i>JAMA Internal Medicine</i> , 2016, 176, 1512.	2.6	50
33	Change in Neighborhood Disadvantage and Change in Smoking Behaviors in Adults. <i>Epidemiology</i> , 2016, 27, 803-809.	1.2	19
34	Changes in physical activity during transition to retirement: a cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 51.	2.0	73
35	Malawian parents' perceptions of physical activity and child development: a qualitative study. <i>Child: Care, Health and Development</i> , 2015, 41, 911-919.	0.8	5
36	Effect of 12-month intervention with lipid-based nutrient supplements on physical activity of 18-month-old Malawian children: a randomised, controlled trial. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 173-178.	1.3	10

#	ARTICLE	IF	CITATIONS
37	Provision of 10–40 g/d Lipid-Based Nutrient Supplements from 6 to 18 Months of Age Does Not Prevent Linear Growth Faltering in Malawi. <i>Journal of Nutrition</i> , 2015, 145, 1909-1915.	1.3	80