

Gang Yuan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2684360/publications.pdf>

Version: 2024-02-01

41
papers

999
citations

623574

14
h-index

477173

29
g-index

41
all docs

41
docs citations

41
times ranked

1694
citing authors

#	ARTICLE	IF	CITATIONS
1	T2 Mapping with and without Fat-Suppression to Predict Treatment Response to Intravenous Glucocorticoid Therapy for Thyroid-Associated Ophthalmopathy. <i>Korean Journal of Radiology</i> , 2022, 23, 664.	1.5	3
2	Multi-Parametric Diffusion Tensor Imaging of The Optic Nerve for Detection of Dysthyroid Optic Neuropathy in Patients With Thyroid-Associated Ophthalmopathy. <i>Frontiers in Endocrinology</i> , 2022, 13, 851143.	1.5	9
3	Association between the triglyceride-glucose index and diabetic nephropathy in patients with type 2 diabetes: A cross-sectional study. <i>Journal of Diabetes Investigation</i> , 2021, 12, 557-565.	1.1	38
4	Higher plasma NT-proBNP levels correlate with syndrome of inappropriate antidiuretic hormone and poor prognosis in neurological patients. <i>Annals of Translational Medicine</i> , 2021, 9, 28-28.	0.7	0
5	Baseline Volumetric T2 Relaxation Time Histogram Analysis: Can It Be Used to Predict the Response to Intravenous Methylprednisolone Therapy in Patients With Thyroid-Associated Ophthalmopathy?. <i>Frontiers in Endocrinology</i> , 2021, 12, 614536.	1.5	7
6	Combined Associations of Serum Ferritin and Body Size Phenotypes With Cardiovascular Risk Profiles: A Chinese Population-Based Study. <i>Frontiers in Public Health</i> , 2021, 9, 550011.	1.3	5
7	Long Non-coding RNA: A Key Regulator in the Pathogenesis of Diabetic Cardiomyopathy. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 655598.	1.1	8
8	Sirtuin 2 Prevents Liver Steatosis and Metabolic Disorders by Deacetylation of Hepatocyte Nuclear Factor 4 α . <i>Hepatology</i> , 2021, 74, 723-740.	3.6	40
9	The diagnostic value of the IDEAL-T2WI sequence in dysthyroid optic neuropathy: a quantitative analysis of the optic nerve and cerebrospinal fluid in the optic nerve sheath. <i>European Radiology</i> , 2021, 31, 7419-7428.	2.3	15
10	Bilateral breast myxedema caused by Graves' disease and responsive to multipoint subcutaneous injection of long-acting glucocorticoid. <i>Medicine (United States)</i> , 2021, 100, e26469.	0.4	0
11	Circulating ANGPTL8 levels and risk of kidney function decline: Results from the 4C Study. <i>Cardiovascular Diabetology</i> , 2021, 20, 127.	2.7	5
12	Clinical characteristics and genetic analyses in a Chinese family affected by primary aldosteronism: a case report. <i>Annals of Palliative Medicine</i> , 2021, 10, 8378-8383.	0.5	0
13	Clinical relevance of serum immunoglobulin G4 in glucocorticoid therapy of Graves' ophthalmopathy. <i>Clinical Endocrinology</i> , 2021, 95, 657-667.	1.2	4
14	Prediction of treatment response to intravenous glucocorticoid in patients with thyroid-associated ophthalmopathy using T2 mapping and T2 IDEAL. <i>European Journal of Radiology</i> , 2021, 142, 109839.	1.2	11
15	Characteristics and Risk Factors of Pulmonary Hypertension in Patients With Hyperthyroidism. <i>Endocrine Practice</i> , 2021, 27, 918-924.	1.1	7
16	Delayed-onset adrenal hypoplasia congenita and hypogonadotropic hypogonadism caused by a novel mutation in <i>DAX1</i> . <i>Journal of International Medical Research</i> , 2020, 48, 030006051988215.	0.4	2
17	Histogram analysis of T2 mapping for detecting early involvement of extraocular muscles in patients with thyroid-associated ophthalmopathy. <i>Scientific Reports</i> , 2020, 10, 19445.	1.6	6
18	Use of Rituximab After Orbital Decompression Surgery in Two Graves' Ophthalmopathy Patients Progressing to Optic Neuropathy. <i>Frontiers in Endocrinology</i> , 2020, 11, 583565.	1.5	4

#	ARTICLE	IF	CITATIONS
19	Progressively Enlarging Goiter: Case Reports of Primary Thyroid Lymphoma and Literature Review. <i>Current Medical Science</i> , 2020, 40, 518-522.	0.7	3
20	Associations of iron status with apolipoproteins and lipid ratios: a cross-sectional study from the China Health and Nutrition Survey. <i>Lipids in Health and Disease</i> , 2020, 19, 140.	1.2	16
21	Analysis of cardiovascular risks for erectile dysfunction in Chinese patients with type 2 diabetes mellitus lacking clinical symptoms of cardiovascular diseases. <i>Translational Andrology and Urology</i> , 2020, 9, 2500-2509.	0.6	6
22	Sleep duration and apolipoprotein B in metabolically healthy and unhealthy overweight/obese phenotypes: a cross-sectional study in Chinese adults. <i>BMJ Open</i> , 2019, 9, e023817.	0.8	5
23	Adrenocorticotrophic Hormone-Producing Paraganglioma With Low Plasma ACTH Level: A Case Report and Review of the Literature. <i>Frontiers in Endocrinology</i> , 2019, 10, 936.	1.5	4
24	Catalpol induces autophagy and attenuates liver steatosis in ob/ob and high-fat diet-induced obese mice. <i>Aging</i> , 2019, 11, 9461-9477.	1.4	38
25	Liraglutide improves hepatic insulin resistance via the canonical Wnt signaling pathway. <i>Molecular Medicine Reports</i> , 2018, 17, 7372-7380.	1.1	11
26	Association of sleep duration with apolipoproteins and the apolipoprotein B/A1 ratio: the China health and nutrition survey. <i>Nutrition and Metabolism</i> , 2018, 15, 1.	1.3	60
27	Association between Liver Enzymes with Metabolically Unhealthy Obese Phenotype. <i>Lipids in Health and Disease</i> , 2018, 17, 198.	1.2	10
28	Profile and clinical implication of circular RNAs in human papillary thyroid carcinoma. <i>PeerJ</i> , 2018, 6, e5363.	0.9	25
29	Glycemic index, glycemic load, and glycemic response to pomelo in patients with type 2 diabetes. <i>Current Medical Science</i> , 2017, 37, 711-718.	0.7	9
30	Hearing Loss in Type 2 Diabetes in Association with Diabetic Neuropathy. <i>Archives of Medical Research</i> , 2017, 48, 631-637.	1.5	21
31	Capsaicin reduces Alzheimer-associated tau changes in the hippocampus of type 2 diabetes rats. <i>PLoS ONE</i> , 2017, 12, e0172477.	1.1	57
32	Correlation of liver enzymes with diabetes and pre-diabetes in middle-aged rural population in China. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2016, 36, 53-58.	1.0	9
33	Lipid phenotypes in patients with nonalcoholic fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1391-1398.	1.5	27
34	Exendin-4 reduces tau hyperphosphorylation in type 2 diabetic rats via increasing brain insulin level. <i>Molecular and Cellular Neurosciences</i> , 2016, 70, 68-75.	1.0	22
35	Sex differences in the effect of HbA1c-defined diabetes on a wide range of cardiovascular disease risk factors. <i>Annals of Medicine</i> , 2016, 48, 34-41.	1.5	14
36	Novel and Practical Scoring Systems for the Diagnosis of Thyroid Nodules. <i>PLoS ONE</i> , 2016, 11, e0163039.	1.1	3

#	ARTICLE	IF	CITATIONS
37	Combined influence of nonalcoholic fatty liver and body size phenotypes on diabetes risk. <i>Cardiovascular Diabetology</i> , 2015, 14, 144.	2.7	24
38	Early intervention with glucagon-like peptide 1 analog liraglutide prevents tau hyperphosphorylation in diabetic db/db mice. <i>Journal of Neurochemistry</i> , 2015, 135, 301-308.	2.1	51
39	Clinical usefulness of lipid ratios, visceral adiposity indicators, and the triglycerides and glucose index as risk markers of insulin resistance. <i>Cardiovascular Diabetology</i> , 2014, 13, 146.	2.7	359
40	The Therapeutic Role of Very Low-Density Lipoprotein Receptor Gene in Hyperlipidemia in Type 2 Diabetic Rats. <i>Human Gene Therapy</i> , 2011, 22, 302-312.	1.4	11
41	Tissue Kallikrein Reverses Insulin Resistance and Attenuates Nephropathy in Diabetic Rats by Activation of Phosphatidylinositol 3-Kinase/Protein Kinase B and Adenosine 5'-Monophosphate-Activated Protein Kinase Signaling Pathways. <i>Endocrinology</i> , 2007, 148, 2016-2026.	1.4	50