

Audun Stubhaug

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2685154/publications.pdf>

Version: 2024-02-01

158
papers

7,200
citations

57758

44
h-index

62596

80
g-index

162
all docs

162
docs citations

162
times ranked

6944
citing authors

#	ARTICLE	IF	CITATIONS
1	Meta-analysis of 375,000 individuals identifies 38 susceptibility loci for migraine. <i>Nature Genetics</i> , 2016, 48, 856-866.	21.4	520
2	Mapping of punctuate hyperalgesia around a surgical incision demonstrates that ketamine is a powerful suppressor of central sensitization to pain following surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 1124-1132.	1.6	495
3	Relief of post-herpetic neuralgia with the Symbol receptor antagonist ketamine: A double-blind, cross-over comparison with morphine and placebo. <i>Pain</i> , 1994, 58, 347-354.	4.2	427
4	Persistent postsurgical pain in a general population: Prevalence and predictors in the TromsÅ, study. <i>Pain</i> , 2012, 153, 1390-1396.	4.2	263
5	Individual differences in pain sensitivity: Genetic and environmental contributions. <i>Pain</i> , 2008, 136, 21-29.	4.2	240
6	Central Dysesthesia Pain after Traumatic Spinal Cord Injury Is Dependent on N-Methyl-D-aspartate Receptor Activation. <i>Neurosurgery</i> , 1995, 37, 1080-1087.	1.1	222
7	Continuous subcutaneous administration of the N -methyl-D-aspartic acid (NMDA) receptor antagonist ketamine in the treatment of post-herpetic neuralgia. <i>Pain</i> , 1995, 61, 221-228.	4.2	221
8	Ketamine, an NMDA receptor antagonist, suppresses spatial and temporal properties of burn-induced secondary hyperalgesia in man: a double-blind, cross-over comparison with morphine and placebo. <i>Pain</i> , 1997, 72, 99-106.	4.2	202
9	Sleep and pain sensitivity in adults. <i>Pain</i> , 2015, 156, 1433-1439.	4.2	178
10	Cold allodynia and hyperalgesia in neuropathic pain: the effect of N -methyl-d-aspartate (NMDA) receptor antagonist ketamine – a double-blind, cross-over comparison with alfentanil and placebo. <i>Pain</i> , 2003, 101, 229-235.	4.2	153
11	Gender is a confounding factor in pain trials: women report more pain than men after arthroscopic surgery. <i>Pain</i> , 2004, 112, 248-253.	4.2	135
12	Local treatment with the N-methyl-d-aspartate receptor antagonist ketamine, inhibit development of secondary hyperalgesia in man by a peripheral action. <i>Neuroscience Letters</i> , 1997, 227, 1-4.	2.1	124
13	Use of Magnetic Resonance Imaging to Define the Anatomical Location Closest to All Three Cords of the Infraclavicular Brachial Plexus. <i>Anesthesia and Analgesia</i> , 2006, 103, 1574-1576.	2.2	117
14	Gabapentin in traumatic nerve injury pain: A randomized, double-blind, placebo-controlled, cross-over, multi-center study. <i>Pain</i> , 2008, 138, 255-266.	4.2	116
15	Electrical Nerve Stimulation or Ultrasound Guidance for Lateral Sagittal Infraclavicular Blocks: A Randomized, Controlled, Observer-Blinded, Comparative Study. <i>Anesthesia and Analgesia</i> , 2008, 106, 1910-1915.	2.2	108
16	Detecting postoperative urinary retention with an ultrasound scanner. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 279-282.	1.6	103
17	Methylprednisolone intravenously 1 day after surgery has sustained analgesic and opioid-sparing effects. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 1223-1231.	1.6	99
18	Lack of analgesic effect of 50 and 100 mg oral tramadol after orthopaedic surgery: a randomized, double-blind, placebo and standard active drug comparison. <i>Pain</i> , 1995, 62, 111-118.	4.2	97

#	ARTICLE	IF	CITATIONS
19	Methylprednisolone Reduces Pain, Emesis, and Fatigue After Breast Augmentation Surgery: A Single-Dose, Randomized, Parallel-Group Study with Methylprednisolone 125 mg, Parecoxib 40 mg, and Placebo. <i>Anesthesia and Analgesia</i> , 2006, 102, 418-425.	2.2	96
20	Changes in Blood Pressure and Cardiac Output during Cesarean Delivery. <i>Anesthesiology</i> , 2013, 119, 541-551.	2.5	95
21	Hypertonic saline (7.2%) in 6% hydroxyethyl starch reduces intracranial pressure and improves hemodynamics in a placebo-controlled study involving stable patients with subarachnoid hemorrhage*. <i>Critical Care Medicine</i> , 2006, 34, 2912-2917.	0.9	94
22	Chronic pain and sensory changes after augmentation mammoplasty: Long term effects of preincisional administration of methylprednisolone. <i>Pain</i> , 2006, 124, 92-99.	4.2	93
23	Management of acute postoperative pain: Still a long way to go!. <i>Pain</i> , 2008, 137, 233-234.	4.2	89
24	Impedance-based tissue discrimination for needle guidance. <i>Physiological Measurement</i> , 2009, 30, 129-140.	2.1	83
25	Characterizing individual differences in heat-pain sensitivity. <i>Pain</i> , 2005, 119, 65-74.	4.2	79
26	Chronic Abdominal Pain and Symptoms 5 Years After Gastric Bypass for Morbid Obesity. <i>Obesity Surgery</i> , 2017, 27, 1438-1445.	2.1	79
27	Implementation Strategies to Enhance the Implementation of eHealth Programs for Patients With Chronic Illnesses: Realist Systematic Review. <i>Journal of Medical Internet Research</i> , 2019, 21, e14255.	4.3	78
28	The predictive value of quantitative sensory testing: a systematic review on chronic postoperative pain and the analgesic effect of pharmacological therapies in patients with chronic pain. <i>Pain</i> , 2021, 162, 31-44.	4.2	77
29	Effects of COX inhibition on experimental pain and hyperalgesia during and after remifentanyl infusion in humans. <i>Pain</i> , 2011, 152, 1289-1297.	4.2	75
30	Hypertension prevalence and diminished blood pressure-related hypoalgesia in individuals reporting chronic pain in a general population: The TromsÅ Study. <i>Pain</i> , 2013, 154, 257-262.	4.2	66
31	Pregabalin Has Analgesic, Ventilatory, and Cognitive Effects in Combination with Remifentanyl. <i>Anesthesiology</i> , 2016, 124, 141-149.	2.5	65
32	Preinjury treatment with morphine or ketamine inhibits the development of experimentally induced secondary hyperalgesia in man. <i>Pain</i> , 2000, 86, 293-303.	4.2	62
33	A randomized double-blind controlled trial of intra-annular radiofrequency thermal disc therapy – A 12-month follow-up. <i>Pain</i> , 2009, 145, 279-286.	4.2	59
34	Persistent post-surgical pain and experimental pain sensitivity in the TromsÅ study: Comorbid pain matters. <i>Pain</i> , 2014, 155, 341-348.	4.2	58
35	Intra-articular morphine for pain relief after knee arthroscopy. <i>Acta Anaesthesiologica Scandinavica</i> , 1999, 43, 252-257.	1.6	57
36	A User-Centered Approach to an Evidence-Based Electronic Health Pain Management Intervention for People With Chronic Pain: Design and Development of EPIO. <i>Journal of Medical Internet Research</i> , 2020, 22, e15889.	4.3	56

#	ARTICLE	IF	CITATIONS
37	Effective pain relief from intra-articular saline with or without morphine 2â€ƒmg in patients with moderate-to-severe pain after knee arthroscopy: a randomized, double-blind controlled clinical study. <i>Acta Anaesthesiologica Scandinavica</i> , 2003, 47, 732-738.	1.6	55
38	Current Threshold for Nerve Stimulation Depends on Electrical Impedance of the Tissue: A Study of Ultrasound-Guided Electrical Nerve Stimulation of the Median Nerve. <i>Anesthesia and Analgesia</i> , 2009, 108, 1338-1343.	2.2	51
39	Glucocorticoids for Acute and Persistent Postoperative Neuropathic Pain. <i>Anesthesiology</i> , 2007, 107, 371-373.	2.5	51
40	Intra-articular (IA) catheter administration of postoperative analgesics. A new trial design allows evaluation of baseline pain, demonstrates large variation in need of analgesics, and finds no analgesic effect of IA ketamine compared with IA saline. <i>Pain</i> , 2003, 104, 25-34.	4.2	49
41	Relief of Glossopharyngeal Neuralgia by Ketamine-induced /V-Methyl-aspartate Receptor Blockade. <i>Neurosurgery</i> , 1997, 41, 505-508.	1.1	48
42	Pressure-derived versus pressure wave amplitudeâ€“derived indices of cerebrovascular pressure reactivity in relation to early clinical state and 12-month outcome following aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2012, 116, 961-971.	1.6	48
43	Pain and Quality of Life in Hospitalized Patients with Heart Failure. <i>Journal of Pain and Symptom Management</i> , 2008, 36, 497-504.	1.2	47
44	Chronic pain-related changes in cardiovascular regulation and impact on comorbid hypertension in a general population: the TromsÃ, study. <i>Pain</i> , 2018, 159, 119-127.	4.2	47
45	Moderate-to-Severe Pain After Knee Arthroscopy Is Relieved by Intraarticular Saline: A Randomized Controlled Trial. <i>Anesthesia and Analgesia</i> , 2004, 98, 1546-1551.	2.2	45
46	Investigating the Burden of Chronic Pain: An Inflammatory and Metabolic Composite. <i>Pain Research and Management</i> , 2016, 2016, 1-11.	1.8	45
47	Differential effects of osmotherapy on static and pulsatile intracranial pressure*. <i>Critical Care Medicine</i> , 2008, 36, 2414-2419.	0.9	44
48	Pain sensitivity and analgesic use among 10,486 adults: the TromsÃ, study. <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 45.	2.4	44
49	A Randomized and Blinded Single-Center Trial Comparing the Effect of Intracranial Pressure and Intracranial Pressure Wave Amplitude-Guided Intensive Care Management on Early Clinical State and 12-Month Outcome in Patients With Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2011, 69, 1105-1115.	1.1	42
50	C-reactive protein and cold-pressor tolerance in the general population: the TromsÃ, Study. <i>Pain</i> , 2017, 158, 1280-1288.	4.2	42
51	Predictable reduction of intracranial hypertension with hypertonic saline hydroxyethyl starch: a prospective clinical trial in critically ill patients with subarachnoid haemorrhage. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 1089-1095.	1.6	40
52	Hemodynamic effects of oxytocin during cesarean delivery. <i>International Journal of Gynecology and Obstetrics</i> , 2006, 95, 46-47.	2.3	40
53	Ultrasound controlled nerve stimulation in the elbow region: high currents and short distances needed to obtain motor responses. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 942-948.	1.6	39
54	Ibuprofen plus codeine, ibuprofen, and placebo in a single- and multidose cross-over comparison for coxarthrosis pain. <i>Pain</i> , 1992, 50, 303-307.	4.2	38

#	ARTICLE	IF	CITATIONS
55	A population-based study of quantitative sensory testing in adolescents with and without chronic pain. <i>Pain</i> , 2016, 157, 2807-2815.	4.2	37
56	The impact of an educational pain management booklet intervention on postoperative pain control after cardiac surgery. <i>European Journal of Cardiovascular Nursing</i> , 2017, 16, 18-27.	0.9	36
57	Intra-Articular Morphine 5 mg After Knee Arthroscopy Does Not Produce Significant Pain Relief When Administered to Patients With Moderate to Severe Pain via an Intra-Articular Catheter. <i>Regional Anesthesia and Pain Medicine</i> , 2006, 31, 506-513.	2.3	35
58	Genetic variation in P2RX7 and pain tolerance. <i>Pain</i> , 2018, 159, 1064-1073.	4.2	34
59	Pilot field testing of the chronic pain classification for ICD-11: the results of ecological coding. <i>BMC Public Health</i> , 2018, 18, 1239.	2.9	34
60	Pain experiences of men and women after cardiac surgery. <i>Journal of Clinical Nursing</i> , 2016, 25, 3058-3068.	3.0	33
61	Intensive care survivorâ€reported symptoms: a longitudinal study of survivors' symptoms. <i>Nursing in Critical Care</i> , 2018, 23, 48-54.	2.3	30
62	Longterm treatment of chronic neuropathic pain with the NMDA (Nâ€methylâ€Dâ€aspartate) receptor antagonist ketamine. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 329-331.	1.6	28
63	Cardiac arrest after intravenous metoclopramide â€a case of five repeated injections of metoclopramide causing five episodes of cardiac arrest. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 908-910.	1.6	28
64	Hyperesthesia one year after breast augmentation surgery increases the odds for persisting pain at four years A prospective four-year follow-up study. <i>Scandinavian Journal of Pain</i> , 2010, 1, 75-81.	1.3	28
65	Health-related quality of life in intensive care survivors: Associations with social support, comorbidity, and pain interference. <i>PLoS ONE</i> , 2018, 13, e0199656.	2.5	27
66	Indirect Calorimetry Reveals That Better Monitoring of Nutrition Therapy in Pediatric Intensive Care Is Needed. <i>Journal of Parenteral and Enteral Nutrition</i> , 2015, 39, 344-352.	2.6	26
67	Intra-Articular Morphine 5 mg After Knee Arthroscopy Does Not Produce Significant Pain Relief When Administered to Patients With Moderate to Severe Pain via an Intra-Articular Catheter. <i>Regional Anesthesia and Pain Medicine</i> , 2006, 31, 506-513.	2.3	25
68	Methylprednisolone and ketorolac rapidly reduce hyperalgesia around a skin burn injury and increase pressure pain thresholds. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 1138-1146.	1.6	25
69	Comments on Cervero and Laird, <i>PAIN</i> , 68 (1996) 13-23. <i>Pain</i> , 1997, 72, 289-291.	4.2	24
70	Improvement in Psoriasis Area and Severity Index Score Predicts Improvement in Skin Pain Over Time in Patients with Psoriasis. <i>Acta Dermato-Venereologica</i> , 2013, 93, 330-334.	1.3	24
71	Experimental Comparison of Parametric Versus Nonparametric Analyses of Data From the Cold Pressor Test. <i>Journal of Pain</i> , 2015, 16, 537-548.	1.4	23
72	Diagnosis and treatment of chronic abdominal pain 5 years after Roux-en-Y gastric bypass. <i>Surgery for Obesity and Related Diseases</i> , 2018, 14, 1544-1551.	1.2	23

#	ARTICLE	IF	CITATIONS
73	The Oslo University Hospital Pain Registry: development of a digital chronic pain registry and baseline data from 1,712 patients. <i>Scandinavian Journal of Pain</i> , 2019, 19, 365-373.	1.3	23
74	Digital Self-Management in Support of Patients Living With Chronic Pain: Feasibility Pilot Study. <i>JMIR Formative Research</i> , 2020, 4, e23893.	1.4	23
75	Persistent Pain After Surgery for Cutaneous Melanoma. <i>Clinical Journal of Pain</i> , 2012, 28, 149-156.	1.9	22
76	A population-based study of inflammatory mechanisms and pain sensitivity. <i>Pain</i> , 2020, 161, 338-350.	4.2	22
77	A new method to evaluate central sensitization to pain following surgery. Effect of ketamine. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 154-155.	1.6	21
78	Relief of Trigeminal Neuralgia after Percutaneous Retrogasserian Glycerol Rhizolysis Is Dependent on Normalization of Abnormal Temporal Summation of Pain, without General Impairment of Sensory Perception. <i>Neurosurgery</i> , 1998, 43, 462-472.	1.1	21
79	Widespread Hyperalgesia in Adolescents With Symptoms of Irritable Bowel Syndrome: Results From a Large Population-Based Study. <i>Journal of Pain</i> , 2014, 15, 898-906.	1.4	21
80	Prevalence, Location, and Characteristics of Chronic Pain in Intensive Care Survivors. <i>Pain Management Nursing</i> , 2018, 19, 366-376.	0.9	21
81	Working in a cold environment, feeling cold at work and chronic pain: a cross-sectional analysis of the TromsÅ Study. <i>BMJ Open</i> , 2019, 9, e031248.	1.9	21
82	Adding propacetamol to ketorolac increases the tolerance to painful pressure. <i>European Journal of Pain</i> , 2006, 10, 177-177.	2.8	20
83	Burden of disease is often aggravated by opioid treatment of chronic pain patients: Etiology and prevention. <i>Pain</i> , 2014, 155, 2441-2443.	4.2	20
84	From intracranial pressure to intracranial pressure wave-guided intensive care management of a patient with an aneurysmal subarachnoid haemorrhage. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 501-504.	1.6	19
85	Mental and somatic co-morbidities in chronic orofacial pain conditions: Pain patients in need of multiprofessional team approach. <i>Scandinavian Journal of Pain</i> , 2011, 2, 153-154.	1.3	19
86	Habitual sleep disturbances and migraine: a Mendelian randomization study. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 2370-2380.	3.7	18
87	Health care providersâ€™ experiences of pain management and attitudes towards digitally supported self-management interventions for chronic pain: a qualitative study. <i>BMC Health Services Research</i> , 2021, 21, 275.	2.2	18
88	Gender Differences in Blood Pressureâ€“Related Hypoalgesia in a General Population: The TromsÅ Study. <i>Journal of Pain</i> , 2013, 14, 699-708.	1.4	17
89	Pain Tolerance in Persons With Recognized and Unrecognized Myocardial Infarction: A Populationâ€“Based, Crossâ€“Sectional Study. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	16
90	A tonic heat test stimulus yields a larger and more reliable conditioned pain modulation effect compared to a phasic heat test stimulus. <i>Pain Reports</i> , 2017, 2, e626.	2.7	15

#	ARTICLE	IF	CITATIONS
91	Validation of the Norwegian Pain Sensitivity Questionnaire. Journal of Pain Research, 2017, Volume 10, 1137-1142.	2.0	15
92	9 Post-operative analgesic trials: some important issues. Bailliere's Clinical Anaesthesiology, 1995, 9, 555-584.	0.2	13
93	Can opioids prevent post-operative chronic pain?. European Journal of Pain, 2005, 9, 153-156.	2.8	13
94	Chronic pain and cardiovascular stress responses in a general population: the TromsÅ Study. Journal of Behavioral Medicine, 2014, 37, 1193-1201.	2.1	12
95	Acute neuropathic pain: equivalent or different to chronic neuropathic pain? A call for gathering of scientifically based information on acute neuropathic pain. Pain, 2019, 160, 2413-2414.	4.2	12
96	8 The NMDA-antagonist ketamine for prevention and treatment of acute and chronic post-operative pain. Bailliere's Clinical Anaesthesiology, 1995, 9, 539-554.	0.2	11
97	The Effect of Peripheral Glycerol on Trigeminal Neuropathic Pain Examined by Quantitative Assessment of Abnormal Pain and Sensory Perception. Acta Neurochirurgica, 1998, 140, 1271-1277.	1.7	11
98	Cognitive Effects of Perioperative Pregabalin. Anesthesiology, 2019, 130, 63-71.	2.5	11
99	Physical activity and cold pain tolerance in the general population. European Journal of Pain, 2021, 25, 637-650.	2.8	11
100	The peer effect on pain tolerance. Scandinavian Journal of Pain, 2018, 18, 467-477.	1.3	10
101	The Graphical Index of Pain: a new web-based method for high-throughput screening of pain. Pain, 2020, 161, 2255-2262.	4.2	10
102	Sensory Perception in Patients with Trigeminal Neuralgia: Effects of Percutaneous Retrogasserian Glycerol Rhizotomy. Stereotactic and Functional Neurosurgery, 1997, 68, 207-211.	1.5	9
103	Pressure pain algometry â€” A call for standardisation of methods. Scandinavian Journal of Pain, 2012, 3, 30-30.	1.3	9
104	Persistent analgesic use and the association with chronic pain and other risk factors in the populationâ€”a longitudinal study from the TromsÅ Study and the Norwegian Prescription Database. European Journal of Clinical Pharmacology, 2016, 72, 977-985.	1.9	9
105	Why we publish negative studies â€” and prescriptions on how to do clinical pain trials well. Scandinavian Journal of Pain, 2010, 1, 98-99.	1.3	8
106	Important development: Extended Acute Pain Service for patients at high risk of chronic pain after surgery. Scandinavian Journal of Pain, 2016, 12, 58-59.	1.3	8
107	Importance of early diagnosis of complex regional pain syndrome (CRPS-1 and CRPS-2): Delayed diagnosis of CRPS is a major problem. Scandinavian Journal of Pain, 2016, 11, 49-51.	1.3	8
108	Comparing objective cognitive impairments in patients with peripheral neuropathic pain or fibromyalgia. Scientific Reports, 2021, 11, 673.	3.3	8

#	ARTICLE	IF	CITATIONS
109	Central Dysesthesia Pain after Traumatic Spinal Cord Injury Is Dependent on N-Methyl-D-aspartate Receptor Activation. <i>Neurosurgery</i> , 1995, 37, 1080-1087.	1.1	8
110	Statistical pearls: Importance of effect-size, blinding, randomization, publication bias, and the overestimated <i>p</i> -values. <i>Scandinavian Journal of Pain</i> , 2013, 4, 217-219.	1.3	7
111	Endocrinopathies in women during opioid therapy cause loss of androgens, fatigue, listlessness, loss of libido and quality of life: stop prescribing opioids or follow the 2016 Centers for Disease Control and Prevention guidelines?. <i>Pain</i> , 2017, 158, 1-3.	4.2	7
112	Clinical trials: acute and chronic pain. , 2008, , 514-528.		7
113	Engaging with EPIO, a digital pain self-management program: a qualitative study. <i>BMC Health Services Research</i> , 2022, 22, 577.	2.2	7
114	Mirror-therapy: An important tool in the management of Complex Regional Pain Syndrome (CRPS). <i>Scandinavian Journal of Pain</i> , 2013, 4, 190-197.	1.3	6
115	To tolerate weather and to tolerate pain: two sides of the same coin? The TromsÅ, Study 7. <i>Pain</i> , 2022, 163, 878-886.	4.2	6
116	Intra-Articular Morphine in Acute Pain Trials. <i>Regional Anesthesia and Pain Medicine</i> , 2007, 32, 176-177.	2.3	5
117	Association between intracranial pulse pressure levels and brain energy metabolism in a patient with an aneurysmal subarachnoid haemorrhage. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 1273-1276.	1.6	5
118	The effect of tracheotomy on drug consumption in patients with acute aneurysmal subarachnoid hemorrhage: an observational study. <i>BMC Anesthesiology</i> , 2015, 15, 47.	1.8	5
119	Predicting the outcome of persistent sciatica using conditioned pain modulation: 1-year results from a prospective cohort study. <i>Scandinavian Journal of Pain</i> , 2019, 20, 69-75.	1.3	5
120	Early Treatment of Tetanus-Induced Trismus With Botulinum Toxin A. <i>Anesthesia and Analgesia</i> , 2008, 106, 1591.	2.2	4
121	A new treatment principle for neuropathic pain? Approved oncologic drugs: Epidermal growth factor receptor (EGFR) inhibitors dramatically relieve severe neuropathic pain in a case series. <i>Scandinavian Journal of Pain</i> , 2013, 4, 1-2.	1.3	4
122	Neuropsychological functions of verbal recall and psychomotor speed significantly affect pain tolerance. <i>European Journal of Pain</i> , 2019, 23, 1608-1618.	2.8	4
123	Motivational nondirective resonance breathing versus transcutaneous vagus nerve stimulation in the treatment of fibromyalgia: study protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 808.	1.6	4
124	Perceived Injustice in Patients With Chronic Pain: Prevalence, Relevance, and Associations With Long-Term Recovery and Deterioration. <i>Journal of Pain</i> , 2022, 23, 1196-1207.	1.4	4
125	A bidirectional study of the association between insomnia, high-sensitivity C-reactive protein, and comorbid low back pain and lower limb pain. <i>Scandinavian Journal of Pain</i> , 2023, 23, 110-125.	1.3	4
126	Synovial Fluid Concentration of Prostaglandin E2 Correlates with Pain Intensity After Knee Arthroscopic Procedures. <i>Anesthesia and Analgesia</i> , 2007, 104, 460-461.	2.2	3

#	ARTICLE	IF	CITATIONS
127	Intra-Articular Morphine in Acute Pain Trials. Regional Anesthesia and Pain Medicine, 2007, 32, 176-177.	2.3	3
128	Placebo control – Still the most ethical study design. Pain, 2010, 148, 174-175.	4.2	3
129	Conditioned pain modulation: A useful test paradigm in research and in clinical practice. Scandinavian Journal of Pain, 2013, 4, 101-102.	1.3	3
130	Associations between abdominal pain symptom dimensions and depression among adolescents. Scandinavian Journal of Pain, 2014, 5, 184-190.	1.3	3
131	Preoperative quantitative sensory testing (QST) predicting postoperative pain: Image or mirage?. Scandinavian Journal of Pain, 2017, 15, 91-92.	1.3	3
132	The Standardised Mensendieck Test as a tool for evaluation of movement quality in patients with nonspecific chronic low back pain. Scandinavian Journal of Pain, 2018, 18, 203-210.	1.3	3
133	Low Pain Tolerance Is Associated With Coronary Angiography, Coronary Artery Disease, and Mortality: The TromsÅ Study. Journal of the American Heart Association, 2021, 10, e021291.	3.7	3
134	Knee osteoarthritis patients with intact pain modulating systems may have low risk of persistent pain after knee joint replacement. Scandinavian Journal of Pain, 2015, 6, 41-42.	1.3	2
135	Advances in understanding and treatment of opioid-induced-bowel-dysfunction, opioid-induced-constipation in particular Nordic recommendations based on multi-specialist input. Scandinavian Journal of Pain, 2016, 11, 163-164.	1.3	2
136	Have Norwegians tried psilocybin, and do they accept it as a medicine?. Journal of Psychedelic Studies, 2021, 5, 33-36.	1.2	2
137	Re: Fra ketobemidon til morfin eller oksykodon. Tidsskrift for Den Norske Laegeforening, 2017, 137, 170-170.	0.2	2
138	The indirect impact of heart rate variability on cold pressor pain tolerance and intensity through psychological distress in individuals with chronic pain: the TromsÅ Study. Pain Reports, 2022, 7, e970.	2.7	2
139	Chronic compartment syndrome is an under-recognized cause of leg-pain. Scandinavian Journal of Pain, 2016, 12, 53-54.	1.3	1
140	Possible opioid-sparing effect of cannabis-based medicine using individual-based data from the Norwegian Prescription Database. Basic and Clinical Pharmacology and Toxicology, 2021, , .	2.5	1
141	A new treatable chronic pain diagnosis? Flank pain caused by entrapment of posterior cutaneous branch of intercostal nerves, lateral ACNES coined LACNES. Scandinavian Journal of Pain, 2017, 17, 201-202.	1.3	1
142	Reply to P.E. Vielvoye-Kerkmeer. Pain, 1996, 64, 402.	4.2	0
143	Some problems with wind-up and its calculation. Pain, 1999, 83, 111-112.	4.2	0
144	Les corticoïdes diminuent-ils la douleur et les nausées/vomissements postopératoires?. Praticien En Anesthésie Réanimation, 2008, 12, 154-157.	0.0	0

#	ARTICLE	IF	CITATIONS
145	Prostaglandin E2 production in synovial tissue and acute postoperative pain after knee arthroscopy. Scandinavian Journal of Pain, 2010, 1, 172-172.	1.3	0
146	Redheads, pain mechanisms and genetics: Lessons learned from inconclusive studies. Scandinavian Journal of Pain, 2011, 2, 1-2.	1.3	0
147	How should we prevent persistent postoperative pain?. Scandinavian Journal of Pain, 2012, 3, 179-180.	1.3	0
148	Can we measure the relative contributions of peripheral and central mechanisms of painful conditions, and how can it guide therapy?. Scandinavian Journal of Pain, 2012, 3, 229-229.	1.3	0
149	Chronic whiplash, pain and pain tolerance. Scandinavian Journal of Pain, 2014, 5, 210-210.	1.3	0
150	Complex Regional Pain Syndrome (CRPS) after viper-bite in a pregnant young woman: Pathophysiology and treatment options. Scandinavian Journal of Pain, 2016, 10, 108-110.	1.3	0
151	Genetic variation in <i>P2RX7</i> and pain. Scandinavian Journal of Pain, 2016, 12, 127-127.	1.3	0
152	Response to the Letter to the Editor: Experimental Comparison of Parametric Versus Nonparametric Analyses of Data From the Cold Pressor Test. Journal of Pain, 2016, 17, 128-129.	1.4	0
153	Why are some patients with chronic pain from anterior abdominal nerve entrapment syndrome (ACNES) refractory to peripheral treatment with neurectomy?. Scandinavian Journal of Pain, 2017, 14, 80-81.	1.3	0
154	CNS mechanisms contribute to chronification of pain. Scandinavian Journal of Pain, 2017, 15, 137-139.	1.3	0
155	Cancer-pain intractable to high-doses systemic opioids can be relieved by intraspinal local anaesthetic plus an opioid and an α_2 -adrenoceptor agonist. Scandinavian Journal of Pain, 2017, 16, 158-159.	1.3	0
156	Reply to Letter to the Editor "Clinical registries are essential tools for ensuring quality and improving outcomes in pain medicine" by Baciarello et al.. Scandinavian Journal of Pain, 2019, 19, 635-635.	1.3	0
157	Response to: The Opioid and Pain intensity Index "a proposal. Acta Anaesthesiologica Scandinavica, 2019, 63, 135-136.	1.6	0
158	Comparison of tramadol with morphine for post-operative pain following abdominal surgery [1]. European Journal of Anaesthesiology, 1996, 13, 416-417.	1.7	0