

# Audun Stubhaug

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2685154/publications.pdf>

Version: 2024-02-01

158  
papers

7,200  
citations

57719

44  
h-index

62565

80  
g-index

162  
all docs

162  
docs citations

162  
times ranked

6944  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | A bidirectional study of the association between insomnia, high-sensitivity C-reactive protein, and comorbid low back pain and lower limb pain. <i>Scandinavian Journal of Pain</i> , 2023, 23, 110-125.                     | 0.5 | 4         |
| 2  | To tolerate weather and to tolerate pain: two sides of the same coin? The TromsÅ, Study 7. <i>Pain</i> , 2022, 163, 878-886.   | 2.0 | 6         |
| 3  | Perceived Injustice in Patients With Chronic Pain: Prevalence, Relevance, and Associations With Long-Term Recovery and Deterioration. <i>Journal of Pain</i> , 2022, 23, 1196-1207.  | 0.7 | 4         |
| 4  | The indirect impact of heart rate variability on cold pressor pain tolerance and intensity through psychological distress in individuals with chronic pain: the TromsÅ, Study. <i>Pain Reports</i> , 2022, 7, e970.          | 1.4 | 2         |
| 5  | Engaging with EPIO, a digital pain self-management program: a qualitative study. <i>BMC Health Services Research</i> , 2022, 22, 577.  | 0.9 | 7         |
| 6  | Physical activity and cold pain tolerance in the general population. <i>European Journal of Pain</i> , 2021, 25, 637-650.  | 1.4 | 11        |
| 7  | Comparing objective cognitive impairments in patients with peripheral neuropathic pain or fibromyalgia. <i>Scientific Reports</i> , 2021, 11, 673.   | 1.6 | 8         |
| 8  | Health care providersâ€™ experiences of pain management and attitudes towards digitally supported self-management interventions for chronic pain: a qualitative study. <i>BMC Health Services Research</i> , 2021, 21, 275.  | 0.9 | 18        |
| 9  | Have Norwegians tried psilocybin, and do they accept it as a medicine?. <i>Journal of Psychedelic Studies</i> , 2021, 5, 33-36.  | 0.5 | 2         |
| 10 | Possible opioidâ€saving effect of cannabisâ€based medicine using individualâ€based data from the Norwegian Prescription Database. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, , .                          | 1.2 | 1         |
| 11 | The predictive value of quantitative sensory testing: a systematic review on chronic postoperative pain and the analgesic effect of pharmacological therapies in patients with chronic pain. <i>Pain</i> , 2021, 162, 31-44. | 2.0 | 77        |
| 12 | Low Pain Tolerance Is Associated With Coronary Angiography, Coronary Artery Disease, and Mortality: The TromsÅ, Study. <i>Journal of the American Heart Association</i> , 2021, 10, e021291.                                 | 1.6 | 3         |
| 13 | A population-based study of inflammatory mechanisms and pain sensitivity. <i>Pain</i> , 2020, 161, 338-350.  | 2.0 | 22        |
| 14 | Motivational nondirective resonance breathing versus transcutaneous vagus nerve stimulation in the treatment of fibromyalgia: study protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 808.               | 0.7 | 4         |
| 15 | The Graphical Index of Pain: a new web-based method for high-throughput screening of pain. <i>Pain</i> , 2020, 161, 2255-2262.   | 2.0 | 10        |
| 16 | Habitual sleep disturbances and migraine: a Mendelian randomization study. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 2370-2380.   | 1.7 | 18        |
| 17 | A User-Centered Approach to an Evidence-Based Electronic Health Pain Management Intervention for People With Chronic Pain: Design and Development of EPIO. <i>Journal of Medical Internet Research</i> , 2020, 22, e15889.   | 2.1 | 56        |
| 18 | Digital Self-Management in Support of Patients Living With Chronic Pain: Feasibility Pilot Study. <i>JMIR Formative Research</i> , 2020, 4, e23893.  | 0.7 | 23        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Neuropsychological functions of verbal recall and psychomotor speed significantly affect pain tolerance. <i>European Journal of Pain</i> , 2019, 23, 1608-1618.   | 1.4 | 4         |
| 20 | Predicting the outcome of persistent sciatica using conditioned pain modulation: 1-year results from a prospective cohort study. <i>Scandinavian Journal of Pain</i> , 2019, 20, 69-75.                             | 0.5 | 5         |
| 21 | The Oslo University Hospital Pain Registry: development of a digital chronic pain registry and baseline data from 1,712 patients. <i>Scandinavian Journal of Pain</i> , 2019, 19, 365-373.                          | 0.5 | 23        |
| 22 | Reply to Letter to the Editor "Clinical registries are essential tools for ensuring quality and improving outcomes in pain medicine" by Baciarello et al.. <i>Scandinavian Journal of Pain</i> , 2019, 19, 635-635. | 0.5 | 0         |
| 23 | Working in a cold environment, feeling cold at work and chronic pain: a cross-sectional analysis of the TromsÅ, Study. <i>BMJ Open</i> , 2019, 9, e031248.  | 0.8 | 21        |
| 24 | Cognitive Effects of Perioperative Pregabalin. <i>Anesthesiology</i> , 2019, 130, 63-71.  | 1.3 | 11        |
| 25 | Acute neuropathic pain: equivalent or different to chronic neuropathic pain? A call for gathering of scientifically based information on acute neuropathic pain. <i>Pain</i> , 2019, 160, 2413-2414.                | 2.0 | 12        |
| 26 | Response to: The Opioid and Pain intensity Index " a proposal. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 135-136.  | 0.7 | 0         |
| 27 | Implementation Strategies to Enhance the Implementation of eHealth Programs for Patients With Chronic Illnesses: Realist Systematic Review. <i>Journal of Medical Internet Research</i> , 2019, 21, e14255.         | 2.1 | 78        |
| 28 | Genetic variation in P2RX7 and pain tolerance. <i>Pain</i> , 2018, 159, 1064-1073.  | 2.0 | 34        |
| 29 | Prevalence, Location, and Characteristics of Chronic Pain in Intensive Care Survivors. <i>Pain Management Nursing</i> , 2018, 19, 366-376.  | 0.4 | 21        |
| 30 | Intensive care survivor-reported symptoms: a longitudinal study of survivors' symptoms. <i>Nursing in Critical Care</i> , 2018, 23, 48-54.  | 1.1 | 30        |
| 31 | Chronic pain-related changes in cardiovascular regulation and impact on comorbid hypertension in a general population: the TromsÅ, study. <i>Pain</i> , 2018, 159, 119-127.   | 2.0 | 47        |
| 32 | Pilot field testing of the chronic pain classification for ICD-11: the results of ecological coding. <i>BMC Public Health</i> , 2018, 18, 1239.   | 1.2 | 34        |
| 33 | The Standardised Mensendieck Test as a tool for evaluation of movement quality in patients with nonspecific chronic low back pain. <i>Scandinavian Journal of Pain</i> , 2018, 18, 203-210.                         | 0.5 | 3         |
| 34 | Health-related quality of life in intensive care survivors: Associations with social support, comorbidity, and pain interference. <i>PLoS ONE</i> , 2018, 13, e0199656.   | 1.1 | 27        |
| 35 | Diagnosis and treatment of chronic abdominal pain 5 years after Roux-en-Y gastric bypass. <i>Surgery for Obesity and Related Diseases</i> , 2018, 14, 1544-1551.  | 1.0 | 23        |
| 36 | The peer effect on pain tolerance. <i>Scandinavian Journal of Pain</i> , 2018, 18, 467-477.   | 0.5 | 10        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | The impact of an educational pain management booklet intervention on postoperative pain control after cardiac surgery. <i>European Journal of Cardiovascular Nursing</i> , 2017, 16, 18-27.   | 0.4 | 36        |
| 38 | Why are some patients with chronic pain from anterior abdominal nerve entrapment syndrome (ACNES) refractory to peripheral treatment with neurectomy?. <i>Scandinavian Journal of Pain</i> , 2017, 14, 80-81.   | 0.5 | 0         |
| 39 | CNS mechanisms contribute to chronification of pain. <i>Scandinavian Journal of Pain</i> , 2017, 15, 137-139.   | 0.5 | 0         |
| 40 | Pain sensitivity and analgesic use among 10,486 adults: the TromsÅ, study. <i>BMC Pharmacology &amp; Toxicology</i> , 2017, 18, 45.   | 1.0 | 44        |
| 41 | Preoperative quantitative sensory testing (QST) predicting postoperative pain: Image or mirage?. <i>Scandinavian Journal of Pain</i> , 2017, 15, 91-92.   | 0.5 | 3         |
| 42 | Chronic Abdominal Pain and Symptoms 5 Years After Gastric Bypass for Morbid Obesity. <i>Obesity Surgery</i> , 2017, 27, 1438-1445.  | 1.1 | 79        |
| 43 | Cancer-pain intractable to high-doses systemic opioids can be relieved by intraspinal local anaesthetic plus an opioid and an alpha <sub>2</sub> -adrenoceptor agonist. <i>Scandinavian Journal of Pain</i> , 2017, 16, 158-159.                                      | 0.5 | 0         |
| 44 | Endocrinopathies in women during opioid therapy cause loss of androgens, fatigue, listlessness, loss of libido and quality of life: stop prescribing opioids or follow the 2016 Centers for Disease Control and Prevention guidelines?. <i>Pain</i> , 2017, 158, 1-3. | 2.0 | 7         |
| 45 | A tonic heat test stimulus yields a larger and more reliable conditioned pain modulation effect compared to a phasic heat test stimulus. <i>Pain Reports</i> , 2017, 2, e626.   | 1.4 | 15        |
| 46 | Validation of the Norwegian Pain Sensitivity Questionnaire. <i>Journal of Pain Research</i> , 2017, Volume 10, 1137-1142.   | 0.8 | 15        |
| 47 | C-reactive protein and cold-pressor tolerance in the general population: the TromsÅ, Study. <i>Pain</i> , 2017, 158, 1280-1288.   | 2.0 | 42        |
| 48 | Re: Fra ketobemidon til morfin eller oksykodon. <i>Tidsskrift for Den Norske Lægeforening</i> , 2017, 137, 170-170.   | 0.2 | 2         |
| 49 | A new treatable chronic pain diagnosis? Flank pain caused by entrapment of posterior cutaneous branch of intercostal nerves, lateral ACNES coined LACNES. <i>Scandinavian Journal of Pain</i> , 2017, 17, 201-202.  | 0.5 | 1         |
| 50 | Investigating the Burden of Chronic Pain: An Inflammatory and Metabolic Composite. <i>Pain Research and Management</i> , 2016, 2016, 1-11.  | 0.7 | 45        |
| 51 | Pain experiences of men and women after cardiac surgery. <i>Journal of Clinical Nursing</i> , 2016, 25, 3058-3068.  | 1.4 | 33        |
| 52 | Pregabalin Has Analgesic, Ventilatory, and Cognitive Effects in Combination with Remifentanyl. <i>Anesthesiology</i> , 2016, 124, 141-149.  | 1.3 | 65        |
| 53 | Pain Tolerance in Persons With Recognized and Unrecognized Myocardial Infarction: A Population-Based, Cross-Sectional Study. <i>Journal of the American Heart Association</i> , 2016, 5, .  | 1.6 | 16        |
| 54 | Chronic compartment syndrome is an under-recognized cause of leg-pain. <i>Scandinavian Journal of Pain</i> , 2016, 12, 53-54.   | 0.5 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Important development: Extended Acute Pain Service for patients at high risk of chronic pain after surgery. <i>Scandinavian Journal of Pain</i> , 2016, 12, 58-59.   | 0.5 | 8         |
| 56 | Complex Regional Pain Syndrome (CRPS) after viper-bite in a pregnant young woman: Pathophysiology and treatment options. <i>Scandinavian Journal of Pain</i> , 2016, 10, 108-110.  | 0.5 | 0         |
| 57 | Genetic variation in <i>P2RX7</i> and pain. <i>Scandinavian Journal of Pain</i> , 2016, 12, 127-127.   | 0.5 | 0         |
| 58 | A population-based study of quantitative sensory testing in adolescents with and without chronic pain. <i>Pain</i> , 2016, 157, 2807-2815.   | 2.0 | 37        |
| 59 | Persistent analgesic use and the association with chronic pain and other risk factors in the population—a longitudinal study from the TromsÅ, Study and the Norwegian Prescription Database. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 977-985. | 0.8 | 9         |
| 60 | Meta-analysis of 375,000 individuals identifies 38 susceptibility loci for migraine. <i>Nature Genetics</i> , 2016, 48, 856-866.   | 9.4 | 520       |
| 61 | Advances in understanding and treatment of opioid-induced-bowel-dysfunction, opioid-induced-constipation in particular Nordic recommendations based on multi-specialist input. <i>Scandinavian Journal of Pain</i> , 2016, 11, 163-164.                            | 0.5 | 2         |
| 62 | Importance of early diagnosis of complex regional pain syndrome (CRPS-1 and CRPS-2): Delayed diagnosis of CRPS is a major problem. <i>Scandinavian Journal of Pain</i> , 2016, 11, 49-51.  | 0.5 | 8         |
| 63 | Response to the Letter to the Editor: Experimental Comparison of Parametric Versus Nonparametric Analyses of Data From the Cold Pressor Test. <i>Journal of Pain</i> , 2016, 17, 128-129.  | 0.7 | 0         |
| 64 | Sleep and pain sensitivity in adults. <i>Pain</i> , 2015, 156, 1433-1439.  | 2.0 | 178       |
| 65 | Experimental Comparison of Parametric Versus Nonparametric Analyses of Data From the Cold Pressor Test. <i>Journal of Pain</i> , 2015, 16, 537-548.  | 0.7 | 23        |
| 66 | Knee osteoarthritis patients with intact pain modulating systems may have low risk of persistent pain after knee joint replacement. <i>Scandinavian Journal of Pain</i> , 2015, 6, 41-42.  | 0.5 | 2         |
| 67 | The effect of tracheotomy on drug consumption in patients with acute aneurysmal subarachnoid hemorrhage: an observational study. <i>BMC Anesthesiology</i> , 2015, 15, 47.   | 0.7 | 5         |
| 68 | Indirect Calorimetry Reveals That Better Monitoring of Nutrition Therapy in Pediatric Intensive Care Is Needed. <i>Journal of Parenteral and Enteral Nutrition</i> , 2015, 39, 344-352.  | 1.3 | 26        |
| 69 | Burden of disease is often aggravated by opioid treatment of chronic pain patients: Etiology and prevention. <i>Pain</i> , 2014, 155, 2441-2443.   | 2.0 | 20        |
| 70 | Chronic whiplash, pain and pain tolerance. <i>Scandinavian Journal of Pain</i> , 2014, 5, 210-210.   | 0.5 | 0         |
| 71 | Chronic pain and cardiovascular stress responses in a general population: the TromsÅ, Study. <i>Journal of Behavioral Medicine</i> , 2014, 37, 1193-1201.  | 1.1 | 12        |
| 72 | Persistent post-surgical pain and experimental pain sensitivity in the TromsÅ, study: Comorbid pain matters. <i>Pain</i> , 2014, 155, 341-348.   | 2.0 | 58        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Associations between abdominal pain symptom dimensions and depression among adolescents. <i>Scandinavian Journal of Pain</i> , 2014, 5, 184-190.   | 0.5 | 3         |
| 74 | Widespread Hyperalgesia in Adolescents With Symptoms of Irritable Bowel Syndrome: Results From a Large Population-Based Study. <i>Journal of Pain</i> , 2014, 15, 898-906.   | 0.7 | 21        |
| 75 | Mirror-therapy: An important tool in the management of Complex Regional Pain Syndrome (CRPS). <i>Scandinavian Journal of Pain</i> , 2013, 4, 190-197.  | 0.5 | 6         |
| 76 | Hypertension prevalence and diminished blood pressure-related hypoalgesia in individuals reporting chronic pain in a general population: The TromsÅ, Study. <i>Pain</i> , 2013, 154, 257-262.  | 2.0 | 66        |
| 77 | Conditioned pain modulation: A useful test paradigm in research and in clinical practice. <i>Scandinavian Journal of Pain</i> , 2013, 4, 101-102.  | 0.5 | 3         |
| 78 | A new treatment principle for neuropathic pain? Approved oncologic drugs: Epidermal growth factor receptor (EGFR) inhibitors dramatically relieve severe neuropathic pain in a case series. <i>Scandinavian Journal of Pain</i> , 2013, 4, 1-2.                    | 0.5 | 4         |
| 79 | Statistical pearls: Importance of effect-size, blinding, randomization, publication bias, and the overestimated <i>p</i> -values. <i>Scandinavian Journal of Pain</i> , 2013, 4, 217-219.  | 0.5 | 7         |
| 80 | Gender Differences in Blood Pressure-Related Hypoalgesia in a General Population: The TromsÅ, Study. <i>Journal of Pain</i> , 2013, 14, 699-708.   | 0.7 | 17        |
| 81 | Improvement in Psoriasis Area and Severity Index Score Predicts Improvement in Skin Pain Over Time in Patients with Psoriasis. <i>Acta Dermato-Venereologica</i> , 2013, 93, 330-334.  | 0.6 | 24        |
| 82 | Changes in Blood Pressure and Cardiac Output during Cesarean Delivery. <i>Anesthesiology</i> , 2013, 119, 541-551.   | 1.3 | 95        |
| 83 | Pressure-derived versus pressure wave amplitude-derived indices of cerebrovascular pressure reactivity in relation to early clinical state and 12-month outcome following aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2012, 116, 961-971. | 0.9 | 48        |
| 84 | Persistent Pain After Surgery for Cutaneous Melanoma. <i>Clinical Journal of Pain</i> , 2012, 28, 149-156.   | 0.8 | 22        |
| 85 | Pressure pain algometry - A call for standardisation of methods. <i>Scandinavian Journal of Pain</i> , 2012, 3, 30-30.   | 0.5 | 9         |
| 86 | How should we prevent persistent postoperative pain?. <i>Scandinavian Journal of Pain</i> , 2012, 3, 179-180.  | 0.5 | 0         |
| 87 | Can we measure the relative contributions of peripheral and central mechanisms of painful conditions, and how can it guide therapy?. <i>Scandinavian Journal of Pain</i> , 2012, 3, 229-229.   | 0.5 | 0         |
| 88 | Persistent postsurgical pain in a general population: Prevalence and predictors in the TromsÅ, study. <i>Pain</i> , 2012, 153, 1390-1396.  | 2.0 | 263       |
| 89 | Redheads, pain mechanisms and genetics: Lessons learned from inconclusive studies. <i>Scandinavian Journal of Pain</i> , 2011, 2, 1-2.   | 0.5 | 0         |
| 90 | Mental and somatic co-morbidities in chronic orofacial pain conditions: Pain patients in need of multiprofessional team approach. <i>Scandinavian Journal of Pain</i> , 2011, 2, 153-154.  | 0.5 | 19        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | A Randomized and Blinded Single-Center Trial Comparing the Effect of Intracranial Pressure and Intracranial Pressure Wave Amplitude-Guided Intensive Care Management on Early Clinical State and 12-Month Outcome in Patients With Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2011, 69, 1105-1115. | 0.6 | 42        |
| 92  | Effects of COX inhibition on experimental pain and hyperalgesia during and after remifentanyl infusion in humans. <i>Pain</i> , 2011, 152, 1289-1297.   | 2.0 | 75        |
| 93  | Placebo control – Still the most ethical study design. <i>Pain</i> , 2010, 148, 174-175.  | 2.0 | 3         |
| 94  | Hyperesthesia one year after breast augmentation surgery increases the odds for persisting pain at four years A prospective four-year follow-up study. <i>Scandinavian Journal of Pain</i> , 2010, 1, 75-81.  | 0.5 | 28        |
| 95  | Prostaglandin E2 production in synovial tissue and acute postoperative pain after knee arthroscopy. <i>Scandinavian Journal of Pain</i> , 2010, 1, 172-172.   | 0.5 | 0         |
| 96  | Why we publish negative studies – and prescriptions on how to do clinical pain trials well. <i>Scandinavian Journal of Pain</i> , 2010, 1, 98-99.   | 0.5 | 8         |
| 97  | Impedance-based tissue discrimination for needle guidance. <i>Physiological Measurement</i> , 2009, 30, 129-140.  | 1.2 | 83        |
| 98  | A randomized double-blind controlled trial of intra-annular radiofrequency thermal disc therapy – A 12-month follow-up. <i>Pain</i> , 2009, 145, 279-286.   | 2.0 | 59        |
| 99  | Current Threshold for Nerve Stimulation Depends on Electrical Impedance of the Tissue: A Study of Ultrasound-Guided Electrical Nerve Stimulation of the Median Nerve. <i>Anesthesia and Analgesia</i> , 2009, 108, 1338-1343.   | 1.1 | 51        |
| 100 | Pain and Quality of Life in Hospitalized Patients with Heart Failure. <i>Journal of Pain and Symptom Management</i> , 2008, 36, 497-504.  | 0.6 | 47        |
| 101 | Individual differences in pain sensitivity: Genetic and environmental contributions. <i>Pain</i> , 2008, 136, 21-29.  | 2.0 | 240       |
| 102 | Gabapentin in traumatic nerve injury pain: A randomized, double-blind, placebo-controlled, cross-over, multi-center study. <i>Pain</i> , 2008, 138, 255-266.  | 2.0 | 116       |
| 103 | Management of acute postoperative pain: Still a long way to go!. <i>Pain</i> , 2008, 137, 233-234.  | 2.0 | 89        |
| 104 | Les corticoïdes diminuent-ils la douleur et les nausées/vomissements postopératoires?. <i>Praticien En Anesthésie Réanimation</i> , 2008, 12, 154-157.  | 0.0 | 0         |
| 105 | Differential effects of osmotherapy on static and pulsatile intracranial pressure*. <i>Critical Care Medicine</i> , 2008, 36, 2414-2419.  | 0.4 | 44        |
| 106 | Electrical Nerve Stimulation or Ultrasound Guidance for Lateral Sagittal Infraclavicular Blocks: A Randomized, Controlled, Observer-Blinded, Comparative Study. <i>Anesthesia and Analgesia</i> , 2008, 106, 1910-1915.   | 1.1 | 108       |
| 107 | Early Treatment of Tetanus-Induced Trismus With Botulinum Toxin A. <i>Anesthesia and Analgesia</i> , 2008, 106, 1591.   | 1.1 | 4         |
| 108 | Clinical trials: acute and chronic pain. , 2008, , 514-528.   |     | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Synovial Fluid Concentration of Prostaglandin E2 Correlates with Pain Intensity After Knee Arthroscopic Procedures. <i>Anesthesia and Analgesia</i> , 2007, 104, 460-461.   | 1.1 | 3         |
| 110 | Intra-Articular Morphine in Acute Pain Trials. <i>Regional Anesthesia and Pain Medicine</i> , 2007, 32, 176-177.  | 1.1 | 5         |
| 111 | Intra-Articular Morphine in Acute Pain Trials. <i>Regional Anesthesia and Pain Medicine</i> , 2007, 32, 176-177.  | 1.1 | 3         |
| 112 | From intracranial pressure to intracranial pressure wave-guided intensive care management of a patient with an aneurysmal subarachnoid haemorrhage. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 501-504.   | 0.7 | 19        |
| 113 | Ultrasound controlled nerve stimulation in the elbow region: high currents and short distances needed to obtain motor responses. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 942-948.  | 0.7 | 39        |
| 114 | Methylprednisolone and ketorolac rapidly reduce hyperalgesia around a skin burn injury and increase pressure pain thresholds. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 1138-1146.   | 0.7 | 25        |
| 115 | Association between intracranial pulse pressure levels and brain energy metabolism in a patient with an aneurysmal subarachnoid haemorrhage. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 1273-1276.  | 0.7 | 5         |
| 116 | Glucocorticoids for Acute and Persistent Postoperative Neuropathic Pain. <i>Anesthesiology</i> , 2007, 107, 371-373.  | 1.3 | 51        |
| 117 | Intra-Articular Morphine 5 mg After Knee Arthroscopy Does Not Produce Significant Pain Relief When Administered to Patients With Moderate to Severe Pain via an Intra-Articular Catheter. <i>Regional Anesthesia and Pain Medicine</i> , 2006, 31, 506-513. | 1.1 | 35        |
| 118 | Hemodynamic effects of oxytocin during cesarean delivery. <i>International Journal of Gynecology and Obstetrics</i> , 2006, 95, 46-47.  | 1.0 | 40        |
| 119 | Chronic pain and sensory changes after augmentation mammoplasty: Long term effects of preincisional administration of methylprednisolone. <i>Pain</i> , 2006, 124, 92-99.   | 2.0 | 93        |
| 120 | Intra-Articular Morphine 5 mg After Knee Arthroscopy Does Not Produce Significant Pain Relief When Administered to Patients With Moderate to Severe Pain via an Intra-Articular Catheter. <i>Regional Anesthesia and Pain Medicine</i> , 2006, 31, 506-513. | 1.1 | 25        |
| 121 | Hypertonic saline (7.2%) in 6% hydroxyethyl starch reduces intracranial pressure and improves hemodynamics in a placebo-controlled study involving stable patients with subarachnoid hemorrhage*. <i>Critical Care Medicine</i> , 2006, 34, 2912-2917.      | 0.4 | 94        |
| 122 | Adding propacetamol to ketorolac increases the tolerance to painful pressure. <i>European Journal of Pain</i> , 2006, 10, 177-177.  | 1.4 | 20        |
| 123 | Use of Magnetic Resonance Imaging to Define the Anatomical Location Closest to All Three Cords of the Infraclavicular Brachial Plexus. <i>Anesthesia and Analgesia</i> , 2006, 103, 1574-1576.  | 1.1 | 117       |
| 124 | Methylprednisolone Reduces Pain, Emesis, and Fatigue After Breast Augmentation Surgery: A Single-Dose, Randomized, Parallel-Group Study with Methylprednisolone 125 mg, Parecoxib 40 mg, and Placebo. <i>Anesthesia and Analgesia</i> , 2006, 102, 418-425. | 1.1 | 96        |
| 125 | Can opioids prevent post-operative chronic pain?. <i>European Journal of Pain</i> , 2005, 9, 153-156.   | 1.4 | 13        |
| 126 | Characterizing individual differences in heat-pain sensitivity. <i>Pain</i> , 2005, 119, 65-74.   | 2.0 | 79        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Methylprednisolone intravenously 1 day after surgery has sustained analgesic and opioid-sparing effects. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 1223-1231.   | 0.7 | 99        |
| 128 | Predictable reduction of intracranial hypertension with hypertonic saline hydroxyethyl starch: a prospective clinical trial in critically ill patients with subarachnoid haemorrhage. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 1089-1095.                                    | 0.7 | 40        |
| 129 | Gender is a confounding factor in pain trials: women report more pain than men after arthroscopic surgery. <i>Pain</i> , 2004, 112, 248-253.   | 2.0 | 135       |
| 130 | Moderate-to-Severe Pain After Knee Arthroscopy Is Relieved by Intraarticular Saline: A Randomized Controlled Trial. <i>Anesthesia and Analgesia</i> , 2004, 98, 1546-1551.   | 1.1 | 45        |
| 131 | Effective pain relief from intra-articular saline with or without morphine 2â€ƒmg in patients with moderate-to-severe pain after knee arthroscopy: a randomized, double-blind controlled clinical study. <i>Acta Anaesthesiologica Scandinavica</i> , 2003, 47, 732-738.                   | 0.7 | 55        |
| 132 | Cold allodynia and hyperalgesia in neuropathic pain: the effect of N -methyl-d-aspartate (NMDA) receptor antagonist ketamine â€“ a double-blind, cross-over comparison with alfentanil and placebo. <i>Pain</i> , 2003, 101, 229-235.  | 2.0 | 153       |
| 133 | Intra-articular (IA) catheter administration of postoperative analgesics. A new trial design allows evaluation of baseline pain, demonstrates large variation in need of analgesics, and finds no analgesic effect of IA ketamine compared with IA saline. <i>Pain</i> , 2003, 104, 25-34. | 2.0 | 49        |
| 134 | Cardiac arrest after intravenous metoclopramide - a case of five repeated injections of metoclopramide causing five episodes of cardiac arrest. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 908-910.  | 0.7 | 28        |
| 135 | Detecting postoperative urinary retention with an ultrasound scanner. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 279-282.  | 0.7 | 103       |
| 136 | Preinjury treatment with morphine or ketamine inhibits the development of experimentally induced secondary hyperalgesia in man. <i>Pain</i> , 2000, 86, 293-303.   | 2.0 | 62        |
| 137 | Intra-articular morphine for pain relief after knee arthroscopy. <i>Acta Anaesthesiologica Scandinavica</i> , 1999, 43, 252-257.   | 0.7 | 57        |
| 138 | Some problems with wind-up and its calculation. <i>Pain</i> , 1999, 83, 111-112.   | 2.0 | 0         |
| 139 | The Effect of Peripheral Glycerol on Trigeminal Neuropathic Pain Examined by Quantitative Assessment of Abnormal Pain and Sensory Perception. <i>Acta Neurochirurgica</i> , 1998, 140, 1271-1277.  | 0.9 | 11        |
| 140 | Relief of Trigeminal Neuralgia after Percutaneous Retrogasserian Glycerol Rhizolysis Is Dependent on Normalization of Abnormal Temporal Summation of Pain, without General Impairment of Sensory Perception. <i>Neurosurgery</i> , 1998, 43, 462-472.                                      | 0.6 | 21        |
| 141 | Sensory Perception in Patients with Trigeminal Neuralgia: Effects of Percutaneous Retrogasserian Glycerol Rhizotomy. <i>Stereotactic and Functional Neurosurgery</i> , 1997, 68, 207-211.  | 0.8 | 9         |
| 142 | Comments on Cervero and Laird, <i>PAIN</i> , 68 (1996) 13-23. <i>Pain</i> , 1997, 72, 289-291.   | 2.0 | 24        |
| 143 | Local treatment with the N-methyl-d-aspartate receptor antagonist ketamine, inhibit development of secondary hyperalgesia in man by a peripheral action. <i>Neuroscience Letters</i> , 1997, 227, 1-4.   | 1.0 | 124       |
| 144 | Ketamine, an NMDA receptor antagonist, suppresses spatial and temporal properties of burn-induced secondary hyperalgesia in man: a double-blind, cross-over comparison with morphine and placebo. <i>Pain</i> , 1997, 72, 99-106.  | 2.0 | 202       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Relief of Glossopharyngeal Neuralgia by Ketamine-induced /N-Methyl-aspartate Receptor Blockade. <i>Neurosurgery</i> , 1997, 41, 505-508.   | 0.6 | 48        |
| 146 | Longterm treatment of chronic neuropathic pain with the NMDA (N-methyl-D-aspartate) receptor antagonist ketamine. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 329-331.  | 0.7 | 28        |
| 147 | Mapping of punctuate hyperalgesia around a surgical incision demonstrates that ketamine is a powerful suppressor of central sensitization to pain following surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 1124-1132. | 0.7 | 495       |
| 148 | A new method to evaluate central sensitization to pain following surgery. Effect of ketamine. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 154-155.  | 0.7 | 21        |
| 149 | Reply to P.E. Vielvoye-Kerkmeer. <i>Pain</i> , 1996, 64, 402.  | 2.0 | 0         |
| 150 | Comparison of tramadol with morphine for post-operative pain following abdominal surgery [1]. <i>European Journal of Anaesthesiology</i> , 1996, 13, 416-417.  | 0.7 | 0         |
| 151 | Central Dysesthesia Pain after Traumatic Spinal Cord Injury Is Dependent on N-Methyl-D-aspartate Receptor Activation. <i>Neurosurgery</i> , 1995, 37, 1080-1087.   | 0.6 | 222       |
| 152 | 8 The NMDA-antagonist ketamine for prevention and treatment of acute and chronic post-operative pain. <i>Bailliere's Clinical Anaesthesiology</i> , 1995, 9, 539-554.  | 0.2 | 11        |
| 153 | 9 Post-operative analgesic trials: some important issues. <i>Bailliere's Clinical Anaesthesiology</i> , 1995, 9, 555-584.  | 0.2 | 13        |
| 154 | Continuous subcutaneous administration of the N-methyl-D-aspartic acid (NMDA) receptor antagonist ketamine in the treatment of post-herpetic neuralgia. <i>Pain</i> , 1995, 61, 221-228.   | 2.0 | 221       |
| 155 | Lack of analgesic effect of 50 and 100 mg oral tramadol after orthopaedic surgery: a randomized, double-blind, placebo and standard active drug comparison. <i>Pain</i> , 1995, 62, 111-118.   | 2.0 | 97        |
| 156 | Central Dysesthesia Pain after Traumatic Spinal Cord Injury Is Dependent on N-Methyl-D-aspartate Receptor Activation. <i>Neurosurgery</i> , 1995, 37, 1080-1087.   | 0.6 | 8         |
| 157 | Relief of post-herpetic neuralgia with the NMDA receptor antagonist ketamine: A double-blind, cross-over comparison with morphine and placebo. <i>Pain</i> , 1994, 58, 347-354.  | 2.0 | 427       |
| 158 | Ibuprofen plus codeine, ibuprofen, and placebo in a single- and multidose cross-over comparison for coxarthrosis pain. <i>Pain</i> , 1992, 50, 303-307.  | 2.0 | 38        |