

Yung-Shun Juan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2685703/publications.pdf>

Version: 2024-02-01

68
papers

812
citations

567281

15
h-index

580821

25
g-index

70
all docs

70
docs citations

70
times ranked

802
citing authors

#	ARTICLE	IF	CITATIONS
1	Dual involvements of cyclooxygenase and nitric oxide synthase expressions in ketamine-induced ulcerative cystitis in rat bladder. <i>Neurourology and Urodynamics</i> , 2013, 32, 1137-1143.	1.5	67
2	Ketamine-induced ulcerative cystitis and bladder apoptosis involve oxidative stress mediated by mitochondria and the endoplasmic reticulum. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F318-F331.	2.7	52
3	The Effect of Partial Bladder Outlet Obstruction on Carbonyl and Nitrotyrosine Distribution in Rabbit Bladder. <i>Urology</i> , 2007, 70, 1249-1253.	1.0	42
4	Translocation of NF- κ B and Expression of Cyclooxygenase-2 Are Enhanced by Ketamine-Induced Ulcerative Cystitis in Rat Bladder. <i>American Journal of Pathology</i> , 2015, 185, 2269-2285.	3.8	41
5	Coenzyme Q10 protect against ischemia/reperfusion induced biochemical and functional changes in rabbit urinary bladder. <i>Molecular and Cellular Biochemistry</i> , 2008, 311, 73-80.	3.1	35
6	Green tea catechins decrease oxidative stress in surgical menopause-induced overactive bladder in a rat model. <i>BJU International</i> , 2012, 110, E236-44.	2.5	34
7	Efficacy of Low-Intensity Extracorporeal Shock Wave Therapy on Men With Chronic Pelvic Pain Syndrome Refractory to 3-As Therapy. <i>American Journal of Men's Health</i> , 2018, 12, 441-452.	1.6	33
8	Elucidating Mechanisms of Bladder Repair after Hyaluronan Instillation in Ketamine-Induced Ulcerative Cystitis in Animal Model. <i>American Journal of Pathology</i> , 2017, 187, 1945-1959.	3.8	28
9	The Beneficial Effect of Coenzyme Q10 and Lipoic Acid on Obstructive Bladder Dysfunction in the Rabbit. <i>Journal of Urology</i> , 2008, 180, 2234-2240.	0.4	27
10	Noncontrast computed tomography factors that predict the renal stone outcome after shock wave lithotripsy. <i>Clinical Imaging</i> , 2015, 39, 845-850.	1.5	24
11	Valproate reduces neuroinflammation and neuronal death in a rat chronic constriction injury model. <i>Scientific Reports</i> , 2018, 8, 16457.	3.3	23
12	Neuroprotection of green tea catechins on surgical menopause-induced overactive bladder in a rat model. <i>Menopause</i> , 2012, 19, 346-354.	2.0	19
13	Ischemia, Hypoxia and Oxidative Stress in Bladder Outlet Obstruction and Bladder Overdistention Injury. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012, 4, 27-31.	1.3	19
14	Protein kinase C inhibitor prevents renal apoptotic and fibrotic changes in response to partial ureteric obstruction. <i>BJU International</i> , 2012, 110, 283-292.	2.5	17
15	Bladder Hyperactivity Induced by Oxidative Stress and Bladder Ischemia: A Review of Treatment Strategies with Antioxidants. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6014.	4.1	17
16	The Effect of Ischemia/Reperfusion on Rabbit Bladder—Role of Rho-kinase and Smooth Muscle Regulatory Proteins. <i>Urology</i> , 2009, 73, 1126-1130.	1.0	16
17	Impact of metabolic syndrome and its components on kidney stone in aging Taiwanese males. <i>Aging Male</i> , 2016, 19, 197-201.	1.9	16
18	Urinary Biomarkers in Interstitial Cystitis/Bladder Pain Syndrome and Its Impact on Therapeutic Outcome. <i>Diagnostics</i> , 2022, 12, 75.	2.6	16

#	ARTICLE	IF	CITATIONS
19	Noncontrast computed tomography can predict the outcome of shockwave lithotripsy via accurate stone measurement and abdominal fat distribution determination. <i>Kaohsiung Journal of Medical Sciences</i> , 2015, 31, 34-41.	1.9	15
20	Epigenetic regulation of COX α 2 expression by DNA hypomethylation via NF κ B activation in ketamine-induced ulcerative cystitis. <i>International Journal of Molecular Medicine</i> , 2019, 44, 797-812.	4.0	15
21	5 α -reductase inhibitors impact prognosis of urothelial carcinoma. <i>BMC Cancer</i> , 2020, 20, 872.	2.6	15
22	The Effect of Low-Dose Estrogen Therapy on Ovariectomized Female Rabbit Bladder. <i>Urology</i> , 2008, 71, 1209-1213.	1.0	14
23	Urinary Incontinence in Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2017, 32, 51-55.	1.9	14
24	Comparison of Uphold TM Vaginal Mesh Procedure with Hysterectomy or Uterine Preservation for the Treatment of Pelvic Organ Prolapse. <i>Scientific Reports</i> , 2018, 8, 9438.	3.3	14
25	Rhopalolic acid A induces apoptosis, autophagy and MAPK activation through ROS-mediated signaling in bladder cancer. <i>Phytomedicine</i> , 2021, 92, 153720.	5.3	14
26	The 12-month follow-up of the low-intensity extracorporeal shockwave therapy in the treatment of patients with chronic pelvic pain syndrome refractory to 3-As medications. <i>Aging Male</i> , 2020, 23, 793-800.	1.9	12
27	Low-Intensity Extracorporeal Shock Wave Therapy Ameliorates the Overactive Bladder: A Prospective Pilot Study. <i>BioMed Research International</i> , 2020, 2020, 1-9.	1.9	12
28	Therapeutic effects of Low intensity extracorporeal low energy shock wave therapy (LiESWT) on stress urinary incontinence. <i>Scientific Reports</i> , 2020, 10, 5818.	3.3	12
29	Epigallocatechin-3-gallate alleviates bladder overactivity in a rat model with metabolic syndrome and ovarian hormone deficiency through mitochondria apoptosis pathways. <i>Scientific Reports</i> , 2018, 8, 5358.	3.3	11
30	The immediate effect of nitric oxide on the rabbit bladder after ovariectomy. <i>Nitric Oxide - Biology and Chemistry</i> , 2008, 19, 289-294.	2.7	10
31	Therapeutic effect of Low intensity Extracorporeal Shock Wave Therapy (Li-ESWT) on diabetic bladder dysfunction in a rat model. <i>International Journal of Medical Sciences</i> , 2021, 18, 1423-1431.	2.5	9
32	The Relationship Between Lower Urinary Tract Symptoms and Severity of Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2021, 36, 153331752199265.	1.9	8
33	Low-Intensity Extracorporeal Shock Wave Therapy Promotes Bladder Regeneration and Improves Overactive Bladder Induced by Ovarian Hormone Deficiency from Rat Animal Model to Human Clinical Trial. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9296.	4.1	8
34	Estrogen administration attenuates bladder outlet obstruction induced oxidative stress in the female rabbit. <i>Neurourology and Urodynamics</i> , 2009, 28, 95-100.	1.5	7
35	Associations of VEGF Gene Polymorphisms with Erectile Dysfunction and Related Risk Factors. <i>Journal of Sexual Medicine</i> , 2017, 14, 510-517.	0.6	7
36	Single-Site Sutureless Partial Nephrectomy for Small Exophytic Renal Tumors. <i>Journal of Clinical Medicine</i> , 2020, 9, 3658.	2.4	7

#	ARTICLE	IF	CITATIONS
37	Therapeutic Effect of Platelet-Rich Plasma Improves Bladder Overactivity in the Pathogenesis of Ketamine-Induced Ulcerative Cystitis in a Rat Model. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5771.	4.1	7
38	Effects of Supraphysiological Testosterone Treatment and Orchiectomy on Ischemia/Reperfusion-Induced Bladder Dysfunction in Male Rabbits. <i>Journal of Sexual Medicine</i> , 2013, 10, 1278-1291.	0.6	6
39	Laparoscopic Organopexy with Non-mesh Genital (LONG) Suspension: A Novel Uterine Preservation Procedure for the Treatment of Apical Prolapse. <i>Scientific Reports</i> , 2018, 8, 4872.	3.3	6
40	Autophagy Alters Bladder Angiogenesis and Improves Bladder Hyperactivity in the Pathogenesis of Ketamine-Induced Cystitis in a Rat Model. <i>Biology</i> , 2021, 10, 488.	2.8	6
41	Low Intensity Extracorporeal Shock Wave Therapy as a Potential Treatment for Overactive Bladder Syndrome. <i>Biology</i> , 2021, 10, 540.	2.8	6
42	Prediction of the Uric Acid Component in Nephrolithiasis Using Simple Clinical Information about Metabolic Disorder and Obesity: A Machine Learning-Based Model. <i>Nutrients</i> , 2022, 14, 1829.	4.1	6
43	Protective effects of estrogen on ischemia/reperfusion-induced bladder dysfunction in female rabbits. <i>Menopause</i> , 2013, 20, 209-217.	2.0	5
44	The association of endothelial nitric oxide synthase (<i>eNOS</i>) G894T gene polymorphism with responsiveness to a selective α_1 -blocker in men with benign prostatic hyperplasia related lower urinary tract symptoms. <i>BJU International</i> , 2016, 118, 313-319.	2.5	5
45	Lower urinary tract symptoms—Benign prostatic hyperplasia may increase the risk of subsequent inguinal hernia in a Taiwanese population: A nationwide population-Based cohort study. <i>PLoS ONE</i> , 2020, 15, e0234329.	2.5	4
46	Adrenocortical carcinoma misdiagnosed as hepatocellular carcinoma. <i>Lancet Oncology</i> , The, 2018, 19, e429.	10.7	3
47	Changes in Sexual Function Following Uphold Transvaginal mesh Surgery for the Treatment of Urogenital Prolapse. <i>Scientific Reports</i> , 2019, 9, 17047.	3.3	3
48	Low Intensity Extracorporeal Shock Wave Therapy as a Novel Treatment for Stress Urinary Incontinence: A Randomized-Controlled Clinical Study. <i>Medicina (Lithuania)</i> , 2021, 57, 947.	2.0	3
49	Does COVID-19 Vaccination Cause Storage Lower Urinary Tract Symptoms?. <i>Journal of Clinical Medicine</i> , 2022, 11, 2736.	2.4	3
50	Preputial lichen sclerosus: a rare and easily ignored initial clinical presentation of newly diagnosed diabetes mellitus. <i>World Journal of Urology</i> , 2019, 37, 2807-2808.	2.2	2
51	Effect of preoperative computed tomography parameters and obesity on surgical outcomes of laparoendoscopic single-site adrenalectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 4781-4787.	2.4	2
52	Herpes zoster and the subsequent risk of prostate cancer in an Asian population. <i>Medicine (United Kingdom)</i> , 2021, 100, 1000000.	1.0	2
53	Evaluation of single-incision apical vaginal suspension for treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 247, 198-202.	1.1	2
54	Impact of cachexia on oncologic outcomes of sarcopenic patients with upper tract urothelial carcinoma after radical nephroureterectomy. <i>PLoS ONE</i> , 2021, 16, e0250033.	2.5	2

#	ARTICLE	IF	CITATIONS
55	Genetic Polymorphisms of MnSOD Modify the Impacts of Environmental Melamine on Oxidative Stress and Early Kidney Injury in Calcium Urolithiasis Patients. <i>Antioxidants</i> , 2022, 11, 152.	5.1	2
56	Hyperlipidemia as a risk factor for discontinuation of prescribed antimuscarinics among geriatric overactive bladder patients. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019, 11, 255-256.	1.3	1
57	Ultrasonographic Assessment with Three-Dimensional Mode of the Urethral Compression Effect following Sling Surgery with and without Mesh Surgery. <i>BioMed Research International</i> , 2019, 2019, 1-6.	1.9	1
58	Primary renal angiosarcoma mimicking urothelial carcinoma – A case report and literature reviews. <i>Urology Case Reports</i> , 2021, 34, 101407.	0.3	1
59	Eugenosedin-A improves obesity-related hyperglycemia by regulating ATP-sensitive K ⁺ channels and insulin secretion in pancreatic I ² cells. <i>Biomedicine and Pharmacotherapy</i> , 2022, 145, 112447.	5.6	1
60	Congenital collagenopathies increased the risk of inguinal hernia developing and repair: analysis from a nationwide population-based cohort study. <i>Scientific Reports</i> , 2022, 12, 2360.	3.3	1
61	Association of Warmer Weather and Infectious Complications Following Transrectal Ultrasound-Guided Prostate Biopsy. <i>Journal of Personalized Medicine</i> , 2022, 12, 446.	2.5	1
62	Title is missing!. , 2020, 15, e0234329.		0
63	Title is missing!. , 2020, 15, e0234329.		0
64	Title is missing!. , 2020, 15, e0234329.		0
65	Title is missing!. , 2020, 15, e0234329.		0
66	Title is missing!. , 2020, 15, e0234329.		0
67	Title is missing!. , 2020, 15, e0234329.		0
68	Therapeutic Effect and Immune Changes after Treatment of <i>Hymenolepis nana</i> -Infected BALB/c Mice with Compounds Isolated from <i>Leucaena leucocephala</i> . <i>Veterinary Sciences</i> , 2022, 9, 368.	1.7	0