

Seitaro Oda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2686334/publications.pdf>

Version: 2024-02-01

155
papers

2,525
citations

201674

27
h-index

276875

41
g-index

157
all docs

157
docs citations

157
times ranked

2682
citing authors

#	ARTICLE	IF	CITATIONS
1	Lung-Optimized Deep-Learning-Based Reconstruction for Ultralow-Dose CT. <i>Academic Radiology</i> , 2023, 30, 431-440.	2.5	5
2	Effect of image quality on myocardial extracellular volume quantification using cardiac computed tomography: a phantom study. <i>Acta Radiologica</i> , 2022, 63, 159-165.	1.1	1
3	Effects of tube voltage and iodine contrast medium on radiation dose of whole-body CT. <i>Acta Radiologica</i> , 2022, 63, 458-466.	1.1	2
4	Myocardial Tissue Characterization by Combining Extracellular Volume Fraction and T2 Mapping. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 700-704.	5.3	6
5	Comparison of visibility of in-stent restenosis between conventional- and ultra-high spatial resolution computed tomography: coronary arterial phantom study. <i>Japanese Journal of Radiology</i> , 2022, 40, 279-288.	2.4	8
6	Comparison of the effects of varying tube voltage and iodinated concentration on increasing the iodinated radiation dose in computed tomography. <i>Physica Medica</i> , 2022, 95, 57-63.	0.7	0
7	Clinical impact of cerebral infarction in patients with non-small cell lung cancer. <i>International Journal of Clinical Oncology</i> , 2022, 27, 863-870.	2.2	2
8	Radiation Dose Reduction for 80-kVp Pediatric CT Using Deep Learning-Based Reconstruction: A Clinical and Phantom Study. <i>American Journal of Roentgenology</i> , 2022, 219, 315-324.	2.2	16
9	Cardiac computed tomography-derived myocardial tissue characterization after anthracycline treatment. <i>ESC Heart Failure</i> , 2022, 9, 1792-1800.	3.1	3
10	Prognostic value of right ventricular global longitudinal strain in transthyretin amyloid cardiomyopathy. <i>Journal of Cardiology</i> , 2022, 80, 56-63.	1.9	3
11	Utility of left atrial and ventricular strain for diagnosis of transthyretin amyloid cardiomyopathy in aortic stenosis. <i>ESC Heart Failure</i> , 2022, 9, 1976-1986.	3.1	6
12	Practical Preventive Strategies for Extravasation of Contrast Media During CT: What the Radiology Team Should Do. <i>Academic Radiology</i> , 2022, 29, 1555-1559.	2.5	3
13	Radiation dose optimization potential of deep learning-based reconstruction for multiphase hepatic CT: A clinical and phantom study. <i>European Journal of Radiology</i> , 2022, 151, 110280.	2.6	4
14	Extracardiac Biopsy Sensitivity in Transthyretin Amyloidosis Cardiomyopathy Patients With Positive ^{99m}Tc -Labeled Pyrophosphate Scintigraphy Findings. <i>Circulation Journal</i> , 2022, 86, 1113-1120.	1.6	4
15	Myocardial extracellular volume quantification by cardiac CT in pulmonary hypertension: Comparison with cardiac MRI. <i>European Journal of Radiology</i> , 2022, 153, 110386.	2.6	8
16	Myocardial Extracellular Volume Quantification Using Cardiac Computed Tomography: A Comparison of the Dual-energy Iodine Method and the Standard Subtraction Method. <i>Academic Radiology</i> , 2021, 28, e119-e126.	2.5	24
17	Effects of Deep Learning Reconstruction Technique in High-Resolution Non-contrast Magnetic Resonance Coronary Angiography at a 3-Tesla Machine. <i>Canadian Association of Radiologists Journal</i> , 2021, 72, 120-127.	2.0	21
18	Histogram features of Fabry disease with pseudonormalization in native T1 mapping. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, e23-e23.	1.2	1

#	ARTICLE	IF	CITATIONS
19	A preliminary study of deep learning-based reconstruction specialized for denoising in high-frequency domain: usefulness in high-resolution three-dimensional magnetic resonance cisternography of the cerebellopontine angle. <i>Neuroradiology</i> , 2021, 63, 63-71.	2.2	20
20	Non-Invasive Imaging in Pulmonary Hypertension—Comprehensive Assessment Using Dual-Layer Spectral Computed Tomography. <i>Circulation Journal</i> , 2021, 85, 316.	1.6	2
21	Liver fibrosis assessment with multiphasic dual-energy CT: diagnostic performance of iodine uptake parameters. <i>European Radiology</i> , 2021, 31, 5779-5790.	4.5	14
22	Conditional generative adversarial networks to generate pseudo low monoenergetic CT image from a single-tube voltage CT scanner. <i>Physica Medica</i> , 2021, 83, 46-51.	0.7	5
23	Assessment of cardiac implantable electric device lead perforation using a metal artifact reduction algorithm in cardiac computed tomography. <i>European Journal of Radiology</i> , 2021, 136, 109530.	2.6	1
24	Relative Enhancement Ratio of Portal Venous Phase to Unenhanced CT in the Diagnosis of Lipid-poor Adrenal Adenomas. <i>Radiology</i> , 2021, 301, 360-368.	7.3	18
25	Unenhanced Dual-Layer Spectral-Detector CT for Characterizing Indeterminate Adrenal Lesions. <i>Radiology</i> , 2021, 301, 369-378.	7.3	11
26	Three-Dimensional Modified Dixon ECG-Gated Cardiac Magnetic Resonance Imaging in Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e012745.	2.6	2
27	Prognostic value of left atrial strain in patients with wild-type transthyretin amyloid cardiomyopathy. <i>ESC Heart Failure</i> , 2021, 8, 5316-5326.	3.1	9
28	Deep Learning-based Reconstruction for Lower-Dose Pediatric CT: Technical Principles, Image Characteristics, and Clinical Implementations. <i>Radiographics</i> , 2021, 41, 1936-1953.	3.3	39
29	Can myocardial susceptibility quantification be an imaging biomarker for cardiac amyloidosis?. <i>Japanese Journal of Radiology</i> , 2021, , 1.	2.4	0
30	Multiparametric Cardiac Magnetic Resonance Imaging of Cardiac Involvement Associated With Sporadic Inclusion Body Myositis. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, 1155-1156.	2.6	0
31	Non-contrast mDixon MR angiography of the neck. <i>Medicine (United States)</i> , 2021, 100, e28351.	1.0	1
32	Hybrid of Compressed Sensing and Parallel Imaging Applied to Three-dimensional Isotropic T ₂ -weighted Turbo Spin-echo MR Imaging of the Lumbar Spine. <i>Magnetic Resonance in Medical Sciences</i> , 2020, 19, 48-55.	2.0	20
33	Dual-layer spectral CT improves image quality of multiphasic pancreas CT in patients with pancreatic ductal adenocarcinoma. <i>European Radiology</i> , 2020, 30, 394-403.	4.5	46
34	Myocardial extracellular volume quantification in cardiac CT: comparison of the effects of two different iterative reconstruction algorithms with MRI as a reference standard. <i>European Radiology</i> , 2020, 30, 691-701.	4.5	18
35	Guideline on the use of iodinated contrast media in patients with kidney disease 2018. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 1-44.	1.6	31
36	Guideline on the use of iodinated contrast media in patients with kidney disease 2018. <i>Japanese Journal of Radiology</i> , 2020, 38, 3-46.	2.4	9

#	ARTICLE	IF	CITATIONS
37	Predictive value of 18F-FDG PET/CT for acute exacerbation of interstitial lung disease in patients with lung cancer and interstitial lung disease treated with chemotherapy. <i>International Journal of Clinical Oncology</i> , 2020, 25, 681-690.	2.2	9
38	Novel assessment of cancer therapy-related cardiac dysfunction by cardiac computed tomography: a case report. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-2.	0.6	6
39	Long-term prognostic value of the combined assessment of clinical and computed tomography findings in type. <i>Medicine (United States)</i> , 2020, 99, e23008.	1.0	1
40	Usefulness of relative apical longitudinal strain index to predict positive ^{99m} Tc-labeled pyrophosphate scintigraphy findings in advanced-stage patients with suspected transthyretin amyloid cardiomyopathy. <i>Echocardiography</i> , 2020, 37, 1774-1783.	0.9	9
41	Quantification of Myocardial Extracellular Volume With Planning Computed Tomography for Transcatheter Aortic Valve Replacement to Identify Occult Cardiac Amyloidosis in Patients With Severe Aortic Stenosis. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e010358.	2.6	17
42	Adrenal Adenomas versus Metastases: Diagnostic Performance of Dual-Energy Spectral CT Virtual Noncontrast Imaging and Iodine Maps. <i>Radiology</i> , 2020, 296, 324-332.	7.3	66
43	Left-dominant arrhythmogenic cardiomyopathy with a nonsense mutation in <i>DSP</i> . <i>ESC Heart Failure</i> , 2020, 7, 3174-3178.	3.1	4
44	The imaging findings of Peliosis hepatis on gadoxetic acid enhanced MRI. <i>Radiology Case Reports</i> , 2020, 15, 1261-1265.	0.6	5
45	Evaluation of Significant Coronary Artery Disease Based on CT Fractional Flow Reserve and Plaque Characteristics Using Random Forest Analysis in Machine Learning. <i>Academic Radiology</i> , 2020, 27, 1700-1708.	2.5	12
46	Usefulness of Virtual Monochromatic Dual-Layer Computed Tomographic Imaging for Breast Carcinoma. <i>Journal of Computer Assisted Tomography</i> , 2020, 44, 78-82.	0.9	6
47	Metal Artifact Reduction in Head CT Performed for Patients with Deep Brain Stimulation Devices: Effectiveness of a Single-Energy Metal Artifact Reduction Algorithm. <i>American Journal of Neuroradiology</i> , 2020, 41, 231-237.	2.4	8
48	Noninvasive flow evaluations of coronary artery bypass grafting using dynamic cardiac CT. <i>Medicine (United States)</i> , 2020, 99, e23338.	1.0	2
49	Trends in Diagnostic Imaging of Cardiac Amyloidosis: Emerging Knowledge and Concepts. <i>Radiographics</i> , 2020, 40, 961-981.	3.3	29
50	JCS 2020 Guideline on Diagnosis and Treatment of Cardiac Amyloidosis. <i>Circulation Journal</i> , 2020, 84, 1610-1671.	1.6	98
51	Identification of Wild-Type Transthyretin Cardiac Amyloidosis by Quantifying Myocardial Extracellular Volume Using Cardiac Computed Tomography in Atrial Arrhythmias. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e010261.	2.6	2
52	Temporal Change in Longitudinal Strain After Domino Liver Transplantation With Liver Grafts Explanted From Patients With Hereditary Amyloidogenic Transthyretin Amyloidosis. <i>Circulation Reports</i> , 2020, 2, 730-738.	1.0	0
53	Decreasing the radiation dose for contrast-enhanced abdominal spectral CT with a half contrast dose: a matched-pair comparison with a 120 kVp protocol. <i>BJR Open</i> , 2020, 2, 20200006.	0.6	2
54	Dynamic evaluation of myocardial extracellular volume fraction using dual-layer spectral detector computed tomography. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-2.	0.6	0

#	ARTICLE	IF	CITATIONS
55	Dynamic evaluation of myocardial extracellular volume fraction using dual-layer spectral detector computed tomography. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-2.	0.6	1
56	Comprehensive assessment of takotsubo cardiomyopathy by cardiac computed tomography. <i>Emergency Radiology</i> , 2019, 26, 109-112.	1.8	7
57	Clinical potential of dual-energy cardiac CT in cardiac amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 91-92.	3.0	1
58	Combination of Commonly Examined Parameters Is a Useful Predictor of Positive ^{99m}Tc -Labeled Pyrophosphate Scintigraphy Findings in Elderly Patients With Suspected Transthyretin Cardiac Amyloidosis. <i>Circulation Journal</i> , 2019, 83, 1698-1708.	1.6	33
59	CT texture analysis for the prediction of KRAS mutation status in colorectal cancer via a machine learning approach. <i>European Journal of Radiology</i> , 2019, 118, 38-43.	2.6	35
60	Additive value of split-bolus single-phase CT scan protocol for preoperative assessment of lung cancer patients referred for video-assisted thoracic surgery. <i>Radiological Physics and Technology</i> , 2019, 12, 409-416.	1.9	3
61	Machine Learning to Differentiate T2-Weighted Hyperintense Uterine Leiomyomas from Uterine Sarcomas by Utilizing Multiparametric Magnetic Resonance Quantitative Imaging Features. <i>Academic Radiology</i> , 2019, 26, 1390-1399.	2.5	27
62	Hereditary ATTR Amyloidosis with Cardiomyopathy Caused by the Novel Variant Transthyretin Y114S (p.Y134S). <i>Internal Medicine</i> , 2019, 58, 2695-2698.	0.7	3
63	Myocardial extracellular volume quantification using CT for the identification of occult cardiac amyloidosis in patients with severe aortic stenosis referred for transcatheter aortic valve replacement. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 97-98.	3.0	11
64	Myocardial Late Iodine Enhancement and Extracellular Volume Quantification with Dual-Layer Spectral Detector Dual-Energy Cardiac CT. <i>Radiology: Cardiothoracic Imaging</i> , 2019, 1, e180003.	2.5	48
65	Contrast Enhancement Boost Technique at Aortic Computed Tomography Angiography: Added Value for the Evaluation of Type II Endoleaks After Endovascular Aortic Aneurysm Repair. <i>Academic Radiology</i> , 2019, 26, 1435-1440.	2.5	10
66	Basal septal perforator vein mimicking the "late iodine enhancement" in delayed phase cardiac CT for myocardial scar assessment. <i>Radiology Case Reports</i> , 2019, 14, 588-590.	0.6	3
67	Epicardial fat volume measured on nongated chest CT is a predictor of coronary artery disease. <i>European Radiology</i> , 2019, 29, 3638-3646.	4.5	25
68	Takotsubo Cardiomyopathy Mimicking Acute Coronary Syndrome—Extracellular Volume Quantification Using Cardiac Computed Tomography. <i>Circulation Journal</i> , 2019, 83, 1613.	1.6	4
69	Low contrast material dose coronary computed tomographic angiography using a dual-layer spectral detector system in patients at risk for contrast-induced nephropathy. <i>British Journal of Radiology</i> , 2019, 92, 20180215.	2.2	15
70	Base-to-apex gradient pattern of cardiac impairment identified on myocardial T1 mapping in cardiac amyloidosis. <i>Radiology Case Reports</i> , 2019, 14, 72-74.	0.6	3
71	Dual-layer dual-energy computed tomography for the assessment of hypovascular hepatic metastases: impact of closing k-edge on image quality and lesion detectability. <i>European Radiology</i> , 2019, 29, 2837-2847.	4.5	35
72	Non-Val30Met mutation, septal hypertrophy, and cardiac denervation in patients with mutant transthyretin amyloidosis. <i>ESC Heart Failure</i> , 2019, 6, 122-130.	3.1	12

#	ARTICLE	IF	CITATIONS
73	Spiral flow-generating tube for saline chaser improves aortic enhancement in Gd-EOB-DTPA-enhanced hepatic MRI. <i>European Radiology</i> , 2019, 29, 2009-2016.	4.5	3
74	Coronary arterial microfistulae with meandering dilated coronary arteries and noncompaction-like myocardium. <i>Cardiology Journal</i> , 2019, 26, 95-96.	1.2	1
75	Brain computed tomography using iterative reconstruction to diagnose acute middle cerebral artery stroke: usefulness in combination of narrow window setting and thin slice reconstruction. <i>Neuroradiology</i> , 2018, 60, 373-379.	2.2	11
76	Cardiac diffusion-weighted magnetic resonance imaging for assessment of cardiac metastasis. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 683-683.	1.2	5
77	Clinical Usefulness of Dual-Energy Cardiac Computed Tomography in Acute Coronary Syndrome Using a Dual-Layer Spectral Detector Scanner. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e007277.	2.6	1
78	Reducing artifacts of gadoxetate disodium-enhanced MRI with oxygen inhalation in patients with prior episode of arterial phase motion: intra-individual comparison. <i>Clinical Imaging</i> , 2018, 52, 11-15.	1.5	6
79	3D hybrid profile order technique in a single breath-hold 3D T2-weighted fast spin-echo sequence: Usefulness in diagnosis of small liver lesions. <i>European Journal of Radiology</i> , 2018, 98, 113-117.	2.6	4
80	Correlation of left ventricular dyssynchrony on gated myocardial perfusion SPECT analysis with extent of late gadolinium enhancement on cardiac magnetic resonance imaging in hypertrophic cardiomyopathy. <i>Heart and Vessels</i> , 2018, 33, 623-629.	1.2	6
81	Late iodine enhancement and myocardial extracellular volume quantification in cardiac amyloidosis by using dual-energy cardiac computed tomography performed on a dual-layer spectral detector scanner. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2018, 25, 137-138.	3.0	8
82	Model-based Iterative Reconstruction in Low-radiation-dose Computed Tomography Colonography. <i>Academic Radiology</i> , 2018, 25, 415-422.	2.5	7
83	Saturation Recovery Myocardial T ₁ Mapping with a Composite Radiofrequency Pulse on a 3T MR Imaging System. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 35-41.	2.0	5
84	Image quality characteristics for virtual monoenergetic images using dual-layer spectral detector CT: Comparison with conventional tube-voltage images. <i>Physica Medica</i> , 2018, 49, 5-10.	0.7	25
85	Application of 80-kVp scan and raw-data based iterative reconstruction for reduced iodine load abdominal-pelvic CT in patients at risk of contrast-induced nephropathy referred for oncological assessment: Effects on radiation dose, image quality and renal function. <i>British Journal of Radiology</i> , 2018, 91, 20170632.	2.2	8
86	Late gadolinium enhancement on cardiac magnetic resonance imaging is associated with coronary endothelial dysfunction in patients with dilated cardiomyopathy. <i>Heart and Vessels</i> , 2018, 33, 393-402.	1.2	8
87	Dual-layer DECT for multiphasic hepatic CT with 50 percent iodine load: a matched-pair comparison with a 120 kVp protocol. <i>European Radiology</i> , 2018, 28, 1719-1730.	4.5	37
88	Dual-region-of-interest bolus-tracking technique for coronary computed tomographic angiography on a 320-row scanner: reduction in the interpatient variability of arterial contrast enhancement. <i>British Journal of Radiology</i> , 2018, 91, 20170541.	2.2	7
89	Contrast enhancement in abdominal computed tomography: influence of photon energy of different scanners. <i>British Journal of Radiology</i> , 2018, 91, 20170285.	2.2	6
90	Recent advances in diagnosis and treatment of cardiac amyloidosis. <i>Journal of Cardiology</i> , 2018, 71, 135-143.	1.9	39

#	ARTICLE	IF	CITATIONS
91	Single-Breath-Hold Whole-heart Unenhanced Coronary MRA Using Multi-shot Gradient Echo EPI at 3T: Comparison with Free-breathing Turbo-field-echo Coronary MRA on Healthy Volunteers. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 161-167.	2.0	2
92	Dual-energy computed tomography colonography using dual-layer spectral detector computed tomography: Utility of virtual monochromatic imaging for electronic cleansing. <i>European Journal of Radiology</i> , 2018, 108, 7-12.	2.6	9
93	Machine learning based on multi-parametric magnetic resonance imaging to differentiate glioblastoma multiforme from primary cerebral nervous system lymphoma. <i>European Journal of Radiology</i> , 2018, 108, 147-154.	2.6	41
94	Radiation Dose Reduction at Pediatric CT: Use of Low Tube Voltage and Iterative Reconstruction. <i>Radiographics</i> , 2018, 38, 1421-1440.	3.3	84
95	Utility of Single-Photon Emission Computed Tomography/Computed Tomography Fusion Imaging With ^{99m} Tc-Pyrophosphate Scintigraphy in the Assessment of Cardiac Transthyretin Amyloidosis. <i>Circulation Journal</i> , 2018, 82, 1970-1971.	1.6	6
96	Myocardial Deformation Analysis and Late-Gadolinium Enhancement: Important Markers of Cardiac Amyloidosis Involvement That Can Masquerade as a False-Negative Diagnosis—Reply. <i>Circulation Journal</i> , 2018, 82, 2688.	1.6	1
97	Advanced parametric imaging for evaluation of Crohn's disease using dual-energy computed tomography enterography. <i>Radiology Case Reports</i> , 2018, 13, 709-712.	0.6	7
98	The effect of heart rate on coronary plaque measurements in 320-row coronary CT angiography. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1977-1985.	1.5	3
99	Basic Concepts of Contrast Injection Protocols for Coronary Computed Tomography Angiography. <i>Current Cardiology Reviews</i> , 2018, 15, 24-29.	1.5	10
100	Role of Noninvasive Diagnostic Imaging in Cardiac Amyloidosis: A Review. <i>Cardiovascular Imaging Asia</i> , 2018, 2, 97.	0.1	4
101	Partially calcified plaque mimicking the "napkin-ring sign" on coronary CT angiography. <i>Journal of Cardiovascular Computed Tomography</i> , 2017, 11, 244.	1.3	0
102	Feasibility of Iterative Model Reconstruction for Unenhanced Lumbar CT. <i>Radiology</i> , 2017, 284, 153-160.	7.3	11
103	Improved Estimation of Coronary Plaque and Luminal Attenuation Using a Vendor-specific Model-based Iterative Reconstruction Algorithm in Contrast-enhanced CT Coronary Angiography. <i>Academic Radiology</i> , 2017, 24, 1070-1078.	2.5	13
104	Clinical potential of retrospective on-demand spectral analysis using dual-layer spectral detector-computed tomography in ischemia complicating small-bowel obstruction. <i>Emergency Radiology</i> , 2017, 24, 431-434.	1.8	18
105	Cardiovascular magnetic resonance myocardial T1 mapping to detect and quantify cardiac involvement in familial amyloid polyneuropathy. <i>European Radiology</i> , 2017, 27, 4631-4638.	4.5	17
106	Measuring hepatic functional reserve using T1 mapping of Gd-EOB-DTPA enhanced 3T MR imaging: A preliminary study comparing with ^{99m} Tc GSA scintigraphy and signal intensity based parameters. <i>European Journal of Radiology</i> , 2017, 92, 116-123.	2.6	28
107	Cerebral bone subtraction CT angiography using 80 kVp and sinogram-affirmed iterative reconstruction: contrast medium and radiation dose reduction with improvement of image quality. <i>Neuroradiology</i> , 2017, 59, 127-134.	2.2	8
108	CT venography after knee replacement surgery: comparison of dual-energy CT-based monochromatic imaging and single-energy metal artifact reduction techniques on a 320-row CT scanner. <i>Acta Radiologica Open</i> , 2017, 6, 205846011769346.	0.6	12

#	ARTICLE	IF	CITATIONS
109	Diagnosis of small posterior fossa stroke on brain CT: effect of iterative reconstruction designed for brain CT on detection performance. <i>European Radiology</i> , 2017, 27, 3710-3715.	4.5	12
110	The Influence of Iterative Reconstruction on Coronary Artery Calcium Scoringâ€”Phantom and Clinical Studies. <i>Academic Radiology</i> , 2017, 24, 295-301.	2.5	8
111	Radiation dose reduction using 100-kVp and a sinogram-affirmed iterative reconstruction algorithm in adolescent head CT: Impact on greyâ€”white matter contrast and image noise. <i>European Radiology</i> , 2017, 27, 2717-2725.	4.5	9
112	Vectors through a cross-sectional image (VCI): A visualization method for four-dimensional motion analysis for cardiac computed tomography. <i>Journal of Cardiovascular Computed Tomography</i> , 2017, 11, 468-473.	1.3	5
113	Comparison between multi-shot gradient echo EPI and balanced SSFP in unenhanced 3T MRA of thoracic aorta in healthy volunteers. <i>European Journal of Radiology</i> , 2017, 96, 85-90.	2.6	3
114	Granulomatosis with polyangiitis can cause periaortitis and pericarditis. <i>Clinical Case Reports (discontinued)</i> , 2017, 5, 1732-1733.	0.5	5
115	Hepatic fat quantification using automated six-point Dixon: Comparison with conventional chemical shift based sequences and computed tomography. <i>Clinical Imaging</i> , 2017, 45, 111-117.	1.5	4
116	Breast dose reduction for chest CT by modifying the scanning parameters based on the pre-scan size-specific dose estimate (SSDE). <i>European Radiology</i> , 2017, 27, 2267-2274.	4.5	11
117	Using 80 kVp on a 320-row scanner for hepatic multiphase CT reduces the contrast dose by 50% in patients at risk for contrast-induced nephropathy. <i>European Radiology</i> , 2017, 27, 812-820.	4.5	28
118	Identification and Assessment of Cardiac Amyloidosis by Myocardial Strain Analysis of Cardiac Magnetic Resonance Imaging. <i>Circulation Journal</i> , 2017, 81, 1014-1021.	1.6	34
119	Napkin-Ring Sign on Coronary Computed Tomography Angiography-Tiered Enhancement of Coronary Lumen and Plaque. <i>Cardiovascular Imaging Asia</i> , 2017, 1, 205.	0.1	0
120	Transluminal attenuation-gradient coronary CT angiography on a 320-MDCT volume scanner: Effect of scan timing, coronary artery stenosis, and cardiac output using a contrast medium flow phantom. <i>Physica Medica</i> , 2016, 32, 1415-1421.	0.7	9
121	Low-tube-voltage selection for non-contrast-enhanced CT: Comparison of the radiation dose in pediatric and adult phantoms. <i>Physica Medica</i> , 2016, 32, 197-201.	0.7	12
122	Submillisievert Radiation Dose Coronary CT Angiography. <i>Academic Radiology</i> , 2016, 23, 1393-1401.	2.5	22
123	Additive value of 320-section low-dose dynamic volume CT in relation to 3-T MRI for the preoperative evaluation of brain tumors. <i>Japanese Journal of Radiology</i> , 2016, 34, 691-699.	2.4	2
124	CT Angiography in Patients with Peripheral Arterial Disease. <i>Academic Radiology</i> , 2016, 23, 1283-1289.	2.5	5
125	Effect of iterative reconstruction on variability and reproducibility of epicardial fat volume quantification by cardiac CT. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 150-155.	1.3	10
126	Evaluation of the Effect of Intracoronary Attenuation on Coronary Plaque Measurements Using a Dual-phase Coronary CT Angiography Technique on a 320-row CT Scannerâ€”In Vivo Validation Study. <i>Academic Radiology</i> , 2016, 23, 315-320.	2.5	6

#	ARTICLE	IF	CITATIONS
127	Comparison of iterative model, hybrid iterative, and filtered back projection reconstruction techniques in low-dose brain CT: impact of thin-slice imaging. <i>Neuroradiology</i> , 2016, 58, 245-251.	2.2	25
128	Reduction of metallic coil artefacts in computed tomography body imaging: effects of a new single-energy metal artefact reduction algorithm. <i>European Radiology</i> , 2016, 26, 1378-1386.	4.5	40
129	256-Slice coronary computed tomographic angiography in patients with atrial fibrillation: optimal reconstruction phase and image quality. <i>European Radiology</i> , 2016, 26, 55-63.	4.5	14
130	Reducing the Radiation Dose for ACT Colonography. <i>Academic Radiology</i> , 2016, 23, 155-162.	2.5	10
131	Clinical impact of model-based type iterative reconstruction with fast reconstruction time on image quality of low-dose screening chest CT. <i>Acta Radiologica</i> , 2016, 57, 295-302.	1.1	24
132	Ultra-High-Resolution Computed Tomography of the Lung: Image Quality of a Prototype Scanner. <i>PLoS ONE</i> , 2015, 10, e0137165.	2.5	92
133	A newly-developed metal artifact reduction algorithm improves the visibility of oral cavity lesions on 320-MDCT volume scans. <i>Physica Medica</i> , 2015, 31, 66-71.	0.7	40
134	Low contrast and radiation dose coronary CT angiography using a 320-row system and a refined contrast injection and timing method. <i>Journal of Cardiovascular Computed Tomography</i> , 2015, 9, 19-27.	1.3	58
135	Evaluation of appropriateness of second-generation 320-row computed tomography for coronary artery disease. <i>SpringerPlus</i> , 2015, 4, 109.	1.2	2
136	Added value of a single-energy projection-based metal-artifact reduction algorithm for the computed tomography evaluation of oral cavity cancers. <i>Japanese Journal of Radiology</i> , 2015, 33, 650-656.	2.4	22
137	Validity of the size-specific dose estimate in adults undergoing coronary CT angiography: comparison with the volume CT dose index. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 205-211.	1.5	10
138	Patient-specific tube-voltage selection at coronary CT angiography based on the combination of X-ray attenuation on scout views and body mass index: how can appropriate radiation dose be achieved?. <i>Acta Radiologica</i> , 2015, 56, 1171-1179.	1.1	0
139	Simultaneous achievement of accurate CT number and image quality improvement for myocardial perfusion CT at 320-MDCT volume scanning. <i>Physica Medica</i> , 2015, 31, 702-707.	0.7	2
140	Optimized Subtraction Coronary CT Angiography Protocol for Clinical Use with Short Breath-Holding Time—Initial Experience. <i>Academic Radiology</i> , 2015, 22, 117-120.	2.5	14
141	Improved image quality at 256-slice coronary CT angiography in patients with a high heart rate and coronary artery disease: comparison with 64-slice CT imaging. <i>Acta Radiologica</i> , 2015, 56, 1308-1314.	1.1	8
142	Iterative model reconstruction: Improved image quality of low-tube-voltage prospective ECG-gated coronary CT angiography images at 256-slice CT. <i>European Journal of Radiology</i> , 2014, 83, 1408-1415.	2.6	43
143	Image quality assessment of an iterative reconstruction algorithm applied to abdominal CT imaging. <i>Physica Medica</i> , 2014, 30, 527-534.	0.7	27
144	Automatic exposure control at single- and dual-heartbeat CTCA on a 320-MDCT volume scanner: Effect of heart rate, exposure phase window setting, and reconstruction algorithm. <i>Physica Medica</i> , 2014, 30, 385-390.	0.7	11

#	ARTICLE	IF	CITATIONS
145	A Knowledge-based Iterative Model Reconstruction Algorithm. <i>Academic Radiology</i> , 2014, 21, 104-110.	2.5	53
146	Improved coronary in-stent visualization using a combined high-resolution kernel and a hybrid iterative reconstruction technique at 256-slice cardiac CT—Pilot study. <i>European Journal of Radiology</i> , 2013, 82, 288-295.	2.6	25
147	A Hybrid Iterative Reconstruction Algorithm That Improves the Image Quality of Low-Tube-Voltage Coronary CT Angiography. <i>American Journal of Roentgenology</i> , 2012, 198, 1126-1131.	2.2	53
148	Evaluation of Deep Vein Thrombosis With Reduced Radiation and Contrast Material Dose at Computed Tomography Venography. <i>Circulation Journal</i> , 2012, 76, 2614-2622.	1.6	24
149	Volume-Doubling Time of Pulmonary Nodules with Ground Glass Opacity at Multidetector CT. <i>Academic Radiology</i> , 2011, 18, 63-69.	2.5	69
150	A Low Tube Voltage Technique Reduces the Radiation Dose at Retrospective ECG-gated Cardiac Computed Tomography for Anatomical and Functional Analyses. <i>Academic Radiology</i> , 2011, 18, 991-999.	2.5	49
151	Indirect Computed Tomography Venography With a Low-Tube-Voltage Technique. <i>Journal of Computer Assisted Tomography</i> , 2011, 35, 631-636.	0.9	29
152	Effects of dual-energy subtraction chest radiography on detection of small pulmonary nodules with varying attenuation: receiver operating characteristic analysis using a phantom study. <i>Japanese Journal of Radiology</i> , 2010, 28, 214-219.	2.4	4
153	Computer-Aided Volumetry of Pulmonary Nodules Exhibiting Ground-Glass Opacity at MDCT. <i>American Journal of Roentgenology</i> , 2010, 194, 398-406.	2.2	83
154	Performance of Radiologists in Detection of Small Pulmonary Nodules on Chest Radiographs: Effect of Rib Suppression With a Massive-Training Artificial Neural Network. <i>American Journal of Roentgenology</i> , 2009, 193, W397-W402.	2.2	54
155	Ground-Glass Opacities on Thin-Section Helical CT: Differentiation Between Bronchioloalveolar Carcinoma and Atypical Adenomatous Hyperplasia. <i>American Journal of Roentgenology</i> , 2008, 190, 1363-1368.	2.2	77