

Maria Schaufelberger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2687258/publications.pdf>

Version: 2024-02-01

48
papers

2,600
citations

331538

21
h-index

206029

48
g-index

50
all docs

50
docs citations

50
times ranked

2933
citing authors

#	ARTICLE	IF	CITATIONS
1	Current state of knowledge on aetiology, diagnosis, management, and therapy of peripartum cardiomyopathy: a position statement from the Heart Failure Association of the European Society of Cardiology Working Group on peripartum cardiomyopathy. <i>European Journal of Heart Failure</i> , 2010, 12, 767-778.	2.9	787
2	Decreasing one-year mortality and hospitalization rates for heart failure in Sweden Data from the Swedish Hospital Discharge Registry 1988 to 2000. <i>European Heart Journal</i> , 2004, 25, 300-307.	1.0	234
3	Clinical characteristics of patients from the worldwide registry on peripartum cardiomyopathy (<scp>PPCM</scp>). <i>European Journal of Heart Failure</i> , 2017, 19, 1131-1141.	2.9	163
4	Current management of patients with severe acute peripartum cardiomyopathy: practical guidance from the Heart Failure Association of the European Society of Cardiology Study Group on peripartum cardiomyopathy. <i>European Journal of Heart Failure</i> , 2016, 18, 1096-1105.	2.9	160
5	Heart failure in young adults: 20-year trends in hospitalization, aetiology, and case fatality in Sweden. <i>European Heart Journal</i> , 2014, 35, 25-32.	1.0	144
6	Clinical presentation, management, and 6-month outcomes in women with peripartum cardiomyopathy: an ESC EORP registry. <i>European Heart Journal</i> , 2020, 41, 3787-3797.	1.0	101
7	Survival trends in men and women with heart failure of ischaemic and non-ischaemic origin: data for the period 1987-2003 from the Swedish Hospital Discharge Registry. <i>European Heart Journal</i> , 2008, 30, 671-678.	1.0	92
8	1330: Reasons for seeking acute care in chronic heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2007, 6, 19-20.	0.4	82
9	Cardiomyopathy and pregnancy. <i>Heart</i> , 2019, 105, 1543-1551.	1.2	69
10	Non-cardiac comorbidities and mortality in patients with heart failure with reduced vs. preserved ejection fraction: a study using the Swedish Heart Failure Registry. <i>Clinical Research in Cardiology</i> , 2019, 108, 1025-1033.	1.5	63
11	Skeletal muscle characteristics, muscle strength and thigh muscle area in patients before and after cardiac transplantation. <i>European Journal of Heart Failure</i> , 2001, 3, 59-67.	2.9	60
12	Cardiorespiratory fitness and muscle strength in late adolescence and long-term risk of early heart failure in Swedish men. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 876-884.	0.8	56
13	Body weight in adolescence and long-term risk of early heart failure in adulthood among men in Sweden. <i>European Heart Journal</i> , 2017, 38, ehw221.	1.0	55
14	Higher Body Mass Index in Adolescence Predicts Cardiomyopathy Risk in Midlife. <i>Circulation</i> , 2019, 140, 117-125.	1.6	52
15	Hospital readmissions of patients with heart failure from real world: timing and associated risk factors. <i>ESC Heart Failure</i> , 2021, 8, 1388-1397.	1.4	45
16	Heart Failure in Late Pregnancy and Postpartum: Incidence and Long-Term Mortality in Sweden From 1997 to 2010. <i>Journal of Cardiac Failure</i> , 2017, 23, 370-378.	0.7	40
17	Heart failure in different occupational classes in Sweden. <i>European Heart Journal</i> , 2006, 28, 212-218.	1.0	34
18	Resting heart rate in late adolescence and long term risk of cardiovascular disease in Swedish men. <i>International Journal of Cardiology</i> , 2018, 259, 109-115.	0.8	31

#	ARTICLE	IF	CITATIONS
19	Body Mass Index in Young Women and Risk of Cardiomyopathy. <i>Circulation</i> , 2020, 141, 520-529.	1.6	31
20	Increased Cancer Prevalence in Peripartum Cardiomyopathy. <i>JACC: CardioOncology</i> , 2019, 1, 196-205.	1.7	30
21	Optimizing the Management of Heart Failure With Preserved Ejection Fraction in the Elderly by Targeting Comorbidities (OPTIMIZE-HFPEF). <i>Journal of Cardiac Failure</i> , 2016, 22, 539-544.	0.7	25
22	Trends in myocarditis incidence, complications and mortality in Sweden from 2000 to 2014. <i>Scientific Reports</i> , 2022, 12, 1810.	1.6	20
23	Does the target dose of neurohormonal blockade matter for outcome in Systolic heart failure in octogenarians?. <i>International Journal of Cardiology</i> , 2015, 187, 666-672.	0.8	18
24	Massive parallel sequencing questions the pathogenic role of missense variants in dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2017, 228, 742-748.	0.8	16
25	Symptoms in women with Peripartum Cardiomyopathy: A mixed method study. <i>Midwifery</i> , 2016, 32, 14-20.	1.0	15
26	Factors influencing long-term heart failure mortality in patients with obstructive hypertrophic cardiomyopathy in Western Sweden: probable dose-related protection from beta-blocker therapy. <i>Open Heart</i> , 2019, 6, e000963.	0.9	14
27	Validity of heart failure diagnoses made in 2000â€“2012 in western Sweden. <i>ESC Heart Failure</i> , 2020, 7, 37-46.	1.4	13
28	Obesity in Middle Age Increases Risk of Later Heart Failure in Womenâ€”Results From the Prospective Population Study of Women and H70 Studies in Gothenburg, Sweden. <i>Journal of Cardiac Failure</i> , 2017, 23, 363-369.	0.7	12
29	Association of diuretic treatment at hospital discharge in patients with heart failure with all-cause short- and long-term mortality: A propensity score-matched analysis from SwedeHF. <i>International Journal of Cardiology</i> , 2018, 257, 118-124.	0.8	12
30	High validity of cardiomyopathy diagnoses in western <scp>Sweden</scp> (1989â€“2009). <i>ESC Heart Failure</i> , 2018, 5, 233-240.	1.4	12
31	Body weight in midlife and long-term risk of developing heart failure-a 35-year follow-up of the primary prevention study in Gothenburg, Sweden. <i>BMC Cardiovascular Disorders</i> , 2015, 15, 19.	0.7	11
32	Experiences of health care in women with Peripartum Cardiomyopathy in Sweden: a qualitative interview study. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 386.	0.9	10
33	Body mass index in women aged 18 to 45 and subsequent risk of heart failure. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1165-1174.	0.8	10
34	Symptomatic recovery and pharmacological management in a clinical cohort with peripartum cardiomyopathy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1342-1349.	0.7	9
35	Elevated resting heart rate in adolescent men and risk of heart failure and cardiomyopathy. <i>ESC Heart Failure</i> , 2020, 7, 1178-1185.	1.4	9
36	Young patients with heart failure: clinical characteristics and outcomes. Data from the Swedish Heart Failure, National Patient, Population and Cause of Death Registers. <i>European Journal of Heart Failure</i> , 2020, 22, 1125-1132.	2.9	9

#	ARTICLE	IF	CITATIONS
37	Risk of stroke in patients with heart failure and sinus rhythm: data from the Swedish Heart Failure Registry. ESC Heart Failure, 2021, 8, 85-94.	1.4	9
38	Short atrioventricular delay pacing therapy in young and old patients with hypertrophic obstructive cardiomyopathy: good long-term results and a low need for reinterventions. Europace, 2018, 20, 1683-1691.	0.7	8
39	Cognitive performance in late adolescence and long-term risk of early heart failure in Swedish men. European Journal of Heart Failure, 2018, 20, 989-997.	2.9	7
40	The eligible population of the PARADIGM-HF trial in a real-world outpatient clinic and its cardiovascular risk between 2005 and 2016. Journal of Cardiovascular Medicine, 2020, 21, 6-12.	0.6	7
41	Fathers'™ experiences of care when their partners suffer from peripartum cardiomyopathy: a qualitative interview study. BMC Pregnancy and Childbirth, 2018, 18, 330.	0.9	5
42	Decrease in loop diuretic treatment from 2005 to 2014 in Swedish real-life patients with chronic heart failure. European Journal of Clinical Pharmacology, 2019, 75, 247-254.	0.8	4
43	Factors associated with excess female mortality in obstructive hypertrophic cardiomyopathy. European Journal of Preventive Cardiology, 2022, 29, 1545-1556.	0.8	4
44	Fathers'™ reactions over their partner's diagnosis of peripartum cardiomyopathy: A qualitative interview study. Midwifery, 2019, 71, 42-48.	1.0	3
45	Patient-level comparison of heart failure patients in clinical phenotype and prognosis from China and Sweden. BMC Cardiovascular Disorders, 2022, 22, 91.	0.7	3
46	Increased arterial stiffness and reduced left ventricular long-axis function in patients recovered from peripartum cardiomyopathy. Clinical Physiology and Functional Imaging, 2021, 41, 95-102.	0.5	2
47	Increasing home-time after a first diagnosis of heart failure in Sweden, 20-25 years trends. ESC Heart Failure, 2022, 9, 555-563.	1.4	2
48	Trends in survival of Swedish men and women with heart failure from 1987 to 2014: a population-based case-control study. ESC Heart Failure, 2021, , .	1.4	2