

Martin J Van Kranendonk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2687343/publications.pdf>

Version: 2024-02-01

150
papers

10,549
citations

25014

57
h-index

33869

99
g-index

157
all docs

157
docs citations

157
times ranked

5340
citing authors

#	ARTICLE	IF	CITATIONS
1	Earth's oldest tsunami deposit? Early Archaean high-energy sediments in the ~3.48 Ga Dresser Formation (Pilbara, Western Australia). <i>Depositional Record</i> , 2022, 8, 590-602.	0.8	2
2	Taphonomy of microorganisms and microbial microtextures at sulfidic hydrothermal vents: A case study from the Roman Ruins black smokers, Eastern Manus Basin. <i>Geobiology</i> , 2022, 20, 479-497.	1.1	3
3	Automated fault detection in the Arabian Basin. <i>Geophysics</i> , 2022, 87, IM101-IM109.	1.4	5
4	Early Archean biogeochemical iron cycling and nutrient availability: New insights from a 3.5 Ga land-sea transition. <i>Earth-Science Reviews</i> , 2022, 228, 103992.	4.0	12
5	Reply to Comment by Birger Rasmussen and Janet R. Muhling on "Early Archean biogeochemical iron cycling and nutrient availability: New insights from a 3.5 Ga land-sea transition" by Johnson et al.. <i>Earth-Science Reviews</i> , 2022, 231, 104087.	4.0	4
6	Biogenicity of Spicular Geyselite from Te Kopia, New Zealand: Integrated Petrography, High-Resolution Hyperspectral and Elemental Analysis. <i>Astrobiology</i> , 2021, 21, 115-135.	1.5	3
7	A Reconstructed Subaerial Hot Spring Field in the ~3.5 Billion-Year-Old Dresser Formation, North Pole Dome, Pilbara Craton, Western Australia. <i>Astrobiology</i> , 2021, 21, 1-38.	1.5	24
8	Evolution of the early to late Archean mantle from Hf-Nd-Ce isotope systematics in basalts and komatiites from the Pilbara Craton. <i>Earth and Planetary Science Letters</i> , 2021, 553, 116627.	1.8	19
9	Life analog sites for Mars from early Earth: diverse habitats from the Pilbara Craton and Mount Bruce Supergroup, Western Australia. , 2021, , 357-403.		3
10	Elements for the Origin of Life on Land: A Deep-Time Perspective from the Pilbara Craton of Western Australia. <i>Astrobiology</i> , 2021, 21, 39-59.	1.5	35
11	Cliding and overthrust nappe tectonics of the Barberton Greenstone Belt revisited: A review of deformation styles and processes. <i>South African Journal of Geology</i> , 2021, 124, 181-210.	0.6	5
12	In support of rare relict ~3700 Ma stromatolites from Isua (Greenland). <i>Earth and Planetary Science Letters</i> , 2021, 562, 116850.	1.8	6
13	Genomic adaptations enabling <i>Acidithiobacillus</i> distribution across wide-ranging hot spring temperatures and pHs. <i>Microbiome</i> , 2021, 9, 135.	4.9	22
14	The role of magmatic fluids in the ~3.48 Ga Dresser Caldera, Pilbara Craton: New insights from the geochemical investigation of hydrothermal alteration. <i>Precambrian Research</i> , 2021, 362, 106299.	1.2	9
15	Convective isolation of Hadean mantle reservoirs through Archean time. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	25
16	Correlating trace element compositions, petrology, and Raman spectroscopy data in the ~3.46 Ga Apex chert, Pilbara Craton, Australia. <i>Precambrian Research</i> , 2021, 366, 106415.	1.2	7
17	Fifty years of the Eoarchean and the case for evolving uniformitarianism. <i>Precambrian Research</i> , 2021, 367, 106442.	1.2	31
18	Influence of Metal Ions on Model Protoamphiphilic Vesicular Systems: Insights from Laboratory and Analogue Studies. <i>Life</i> , 2021, 11, 1413.	1.1	5

#	ARTICLE	IF	CITATIONS
19	The Case for Ancient Hot Springs in Gusev Crater, Mars. <i>Astrobiology</i> , 2020, 20, 475-499.	1.5	56
20	Diverse thrombolites from the c. 2.4 Ga Turee Creek Group, Western Australia. <i>Precambrian Research</i> , 2020, 338, 105593.	1.2	5
21	Accumulation of transition metals and metalloids in sulfidized stromatolites of the 3.48 billion-year-old Dresser Formation, Pilbara Craton. <i>Precambrian Research</i> , 2020, 337, 105534.	1.2	19
22	Sulfidization of 3.48-billion-year-old stromatolites of the Dresser Formation, Pilbara Craton: Constraints from in-situ sulfur isotope analysis of pyrite. <i>Chemical Geology</i> , 2020, 538, 119488.	1.4	19
23	Formation of micro-spherulitic barite in association with organic matter within sulfidized stromatolites of the 3.48 billion-year-old Dresser Formation, Pilbara Craton. <i>Geobiology</i> , 2020, 18, 415-425.	1.1	16
24	Ruthenium isotope vestige of Earth's pre-late-veener mantle preserved in Archaean rocks. <i>Nature</i> , 2020, 579, 240-244.	13.7	67
25	Biomolecules from Fossilized Hot Spring Sinters: Implications for the Search for Life on Mars. <i>Astrobiology</i> , 2020, 20, 537-551.	1.5	24
26	Structural analysis of syn-depositional hydrothermal veins of the 3.48 Ga Dresser Formation, Pilbara Craton, Australia. <i>Precambrian Research</i> , 2020, 347, 105844.	1.2	6
27	Stromatolitic digitate sinters form under wide-ranging physicochemical conditions with diverse hot spring microbial communities. <i>Geobiology</i> , 2020, 18, 619-640.	1.1	18
28	Carbonates and cherts as archives of seawater chemistry and habitability on a carbonate platform 3.35 Ga ago: Insights from Sm/Nd dating and trace element analysis from the Strelley Pool Formation, Western Australia. <i>Precambrian Research</i> , 2020, 344, 105742.	1.2	13
29	The Eoarchean legacy of Isua (Greenland) worth preserving for future generations. <i>Earth-Science Reviews</i> , 2019, 198, 102923.	4.0	2
30	Reconstruction of a 3700 Ma transgressive marine environment from Isua (Greenland): Sedimentology, stratigraphy and geochemical signatures. <i>Lithos</i> , 2019, 346-347, 105164.	0.6	8
31	Boron Isotopes in the Puga Geothermal System, India, and Their Implications for the Habitat of Early Life. <i>Astrobiology</i> , 2019, 19, 1459-1473.	1.5	15
32	Nano-porous pyrite and organic matter in 3.5-billion-year-old stromatolites record primordial life. <i>Geology</i> , 2019, 47, 1039-1043.	2.0	67
33	Cross-examining Earth's oldest stromatolites: Seeing through the effects of heterogeneous deformation, metamorphism and metasomatism affecting Isua (Greenland) 3700 Ma sedimentary rocks. <i>Precambrian Research</i> , 2019, 331, 105347.	1.2	30
34	The potential science and engineering value of samples delivered to Earth by Mars sample return. <i>Meteoritics and Planetary Science</i> , 2019, 54, S3.	0.7	73
35	The potential science and engineering value of samples delivered to Earth by Mars sample return. <i>Meteoritics and Planetary Science</i> , 2019, 54, 667-671.	0.7	11
36	Phosphogenesis in the immediate aftermath of the Great Oxidation Event: Evidence from the Turee Creek Group, Western Australia. <i>Precambrian Research</i> , 2019, 320, 193-212.	1.2	9

#	ARTICLE	IF	CITATIONS
37	Paleoarchean Development of a Continental Nucleus. , 2019, , 437-462.		14
38	The Oldest Well-Preserved Felsic Volcanic Rocks on Earth. , 2019, , 463-486.		4
39	Depositional Setting of the Fossiliferous, c.3480 Ma Dresser Formation, Pilbara Craton. , 2019, , 985-1006.		6
40	A multistage origin for Neoproterozoic layered hematite-magnetite iron formation from the Weld Range, Yilgarn Craton, Western Australia. <i>Chemical Geology</i> , 2018, 488, 125-137.	1.4	25
41	Textural biosignatures from the Pilbara: an important benchmark for early life on Earth. <i>Palaontologische Zeitschrift</i> , 2018, 92, 191-193.	0.8	4
42	SIMS microanalysis of the Strelley Pool Formation cherts and the implications for the secular-temporal oxygen-isotope trend of cherts. <i>Precambrian Research</i> , 2018, 304, 125-139.	1.2	16
43	Ideas and perspectives: hydrothermally driven redistribution and sequestration of early Archaean biomass – the ‘‘hydrothermal pump hypothesis’’. <i>Biogeosciences</i> , 2018, 15, 1535-1548.	1.3	42
44	Microbial life and biogeochemical cycling on land 3,220 million years ago. <i>Nature Geoscience</i> , 2018, 11, 665-671.	5.4	95
45	A crystallographic study of crystalline casts and pseudomorphs from the 3.5 Ga Dresser Formation, Pilbara Craton (Australia). <i>Journal of Applied Crystallography</i> , 2018, 51, 1050-1058.	1.9	15
46	Globally asynchronous sulphur isotope signals require re-definition of the Great Oxidation Event. <i>Nature Communications</i> , 2018, 9, 2245.	5.8	82
47	The setting for the origin of life: a geological ‘‘ geochemical perspective. <i>Biochemist</i> , 2018, 40, 18-21.	0.2	1
48	Comment: Archean coastal-plain paleosols and life on land. <i>Gondwana Research</i> , 2017, 44, 265-269.	3.0	4
49	Earliest signs of life on land preserved in ca. 3.5 Ga hot spring deposits. <i>Nature Communications</i> , 2017, 8, 15263.	5.8	192
50	What makes you tick? The psychology of social media engagement in space science communication. <i>Computers in Human Behavior</i> , 2017, 68, 480-492.	5.1	67
51	Life Springs. <i>Scientific American</i> , 2017, 317, 28-35.	1.0	41
52	Conditioned duality of the Earth system: Geochemical tracing of the supercontinent cycle through Earth history. <i>Earth-Science Reviews</i> , 2016, 160, 171-187.	4.0	46
53	Lithostratigraphic analysis of a new stromatolite ‘‘thrombolite reef from across the rise of atmospheric oxygen in the Paleoproterozoic Turee Creek Group, Western Australia. <i>Geobiology</i> , 2016, 14, 317-343.	1.1	19
54	The Juvenile Hafnium Isotope Signal as a Record of Supercontinent Cycles. <i>Scientific Reports</i> , 2016, 6, 38503.	1.6	53

#	ARTICLE	IF	CITATIONS
55	A whole rock absolute paleointensity determination of dacites from the Duffer Formation (ca. 3.467 Ga) from the Pilbara Craton, Western Australia. <i>Earth and Planetary Science Letters</i> , 2016, 258, 51-62.	0.7	6
56	Lacustrine facies dependence of highly ^{13}C -depleted organic matter during the global age of methanotrophy. <i>Precambrian Research</i> , 2016, 285, 216-241.	1.2	25
57	Rapid emergence of life shown by discovery of 3,700-million-year-old microbial structures. <i>Nature</i> , 2016, 537, 535-538.	13.7	458
58	Microstructure-specific carbon isotopic signatures of organic matter from ~ 4.35 Ga cherts of the Pilbara Craton support a biologic origin. <i>Precambrian Research</i> , 2016, 275, 429-449.	1.2	39
59	Petrogenesis and Geochemistry of Archean Komatiites. <i>Journal of Petrology</i> , 2016, 57, 147-184.	1.1	96
60	A Rare Glimpse of Paleoarchean Life: Geobiology of an Exceptionally Preserved Microbial Mat Facies from the 3.4 Ga Strelley Pool Formation, Western Australia. <i>PLoS ONE</i> , 2016, 11, e0147629.	1.1	42
61	A Paleoarchean coastal hydrothermal field inhabited by diverse microbial communities: the Strelley Pool Formation, Pilbara Craton, Western Australia. <i>Geobiology</i> , 2015, 13, 522-545.	1.1	48
62	Oxygen isotopes in Pilbara Craton zircons support a global increase in crustal recycling at 3.2 Ga. <i>Lithos</i> , 2015, 228-229, 90-98.	0.6	39
63	Sedimentology, chemostratigraphy, and stromatolites of lower Paleoproterozoic carbonates, Turee Creek Group, Western Australia. <i>Precambrian Research</i> , 2015, 266, 194-211.	1.2	22
64	A marine to fluvial transition in the Paleoproterozoic Koolbye Formation, Turee Creek Group, Western Australia. <i>Precambrian Research</i> , 2015, 258, 161-170.	1.2	24
65	Sulfur-cycling fossil bacteria from the 1.8-Ga Duck Creek Formation provide promising evidence of evolution's null hypothesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2087-2092.	3.3	51
66	Continuously increasing $\delta^{98}\text{Mo}$ values in Neoproterozoic black shales and iron formations from the Hamersley Basin. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 164, 523-542.	1.6	48
67	Two Paleoproterozoic glacio-eustatic cycles in the Turee Creek Group, Western Australia. <i>Bulletin of the Geological Society of America</i> , 2015, 127, 596-607.	1.6	29
68	Reply to Dvořák et al.: Apparent evolutionary stasis of ancient subsurface sulfur cycling biocoenoses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2560-E2560.	3.3	0
69	Lipid Biomarker and Isotopic Study of Community Distribution and Biomarker Preservation in a Laminated Microbial Mat from Shark Bay, Western Australia. <i>Microbial Ecology</i> , 2015, 70, 459-472.	1.4	25
70	Continent formation through time. <i>Geological Society Special Publication</i> , 2015, 389, 1-16.	0.8	24
71	Making it thick: a volcanic plateau origin of Palaeoarchean continental lithosphere of the Pilbara and Kaapvaal cratons. <i>Geological Society Special Publication</i> , 2015, 389, 83-111.	0.8	95
72	Sedimentology of the Paleoproterozoic Kungarra Formation, Turee Creek Group, Western Australia: A conformable record of the transition from early to modern Earth. <i>Precambrian Research</i> , 2015, 256, 314-343.	1.2	35

#	ARTICLE	IF	CITATIONS
73	Pilbara Craton. , 2015, , 1894-1897.		0
74	Archean Tectonics. , 2015, , 135-142.		0
75	Earth's early atmosphere and surface environments: A review. , 2014, , .		5
76	Low $\delta^{18}\text{O}$ zircon grains in the Neoproterozoic Rum Jungle Complex, northern Australia: An indicator of emergent continental crust. <i>Lithosphere</i> , 2014, 6, 17-25.	0.6	13
77	Archean andesites in the east Yilgarn craton, Australia: Products of plume-crust interaction?. <i>Lithosphere</i> , 2014, 6, 80-92.	0.6	75
78	Just another drip: Re-analysis of a proposed Mesoproterozoic suture from the Barberton Mountain Land, South Africa. <i>Precambrian Research</i> , 2014, 254, 19-35.	1.2	73
79	Development of in situ sulfur four-isotope analysis with multiple Faraday cup detectors by SIMS and application to pyrite grains in a Paleoproterozoic glaciogenic sandstone. <i>Chemical Geology</i> , 2014, 383, 86-99.	1.4	64
80	Hafnium and iron isotopes in early Archean komatiites record a plume-driven convection cycle in the Hadean Earth. <i>Earth and Planetary Science Letters</i> , 2014, 397, 111-120.	1.8	94
81	Long-lived, autochthonous development of the Archean Murchison Domain, and implications for Yilgarn Craton tectonics. <i>Precambrian Research</i> , 2013, 229, 49-92.	1.2	92
82	An anoxic, Fe(II)-rich, U-poor ocean 3.46 billion years ago. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 120, 65-79.	1.6	76
83	Palaeoproterozoic terrestrial sedimentation in the Beasley River Quartzite, lower Wyloo Group, Western Australia. <i>Precambrian Research</i> , 2013, 231, 98-105.	1.2	22
84	Mo $\delta^{58}\text{Cr}$ isotope evidence for a reducing Archean atmosphere in 3.46–2.76 Ga black shales from the Pilbara, Western Australia. <i>Chemical Geology</i> , 2013, 340, 68-76.	1.4	73
85	Orogenic climax of Earth: The 1.2-1.1 Ga Grenvillian superevent. <i>Geology</i> , 2013, 41, 735-738.	2.0	51
86	A Chronostratigraphic Division of the Precambrian. , 2012, , 299-392.		69
87	Geochemistry and tectonic setting of basalts from the Eastern Goldfields Superterrane. <i>Australian Journal of Earth Sciences</i> , 2012, 59, 707-735.	0.4	76
88	Zircon Lu $\delta^{176}\text{Hf}$ isotopes and granite geochemistry of the Murchison Domain of the Yilgarn Craton: Evidence for reworking of Eoarchean crust during Meso-Neoproterozoic plume-driven magmatism. <i>Lithos</i> , 2012, 148, 112-127.	0.6	51
89	Early Earth evolution: evidence from the 3.5–1.8 Ga geological history of the Pilbara region of Western Australia. <i>Episodes</i> , 2012, 35, 283-297.	0.8	86
90	Constraining atmospheric oxygen and seawater sulfate concentrations during Paleoproterozoic glaciation: In situ sulfur three-isotope microanalysis of pyrite from the Turee Creek Group, Western Australia. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 5686-5705.	1.6	89

#	ARTICLE	IF	CITATIONS
91	Onset of Plate Tectonics. <i>Science</i> , 2011, 333, 413-414.	6.0	83
92	Cool greenstone drips and the role of partial convective overturn in Barberton greenstone belt evolution. <i>Journal of African Earth Sciences</i> , 2011, 60, 346-352.	0.9	111
93	Morphology as an Indicator of Biogenicity for 3.5–3.2 Ga Fossil Stromatolites from the Pilbara Craton, Western Australia. <i>Lecture Notes in Earth Sciences</i> , 2011, , 537-554.	0.5	43
94	Influence of Hadean crust evident in basalts and cherts from the Pilbara Craton. <i>Nature Geoscience</i> , 2010, 3, 214-217.	5.4	63
95	Age and significance of voluminous mafic–ultramafic magmatic events in the Murchison Domain, Yilgarn Craton. <i>Australian Journal of Earth Sciences</i> , 2010, 57, 597-614.	0.4	67
96	Oxygen isotopes in detrital zircons: Insight into crustal recycling during the evolution of the Greenland Shield. <i>Lithosphere</i> , 2010, 2, 3-12.	0.6	5
97	Two types of Archean continental crust: Plume and plate tectonics on early Earth. <i>Numerische Mathematik</i> , 2010, 310, 1187-1209.	0.7	183
98	Evidence for Mesoarchean (~3.2Ga) rifting of the Pilbara Craton: The missing link in an early Precambrian Wilson cycle. <i>Precambrian Research</i> , 2010, 177, 145-161.	1.2	82
99	Biogenicity of Morphologically Diverse Carbonaceous Microstructures from the ~3400 Ma Strelley Pool Formation, in the Pilbara Craton, Western Australia. <i>Astrobiology</i> , 2010, 10, 899-920.	1.5	93
100	Modern Subsurface Bacteria in Pristine 2.7 Ga-Old Fossil Stromatolite Drillcore Samples from the Fortescue Group, Western Australia. <i>PLoS ONE</i> , 2009, 4, e5298.	1.1	23
101	Early traces of life investigations in drilling Archean hydrothermal and sedimentary rocks of the Pilbara Craton, Western Australia and Barberton Greenstone Belt, South Africa. <i>Comptes Rendus - Palevol</i> , 2009, 8, 649-663.	0.1	34
102	Formation of Paleoproterozoic continental crust through infracrustal melting of enriched basalt. <i>Earth and Planetary Science Letters</i> , 2009, 281, 298-306.	1.8	251
103	Age, lithology and structural evolution of the c. 3.53 Ga Theespruit Formation in the Tjakastad area, southwestern Barberton Greenstone Belt, South Africa, with implications for Archean tectonics. <i>Chemical Geology</i> , 2009, 261, 115-139.	1.4	85
104	Drilling the outback. <i>Nature Geoscience</i> , 2008, 1, E3-E3.	5.4	0
105	Geological setting of Earth's oldest fossils in the ca. 3.5 Ga Dresser Formation, Pilbara Craton, Western Australia. <i>Precambrian Research</i> , 2008, 167, 93-124.	1.2	192
106	Protracted fluid–rock interaction in the Mesoarchean and implication for gold mineralization: Example from the Warrawoona syncline (Pilbara, Western Australia). <i>Earth and Planetary Science Letters</i> , 2008, 272, 639-655.	1.8	16
107	When did plate tectonics begin? Evidence from the orogenic record. , 2008, , 199-228.		27
108	On the Geologic Time Scale 2008. <i>Newsletters on Stratigraphy</i> , 2008, 43, 5-13.	0.5	84

#	ARTICLE	IF	CITATIONS
109	Micro-bioerosion in volcanic glass: extending the ichnofossil record to Archaean basaltic crust. , 2008, , 371-396.		10
110	Chapter 4.1 Paleoproterozoic Development of a Continental Nucleus: the East Pilbara Terrane of the Pilbara Craton, Western Australia. Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana, 2007, , 307-337.	0.2	81
111	Chapter 8.6 Tectonics of Early Earth. Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana, 2007, 15, 1105-1116.	0.2	15
112	Chapter 7.2 A Review of the Evidence for Putative Paleoproterozoic Life in the Pilbara Craton, Western Australia. Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana, 2007, , 855-877.	0.2	27
113	Chapter 4.2 The Oldest Well-Preserved Felsic Volcanic Rocks on Earth: Geochemical Clues to the Early Evolution of the Pilbara Supergroup and Implications for the Growth of a Paleoproterozoic Protocontinent. Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana. 2007, 15, 339-367.	0.2	30
114	Structural characterization of kerogen in 3.4Ga Archaean cherts from the Pilbara Craton, Western Australia. Precambrian Research, 2007, 155, 1-23.	1.2	148
115	A non-marine depositional setting for the northern Fortescue Group, Pilbara Craton, inferred from trace element geochemistry of stromatolitic carbonates. Precambrian Research, 2007, 155, 229-250.	1.2	271
116	Diverse microstructures from Archaean chert from the Mount Goldsworthy "Mount Grant area, Pilbara Craton, Western Australia: Microfossils, dubiofossils, or pseudofossils?. Precambrian Research, 2007, 158, 228-262.	1.2	123
117	Comparing petrographic signatures of bioalteration in recent to Mesoproterozoic pillow lavas: Tracing subsurface life in oceanic igneous rocks. Precambrian Research, 2007, 158, 156-176.	1.2	103
118	Direct dating of Archean microbial ichnofossils. Geology, 2007, 35, 487.	2.0	87
119	Early Archaean Microorganisms Preferred Elemental Sulfur, Not Sulfate. Science, 2007, 317, 1534-1537.	6.0	318
120	Review: secular tectonic evolution of Archean continental crust: interplay between horizontal and vertical processes in the formation of the Pilbara Craton, Australia. Terra Nova, 2007, 19, 1-38.	0.9	370
121	The Mesoproterozoic emergence of modern-style subduction. Gondwana Research, 2007, 11, 50-68.	3.0	165
122	Volcanic degassing, hydrothermal circulation and the flourishing of early life on Earth: A review of the evidence from c. 3490-3240 Ma rocks of the Pilbara Supergroup, Pilbara Craton, Western Australia. Earth-Science Reviews, 2006, 74, 197-240.	4.0	279
123	Phreatomagmatic boulder conglomerates at the tip of theca2772Ma Black Range dolerite dyke, Pilbara Craton, Western Australia. Australian Journal of Earth Sciences, 2006, 53, 617-630.	0.4	7
124	Review of hydrothermal processes and systems on Earth and implications for Martian analogues. Australian Journal of Earth Sciences, 2005, 52, 329-351.	0.4	61
125	Modern-style subduction processes in the Mesoproterozoic: Geochemical evidence from the 3.12 Ga Whundo intra-oceanic arc. Earth and Planetary Science Letters, 2005, 231, 221-237.	1.8	221
126	It started with a plume " early Archaean basaltic proto-continental crust. Earth and Planetary Science Letters, 2005, 238, 284-297.	1.8	180

#	ARTICLE	IF	CITATIONS
127	A trace element study of sideriteâ€‘jasper banded iron formation in the 3.45Ga Warrawoona Group, Pilbara Cratonâ€‘Formation from hydrothermal fluids and shallow seawater. <i>Precambrian Research</i> , 2005, 137, 93-114.	1.2	140
128	Geochemistry of metabasalts and hydrothermal alteration zones associated with c.3.45â€‰Ga chert and barite deposits: implications for the geological setting of the Warrawoona Group, Pilbara Craton, Australia. <i>Geochemistry: Exploration, Environment, Analysis</i> , 2004, 4, 253-278.	0.5	113
129	Conductive incubation and the origin of dome-and-keel structure in Archean granite-greenstone terrains: A model based on the eastern Pilbara Craton, Western Australia. <i>Tectonics</i> , 2004, 23, n/a-n/a.	1.3	82
130	Interplay between deformation and magmatism during doming of the Archean Shaw Granitoid Complex, Pilbara Craton, Western Australia. <i>Precambrian Research</i> , 2004, 131, 213-230.	1.2	27
131	Critical tests of vertical vs. horizontal tectonic models for the Archean East Pilbara Graniteâ€‘Greenstone Terrane, Pilbara Craton, Western Australia. <i>Precambrian Research</i> , 2004, 131, 173-211.	1.2	221
132	Comment: An alternative Earth, Warren B. Hamilton, <i>GSA Today</i> , v. 13, no. 11, p. 4â€‘12.. <i>GSA Today</i> , 2004, 14, 14.	1.1	4
133	Geological and trace element evidence for a marine sedimentary environment of deposition and biogenicity of 3.45 Ga stromatolitic carbonates in the Pilbara Craton, and support for a reducing Archean ocean. <i>Geobiology</i> , 2003, 1, 91-108.	1.1	295
134	Archean tectonics in 2001: an Earth odyssey. <i>Precambrian Research</i> , 2003, 127, 1-3.	1.2	3
135	Self-Assembled Silica-Carbonate Structures and Detection of Ancient Microfossils. <i>Science</i> , 2003, 302, 1194-1197.	6.0	463
136	Origin of fine-scale sheeted granites by incremental injection of magma into active shear zones: examples from the Pilbara Craton, NW Australia. <i>Lithos</i> , 2002, 61, 127-139.	0.6	17
137	Questioning the evidence for Earth's oldest fossils. <i>Nature</i> , 2002, 416, 76-81.	13.7	866
138	Geology and Tectonic Evolution of the Archean North Pilbara Terrain, Pilbara Craton, Western Australia. <i>Economic Geology</i> , 2002, 97, 695-732.	1.8	199
139	The Timing of Mineralization in the Archean North Pilbara Terrain, Western Australia. <i>Economic Geology</i> , 2002, 97, 733-755.	1.8	20
140	Comment on â€‘Evidence for multiphase deformation in the Archean basal Warrawoona group in the Marble Bar area, East Pilbara, Western Australiaâ€‘ by van Haften, W.M., White, S.H., 1998. <i>Precambrian Research</i> , 2001, 105, 73-78.	1.2	14
141	Model for the development of kyanite during partial convective overturn of Archean graniteâ€‘greenstone terranes: the Pilbara Craton, Australia. <i>Journal of Metamorphic Geology</i> , 1999, 17, 145-156.	1.6	62
142	Partial convective overturn of Archean crust in the east Pilbara Craton, Western Australia: driving mechanisms and tectonic implications. <i>Journal of Structural Geology</i> , 1998, 20, 1405-1424.	1.0	235
143	Timing and tectonic significance of Late Archean, sinistral strike-slip deformation in the Central Pilbara Structural Corridor, Pilbara Craton, Western Australia. <i>Precambrian Research</i> , 1998, 88, 207-232.	1.2	61
144	Crustal-scale flexural slip folding during late tectonic amplification of an orogenic boundary perturbation in the Paleoproterozoic Torngat Orogen, northeastern Canada. <i>Canadian Journal of Earth Sciences</i> , 1997, 34, 1545-1565.	0.6	12

#	ARTICLE	IF	CITATIONS
145	Tectonic evolution of the Paleoproterozoic Torngat Orogen: Evidence from pressure-temperature-time-deformation paths in the North River map area, Labrador. <i>Tectonics</i> , 1996, 15, 843-869.	1.3	38
146	Burwell domain of the Palaeoproterozoic Torngat Orogen, northeastern Canada: tilted cross-section of a magmatic arc caught between a rock and a hard place. <i>Geological Society Special Publication</i> , 1996, 112, 91-115.	0.8	10
147	The Palaeoproterozoic Southeastern Churchill Province of Labrador-Quebec, Canada: orogenic development as a consequence of oblique collision and indentation. <i>Geological Society Special Publication</i> , 1996, 112, 137-153.	0.8	24
148	Paleoproterozoic tectonic assembly of Northeast Laurentia through multiple indentations. <i>Precambrian Research</i> , 1993, 63, 325-347.	1.2	72
149	Uâ€Pb geochronology of deformation and metamorphism across a central transect of the Early Proterozoic Torngat Orogen, North River map area, Labrador. <i>Canadian Journal of Earth Sciences</i> , 1993, 30, 1470-1489.	0.6	66
150	A magmatic sheet origin for thin metagabbroic anorthosite units in the Fishog subdomain of the southern Central Gneiss Belt, Grenville Province, Ontario. <i>Canadian Journal of Earth Sciences</i> , 1991, 28, 431-446.	0.6	6