

Yizao Wan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2688003/yizao-wan-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

3,570
citations

33
h-index

52
g-index

140
ext. papers

4,215
ext. citations

5.9
avg. IF

5.53
L-index

#	Paper	IF	Citations
139	Flexible, robust and washable bacterial cellulose/silver nanowire conductive paper for high-performance electromagnetic interference shielding. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 960-968	13	3
138	De novo strategy with engineering a multifunctional bacterial cellulose-based dressing for rapid healing of infected wounds.. <i>Bioactive Materials</i> , 2022 , 13, 212-222	16.7	4
137	Chemisorption of polysulfides by keto groups modified Li ₄ Ti ₅ O ₁₂ nanofibers with 3D interwove network structure for LSBs. <i>Chemical Engineering Journal</i> , 2022 , 429, 132202	14.7	2
136	A facile, biosynthetic design strategy for high-performance multifunctional bacterial cellulose-based dressing. <i>Composites Part B: Engineering</i> , 2022 , 238, 109945	10	0
135	Heparinization and hybridization of electrospun tubular graft for improved endothelialization and anticoagulation. <i>Materials Science and Engineering C</i> , 2021 , 122, 111861	8.3	4
134	Simultaneous engineering of nanofillers and patterned surface macropores of graphene/hydroxyapatite/polyetheretherketone ternary composites for potential bone implants. <i>Materials Science and Engineering C</i> , 2021 , 123, 111967	8.3	6
133	Ultrathin, Strong, and Highly Flexible TiCT MXene/Bacterial Cellulose Composite Films for High-Performance Electromagnetic Interference Shielding. <i>ACS Nano</i> , 2021 , 15, 8439-8449	16.7	44
132	Incorporation of dual nanoplatelets to a natural polymer for foldable, robust, bioactive, and biocompatible nacre-like nanocomposites. <i>Composites Part B: Engineering</i> , 2021 , 214, 108747	10	2
131	Enwrapping Polydopamine on Doxorubicin-Loaded Lamellar Hydroxyapatite/Poly(lactic--glycolic acid) Composite Fibers for Inhibiting Bone Tumor Recurrence and Enhancing Bone Regeneration.. <i>ACS Applied Bio Materials</i> , 2021 , 4, 6036-6045	4.1	0
130	Microchannels in nano-submicro-fibrous cellulose scaffolds favor cell ingrowth. <i>Cellulose</i> , 2021 , 28, 9645-9659	5.5	0
129	Fabrication of Robust, Shape Recoverable, Macroporous Bacterial Cellulose Scaffolds for Cartilage Tissue Engineering. <i>Macromolecular Bioscience</i> , 2021 , 21, e2100167	5.5	1
128	Fabrication of a gradient hydrophobic surface with parallel ridges on pyrolytic carbon for artificial heart valves. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021 , 205, 111894	6	2
127	Engineering bacteria for high-performance three-dimensional carbon nanofiber aerogel. <i>Carbon</i> , 2021 , 183, 267-276	10.4	2
126	Designment of polydopamine/bacterial cellulose incorporating copper (II) sulfate as an antibacterial wound dressing.. <i>Materials Science and Engineering C</i> , 2021 , 112591	8.3	2
125	Controllable synthesis of biomimetic nano/submicro-fibrous tubes for potential small-diameter vascular grafts. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 5694-5706	7.3	7
124	One-pot synthesis of copper-doped mesoporous bioglass towards multifunctional 3D nanofibrous scaffolds for bone regeneration. <i>Journal of Non-Crystalline Solids</i> , 2020 , 532, 119856	3.9	8
123	Biocompatibility evaluation of bacterial cellulose as a scaffold material for tissue-engineered corneal stroma. <i>Cellulose</i> , 2020 , 27, 2775-2784	5.5	22

122	Engineering quaternized chitosan in the 3D bacterial cellulose structure for antibacterial wound dressings. <i>Polymer Testing</i> , 2020 , 86, 106490	4.5	23
121	Laser-induced wettability gradient surface on NiTi alloy for improved hemocompatibility and flow resistance. <i>Materials Science and Engineering C</i> , 2020 , 111, 110847	8.3	16
120	Incorporating nanoplate-like hydroxyapatite into polylactide for biomimetic nanocomposites via direct melt intercalation. <i>Composites Science and Technology</i> , 2020 , 185, 107903	8.6	11
119	Low adhesion superhydrophobic AZ31B magnesium alloy surface with corrosion resistant and anti-bioadhesion properties. <i>Applied Surface Science</i> , 2020 , 505, 144566	6.7	26
118	Studies on bacterial cellulose/poly(vinyl alcohol) hydrogel composites as tissue-engineered corneal stroma. <i>Biomedical Materials (Bristol)</i> , 2020 , 15, 035022	3.5	11
117	Interpenetrated nano- and submicro-fibrous biomimetic scaffolds towards enhanced mechanical and biological performances. <i>Materials Science and Engineering C</i> , 2020 , 108, 110416	8.3	9
116	Improved Removal of Toxic Metal Ions by Incorporating Graphene Oxide into Bacterial Cellulose. <i>Journal of Nanoscience and Nanotechnology</i> , 2020 , 20, 719-730	1.3	6
115	Scalable synthesis of robust and stretchable composite wound dressings by dispersing silver nanowires in continuous bacterial cellulose. <i>Composites Part B: Engineering</i> , 2020 , 199, 108259	10	45
114	Manipulating thermal conductivity of polyimide composites by hybridizing micro- and nano-sized aluminum nitride for potential aerospace usage. <i>Journal of Thermoplastic Composite Materials</i> , 2020 , 33, 1017-1029	1.9	4
113	Improved properties of corn fiber-reinforced polylactide composites by incorporating silica nanoparticles at interfaces. <i>Polymers and Polymer Composites</i> , 2020 , 28, 170-179	0.8	2
112	Fabrication of a novel hierarchical fibrous scaffold for breast cancer cell culture. <i>Polymer Testing</i> , 2019 , 80, 106107	4.5	10
111	Biofabrication of a novel bacteria/bacterial cellulose composite for improved adsorption capacity. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019 , 125, 105560	8.4	17
110	Fabrication of flexible, ultra-strong, and highly conductive bacterial cellulose-based paper by engineering dispersion of graphene nanosheets. <i>Composites Part B: Engineering</i> , 2019 , 162, 484-490	10	33
109	Enhancement of mechanical and biological properties of calcium phosphate bone cement by incorporating bacterial cellulose. <i>Materials Technology</i> , 2019 , 34, 800-806	2.1	11
108	Effect of highly dispersed graphene and graphene oxide in 3D nanofibrous bacterial cellulose scaffold on cell responses: A comparative study. <i>Materials Chemistry and Physics</i> , 2019 , 235, 121774	4.4	19
107	Simvastatin-loaded nanotubular mesoporous bioactive glass scaffolds for bone tissue engineering. <i>Microporous and Mesoporous Materials</i> , 2019 , 288, 109570	5.3	10
106	Bioactive glass nanotube scaffold with well-ordered mesoporous structure for improved bioactivity and controlled drug delivery. <i>Journal of Materials Science and Technology</i> , 2019 , 35, 1959-1965	9.1	9
105	Constructing 3D scaffold with 40-nm-diameter hollow mesoporous bioactive glass nanofibers. <i>Materials Letters</i> , 2019 , 248, 201-203	3.3	6

104	A facile approach for engineering tissue constructs with vessel-like channels by cell-laden hydrogel fibers. <i>Materials Science and Engineering C</i> , 2019 , 101, 370-379	8.3	3
103	Encapsulating doxorubicin-intercalated lamellar nanohydroxyapatite into PLGA nanofibers for sustained drug release. <i>Current Applied Physics</i> , 2019 , 19, 1204-1210	2.6	9
102	A rhBMP-2-loaded three-dimensional mesoporous bioactive glass nanotubular scaffold prepared from bacterial cellulose. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 581, 123838	5.1	6
101	A facile green approach for fabricating bacterial cellulose scaffold with macroporous structure and cell affinity. <i>Journal of Bioactive and Compatible Polymers</i> , 2019 , 34, 442-452	2	1
100	Conductive Polypyrrole Coated Hollow NiCo ₂ O ₄ Microspheres as Anode Material with Improved Pseudocapacitive Contribution and Enhanced Conductivity for Lithium-Ion Batteries. <i>ChemElectroChem</i> , 2019 , 6, 690-699	4.3	20
99	Incorporation of hydroxyapatite into nanofibrous PLGA scaffold towards improved breast cancer cell behavior. <i>Materials Chemistry and Physics</i> , 2019 , 226, 177-183	4.4	15
98	Application of Polyaniline for Li-Ion Batteries, Lithium-Sulfur Batteries, and Supercapacitors. <i>ChemSusChem</i> , 2019 , 12, 1591-1611	8.3	58
97	Response surface statistical optimization of bacterial nanocellulose fermentation in static culture using a low-cost medium. <i>New Biotechnology</i> , 2019 , 49, 19-27	6.4	33
96	Exploring excellent dispersion of graphene nanosheets in three-dimensional bacterial cellulose for ultra-strong nanocomposite hydrogels. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 109, 290-297	8.4	32
95	Layer-by-Layer Assembled Bacterial Cellulose/Graphene Oxide Hydrogels with Extremely Enhanced Mechanical Properties. <i>Nano-Micro Letters</i> , 2018 , 10, 42	19.5	55
94	Preparation of oriented bacterial cellulose nanofibers by flowing medium-assisted biosynthesis and influence of flowing velocity. <i>Journal of Polymer Engineering</i> , 2018 , 38, 299-305	1.4	4
93	An <i>in vivo</i> study on the effect of coating stability on osteointegration performance of collagen/hyaluronic acid multilayer modified titanium implants. <i>Bioactive Materials</i> , 2018 , 3, 97-101	16.7	13
92	Step-by-step self-assembly of 2D few-layer reduced graphene oxide into 3D architecture of bacterial cellulose for a robust, ultralight, and recyclable all-carbon absorbent. <i>Carbon</i> , 2018 , 139, 824-832	10.4	41
91	Self assembly and controlled drug release of a nano-laminated graphite carbon nitride/methotrexate complex. <i>Journal of Materials Science: Materials in Medicine</i> , 2018 , 29, 116	4.5	6
90	Simultaneously depositing polyaniline onto bacterial cellulose nanofibers and graphene nanosheets toward electrically conductive nanocomposites. <i>Current Applied Physics</i> , 2018 , 18, 933-940	2.6	24
89	Magnetic Lamellar Nano-Hydroxyapatite as a Vector for Gene Transfection in Three-Dimensional Cell Culture. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 5314-5319	1.3	5
88	Wrapping mesoporous Fe ₂ O ₃ nanoparticles by reduced graphene oxide: Enhancement of cycling stability and capacity of lithium ion batteries by mesoscopic engineering. <i>Ceramics International</i> , 2018 , 44, 20656-20663	5.1	11
87	Constructing 3D bacterial cellulose/graphene/polyaniline nanocomposites by novel layer-by-layer in situ culture toward mechanically robust and highly flexible freestanding electrodes for supercapacitors. <i>Chemical Engineering Journal</i> , 2018 , 334, 1148-1158	14.7	92

86	Uniformly Dispersed Freestanding Carbon Nanofiber/Graphene Electrodes Made by a Scalable Biological Method for High-Performance Flexible Supercapacitors. <i>Advanced Functional Materials</i> , 2018 , 28, 1803075	15.6	69
85	Applications of Pyrolytic Polyaniline for Renewable Energy Storage. <i>ChemElectroChem</i> , 2018 , 5, 3597-3606	4.6	6
84	Submicrofiber-Incorporated 3D Bacterial Cellulose Nanofibrous Scaffolds with Enhanced Cell Performance. <i>Macromolecular Materials and Engineering</i> , 2018 , 303, 1800316	3.9	11
83	Nanocubic CoFe ₂ O ₄ /graphene composite for superior lithium-ion battery anodes. <i>Synthetic Metals</i> , 2018 , 242, 92-98	3.6	9
82	Engineering photoluminescent and magnetic lamellar hydroxyapatite by facile one-step Se/Gd dual-doping. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 3515-3521	7.3	11
81	Porous nanoplate-like hydroxyapatite/sodium alginate nanocomposite scaffolds for potential bone tissue engineering. <i>Materials Technology</i> , 2017 , 32, 78-84	2.1	12
80	Effect of Si content on structure and electrochemical performance of ternary nanohybrids integrating Si nanoparticles, N-doped carbon shell, and nitrogen-doped graphene. <i>RSC Advances</i> , 2017 , 7, 4209-4215	3.7	5
79	Vascularization in Engineered Tissue Construct by Assembly of Cellular Patterned Micromodules and Degradable Microspheres. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 3524-3534	9.5	16
78	Preparation, structural characterization, and in vitro cell studies of three-dimensional SiO-CaO binary glass scaffolds built of ultra-small nanofibers. <i>Materials Science and Engineering C</i> , 2017 , 76, 94-101	8.3	11
77	Magnetic lamellar nanohydroxyapatite as a novel nanocarrier for controlled delivery of 5-fluorouracil. <i>Ceramics International</i> , 2017 , 43, 4957-4964	5.1	7
76	Constructing three-dimensional nanofibrous bioglass/gelatin nanocomposite scaffold for enhanced mechanical and biological performance. <i>Chemical Engineering Journal</i> , 2017 , 326, 210-221	14.7	22
75	Sacrificial template method for the synthesis of three-dimensional nanofibrous 58S bioglass scaffold and its in vitro bioactivity and cell responses. <i>Journal of Biomaterials Applications</i> , 2017 , 32, 265-275	2.9	17
74	The synergistic effect of type I collagen and hyaluronic acid on the biological properties of Col/HA-multilayer-modified titanium coatings: an in vitro and in vivo study. <i>RSC Advances</i> , 2017 , 7, 25828-25835	3.7	5
73	An ultralight and highly compressible anode for Li-ion batteries constructed from nitrogen-doped carbon wrapped Fe ₃ O ₄ nanoparticles confined in a porous 3D nitrogen-doped graphene network. <i>Chemical Engineering Journal</i> , 2017 , 326, 151-161	14.7	28
72	Morphology and cell responses of three-dimensional porous silica nanofibrous scaffold prepared by sacrificial template method. <i>Journal of Non-Crystalline Solids</i> , 2017 , 457, 145-151	3.9	7
71	Effect of Sisal Fibre Hybridisation on Static and Dynamic Mechanical Properties of Corn/Sisal/Polylactide Composites. <i>Polymers and Polymer Composites</i> , 2017 , 25, 463-470	0.8	5
70	Equilibrium Melting Temperature of Polymorphic Poly(L-lactide) and Its Supercooling Dependence on Growth Kinetics. <i>Polymers</i> , 2017 , 9,	4.5	8
69	Engineering carbon fibers with dual coatings of FeCo and CuO towards enhanced microwave absorption properties. <i>Journal of Alloys and Compounds</i> , 2016 , 687, 334-341	5.7	29

68	Nitrogen-doped graphene enwrapped silicon nanoparticles with nitrogen-doped carbon shell: a novel nanocomposite for lithium-ion batteries. <i>Electrochimica Acta</i> , 2016 , 192, 22-29	6.7	35
67	Mechanical and biological properties of bioglass/magnesium composites prepared via microwave sintering route. <i>Materials and Design</i> , 2016 , 99, 521-527	8.1	47
66	One-step exfoliation and surface modification of lamellar hydroxyapatite by intercalation of glucosamine. <i>Materials Chemistry and Physics</i> , 2016 , 173, 262-267	4.4	14
65	Effects of alkali and alkali/silane treatments of corn fibers on mechanical and thermal properties of its composites with polylactic acid. <i>Polymer Composites</i> , 2016 , 37, 3499-3507	3	23
64	Constructing a highly bioactive 3D nanofibrous bioglass scaffold via bacterial cellulose-templated sol-gel approach. <i>Materials Chemistry and Physics</i> , 2016 , 176, 1-5	4.4	22
63	Characterization of biomedical hydroxyapatite/magnesium composites prepared by powder metallurgy assisted with microwave sintering. <i>Current Applied Physics</i> , 2016 , 16, 830-836	2.6	51
62	Layered nanohydroxyapatite as a novel nanocarrier for controlled delivery of 5-fluorouracil. <i>International Journal of Pharmaceutics</i> , 2016 , 513, 17-25	6.5	21
61	Titania Tube-in-Tube Scaffolds with Multilength-Scale Structural Hierarchy and Structure-Enhanced Functional Performance. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 17552-17560	3.8	11
60	A general strategy of decorating 3D carbon nanofiber aerogels derived from bacterial cellulose with nano-Fe ₃ O ₄ for high-performance flexible and binder-free lithium-ion battery anodes. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 15386-15393	13	83
59	Constructing a novel three-dimensional scaffold with mesoporous TiO nanotubes for potential bone tissue engineering. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 5595-5602	7.3	28
58	Synthesis of a three-dimensional network-structured scaffold built of silica nanotubes for potential bone tissue engineering applications. <i>Journal of Alloys and Compounds</i> , 2015 , 647, 711-719	5.7	11
57	Anchoring Fe ₃ O ₄ nanoparticles on three-dimensional carbon nanofibers toward flexible high-performance anodes for lithium-ion batteries. <i>Journal of Power Sources</i> , 2015 , 294, 414-419	8.9	106
56	Mechanical properties and cytotoxicity of nanoplate-like hydroxyapatite/polylactide nanocomposites prepared by intercalation technique. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015 , 47, 29-37	4.1	38
55	Self-assembled magnetic lamellar hydroxyapatite as an efficient nano-vector for gene delivery. <i>Current Applied Physics</i> , 2015 , 15, 811-818	2.6	5
54	Controlled template synthesis of lamellar hydroxyapatite nanoplates as a potential carrier for gene delivery. <i>Materials Chemistry and Physics</i> , 2015 , 156, 238-246	4.4	21
53	Novel porous graphene oxide and hydroxyapatite nanosheets-reinforced sodium alginate hybrid nanocomposites for medical applications. <i>Materials Characterization</i> , 2015 , 107, 419-425	3.9	43
52	Three-dimensional porous nanocomposite of highly dispersed Fe ₃ O ₄ nanoparticles on carbon nanofibers for high-performance microwave absorbents. <i>Materials Express</i> , 2015 , 5, 113-120	1.3	15
51	Facile and scalable production of three-dimensional spherical carbonized bacterial cellulose/graphene nanocomposites with a honeycomb-like surface pattern as potential superior absorbents. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 24389-24396	13	48

50	Enhanced biological behavior of bacterial cellulose scaffold by creation of macropores and surface immobilization of collagen. <i>Macromolecular Research</i> , 2015 , 23, 734-740	1.9	26
49	ZnxCd1-xS/bacterial cellulose bionanocomposite foams with hierarchical architecture and enhanced visible-light photocatalytic hydrogen production activity. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1709-1716	13	33
48	Facile synthesis of ZnFe ₂ O ₄ /reduced graphene oxide nanohybrids for enhanced microwave absorption properties. <i>Materials Research Bulletin</i> , 2015 , 61, 292-297	5.1	91
47	Bacterial cellulose-templated synthesis of free-standing silica nanotubes with a three-dimensional network structure. <i>RSC Advances</i> , 2015 , 5, 48875-48880	3.7	11
46	Immobilization of lecithin on bacterial cellulose nanofibers for improved biological functions. <i>Reactive and Functional Polymers</i> , 2015 , 91-92, 100-107	4.6	17
45	Scalable synthesis of three-dimensional interconnected mesoporous TiO ₂ nanotubes with ultra-large surface area. <i>Acta Materialia</i> , 2015 , 93, 138-143	8.4	15
44	Surface controlled calcium phosphate formation on three-dimensional bacterial cellulose-based nanofibers. <i>Materials Science and Engineering C</i> , 2015 , 49, 526-533	8.3	20
43	In situ preparation of a laminated hydroxyapatite/ methotrexate complex. <i>Materials Letters</i> , 2015 , 144, 146-149	3.3	6
42	Introduction of broad spectrum antibacterial properties to bacterial cellulose nanofibers via immobilising ϵ -polylysine nanocoatings. <i>Food Hydrocolloids</i> , 2014 , 36, 204-211	10.6	71
41	ZnO nanostructures grown on carbon fibers: Morphology control and microwave absorption properties. <i>Journal of Alloys and Compounds</i> , 2014 , 593, 7-15	5.7	28
40	Creation of macropores in three-dimensional bacterial cellulose scaffold for potential cancer cell culture. <i>Carbohydrate Polymers</i> , 2014 , 114, 553-557	10.3	30
39	An Efficient Route for the Synthesis of Aluminum Nitride/Graphene Nanohybrids. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 1966-1970	3.8	10
38	Synthesis of ZnO by Chemical Bath Deposition in the Presence of Bacterial Cellulose. <i>Acta Metallurgica Sinica (English Letters)</i> , 2014 , 27, 656-662	2.5	4
37	One-step in situ biosynthesis of graphene oxide-bacterial cellulose nanocomposite hydrogels. <i>Macromolecular Rapid Communications</i> , 2014 , 35, 1706-11	4.8	99
36	Mechanical and thermo-mechanical behaviors of sizing-treated corn fiber/polylactide composites. <i>Polymer Testing</i> , 2014 , 39, 45-52	4.5	47
35	In situ phosphorus K-edge X-ray absorption spectroscopy studies of calcium phosphate formation and transformation on the surface of bacterial cellulose nanofibers. <i>Cellulose</i> , 2014 , 21, 3303-3309	5.5	4
34	Evolution of morphology of bacterial cellulose scaffolds during early culture. <i>Carbohydrate Polymers</i> , 2014 , 111, 722-8	10.3	28
33	A novel three-dimensional graphene/bacterial cellulose nanocomposite prepared by in situ biosynthesis. <i>RSC Advances</i> , 2014 , 4, 14369-14372	3.7	54

32	Novel ultra-thin ZnO nanosheets on carbon fiber: Preparation, characterization, and microwave absorption properties. <i>Surface and Coatings Technology</i> , 2014 , 253, 180-184	4.4	10
31	Preparation and properties of a novel porous poly(lactic acid) composite reinforced with bacterial cellulose nanowhiskers. <i>Fibers and Polymers</i> , 2014 , 15, 2591-2596	2	14
30	Synthesis and characterization of three-dimensional porous graphene oxide/sodium alginate scaffolds with enhanced mechanical properties. <i>Materials Express</i> , 2014 , 4, 429-434	1.3	50
29	The inhibition of lamellar hydroxyapatite and lamellar magnetic hydroxyapatite on the migration and adhesion of breast cancer cells. <i>Journal of Materials Science: Materials in Medicine</i> , 2014 , 25, 1025-314.5	4.5	28
28	Characterization of TEMPO-oxidized bacterial cellulose scaffolds for tissue engineering applications. <i>Materials Chemistry and Physics</i> , 2013 , 143, 373-379	4.4	66
27	Preparation and properties of polyamide 6 thermal conductive composites reinforced with fibers. <i>Materials & Design</i> , 2013 , 51, 257-261		55
26	Preparation of SnO ₂ -coated carbonyl iron flaky composites with enhanced microwave absorption properties. <i>Materials Letters</i> , 2013 , 92, 139-142	3.3	31
25	A Novel <i>in Vitro</i> Three-Dimensional Macroporous Scaffolds from Bacterial Cellulose for Culture of Breast Cancer Cells. <i>Journal of Biomaterials and Nanobiotechnology</i> , 2013 , 04, 316-326	1	24
24	Preparation and characterization of a novel laminated magnetic hydroxyapatite for application on gene delivery. <i>Materials Letters</i> , 2012 , 68, 225-227	3.3	15
23	Preparation and Characterization of Ti-10Mo Alloy by Mechanical Alloying. <i>Metallography, Microstructure, and Analysis</i> , 2012 , 1, 282-289	1.1	9
22	Immobilization of gelatin onto natural nanofibers for tissue engineering scaffold applications without utilization of any crosslinking agent. <i>Cellulose</i> , 2012 , 19, 761-768	5.5	17
21	The electrochemical preparation and microwave absorption properties of magnetic carbon fibers coated with Fe ₃ O ₄ films. <i>Applied Surface Science</i> , 2011 , 257, 10808-10814	6.7	59
20	Facile synthesis and electromagnetic wave absorption properties of magnetic carbon fiber coated with Fe ₃ O ₄ alloy by electroplating. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 4726-4730	5.7	66
19	Three-dimensional braided fabrics-reinforced composites for load-bearing orthopedic applications Part I: mechanical performance. <i>International Journal of Materials Research</i> , 2011 , 102, 309-316	0.5	4
18	Synthesis and characterization of a lamellar hydroxyapatite/DNA nanohybrid. <i>Materials Chemistry and Physics</i> , 2011 , 126, 470-475	4.4	31
17	Nanocomposite prepared by immobilising gelatin and hydroxyapatite on bacterial cellulose nanofibres. <i>Micro and Nano Letters</i> , 2011 , 6, 133	0.9	23
16	Preparation and characterization of bacterial cellulose sponge with hierarchical pore structure as tissue engineering scaffold. <i>Journal of Porous Materials</i> , 2011 , 18, 139-145	2.4	92
15	Preparation and characterization of three-dimensional nanostructured macroporous bacterial cellulose/agarose scaffold for tissue engineering. <i>Journal of Porous Materials</i> , 2011 , 18, 545-552	2.4	32

14	Polylysine coated bacterial cellulose nanofibers as novel templates for bone-like apatite deposition. <i>Cellulose</i> , 2011 , 18, 1555-1561	5.5	33
13	Preparation and mineralization of three-dimensional carbon nanofibers from bacterial cellulose as potential scaffolds for bone tissue engineering. <i>Surface and Coatings Technology</i> , 2011 , 205, 2938-2946	4.4	50
12	Preparation and characterization of bacterial cellulose/heparin hybrid nanofiber for potential vascular tissue engineering scaffolds. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 2643-2648	3.2	47
11	Preparation and characterization of nano-platelet-like hydroxyapatite/gelatin nanocomposites. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 2659-2664	3.2	11
10	Three-dimensional cuprous oxide microtube lattices with high catalytic activity templated by bacterial cellulose nanofibers. <i>Journal of Materials Chemistry</i> , 2011 , 21, 10637		42
9	In situ synthesis and phase analysis of low density O ² -sialon-based multiphase ceramics. <i>Rare Metals</i> , 2010 , 29, 214-219	5.5	8
8	Synthesis and characterization of laminated hydroxyapatite/chitosan nanocomposites. <i>Materials Letters</i> , 2010 , 64, 2126-2128	3.3	26
7	Preparation and in vitro characterization of BC/PVA hydrogel composite for its potential use as artificial cornea biomaterial. <i>Materials Science and Engineering C</i> , 2010 , 30, 214-218	8.3	166
6	Synthesis of intercalated lamellar hydroxyapatite/gelatin nanocomposite for bone substitute application. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 3089-3094	2.9	14
5	Preparation and characterization of 2,3-dialdehyde bacterial cellulose for potential biodegradable tissue engineering scaffolds. <i>Materials Science and Engineering C</i> , 2009 , 29, 1635-1642	8.3	159
4	Characterisation of Hydroxyapatite/Bacterial Cellulose Nanocomposites. <i>Polymers and Polymer Composites</i> , 2009 , 17, 353-358	0.8	10
3	Preparation and characterization of a novel COL/BC composite for potential tissue engineering scaffolds. <i>Materials Chemistry and Physics</i> , 2008 , 110, 193-196	4.4	63
2	Preparation and characterization of gelatin gel with a gradient structure. <i>Polymer International</i> , 2000 , 49, 1600-1603	3.3	13
1	Rational design of bacterial cellulose-based air filter with antibacterial activity for highly efficient particulate matters removal. <i>Nano Select</i> ,	3.1	1