

# Andrew Hemphill

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2692588/publications.pdf>

Version: 2024-02-01

322  
papers

10,982  
citations

28190

55  
h-index

71532

76  
g-index

339  
all docs

339  
docs citations

339  
times ranked

6493  
citing authors

#	ARTICLE	IF	CITATIONS
1	Common Molecular Targets of a Quinolone Based Bumped Kinase Inhibitor in <i>Neospora caninum</i> and <i>Danio rerio</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 2381.	1.8	5
2	<i>Wielierella bovis</i> gen. nov., sp. nov. a member of the family <i>Neisseriaceae</i> associated with bovine endocarditis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	15
3	3-nitroimidazo[1,2-b]pyridazine as a novel scaffold for antiparasitics with sub-nanomolar anti- <i>Giardia lamblia</i> activity. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2022, 19, 47-55.	1.4	5
4	Dicentracin-Like from Asian sea bass Fish and Moronecidine-Like from <i>Hippocampus Comes</i> : Two Candidate Antimicrobial Peptides Against <i>Leishmania major</i> Infection. <i>International Journal of Peptide Research and Therapeutics</i> , 2021, 27, 769-778.	0.9	8
5	Incorporation of the Tat cell-penetrating peptide into nanofibers improves the respective antitumor immune response. <i>Journal of Cellular Physiology</i> , 2021, 236, 1401-1417.	2.0	7
6	Case report: Intestinal perforation and secondary peritonitis due to <i>Acanthocephala</i> infection in a black-bellied pangolin ( <i>Phataginus tetradactyla</i> ). <i>Parasitology International</i> , 2021, 80, 102182.	0.6	6
7	Depletion of cardiolipin induces major changes in energy metabolism in <i>Trypanosoma brucei</i> bloodstream forms. <i>FASEB Journal</i> , 2021, 35, e21176.	0.2	8
8	One health therapeutics: Target-Based drug development for cryptosporidiosis and other apicomplexa diseases. <i>Veterinary Parasitology</i> , 2021, 289, 109336.	0.7	16
9	Antiprotozoische Struktur-Aktivitäts-Beziehungen von synthetischen Leucinostatin-Derivaten und Aufklärung ihres Wirkprinzips ( <i>Angew. Chem.</i> 28/2021). <i>Angewandte Chemie</i> , 2021, 133, 15792-15792.	1.6	0
10	Antiprotozoal Structure-Activity Relationships of Synthetic Leucinostatin Derivatives and Elucidation of their Mode of Action. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 15613-15621.	7.2	7
11	Antiprotozoische Struktur-Aktivitäts-Beziehungen von synthetischen Leucinostatin-Derivaten und Aufklärung ihres Wirkprinzips. <i>Angewandte Chemie</i> , 2021, 133, 15741-15749.	1.6	0
12	<i>Echinococcus</i> : the model cestode parasite. <i>Parasitology</i> , 2021, 148, 1401-1405.	0.7	4
13	<i>Trueperella pecoris</i> sp. nov. isolated from bovine and porcine specimens. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	7
14	Synthesis and Antiparasitic Activity of New Conjugates of Organic Drugs Tethered to Trithiolato-Bridged Dinuclear Ruthenium(II)-Arene Complexes. <i>Inorganics</i> , 2021, 9, 59.	1.2	7
15	Safety of a Novel <i>Listeria monocytogenes</i> -Based Vaccine Vector Expressing NcSAG1 ( <i>Neospora caninum</i> ) Tj ETQq1 1.0.784314 rgBT / Ov	1.8	9
16	In vitro activity, safety and in vivo efficacy of the novel bumped kinase inhibitor BKI-1748 in non-pregnant and pregnant mice experimentally infected with <i>Neospora caninum</i> tachyzoites and <i>Toxoplasma gondii</i> oocysts. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021, 16, 90-101.	1.4	17
17	The quest of the best - A SAR study of trithiolato-bridged dinuclear Ruthenium(II)-Arene compounds presenting antiparasitic properties. <i>European Journal of Medicinal Chemistry</i> , 2021, 222, 113610.	2.6	14
18	Endochin-like quinolones (ELQs) and bumped kinase inhibitors (BKIs): Synergistic and additive effects of combined treatments against <i>Neospora caninum</i> infection in vitro and in vivo. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021, 17, 92-106.	1.4	7

#	ARTICLE	IF	CITATIONS
19	Maca against Echinococcosis?â€”A Reverse Approach from Patient to In Vitro Testing. <i>Pathogens</i> , 2021, 10, 1335.	1.2	3
20	Cellular and Molecular Targets of Nucleotide-Tagged Trithiolato-Bridged Arene Ruthenium Complexes in the Protozoan Parasites <i>Toxoplasma gondii</i> and <i>Trypanosoma brucei</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 10787.	1.8	13
21	Assessment of the Activity of Decoquinatone and Its Quinoline-O-Carbamate Derivatives against <i>Toxoplasma gondii</i> In Vitro and in Pregnant Mice Infected with <i>T. gondii</i> Oocysts. <i>Molecules</i> , 2021, 26, 6393.	1.7	6
22	A short-term treatment with BKI-1294 does not protect fetuses from sheep experimentally infected with <i>Neospora caninum</i> tachyzoites during pregnancy. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021, 17, 176-185.	1.4	5
23	Advances in the treatment, diagnosis, control and scientific understanding of taeniid cestode parasite infections over the past 50 years. <i>International Journal for Parasitology</i> , 2021, 51, 1167-1192.	1.3	21
24	Characterization of a MOB1 Homolog in the Apicomplexan Parasite <i>Toxoplasma gondii</i> . <i>Biology</i> , 2021, 10, 1233.	1.3	2
25	A <i>Listeria monocytogenes</i> -Based Vaccine Formulation Reduces Vertical Transmission and Leads to Enhanced Pup Survival in a Pregnant Neosporosis Mouse Model. <i>Vaccines</i> , 2021, 9, 1400.	2.1	4
26	Short communication: Efficacy of albendazole in <i>Echinococcus multilocularis</i> -infected mice depends on the functional immunity of the host. <i>Experimental Parasitology</i> , 2020, 219, 108013.	0.5	5
27	Efficacy of novel albendazole salt formulations against secondary cystic echinococcosis in experimentally infected mice. <i>Parasitology</i> , 2020, 147, 1425-1432.	0.7	5
28	Comparative assessment of the effects of bumped kinase inhibitors on early zebrafish embryo development and pregnancy in mice. <i>International Journal of Antimicrobial Agents</i> , 2020, 56, 106099.	1.1	12
29	Conjugates Containing Two and Three Trithiolato-Bridged Dinuclear Ruthenium(II)-Arene Units as In Vitro Antiparasitic and Anticancer Agents. <i>Pharmaceuticals</i> , 2020, 13, 471.	1.7	18
30	The Impact of BKI-1294 Therapy in Mice Infected With the Apicomplexan Parasite <i>Neospora caninum</i> and Re-infected During Pregnancy. <i>Frontiers in Veterinary Science</i> , 2020, 7, 587570.	0.9	7
31	Mitochondrial sphingosine-1-phosphate lyase is essential for phosphatidylethanolamine synthesis and survival of <i>Trypanosoma brucei</i> . <i>Scientific Reports</i> , 2020, 10, 8268.	1.6	8
32	<i>Neospora caninum</i> : Structure and Fate of Multinucleated Complexes Induced by the Bumped Kinase Inhibitor BKI-1294. <i>Pathogens</i> , 2020, 9, 382.	1.2	17
33	Isolation of Human Small Extracellular Vesicles and Tracking of Their Uptake by Retinal Pigment Epithelial Cells In Vitro. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3799.	1.8	4
34	<i>Neospora caninum</i> : Differential Proteome of Multinucleated Complexes Induced by the Bumped Kinase Inhibitor BKI-1294. <i>Microorganisms</i> , 2020, 8, 801.	1.6	15
35	Activities of Endochin-Like Quinolones Against in vitro Cultured <i>Besnoitia besnoiti</i> Tachyzoites. <i>Frontiers in Veterinary Science</i> , 2020, 7, 96.	0.9	12
36	Drug repurposing applied: Activity of the anti-malarial mefloquine against <i>Echinococcus multilocularis</i> . <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2020, 13, 121-129.	1.4	22

#	ARTICLE	IF	CITATIONS
37	<i>Campylobacter portucalensis</i> sp. nov., a new species of <i>Campylobacter</i> isolated from the preputial mucosa of bulls. <i>PLoS ONE</i> , 2020, 15, e0227500.	1.1	25
38	Coumarinâ€Tagged Dinuclear Trithiolatoâ€Bridged Ruthenium(II)â€Arene Complexes: Photophysical Properties and Antiparasitic Activity. <i>ChemBioChem</i> , 2020, 21, 2818-2835.	1.3	19
39	Recruitment of Host Nuclear Pore Components to the Vicinity of <i>Theileria</i> Schizonts. <i>MSphere</i> , 2020, 5, .	1.3	9
40	In Vitro Activities of MMV Malaria Box Compounds against the Apicomplexan Parasite <i>Neospora caninum</i> , the Causative Agent of Neosporosis in Animals. <i>Molecules</i> , 2020, 25, 1460.	1.7	4
41	Synthesis, characterization and antiparasitic activity of organometallic derivatives of the anthelmintic drug albendazole. <i>Dalton Transactions</i> , 2020, 49, 6616-6626.	1.6	11
42	Bumped Kinase Inhibitors as therapy for apicomplexan parasitic diseases: lessons learned. <i>International Journal for Parasitology</i> , 2020, 50, 413-422.	1.3	37
43	Regulation of hepatic microRNAs in response to early stage <i>Echinococcus multilocularis</i> egg infection in C57BL/6 mice. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0007640.	1.3	12
44	Title is missing!. , 2020, 14, e0007640.		0
45	Title is missing!. , 2020, 14, e0007640.		0
46	Title is missing!. , 2020, 14, e0007640.		0
47	Title is missing!. , 2020, 14, e0007640.		0
48	Title is missing!. , 2020, 14, e0007640.		0
49	Title is missing!. , 2020, 14, e0007640.		0
50	<i>In vitro</i> treatment of <i>Besnoitia besnoiti</i> with the naphto-quinone buparvaquone results in marked inhibition of tachyzoite proliferation, mitochondrial alterations and rapid adaptation of tachyzoites to increased drug concentrations. <i>Parasitology</i> , 2019, 146, 112-120.	0.7	17
51	Development and characterization of monoclonal antibodies against <i>Besnoitia besnoiti</i> tachyzoites. <i>Parasitology</i> , 2019, 146, 187-196.	0.7	2
52	Fatty acid and retinol-binding protein: A novel antigen for immunodiagnosis of human strongyloidiasis. <i>PLoS ONE</i> , 2019, 14, e0218895.	1.1	5
53	Comparative Pathobiology of the Intestinal Protozoan Parasites <i>Giardia lamblia</i> , <i>Entamoeba histolytica</i> , and <i>Cryptosporidium parvum</i> . <i>Pathogens</i> , 2019, 8, 116.	1.2	46
54	Anti-parasitic dinuclear thiolato-bridged arene ruthenium complexes alter the mitochondrial ultrastructure and membrane potential in <i>Trypanosoma brucei</i> bloodstream forms. <i>Experimental Parasitology</i> , 2019, 205, 107753.	0.5	17

#	ARTICLE	IF	CITATIONS
55	Cardiolipin depletion-induced changes in the <i>Trypanosoma brucei</i> proteome. <i>FASEB Journal</i> , 2019, 33, 13161-13175.	0.2	11
56	Targeting of the mitochondrion by dinuclear thiolato-bridged arene ruthenium complexes in cancer cells and in the apicomplexan parasite <i>Neospora caninum</i> . <i>Metallomics</i> , 2019, 11, 462-474.	1.0	25
57	Treatment with Bumped Kinase Inhibitor 1294 Is Safe and Leads to Significant Protection against Abortion and Vertical Transmission in Sheep Experimentally Infected with <i>Toxoplasma gondii</i> during Pregnancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	1.4	23
58	Bumped kinase inhibitor 1369 is effective against <i>Cystoisospora suis</i> in vivo and in vitro. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2019, 10, 9-19.	1.4	12
59	Activity of <i>Thymus capitatus</i> essential oil components against in vitro cultured <i>Echinococcus multilocularis</i> metacestodes and germinal layer cells. <i>Parasitology</i> , 2019, 146, 956-967.	0.7	9
60	The importance of being parasiticidal: an update on drug development for the treatment of alveolar echinococcosis. <i>Food and Waterborne Parasitology</i> , 2019, 15, e00040.	1.1	32
61	Immunization with a cocktail of antigens fused with <i>Opr1</i> reduces <i>Neospora caninum</i> vertical transmission and postnatal mortality in mice. <i>Vaccine</i> , 2019, 37, 473-483.	1.7	19
62	Safety and efficacy of the bumped kinase inhibitor BKI-1553 in pregnant sheep experimentally infected with <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2018, 8, 112-124.	1.4	28
63	Modulation of cis- and trans- Golgi and the Rab9A-GTPase during infection by <i>Besnoitia besnoiti</i> , <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> . <i>Experimental Parasitology</i> , 2018, 187, 75-85.	0.5	11
64	TbLpn, a key enzyme in lipid droplet formation and phospholipid metabolism, is essential for mitochondrial integrity and growth of <i>Trypanosoma brucei</i> . <i>Molecular Microbiology</i> , 2018, 109, 105-120.	1.2	14
65	Evaluation of kinase-inhibitors nilotinib and everolimus against alveolar echinococcosis in vitro and in a mouse model. <i>Experimental Parasitology</i> , 2018, 188, 65-72.	0.5	10
66	Endochin-Like Quinolones Exhibit Promising Efficacy Against <i>Neospora Caninum</i> in vitro and in Experimentally Infected Pregnant Mice. <i>Frontiers in Veterinary Science</i> , 2018, 5, 285.	0.9	17
67	Accessible and distinct decoquinolate derivatives active against <i>Mycobacterium tuberculosis</i> and apicomplexan parasites. <i>Communications Chemistry</i> , 2018, 1, .	2.0	30
68	Repurposing of an old drug: In vitro and in vivo efficacies of buparvaquone against <i>Echinococcus multilocularis</i> . <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2018, 8, 440-450.	1.4	35
69	Repurposing of commercially available anti-coccidials identifies diclazuril and decoquinolate as potential therapeutic candidates against <i>Besnoitia besnoiti</i> infection. <i>Veterinary Parasitology</i> , 2018, 261, 77-85.	0.7	13
70	Characterization of a multi-epitope peptide with selective MHC-binding capabilities encapsulated in PLGA nanoparticles as a novel vaccine candidate against <i>Toxoplasma gondii</i> infection. <i>Vaccine</i> , 2018, 36, 6124-6132.	1.7	41
71	Physiological aspects of nitro drug resistance in <i>Giardia lamblia</i> . <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2018, 8, 271-277.	1.4	28
72	Activity of mefloquine and mefloquine derivatives against <i>Echinococcus multilocularis</i> . <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2018, 8, 331-340.	1.4	33

#	ARTICLE	IF	CITATIONS
73	Virulence in Mice of a <i>Toxoplasma gondii</i> Type II Isolate Does Not Correlate With the Outcome of Experimental Infection in Pregnant Sheep. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 436.	1.8	35
74	Extended-spectrum antiprotozoal bumped kinase inhibitors: A review. <i>Experimental Parasitology</i> , 2017, 180, 71-83.	0.5	71
75	Two Novel Calcium-Dependent Protein Kinase 1 Inhibitors Interfere with Vertical Transmission in Mice Infected with <i>Neospora caninum</i> Tachyzoites. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	1.4	24
76	Development of a murine vertical transmission model for <i>Toxoplasma gondii</i> oocyst infection and studies on the efficacy of bumped kinase inhibitor (BKI)-1294 and the naphthoquinone buparvaquone against congenital toxoplasmosis. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2334-2341.	1.3	52
77	To see or not to see: non-invasive imaging for improved readout of drug treatment trials in the murine model of secondary alveolar echinococcosis. <i>Parasitology</i> , 2017, 144, 937-944.	0.7	10
78	<i>In vitro</i> activity of gentamicin as an adjunct to penicillin against biofilm group <i>B</i> <i>Streptococcus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 444-447.	1.3	17
79	<i>In vitro</i> efficacy of bumped kinase inhibitors against <i>Besnoitia besnoiti</i> tachyzoites. <i>International Journal for Parasitology</i> , 2017, 47, 811-821.	1.3	40
80	Advances in bumped kinase inhibitors for human and animal therapy for cryptosporidiosis. <i>International Journal for Parasitology</i> , 2017, 47, 753-763.	1.3	30
81	<i>Neospora caninum</i> in non-pregnant and pregnant mouse models: cross-talk between infection and immunity. <i>International Journal for Parasitology</i> , 2017, 47, 723-735.	1.3	40
82	<i>In vitro</i> screening of the open source Pathogen Box identifies novel compounds with profound activities against <i>Neospora caninum</i> . <i>International Journal for Parasitology</i> , 2017, 47, 801-809.	1.3	28
83	Activities of 11 $\Delta$ Azaartemisinin and $\Delta$ N-Sulfonyl Derivatives against <i>Neospora caninum</i> and Comparative Cytotoxicities. <i>ChemMedChem</i> , 2017, 12, 2094-2098.	1.6	14
84	Characterization of the Activities of Dinuclear Thiolato-Bridged Arene Ruthenium Complexes against <i>Toxoplasma gondii</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	1.4	35
85	First Characterization of the <i>Neospora caninum</i> Dense Granule Protein GRA9. <i>BioMed Research International</i> , 2017, 2017, 1-15.	0.9	9
86	Development of a movement-based <i>in vitro</i> screening assay for the identification of new anti-cestodal compounds. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005618.	1.3	25
87	The single cyclic nucleotide-specific phosphodiesterase of the intestinal parasite <i>Giardia lamblia</i> represents a potential drug target. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005891.	1.3	16
88	Neosporosis in Miscellaneous Animals. , 2017, , 393-396.		0
89	Neosporosis in White Rhinoceros ( <i>Ceratotherium simum</i> ). , 2017, , 379-380.		0
90	Neosporosis in Humans and Primates. , 2017, , 363-364.		0

#	ARTICLE	IF	CITATIONS
91	Neosporosis in Water Buffaloes ( <i>Bubalus bubalis</i> ). , 2017, , 337-342.		0
92	Neosporosis in Felids. , 2017, , 351-356.		1
93	Neosporosis in Wild Canids and Other Carnivores. , 2017, , 381-392.		0
94	Neosporosis in Pigs. , 2017, , 343-346.		0
95	Neosporosis in Goats. , 2017, , 329-336.		0
96	Open Source Drug Discovery with the Malaria Box Compound Collection for Neglected Diseases and Beyond. PLoS Pathogens, 2016, 12, e1005763.	2.1	244
97	Screening of the Open Source Malaria Box Reveals an Early Lead Compound for the Treatment of Alveolar Echinococcosis. PLoS Neglected Tropical Diseases, 2016, 10, e0004535.	1.3	31
98	Vaccines for bovine neosporosis: current status and key aspects for development. Parasite Immunology, 2016, 38, 709-723.	0.7	48
99	Approaches for the vaccination and treatment of <i>Neospora caninum</i> infections in mice and ruminant models. Parasitology, 2016, 143, 245-259.	0.7	43
100	N-terminal fusion of a toll-like receptor 2-ligand to a <i>Neospora caninum</i> chimeric antigen efficiently modifies the properties of the specific immune response. Parasitology, 2016, 143, 606-616.	0.7	21
101	Apicomplexans pulling the strings: manipulation of the host cell cytoskeleton dynamics. Parasitology, 2016, 143, 957-970.	0.7	11
102	Characterization of the <i>Neospora caninum</i> NcROP40 and NcROP2Fam-1 rhoptry proteins during the tachyzoite lytic cycle. Parasitology, 2016, 143, 97-113.	0.7	12
103	Elucidating the influence of praziquantel nanosuspensions on the in vivo metabolism of <i>Taenia crassiceps</i> cysticerci. Acta Tropica, 2016, 161, 100-105.	0.9	20
104	Systemic and local immune responses in sheep after <i>Neospora caninum</i> experimental infection at early, mid and late gestation. Veterinary Research, 2016, 47, 2.	1.1	32
105	Drug target identification in protozoan parasites. Expert Opinion on Drug Discovery, 2016, 11, 815-824.	2.5	40
106	Repurposing of antiparasitic drugs: the hydroxy-naphthoquinone buparvaquone inhibits vertical transmission in the pregnant neosporosis mouse model. Veterinary Research, 2016, 47, 32.	1.1	27
107	The tandemly repeated NTPase (NTPDase) from <i>Neospora caninum</i> is a canonical dense granule protein whose RNA expression, protein secretion and phosphorylation coincides with the tachyzoite egress. Parasites and Vectors, 2016, 9, 352.	1.0	26
108	<i>In Vitro</i> Screening of the Open-Source Medicines for Malaria Venture Malaria Box Reveals Novel Compounds with Profound Activities against <i>Theileria annulata</i> Schizonts. Antimicrobial Agents and Chemotherapy, 2016, 60, 3301-3308.	1.4	13



#	ARTICLE	IF	CITATIONS
109	Flagellar membrane fusion and protein exchange in trypanosomes; a new form of cell-cell communication?. <i>F1000Research</i> , 2016, 5, 682.	0.8	25
110	Primary Postnatal Dorsal Root Ganglion Culture from Conventionally Slaughtered Calves. <i>PLoS ONE</i> , 2016, 11, e0168228.	1.1	8
111	Prevention and Immunotherapy of Secondary Murine Alveolar Echinococcosis Employing Recombinant EmP29 Antigen. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003795.	1.3	18
112	Vaccines and drugs against <i>Neospora caninum</i> , an important apicomplexan causing abortion in cattle and other farm animals. <i>Reports in Parasitology</i> , 2015, , 31.	0.5	2
113	<i>In Vitro</i> and <i>In Vivo</i> Effects of the Bumped Kinase Inhibitor 1294 in the Related Cyst-Forming Apicomplexans <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 6361-6374.	1.4	72
114	A vaccine formulation combining rhoptry proteins NcROP40 and NcROP2 improves pup survival in a pregnant mouse model of neosporosis. <i>Veterinary Parasitology</i> , 2015, 207, 203-215.	0.7	25
115	A live vaccine against <i>Neospora caninum</i> abortions in cattle. <i>Vaccine</i> , 2015, 33, 1299-1301.	1.7	29
116	Dose-dependent effects of experimental infection with the virulent <i>Neospora caninum</i> Nc-Spain7 isolate in a pregnant mouse model. <i>Veterinary Parasitology</i> , 2015, 211, 133-140.	0.7	36
117	Deletion of Fibrinogen-like Protein 2 (FGL-2), a Novel CD4+ CD25+ Treg Effector Molecule, Leads to Improved Control of <i>Echinococcus multilocularis</i> Infection in Mice. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003755.	1.3	45
118	In vitro effects of new artemisinin derivatives in <i>Neospora caninum</i> -infected human fibroblasts. <i>International Journal of Antimicrobial Agents</i> , 2015, 46, 88-93.	1.1	22
119	Influence of the gestational stage on the clinical course, lesional development and parasite distribution in experimental ovine neosporosis. <i>Veterinary Research</i> , 2015, 46, 19.	1.1	45
120	<i>Trypanosoma brucei</i> RRM1 Is a Nuclear RNA-Binding Protein and Modulator of Chromatin Structure. <i>MBio</i> , 2015, 6, e00114.	1.8	30
121	Susceptibility versus resistance in alveolar echinococcosis (larval infection with <i>Echinococcus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 0.7 41	0.7	41
122	Oral treatments of <i>Echinococcus multilocularis</i> -infected mice with the antimalarial drug mefloquine that potentially interacts with parasite ferritin and cystatin. <i>International Journal of Antimicrobial Agents</i> , 2015, 46, 546-551.	1.1	25
123	Buparvaquone is active against <i>Neospora caninum</i> in vitro and in experimentally infected mice. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2015, 5, 16-25.	1.4	36
124	A quantitative reverse-transcriptase PCR assay for the assessment of drug activities against intracellular <i>Theileria annulata</i> schizonts. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2014, 4, 201-209.	1.4	14
125	A review on bovine besnoitiosis: a disease with economic impact in herd health management, caused by <i>Besnoitia besnoiti</i> (Franco and Borges, ). <i>Parasitology</i> , 2014, 141, 1406-1417.	0.7	84
126	ApiCOWplexa 2013 – 2nd International Meeting on Apicomplexan Parasites in Farm Animals. <i>Parasitology</i> , 2014, 141, 1355-1358.	0.7	0



#	ARTICLE	IF	CITATIONS
127	Profound Activity of the Anti-cancer Drug Bortezomib against Echinococcus multilocularis Metacestodes Identifies the Proteasome as a Novel Drug Target for Cestodes. PLoS Neglected Tropical Diseases, 2014, 8, e3352.	1.3	37
128	Activities of fenbendazole in comparison with albendazole against Echinococcus multilocularis metacestodes in vitro and in a murine infection model. International Journal of Antimicrobial Agents, 2014, 43, 335-342.	1.1	29
129	Host insulin stimulates Echinococcus multilocularis insulin signalling pathways and larval development. BMC Biology, 2014, 12, 5.	1.7	70
130	Vaccines against neosporosis: What can we learn from the past studies?. Experimental Parasitology, 2014, 140, 52-70.	0.5	58
131	Amino ozonides exhibit in vitro activity against Echinococcus multilocularis metacestodes. International Journal of Antimicrobial Agents, 2014, 43, 40-46.	1.1	35
132	Phenotypic and molecular characterization of hyperpigmented group B Streptococci. International Journal of Medical Microbiology, 2014, 304, 717-724.	1.5	23
133	Treatment of echinococcosis: albendazole and mebendazole – what else?. Parasite, 2014, 21, 70.	0.8	113
134	Neospora caninum Calcium-Dependent Protein Kinase 1 Is an Effective Drug Target for Neosporosis Therapy. PLoS ONE, 2014, 9, e92929.	1.1	63
135	Echinococcus P29 Antigen: Molecular Characterization and Implication on Post-Surgery Follow-Up of CE Patients Infected with Different Species of the Echinococcus granulosus Complex. PLoS ONE, 2014, 9, e98357.	1.1	29
136	In vitro culture systems for the study of apicomplexan parasites in farm animals. International Journal for Parasitology, 2013, 43, 115-124.	1.3	55
137	Antimicrobial effects of murine mesenchymal stromal cells directed against Toxoplasma gondii and Neospora caninum: role of immunity-related GTPases (IRGs) and guanylate-binding proteins (GBPs). Medical Microbiology and Immunology, 2013, 202, 197-206.	2.6	25
138	New Approaches for the Identification of Drug Targets in Protozoan Parasites. International Review of Cell and Molecular Biology, 2013, 301, 359-401.	1.6	42
139	Differential effects of intranasal vaccination with recombinant Nc<sc>PDI</sc> in different mouse models of <i>Neospora caninum</i> infection. Parasite Immunology, 2013, 35, 11-20.	0.7	18
140	<i>In Vitro</i> and <i>In Vivo</i> Activities of Dicationic Diguandino Compounds against Echinococcus multilocularis Metacestodes. Antimicrobial Agents and Chemotherapy, 2013, 57, 3829-3835.	1.4	21
141	Subcutaneous Infection Model Facilitates Treatment Assessment of Secondary Alveolar Echinococcosis in Mice. PLoS Neglected Tropical Diseases, 2013, 7, e2235.	1.3	21
142	<i>In Vitro</i> Effects of Novel Ruthenium Complexes in Neospora caninum and Toxoplasma gondii Tachyzoites. Antimicrobial Agents and Chemotherapy, 2013, 57, 5747-5754.	1.4	39
143	Molecular cloning and characterization of <i>NcROP2Fam-1</i>, a member of the ROP2 family of rophtry proteins in <i>Neospora caninum</i> that is targeted by antibodies neutralizing host cell invasion <i>in vitro</i>. Parasitology, 2013, 140, 1033-1050.	0.7	21
144	Novel amidines and analogues as promising agents against intracellular parasites: a systematic review. Parasitology, 2013, 140, 929-951.	0.7	99

#	ARTICLE	IF	CITATIONS
145	Proteins mediating the <i>Neospora caninum</i> -host cell interaction as targets for vaccination. <i>Frontiers in Bioscience - Elite</i> , 2013, E5, 23-36.	0.9	33
146	Use of a Th1 Stimulator Adjuvant for Vaccination against <i>Neospora caninum</i> Infection in the Pregnant Mouse Model. <i>Pathogens</i> , 2013, 2, 193-208.	1.2	10
147	Differential Effects on Survival, Humoral Immune Responses and Brain Lesions in Inbred BALB/C, CBA/CA, and C57BL/6 Mice Experimentally Infected with <i>Neospora caninum</i> Tachyzoites. <i>ISRN Parasitology</i> , 2013, 2013, 1-11.	0.6	9
148	Development of a high- versus low-pathogenicity model of the free-living amoeba <i>Naegleria fowleri</i> . <i>Microbiology (United Kingdom)</i> , 2012, 158, 2652-2660.	0.7	10
149	The adaptive potential of a survival artist: characterization of the <i>in vitro</i> interactions of <i>Toxoplasma gondii</i> tachyzoites with di-cationic compounds in human fibroblast cell cultures. <i>Parasitology</i> , 2012, 139, 208-220.	0.7	27
150	Effects of miltefosine treatment in fibroblast cell cultures and in mice experimentally infected with <i>Neospora caninum</i> tachyzoites. <i>Parasitology</i> , 2012, 139, 934-944.	0.7	20
151	Di-cationic arylimidamides act against <i>Neospora caninum</i> tachyzoites by interference in membrane structure and nucleolar integrity and are active against challenge infection in mice. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2012, 2, 109-120.	1.4	32
152	Vaccination with the recombinant chimeric antigen recNcMIC3-1-R induces a non-protective Th2-type immune response in the pregnant mouse model for <i>N. caninum</i> infection. <i>Vaccine</i> , 2012, 30, 6588-6594.	1.7	11
153	Intra-cisternal vaccination induces high-level protection against <i>Neospora caninum</i> infection in mice. <i>Vaccine</i> , 2012, 30, 4209-4215.	1.7	3
154	A New Promising Application for Highly Cytotoxic Metal Compounds: $\delta$ -6-Areneruthenium(II) Phosphite Complexes for the Treatment of Alveolar Echinococcosis. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 4178-4188.	2.9	41
155	Thiazolide-induced apoptosis in colorectal cancer cells is mediated via the Jun kinase-Bim axis and reveals glutathione-S-transferase P1 as Achilles' heel. <i>Oncogene</i> , 2012, 31, 4095-4106.	2.6	27
156	Thiazolides, a Novel Class of Anti-Infective Drugs, Effective Against Viruses, Bacteria, Intracellular and Extracellular Protozoan Parasites and Proliferating Mammalian Cells. <i>Anti-Infective Agents</i> , 2012, 11, 22-30.	0.1	7
157	Voluntary ingestion of antiparasitic drugs emulsified in honey represents an alternative to gavage in mice. <i>Journal of the American Association for Laboratory Animal Science</i> , 2012, 51, 219-23.	0.6	27
158	RecNcMIC3-1-R is a microneme- and rhoptry-based chimeric antigen that protects against acute neosporosis and limits cerebral parasite load in the mouse model for <i>Neospora caninum</i> infection. <i>Vaccine</i> , 2011, 29, 6967-6975.	1.7	31
159	Vaccines against a Major Cause of Abortion in Cattle, <i>Neospora caninum</i> Infection. <i>Animals</i> , 2011, 1, 306-325.	1.0	35
160	<i>In vitro</i> effects of arylimidamides against <i>Besnoitia besnoiti</i> infection in Vero cells. <i>Parasitology</i> , 2011, 138, 583-592.	0.7	23
161	Vaccination of mice with chitosan nanogel-associated recombinant NcPDI against challenge infection with <i>Neospora caninum</i> tachyzoites. <i>Parasite Immunology</i> , 2011, 33, 81-94.	0.7	45
162	<i>Echinococcus multilocularis</i> : The impact of ionizing radiation on metacestodes. <i>Experimental Parasitology</i> , 2011, 127, 127-134.	0.5	14

#	ARTICLE	IF	CITATIONS
163	Identification of a host cell target for the thiazolide class of broad-spectrum anti-parasitic drugs. <i>Experimental Parasitology</i> , 2011, 128, 145-150.	0.5	21
164	<i>Besnoitia besnoiti</i> protein disulfide isomerase (BbPDI): Molecular characterization, expression and in silico modelling. <i>Experimental Parasitology</i> , 2011, 129, 164-174.	0.5	14
165	Experimental treatment of <i>Neospora caninum</i> -infected mice with the arylimidamide DB750 and the thiazolide nitazoxanide. <i>Experimental Parasitology</i> , 2011, 129, 95-100.	0.5	28
166	Intraperitoneal <i>Echinococcus multilocularis</i> infection in mice modulates peritoneal CD4+ and CD8+ regulatory T cell development. <i>Parasitology International</i> , 2011, 60, 45-53.	0.6	59
167	Identification of novel rhoptry proteins in <i>Neospora caninum</i> by LC/MS-MS analysis of subcellular fractions. <i>Journal of Proteomics</i> , 2011, 74, 629-642.	1.2	18
168	Drug Target Identification in Intracellular and Extracellular Protozoan Parasites. <i>Current Topics in Medicinal Chemistry</i> , 2011, 11, 2029-2038.	1.0	19
169	<i>In Vitro</i> and <i>In Vivo</i> Efficacies of Mefloquine-Based Treatment against Alveolar Echinococcosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 713-721.	1.4	58
170	<i>In Vitro</i> Efficacy of Dicationic Compounds and Mefloquine Enantiomers against <i>Echinococcus multilocularis</i> Metacestodes. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 4866-4872.	1.4	32
171	Development and applications of cestode and trematode laboratory models. <i>Parasitology</i> , 2010, 137, 329-333.	0.7	7
172	<i>Echinococcus multilocularis</i> phosphoglucose isomerase (EmPGI): A glycolytic enzyme involved in metacestode growth and parasite-host cell interactions. <i>International Journal for Parasitology</i> , 2010, 40, 1563-1574.	1.3	30
173	MAHRP2, an exported protein of <i>Plasmodium falciparum</i> , is an essential component of Maurer's cleft tethers. <i>Molecular Microbiology</i> , 2010, 77, 1136-1152.	1.2	64
174	Intraperitoneal and intra-nasal vaccination of mice with three distinct recombinant <i>Neospora caninum</i> antigens results in differential effects with regard to protection against experimental challenge with <i>Neospora caninum</i> tachyzoites. <i>Parasitology</i> , 2010, 137, 229-240.	0.7	47
175	Molecular characterization of <i>Neospora caninum</i> MAG1, a dense granule protein secreted into the parasitophorous vacuole, and associated with the cyst wall and the cyst matrix. <i>Parasitology</i> , 2010, 137, 1605-1619.	0.7	15
176	<i>Echinococcus</i> metacestodes as laboratory models for the screening of drugs against cestodes and trematodes. <i>Parasitology</i> , 2010, 137, 569-587.	0.7	63
177	Application of an in vitro drug screening assay based on the release of phosphoglucose isomerase to determine the structure-activity relationship of thiazolides against <i>Echinococcus multilocularis</i> metacestodes. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 512-519.	1.3	53
178	Triggering and modulation of the host-parasite interplay by <i>Echinococcus multilocularis</i> : a review. <i>Parasitology</i> , 2010, 137, 557-568.	0.7	28
179	Major Surface Glycoproteins of Insect Forms of <i>Trypanosoma brucei</i> Are Not Essential for Cyclical Transmission by Tsetse. <i>PLoS ONE</i> , 2009, 4, e4493.	1.1	45
180	Infection of Primary Canine Duodenal Epithelial Cell Cultures with <i>Neospora caninum</i> . <i>Journal of Parasitology</i> , 2009, 95, 372-380.	0.3	7

#	ARTICLE	IF	CITATIONS
181	Stable expression of <i>Escherichia coli</i> $\beta$ -glucuronidase A (GusA) in <i>Giardia lamblia</i> : application to high-throughput drug susceptibility testing. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 64, 1187-1191.	1.3	21
182	Vaccination with recombinant NcROP2 combined with recombinant NcMIC1 and NcMIC3 reduces cerebral infection and vertical transmission in mice experimentally infected with <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology</i> , 2009, 39, 1373-1384.	1.3	72
183	Intestinal <i>Trichostrongylus axei</i> infection in cats in Switzerland detected by in vitro cultivation and PCR. <i>Parasitology Research</i> , 2009, 104, 783-788.	0.6	50
184	Toltrazuril treatment of congenitally acquired <i>Neospora caninum</i> infection in newborn mice. <i>Parasitology Research</i> , 2009, 104, 1335-1343.	0.6	29
185	<i>Neospora caninum</i> and bone marrow-derived dendritic cells: parasite survival, proliferation, and induction of cytokine expression. <i>Parasite Immunology</i> , 2009, 31, 366-372.	0.7	20
186	Prophylactic and therapeutic efficacy of nitazoxanide against <i>Cryptosporidium parvum</i> in experimentally challenged neonatal calves. <i>Veterinary Parasitology</i> , 2009, 160, 149-154.	0.7	44
187	Alveolar and cystic echinococcosis: towards novel chemotherapeutical treatment options. <i>Journal of Helminthology</i> , 2009, 83, 99-111.	0.4	83
188	Thioureides of 2-(phenoxymethyl)benzoic acid 4-R substituted: A novel class of anti-parasitic compounds. <i>Parasitology International</i> , 2009, 58, 128-135.	0.6	37
189	Thiazolides inhibit growth and induce glutathione S-transferase Pi (GSTP1)-dependent cell death in human colon cancer cells. <i>International Journal of Cancer</i> , 2008, 123, 1797-1806.	2.3	77
190	<i>Neospora caninum</i> : Functional inhibition of protein disulfide isomerase by the broad-spectrum anti-parasitic drug nitazoxanide and other thiazolides. <i>Experimental Parasitology</i> , 2008, 118, 80-88.	0.5	54
191	In vitro and in vivo effects of 2-methoxyestradiol, either alone or combined with albendazole, against <i>Echinococcus metacestodes</i> . <i>Experimental Parasitology</i> , 2008, 119, 475-482.	0.5	56
192	<i>Echinococcus multilocularis</i> : The parasite-host interplay. <i>Experimental Parasitology</i> , 2008, 119, 447-452.	0.5	57
193	Vaccination of mice with recombinant NcROP2 antigen reduces mortality and cerebral infection in mice infected with <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology</i> , 2008, 38, 1455-1463.	1.3	73
194	NcGRA2 as a molecular target to assess the parasitocidal activity of toltrazuril against <i>Neospora caninum</i> . <i>Parasitology</i> , 2008, 135, 1065-1073.	0.7	23
195	In Vitro and In Vivo Treatments of <i>Echinococcus</i> Protoscoleces and Metacestodes with Artemisinin and Artemisinin Derivatives. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 3447-3450.	1.4	86
196	Identification of differentially expressed genes in a <i>Giardia lamblia</i> WB C6 clone resistant to nitazoxanide and metronidazole. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 72-82.	1.3	67
197	Host Cells Participate in the In Vitro Effects of Novel Diamidine Analogues against Tachyzoites of the Intracellular Apicomplexan Parasites <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 1999-2008.	1.4	34
198	NcGRA2-RT-PCR to Detect Live Versus Dead Parasites in <i>Neospora caninum</i> -Infected Mice. <i>The Open Parasitology Journal</i> , 2008, 2, 64-68.	1.7	4

#	ARTICLE	IF	CITATIONS
199	The Trypanosoma brucei cAMP phosphodiesterases TbrPDEB1 and TbrPDEB2: flagellar enzymes that are essential for parasite virulence. FASEB Journal, 2007, 21, 720-731.	0.2	135
200	Innovative chemotherapeutical treatment options for alveolar and cystic echinococcosis. Parasitology, 2007, 134, 1657-1670.	0.7	53
201	In vitro efficacy of nitro- and bromo-thiazolyl-salicylamide compounds (thiazolides) against Besnoitia besnoiti infection in Vero cells. Parasitology, 2007, 134, 975-985.	0.7	39
202	A Novel Giardia lamblia Nitroreductase, GINR1, Interacts with Nitazoxanide and Other Thiazolides. Antimicrobial Agents and Chemotherapy, 2007, 51, 1979-1986.	1.4	80
203	Peroxide Bond-Dependent Antiplasmodial Specificity of Artemisinin and OZ277 (RBx11160). Antimicrobial Agents and Chemotherapy, 2007, 51, 2991-2993.	1.4	80
204	Characterization of Giardia lamblia WB C6 clones resistant to nitazoxanide and to metronidazole. Journal of Antimicrobial Chemotherapy, 2007, 60, 280-287.	1.3	83
205	Characterization of a Giardia lamblia WB C6 clone resistant to the isoflavone formononetin. Microbiology (United Kingdom), 2007, 153, 4150-4158.	0.7	16
206	Characterization of the fetuin-binding fraction of Neospora caninum tachyzoites and its potential involvement in host-parasite interactions. Parasitology, 2007, 134, 805-817.	0.7	2
207	Decreased infarct size after focal cerebral ischemia in mice chronically infected with Toxoplasma gondii. Neuroscience, 2007, 150, 537-546.	1.1	11
208	VACCINATION WITH MICRONEME PROTEIN NCMIC4 INCREASES MORTALITY IN MICE INOCULATED WITH NEOSPORA CANINUM. Journal of Parasitology, 2007, 93, 1046-1055.	0.3	26
209	Application of conventional and real-time fluorescent ITS1 rDNA PCR for detection of Besnoitia besnoiti infections in bovine skin biopsies. Veterinary Parasitology, 2007, 146, 352-356.	0.7	48
210	Structure-activity relationships from in vitro efficacies of the thiazolide series against the intracellular apicomplexan protozoan Neospora caninum. International Journal for Parasitology, 2007, 37, 183-190.	1.3	34
211	Molecular characterisation of BSR4, a novel bradyzoite-specific gene from Neospora caninum. International Journal for Parasitology, 2007, 37, 887-896.	1.3	32
212	Induction of tachyzoite egress from cells infected with the protozoan Neospora caninum by nitro- and bromo-thiazolides, a class of broad-spectrum anti-parasitic drugs. International Journal for Parasitology, 2007, 37, 1143-1152.	1.3	35
213	Response to Innes and Mattsson: Neospora caninum emerges from the shadow of Toxoplasma gondii. Trends in Parasitology, 2007, 23, 44-45.	1.5	3
214	Establishment and characterization of a primary canine duodenal epithelial cell culture. In Vitro Cellular and Developmental Biology - Animal, 2007, 43, 176-185.	0.7	19
215	Structure-Function Relationship of Thiazolides, a Novel Class of Anti-Parasitic Drugs, Investigated in Intracellular and Extracellular Protozoan Parasites and Larval-Stage Cestodes. Anti-Infective Agents in Medicinal Chemistry, 2007, 6, 273-282.	0.6	10
216	Generation of parasite cysts in cultured cells instead of living animals. ALTEX: Alternatives To Animal Experimentation, 2007, 24 Spec No, 29-31.	0.9	0

#	ARTICLE	IF	CITATIONS
217	Molecular survival strategies of <i>Echinococcus multilocularis</i> in the murine host. <i>Parasitology International</i> , 2006, 55, S45-S49.	0.6	33
218	In Vitro Effects of Thiazolides on <i>Giardia lamblia</i> WB Clone C6 Cultured Axenically and in Coculture with Caco2 Cells. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 162-170.	1.4	70
219	Isolation of <i>Besnoitia besnoiti</i> from infected cattle in Portugal. <i>Veterinary Parasitology</i> , 2006, 141, 226-233.	0.7	87
220	<i>Neospora caninum</i> and neosporosis " recent achievements in host and parasite cell biology and treatment. <i>Acta Parasitologica</i> , 2006, 51, .	0.4	8
221	In Vitro Metacestodicidal Activities of Genistein and Other Isoflavones against <i>Echinococcus multilocularis</i> and <i>Echinococcus granulosus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 3770-3778.	1.4	87
222	MONOCLONAL ANTIBODY DIRECTED AGAINST NEOSPORA CANINUM TACHYZOITE CARBOHYDRATE EPI TOPE REACTS SPECIFICALLY WITH APICAL COMPLEX ASSOCIATED SIALYLATED BETA TUBULIN. <i>Journal of Parasitology</i> , 2006, 92, 1235-1243.	0.3	9
223	Nitazoxanide, a broad-spectrum thiazolide anti-infective agent for the treatment of gastrointestinal infections. <i>Expert Opinion on Pharmacotherapy</i> , 2006, 7, 953-964.	0.9	121
224	Cellular and immunological basis of the host-parasite relationship during infection with <i>Neospora caninum</i> . <i>Parasitology</i> , 2006, 133, 261-278.	0.7	108
225	14-3-3- and $\beta$ -tubulin-gene expression as molecular markers to address viability and growth activity of <i>Echinococcus multilocularis</i> metacestodes. <i>Parasitology</i> , 2006, 132, 83-94.	0.7	33
226	The use of light- and electron microscopy for studies on the cell- and molecular biology of parasites and parasitic diseases. <i>Schweizer Archiv Fur Tierheilkunde</i> , 2006, 148, 473-481.	0.2	0
227	Quantitative assessment of sense and antisense transcripts from genes involved in antigenic variation ( <i>vsp</i> genes) and encystation ( <i>cwp 1</i> gene) of <i>Giardia lamblia</i> clone GS/M-83-H7. <i>Parasitology</i> , 2005, 130, 389-396.	0.7	14
228	Applying biotin-streptavidin binding for iscom (immunostimulating complex) association of recombinant immunogens. <i>Biotechnology and Applied Biochemistry</i> , 2005, 41, 163.	1.4	9
229	<i>Neospora caninum</i> protein disulfide isomerase is involved in tachyzoite-host cell interaction. <i>International Journal for Parasitology</i> , 2005, 35, 1459-1472.	1.3	48
230	Inhibitory Effect of Aureobasidin A on <i>Toxoplasma gondii</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 1794-1801.	1.4	40
231	REDUCED INFECTION AND PROTECTION FROM CLINICAL SIGNS OF CEREBRAL NEOSPOROSIS IN C57BL/6 MICE VACCINATED WITH RECOMBINANT MICRONEME ANTIGEN NCMIC1. <i>Journal of Parasitology</i> , 2005, 91, 657-665.	0.3	60
232	PERFORMANCE OF A WESTERN IMMUNOBLOT ASSAY TO DETECT SPECIFIC ANTI-TOXOPLASMA GONDII IGG ANTIBODIES IN HUMAN SALIVA. <i>Journal of Parasitology</i> , 2005, 91, 561-563.	0.3	20
233	In Vitro Efficacies of Nitazoxanide and Other Thiazolides against <i>Neospora caninum</i> Tachyzoites Reveal Antiparasitic Activity Independent of the Nitro Group. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 3715-3723.	1.4	54
234	DIFFERENTIAL EFFECTS OF INTERFERON- $\beta$ AND TUMOR NECROSIS FACTOR- $\alpha$ ON TOXOPLASMA GONDII PROLIFERATION IN ORGANOTYPIC RAT BRAIN SLICE CULTURES. <i>Journal of Parasitology</i> , 2005, 91, 307-315.	0.3	33



#	ARTICLE	IF	CITATIONS
235	General strategies for efficient adjuvant incorporation of recombinant subunit immunogens. <i>Vaccine</i> , 2005, 23, 2331-2335.	1.7	15
236	Mitochondrial tRNA Import in <i>Toxoplasma gondii</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 42363-42368.	1.6	78
237	Identification and Characterization of a <i>Neospora caninum</i> Microneme-Associated Protein (NcMIC4) That Exhibits Unique Lactose-Binding Properties. <i>Infection and Immunity</i> , 2004, 72, 4791-4800.	1.0	30
238	Tissue Culture and Explant Approaches to Studying and Visualizing <i>Neospora caninum</i> and Its Interactions with the Host Cell. <i>Microscopy and Microanalysis</i> , 2004, 10, 602-620.	0.2	33
239	Isolation and Characterization of a Secretory Component of <i>Echinococcus multilocularis</i> Metacestodes Potentially Involved in Modulating the Host-Parasite Interface. <i>Infection and Immunity</i> , 2004, 72, 527-536.	1.0	54
240	In vitro effects of nitazoxanide on <i>Echinococcus granulosus</i> protoscoleces and metacestodes. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 609-616.	1.3	102
241	Experimental Infections of Neonatal Mice with Cysts of <i>Giardia lamblia</i> Clone GS/M-83-H7 Are Associated with an Antigenic Reset of the Parasite. <i>Infection and Immunity</i> , 2004, 72, 4763-4771.	1.0	22
242	In Vitro Induction of <i>Neospora caninum</i> Bradyzoites in Vero Cells Reveals Differential Antigen Expression, Localization, and Host-Cell Recognition of Tachyzoites and Bradyzoites. <i>Infection and Immunity</i> , 2004, 72, 576-583.	1.0	70
243	Temporal dissection of Bax-induced events leading to fission of the single mitochondrion in <i>Trypanosoma brucei</i> . <i>EMBO Reports</i> , 2004, 5, 268-273.	2.0	48
244	Secondary and primary murine alveolar echinococcosis: combined albendazole/nitazoxanide chemotherapy exhibits profound anti-parasitic activity. <i>International Journal for Parasitology</i> , 2004, 34, 615-624.	1.3	91
245	Comparison and standardisation of serological methods for the diagnosis of <i>Neospora caninum</i> infection in bovines. <i>Veterinary Parasitology</i> , 2004, 120, 11-22.	0.7	76
246	Elaboration of a crude antigen ELISA for serodiagnosis of caprine neosporosis: validation of the test by detection of <i>Neospora caninum</i> -specific antibodies in goats from Sri Lanka. <i>Veterinary Parasitology</i> , 2004, 126, 257-262.	0.7	24
247	An interlaboratory comparison of immunohistochemistry and PCR methods for detection of <i>Neospora caninum</i> in bovine foetal tissues. <i>Veterinary Parasitology</i> , 2004, 126, 351-364.	0.7	51
248	Localization of a 56-kDa Antigen That is Present in Multiple Developmental Stages of <i>Neospora caninum</i> . <i>Journal of Parasitology</i> , 2004, 90, 660-663.	0.3	8
249	Drugs Against Echinococcosis. <i>Drug Design Reviews Online</i> , 2004, 1, 325-332.	0.7	10
250	<i>Neospora caninum</i> and <i>Toxoplasma gondii</i> : a novel adhesion/invasion assay reveals distinct differences in tachyzoite-host cell interactions. <i>Experimental Parasitology</i> , 2003, 104, 149-158.	0.5	43
251	In vitro culture of <i>Echinococcus multilocularis</i> and <i>Echinococcus vogeli</i> metacestodes: studies on the host-parasite interface. <i>Acta Tropica</i> , 2003, 85, 145-155.	0.9	21
252	In Vitro Parasiticidal Effect of Nitazoxanide against <i>Echinococcus multilocularis</i> Metacestodes. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 467-474.	1.4	94



#	ARTICLE	IF	CITATIONS
253	REDUCED CEREBRAL INFECTION OF NEOSPORA CANINUM IN INFECTED MICE AFTER VACCINATION WITH RECOMBINANT MICRONEME PROTEIN NCMIC3 AND RIBI ADJUVANT. <i>Journal of Parasitology</i> , 2003, 89, 44-50.	0.3	67
254	Vaccination of mice against experimental <i>Neospora caninum</i> infection using NcSAG1- and NcSRS2-based recombinant antigens and DNA vaccines. <i>Parasitology</i> , 2003, 126, 303-312.	0.7	90
255	Identification of a <i>Neospora caninum</i> Microneme Protein (NcMIC1) Which Interacts with Sulfated Host Cell Surface Glycosaminoglycans. <i>Infection and Immunity</i> , 2002, 70, 3187-3198.	1.0	51
256	Application of Real-Time Fluorescent PCR for Quantitative Assessment of <i>Neospora caninum</i> Infections in Organotypic Slice Cultures of Rat Central Nervous System Tissue. <i>Journal of Clinical Microbiology</i> , 2002, 40, 252-255.	1.8	55
257	Cestode parasites: Application of in vivo and in vitro models for studies on the host-parasite relationship. <i>Advances in Parasitology</i> , 2002, 51, 133-230.	1.4	68
258	Infection of organotypic slice cultures from rat central nervous tissue with <i>Neospora caninum</i> : an alternative approach to study host-parasite interactions. <i>International Journal for Parasitology</i> , 2002, 32, 533-542.	1.3	18
259	Vero cell surface proteoglycan interaction with the microneme protein NcMIC3 mediates adhesion of <i>Neospora caninum</i> tachyzoites to host cells unlike that in <i>Toxoplasma gondii</i> . <i>International Journal for Parasitology</i> , 2002, 32, 695-704.	1.3	32
260	Redescription of <i>Neospora caninum</i> and its differentiation from related coccidia. <i>International Journal for Parasitology</i> , 2002, 32, 929-946.	1.3	185
261	Exogenous nitric oxide triggers <i>Neospora caninum</i> tachyzoite-to-bradyzoite stage conversion in murine epidermal keratinocyte cell cultures. <i>International Journal for Parasitology</i> , 2002, 32, 1253-1265.	1.3	63
262	Culture of <i>Echinococcus multilocularis</i> metacestodes: an alternative to animal use. <i>Trends in Parasitology</i> , 2002, 18, 445-451.	1.5	42
263	An intact laminated layer is important for the establishment of secondary <i>Echinococcus multilocularis</i> infection. <i>Parasitology Research</i> , 2002, 88, 822-828.	0.6	44
264	A novel EF-hand calcium-binding protein in the flagellum of the protozoan <i>Tritrichomonas suis</i> . <i>Parasitology</i> , 2001, 122, 125-32.	0.7	2
265	Efficacy of toltrazuril and ponazuril against experimental <i>Neospora caninum</i> infection in mice. <i>Parasitology Research</i> , 2001, 87, 43-48.	0.6	67
266	Comparative molecular investigation of Nc5-PCR amplicons from <i>Neospora caninum</i> NC-1 and <i>Hammondia heydorni</i> -Berlin-1996. <i>Parasitology Research</i> , 2001, 87, 883-885.	0.6	18
267	Secretion of the novel <i>Trichinella</i> protein TSJ5 by <i>T. spiralis</i> and <i>T. pseudospiralis</i> muscle larvae. <i>Molecular and Biochemical Parasitology</i> , 2001, 115, 199-208.	0.5	18
268	<i>Echinococcus multilocularis</i> Alkaline Phosphatase as a Marker for Metacestode Damage Induced by In Vitro Drug Treatment with Albendazole Sulfoxide and Albendazole Sulfone. <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 2256-2262.	1.4	35
269	<i>Neospora caninum</i> Microneme Protein NcMIC3: Secretion, Subcellular Localization, and Functional Involvement in Host Cell Interaction. <i>Infection and Immunity</i> , 2001, 69, 6483-6494.	1.0	45
270	Characterization of the Laminated Layer of In vitro Cultivated <i>Echinococcus vogeli</i> Metacestodes. <i>Journal of Parasitology</i> , 2001, 87, 55.	0.3	0

#	ARTICLE	IF	CITATIONS
271	Major Carbohydrate Antigen of <i>Echinococcus multilocularis</i> Induces an Immunoglobulin G Response Independent of $\hat{I}\hat{\pm}\hat{I}^2$ + CD4 + T Cells. <i>Infection and Immunity</i> , 2001, 69, 6074-6083.	1.0	80
272	CHARACTERIZATION OF THE LAMINATED LAYER OF IN VITRO CULTIVATED <i>ECHINOCOCCUS VOGELI</i> METACESTODES. <i>Journal of Parasitology</i> , 2001, 87, 55-64.	0.3	23
273	Molecular characterization of NcMIC3 in the apicomplexan parasite <i>Neospora caninum</i> . <i>Biochemical Society Transactions</i> , 2000, 28, A480-A480.	1.6	0
274	Molecular characterization of a novel microneme antigen in <i>Neospora caninum</i> . <i>Molecular and Biochemical Parasitology</i> , 2000, 108, 39-51.	0.5	39
275	Conservation of calnexin in the early branching protozoan <i>Tritrichomonas suis</i> . <i>Molecular and Biochemical Parasitology</i> , 2000, 108, 109-117.	0.5	3
276	A European perspective on <i>Neospora caninum</i> . <i>International Journal for Parasitology</i> , 2000, 30, 877-924.	1.3	130
277	High molecular mass glycans are major structural elements associated with the laminated layer of in vitro cultivated <i>Echinococcus multilocularis</i> metacestodes. <i>International Journal for Parasitology</i> , 2000, 30, 207-214.	1.3	37
278	Nucleoside diphosphate kinase of <i>Trypanosoma brucei</i> . <i>Gene</i> , 2000, 257, 251-257.	1.0	24
279	Efficacies of Albendazole Sulfoxide and Albendazole Sulfone against In Vitro-Cultivated <i>Echinococcus multilocularis</i> Metacestodes. <i>Antimicrobial Agents and Chemotherapy</i> , 1999, 43, 1052-1061.	1.4	81
280	Susceptibility of B-cell deficient C57BL/6 (muMT) mice to <i>Neospora caninum</i> infection. <i>Parasite Immunology</i> , 1999, 21, 225-236.	0.7	98
281	The antigenic composition of <i>Neospora caninum</i> . <i>International Journal for Parasitology</i> , 1999, 29, 1175-1188.	1.3	27
282	Detection of surface-associated and intracellular glycoconjugates and glycoproteins in <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology</i> , 1999, 29, 1597-1611.	1.3	17
283	The Host-Parasite Relationship in Neosporosis. <i>Advances in Parasitology</i> , 1999, 43, 47-104.	1.4	60
284	Phosphorylation of a major GPI-anchored surface protein of <i>Trypanosoma brucei</i> during transport to the plasma membrane. <i>Journal of Cell Science</i> , 1999, 112, 1785-1795.	1.2	45
285	Stage-specific expression of the 14-3-3 gene in <i>Echinococcus multilocularis</i> 1Note: sequence information presented in this study is available in the EMBL, GenBank, and DDJB databases under the accession number U63643.1. <i>Molecular and Biochemical Parasitology</i> , 1998, 91, 281-293.	0.5	57
286	The major 36 kDa <i>Neospora caninum</i> tachyzoite surface protein is closely related to the major <i>Toxoplasma gondii</i> surface antigen1Nucleotide sequence data reported in this paper are available in the EMBL, GenBank, and DDJB databases under the accession number AF060861.1. <i>Molecular and Biochemical Parasitology</i> , 1998, 97, 97-108.	0.5	38
287	Characterization of <i>Neospora caninum</i> iscom antigens using monoclonal antibodies. <i>Parasite Immunology</i> , 1998, 20, 73-80.	0.7	47
288	Identification and characterisation of a dense granule-associated protein in <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology</i> , 1998, 28, 429-438.	1.3	36

#	ARTICLE	IF	CITATIONS
289	Differential Expression of Cell Surface- and Dense Granule-Associated <i>Neospora caninum</i> Proteins in Tachyzoites and Bradyzoites. <i>Journal of Parasitology</i> , 1998, 84, 753.	0.3	46
290	A Chicken Anti-Conoid Monoclonal Antibody Identifies a Common Epitope Which is Present on Motile Stages of <i>Eimeria</i> , <i>Neospora</i> , and <i>Toxoplasma</i> . <i>Journal of Parasitology</i> , 1998, 84, 654.	0.3	23
291	Identification of a laminated layer-associated protein in <i>Echinococcus multilocularis</i> metacestodes. <i>Parasitology</i> , 1998, 116, 363-372.	0.7	21
292	Differential expression of cell surface- and dense granule-associated <i>Neospora caninum</i> proteins in tachyzoites and bradyzoites. <i>Journal of Parasitology</i> , 1998, 84, 753-8.	0.3	12
293	A Novel Family of Serine/Threonine Kinases Participating in Spermiogenesis. <i>Journal of Cell Biology</i> , 1997, 139, 1851-1859.	2.3	84
294	Identification and partial characterization of a 36 kDa surface protein on <i>Neospora caninum</i> tachyzoites. <i>Parasitology</i> , 1997, 115, 371-380.	0.7	55
295	Survival of <i>Trypanosoma brucei</i> in the Tsetse Fly Is Enhanced by the Expression of Specific Forms of Procyclin. <i>Journal of Cell Biology</i> , 1997, 137, 1369-1379.	2.3	127
296	Characterization of a cDNA-clone encoding Nc-p43, a major <i>Neospora caninum</i> tachyzoite surface protein. <i>Parasitology</i> , 1997, 115, 581-590.	0.7	70
297	Immunopathology of Echinococcosis. , 1997, 66, 177-208.		82
298	<i>Echinococcus multilocularis</i> Metacestodes: Immunological and Immunocytochemical Analysis of the Relationships between Alkaline Phosphatase and the Em2 Antigen. <i>Experimental Parasitology</i> , 1997, 87, 142-149.	0.5	23
299	Electron Microscopy in Parasitology. , 1997, , 227-268.		39
300	The <i>Trypanosoma brucei</i> autoantigen I/6 is an internally repetitive cytoskeletal protein. <i>European Journal of Cell Biology</i> , 1997, 72, 378-84.	1.6	17
301	Electron microscopical investigation of surface alterations on <i>Giardia lamblia</i> trophozoites after exposure to a cytotoxic monoclonal antibody. <i>Parasitology Research</i> , 1996, 82, 206-210.	0.6	23
302	Identification of a major surface protein on <i>Neospora caninum</i> tachyzoites. <i>Parasitology Research</i> , 1996, 82, 497-504.	0.6	75
303	Adhesion and invasion of bovine endothelial cells by <i>Neospora caninum</i> . <i>Parasitology</i> , 1996, 112, 183-197.	0.7	121
304	Subcellular localization and functional characterization of Nc-p43, a major <i>Neospora caninum</i> tachyzoite surface protein. <i>Infection and Immunity</i> , 1996, 64, 4279-4287.	1.0	77
305	Repetitive proteins from the flagellar cytoskeleton of African trypanosomes are diagnostically useful antigens. <i>Parasitology</i> , 1995, 110, 249-258.	0.7	35
306	Flagellum-mediated adhesion of <i>Trypanosoma congolense</i> to bovine aorta endothelial cells. <i>Zeitschrift für Parasitenkunde (Berlin, Germany)</i> , 1995, 81, 412-420.	0.8	33

#	ARTICLE	IF	CITATIONS
307	Immunology and morphology studies on the proliferation of in vitro cultivated <i>Echinococcus multilocularis</i> metacestodes. <i>Zeitschrift für Parasitenkunde</i> (Berlin, Germany), 1995, 81, 605-614.	0.8	93
308	The Repetitive Microtubule-Associated Proteins MARP-1 and MARP-2 of <i>Trypanosoma brucei</i> . <i>Journal of Structural Biology</i> , 1994, 112, 241-251.	1.3	24
309	The interaction of <i>Trypanosoma congolense</i> with endothelial cells. <i>Parasitology</i> , 1994, 109, 631-641.	0.7	33
310	A repetitive protein from <i>Trypanosoma brucei</i> which caps the microtubules at the posterior end of the cytoskeleton. <i>Molecular and Biochemical Parasitology</i> , 1993, 58, 83-96.	0.5	33
311	A novel microtubule-binding motif identified in a high molecular weight microtubule-associated protein from <i>Trypanosoma brucei</i> . <i>Journal of Cell Biology</i> , 1992, 117, 95-103.	2.3	52
312	Identification and characterization of two repetitive non-variable antigens from African trypanosomes which are recognized early during infection. <i>Parasitology</i> , 1992, 104, 111-120.	0.7	56
313	The <i>Trypanosoma brucei</i> cytoskeleton: Ultrastructure and localization of microtubule-associated and spectrin-like proteins using quick-freeze, deep-etch, immunogold electron microscopy. <i>Journal of Structural Biology</i> , 1991, 107, 211-220.	1.3	37
314	The Cytoskeletal Architecture of <i>Trypanosoma brucei</i> . <i>Journal of Parasitology</i> , 1991, 77, 603.	0.3	51
315	The cytoskeletal architecture of <i>Trypanosoma brucei</i> . <i>Journal of Parasitology</i> , 1991, 77, 603-12.	0.3	22
316	The Cytoskeleton of trypanosomes. <i>Parasitology Today</i> , 1990, 6, 49-52.	3.1	55
317	Maps in all Varieties of The Cytoskeleton of <i>Trypanosoma Brucei</i> . <i>Springer Series in Biophysics</i> , 1989, , 312-315.	0.4	0
318	The cytoskeleton of <i>Trypanosoma brucei</i> -the beauty of simplicity. <i>Protoplasma</i> , 1988, 145, 188-194.	1.0	24
319	Large microtubule-associated protein of <i>T. brucei</i> has tandemly repeated, near-identical sequences. <i>Science</i> , 1988, 241, 459-462.	6.0	86
320	Neosporosis in Animals. , 0, , .		91
321	Vaccine-Linked Chemotherapy Approach: Additive Effects of Combining the <i>Listeria monocytogenes</i> -Based Vaccine Lm3Dx_NcSAG1 With the Bumped Kinase Inhibitor BKI-1748 Against <i>Neospora caninum</i> Infection in Mice. <i>Frontiers in Veterinary Science</i> , 0, 9, .	0.9	2
322	Organometallic Derivatives of Decoquinolate Targeted toward <i>Toxoplasma gondii</i> . <i>Organometallics</i> , 0, , .	1.1	0