
Satoshi Fukushima

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2692862/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Myasthenic crisis and polymyositis induced by one dose of nivolumab. Cancer Science, 2016, 107, 1055-1058. | 1.7 | 176 |
| 2 | Intratumoral expression levels of <i>PD-L1</i> , <i>GZMA</i> , and <i>HLA-A</i> along with oligoclonal T cell expansion associate with response to nivolumab in metastatic melanoma. Oncolmmunology, 2016, 5, e1204507. | 2.1 | 107 |
| 3 | Serum long non oding RNA, snoRNA host gene 5 level as a new tumor marker of malignant melanoma. Experimental Dermatology, 2016, 25, 67-69. | 1.4 | 47 |
| 4 | Investigation of FOXM1 as a Potential New Target for Melanoma. PLoS ONE, 2015, 10, e0144241. | 1.1 | 35 |
| 5 | Japanese Dermatological Association Guidelines: Outlines of guidelines for cutaneous melanoma 2019. Journal of Dermatology, 2020, 47, 89-103. | 0.6 | 33 |
| 6 | Evaluation of sentinel node biopsy for cutaneous squamous cell carcinoma. Journal of Dermatology, 2014, 41, 539-541. | 0.6 | 32 |
| 7 | Circulating extracellular vesicle microRNAs associated with adverse reactions, proinflammatory cytokine, and antibody production after COVID-19 vaccination. Npj Vaccines, 2022, 7, 16. | 2.9 | 22 |
| 8 | Skin microbiome in acral melanoma: <i>Corynebacterium</i> is associated with advanced melanoma. Journal of Dermatology, 2021, 48, e15-e16. | 0.6 | 21 |
| 9 | Immunotherapy against Metastatic Melanoma with Human iPS Cell–Derived Myeloid Cell Lines Producing Type I Interferons. Cancer Immunology Research, 2016, 4, 248-258. | 1.6 | 20 |
| 10 | Tinea unguium caused by terbinafineâ€resistant <i>Trichophyton rubrum</i> successfully treated with fosravuconazole. Journal of Dermatology, 2019, 46, e446-e447. | 0.6 | 18 |
| 11 | Fungal melanonychia caused by Candida parapsilosis successfully treated with oral fosravuconazole. Journal of Dermatology, 2019, 46, 911-913. | 0.6 | 15 |
| 12 | Serum concentrations of HGF are correlated with response to anti-PD-1 antibody therapy in patients with metastatic melanoma. Journal of Dermatological Science, 2019, 93, 33-40. | 1.0 | 15 |
| 13 | Significance of 5-S-Cysteinyldopa as a Marker for Melanoma. International Journal of Molecular Sciences, 2020, 21, 432. | 1.8 | 15 |
| 14 | Cell division cycleâ€associated protein 1 as a new melanomaâ€associated antigen. Journal of Dermatology, 2016, 43, 1399-1405. | 0.6 | 14 |
| 15 | Circulating tumor necrosis factorâ€Î± DNA are elevated in psoriasis. Journal of Dermatology, 2020, 47, 1037-1040. | 0.6 | 14 |
| 16 | MicroRNAs that predict the effectiveness of anti-PD-1 therapies in patients with advanced melanoma. Journal of Dermatological Science, 2020, 97, 77-79. | 1.0 | 13 |
| 17 | Overexpression of cyclinâ€dependent kinase 4 protein in extramammary Paget's disease. Journal of Dermatology, 2019, 46, 444-448. | 0.6 | 12 |
| 18 | Japanese realâ€world study of sequential nivolumab and ipilimumab treament in melanoma. Journal of Dermatology, 2019, 46, 947-955. | 0.6 | 11 |

SATOSHI FUKUSHIMA

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Improved safety of induced pluripotent stem cell-derived antigen-presenting cell-based cancer immunotherapy. Molecular Therapy - Methods and Clinical Development, 2021, 21, 171-179. | 1.8 | 11 |
| 20 | Inhibition of Endoglin Exerts Antitumor Effects through the Regulation of Non-Smad TGF-β Signaling in Angiosarcoma. Journal of Investigative Dermatology, 2020, 140, 2060-2072.e6. | 0.3 | 10 |
| 21 | Fiveâ€year survival with nivolumab in previously untreated Japanese patients with advanced or recurrent malignant melanoma. Journal of Dermatology, 2021, 48, 592-599. | 0.6 | 10 |
| 22 | miR-524-5p reduces the progression of the BRAF inhibitor-resistant melanoma. Neoplasia, 2020, 22, 789-799. | 2.3 | 9 |
| 23 | Case series of cutaneous Tâ€cell lymphomas treated with bexaroteneâ€based therapy. Journal of Dermatology, 2020, 47, 636-640. | 0.6 | 9 |
| 24 | Fosravuconazole to treat severe onychomycosis in the elderly. Journal of Dermatology, 2021, 48, 228-231. | 0.6 | 9 |
| 25 | Topical efinaconazole: A promising therapeutic medication for tinea unguium. Journal of Dermatology, 2018, 45, 1225-1228. | 0.6 | 8 |
| 26 | Onychomycosis caused by <i>Aspergillus subramanianii</i> . Journal of Dermatology, 2018, 45, 1362-1366. | 0.6 | 8 |
| 27 | Promising Blood-Based Biomarkers for Melanoma: Recent Progress of Liquid Biopsy and Its Future Perspectives. Current Treatment Options in Oncology, 2022, 23, 562-577. | 1.3 | 8 |
| 28 | Serum levels of leptin receptor in patients with malignant melanoma as a new tumor marker. Experimental Dermatology, 2013, 22, 748-749. | 1.4 | 7 |
| 29 | Hair shaft mi <scp>RNA</scp> â€221 levels as a new tumor marker of malignant melanoma. Journal of Dermatology, 2015, 42, 198-201. | 0.6 | 7 |
| 30 | Case of metastatic extramammary Paget's disease treated with trastuzumabâ€biosimilar monotherapy after Sâ€l and docetaxel combination chemotherapy. Journal of Dermatology, 2020, 47, e1-e2. | 0.6 | 7 |
| 31 | Effect of topical immunotherapy with squaric acid dibutylester for alopecia areata in Japanese patients. Allergology International, 2020, 69, 274-278. | 1.4 | 7 |
| 32 | Induced pluripotent stem cellâ€derived myeloid cells expressing OX40 ligand amplify antigenâ€specific T cells in advanced melanoma. Pigment Cell and Melanoma Research, 2020, 33, 744-755. | 1.5 | 6 |
| 33 | Elevated circulating cellâ€free DNA levels in autoimmune bullous diseases. Journal of Dermatology, 2020, 47, e345-e346. | 0.6 | 5 |
| 34 | Immunotherapy with 4-1BBL-Expressing iPS Cellâ€Derived Myeloid Lines Amplifies Antigen-Specific T Cell Infiltration in Advanced Melanoma. International Journal of Molecular Sciences, 2021, 22, 1958. | 1.8 | 5 |
| 35 | Intertumor and intratumor heterogeneity of <scp> <i>PIK3CA </i> </scp> mutations in extramammary Paget's disease. Journal of Dermatology, 2022, 49, 508-514. | 0.6 | 4 |
| 36 | A phase I study of the safety and efficacy of talimogene laherparepvec in Japanese patients with advanced melanoma. Cancer Science, 0, , . | 1.7 | 4 |

SATOSHI FUKUSHIMA

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Elevated Alpha 1(I) to Alpha 2(I) Collagen Ratio in Dermal Fibroblasts Possibly Contributes to Fibrosis in Systemic Sclerosis. International Journal of Molecular Sciences, 2022, 23, 6811. | 1.8 | 4 |
| 38 | Serum epidermal growth factor receptor levels in patients with malignant melanoma. Clinical and Experimental Dermatology, 2013, 38, 172-177. | 0.6 | 3 |
| 39 | Dabrafenib and trametinib combination therapy safely performed in a patient with metastatic melanoma after severe liver toxicity due to vemurafenib. Journal of Dermatology, 2018, 45, e157-e158. | 0.6 | 3 |
| 40 | Natural course of epidermolysis bullosa simplex with mottled pigmentation in a Japanese family with the p.P25L mutation in <i><scp>KRT</scp>5</i> . Journal of Dermatology, 2019, 46, e233-e235. | 0.6 | 3 |
| 41 | Bioactive substances in the stratum corneum of the epidermis found as indicators of skin damage due to sun exposure. Photodermatology Photoimmunology and Photomedicine, 2021, , . | 0.7 | 3 |
| 42 | Circulating Janus kinase family DNA levels in psoriasis: elevated JAK2 DNA copy number in cellâ€free DNA. Journal of Dermatology, 2022, 49, . | 0.6 | 3 |
| 43 | BATF2 expression as a novel marker for invasive phenotype in malignant melanoma. Journal of Dermatology, 2020, 47, e372-e373. | 0.6 | 2 |
| 44 | Onychomycosis caused by <i>Trichosporon cacaoliposimilis</i> . Journal of Dermatology, 2020, 47, e193-e195. | 0.6 | 2 |
| 45 | Serum antiâ€p53 autoantibodies in angiosarcoma. Journal of Dermatology, 2020, 47, 849-854. | 0.6 | 2 |
| 46 | Ungual hyalohyphomycosis caused by <i>Fusarium proliferatum</i> successfully treated with fosravuconazole. Journal of Dermatology, 2020, 47, e251-e253. | 0.6 | 2 |
| 47 | Serious disseminated intravascular coagulation associated with combination therapy of nivolumab and ipilimumab in advanced melanoma. Journal of Dermatology, 2020, 47, e235-e237. | 0.6 | 2 |
| 48 | Overexpression of tumor endothelial marker 8 protein predicts poor prognosis in angiosarcoma. Journal of Dermatology, 2021, 48, E514-E516. | 0.6 | 2 |
| 49 | Genomic landscape of circulating tumour DNA in metastatic extramammary Paget's disease. Experimental Dermatology, 2021, , . | 1.4 | 2 |
| 50 | Empiric antifungal therapy in patients with cutaneous and subcutaneous phaeohyphomycosis. Journal of Dermatology, 2022, 49, 564-571. | 0.6 | 2 |
| 51 | Clinical significance of <scp><i>ERBB2</i> S310F</scp> mutation in extramammary Paget's disease. Journal of Dermatology, 2022, 49, . | 0.6 | 2 |
| 52 | Simple and effective modification of the axial frontonasal flap to prevent flap distortion. Journal of Dermatology, 2019, 46, e46-e47. | 0.6 | 1 |
| 53 | Case of cutaneous myoepithelioma managed with surgical resection without recurrence for 4Âyears. Journal of Dermatology, 2019, 46, e206-e208. | 0.6 | 1 |
| 54 | Nivolumabâ€induced colitis in a patient with malignant melanoma: A case report and immunological analysis. Journal of Dermatology, 2019, 46, e339-e341. | 0.6 | 1 |

SATOSHI FUKUSHIMA

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Serum levels of desmogleinâ€1 DNA copies in cellâ€free DNA of patients with pemphigus. Journal of Dermatology, 2021, 48, e31-e32. | 0.6 | 1 |
| 56 | Status of microsatellite stability in angiosarcoma: Angiosarcoma is a microsatellite stable tumor. Journal of Dermatology, 2021, 48, e368-e369. | 0.6 | 1 |
| 57 | Topical efinaconazole: A sequential combination therapy with oral terbinafine for refractory tinea unguium. Journal of Dermatology, 2021, 48, 1401-1404. | 0.6 | 1 |
| 58 | Clinical significance of skin colonization of <i>Pseudomonas aeruginosa</i> in cutaneous squamous cell carcinoma. Journal of Dermatology, 2021, 48, e581-e582. | 0.6 | 1 |
| 59 | Concordance in judgment of clinical borders of basal cell carcinomas in Japanese patients: A preliminary study of <scp>JCOG2005</scp> (<scp>Jâ€BASEâ€MARGIN</scp>). Journal of Dermatology, 2022, 49, 837-844. | 0.6 | 1 |
| 60 | Geographical Flushing of the Children's Face: A New Clinical Entity?. Case Reports in Dermatological Medicine, 2013, 2013, 1-2. | 0.1 | 0 |
| 61 | Successful treatment of occult pancreatic melanoma using BRAF/MEK inhibitors. Journal of Dermatology, 2020, 47, e126-e127. | 0.6 | 0 |
| 62 | Single administration of avelumab induced a complete response in thyroid transcription factor 1â€positive combined Merkel cell carcinoma. Journal of Dermatology, 2020, 47, 1317-1321. | 0.6 | 0 |
| 63 | Subcutaneous cystic phaeohyphomycosis caused by <i>Phaeoacremonium minimum</i> . Journal of Dermatology, 2021, 48, e234-e235. | 0.6 | 0 |
| 64 | Ungual hyalohyphomycosis caused by <i>Penicillium citrinum</i> successfully treated with fosravuconazole. Journal of Dermatology, 2021, 48, e608-e609. | 0.6 | 0 |
| 65 | Textbook case of onychomycosis caused by <i>Scopulariopsis brevicaulis</i> . Journal of Dermatology, 2022, 49, . | 0.6 | 0 |
| 66 | Microsatellite instability analysis using Promega panel in cutaneous squamous cell carcinoma. Journal of Dermatology, 2022, 49, . | 0.6 | 0 |
| 67 | Clinical significance of maximum standardized uptake value of positron emission tomography/computed tomography as prognostic factor in extramammary Paget's disease. Journal of Dermatology, 2022, 49, . | 0.6 | 0 |