

Anabel Martinez Aran

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2693286/publications.pdf>

Version: 2024-02-01

183
papers

15,609
citations

15504

65
h-index

17592

121
g-index

203
all docs

203
docs citations

203
times ranked

6894
citing authors

#	ARTICLE	IF	CITATIONS
1	Cognitive Function Across Manic or Hypomanic, Depressed, and Euthymic States in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2004, 161, 262-270.	7.2	943
2	A Randomized Trial on the Efficacy of Group Psychoeducation in the Prophylaxis of Recurrences in Bipolar Patients Whose Disease Is in Remission. <i>Archives of General Psychiatry</i> , 2003, 60, 402.	12.3	701
3	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 5.	1.2	605
4	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	7.2	579
5	Cognitive impairment in euthymic bipolar patients: implications for clinical and functional outcome. <i>Bipolar Disorders</i> , 2004, 6, 224-232.	1.9	517
6	Functional outcome in bipolar disorder: the role of clinical and cognitive factors. <i>Bipolar Disorders</i> , 2007, 9, 103-113.	1.9	497
7	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.	4.5	481
8	Functioning and Disability in Bipolar Disorder: An Extensive Review. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 285-297.	8.8	348
9	Group psychoeducation for stabilised bipolar disorders: 5-year outcome of a randomised clinical trial. <i>British Journal of Psychiatry</i> , 2009, 194, 260-265.	2.8	312
10	Clinical Factors Associated With Treatment Noncompliance in Euthymic Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2000, 61, 549-555.	2.2	276
11	Clinical and neurocognitive predictors of functional outcome in bipolar euthymic patients: A long-term, follow-up study. <i>Journal of Affective Disorders</i> , 2010, 121, 156-160.	4.1	273
12	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.	7.2	269
13	Neurocognitive and clinical predictors of functional outcome in patients with schizophrenia and bipolar I disorder at one-year follow-up. <i>Journal of Affective Disorders</i> , 2008, 109, 286-299.	4.1	256
14	Psychoeducation Efficacy in Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 1101-1105.	2.2	239
15	Cognitive impairment in bipolar II disorder. <i>British Journal of Psychiatry</i> , 2006, 189, 254-259.	2.8	226
16	The International Society for Bipolar Disorders's "Battery for Assessment of Neurocognition (ISBD-BANC). <i>Bipolar Disorders</i> , 2010, 12, 351-363.	1.9	218
17	Cognitive Dysfunctions in Bipolar Disorder: Evidence of Neuropsychological Disturbances. <i>Psychotherapy and Psychosomatics</i> , 2000, 69, 2-18.	8.8	210
18	Neurocognitive endophenotypes (Endophenocognitypes) from studies of relatives of bipolar disorder subjects: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2008, 32, 1426-1438.	6.1	189

#	ARTICLE	IF	CITATIONS
19	Specificity of Cognitive Deficits in Bipolar Disorder versus Schizophrenia. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 72-84.	8.8	185
20	Effects of recurrence on the cognitive performance of patients with bipolar I disorder: implications for relapse prevention and treatment adherence. <i>Bipolar Disorders</i> , 2010, 12, 557-567.	1.9	185
21	A Randomized Trial Comparing Paroxetine and Venlafaxine in the Treatment of Bipolar Depressed Patients Taking Mood Stabilizers. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 508-512.	2.2	184
22	Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 670-680.	2.1	174
23	Impact of caregiver group psychoeducation on the course and outcome of bipolar patients in remission: a randomized controlled trial. <i>Bipolar Disorders</i> , 2008, 10, 511-519.	1.9	168
24	Executive Function in Patients with Remitted Bipolar Disorder and Schizophrenia and Its Relationship with Functional Outcome. <i>Psychotherapy and Psychosomatics</i> , 2002, 71, 39-46.	8.8	163
25	Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009, 11, 401-409.	1.9	156
26	Subthreshold symptoms in bipolar disorder: Impact on neurocognition, quality of life and disability. <i>Journal of Affective Disorders</i> , 2012, 136, 650-659.	4.1	156
27	Methodological recommendations for cognition trials in bipolar disorder by the International Society for Bipolar Disorders Targeting Cognition Task Force. <i>Bipolar Disorders</i> , 2017, 19, 614-626.	1.9	155
28	Impact of a Psychoeducational Family Intervention on Caregivers of Stabilized Bipolar Patients. <i>Psychotherapy and Psychosomatics</i> , 2004, 73, 312-319.	8.8	149
29	Persistent Neuropsychological Deficit in Euthymic Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1078-1086.	2.2	146
30	Persistent Cognitive Dysfunctions in Bipolar I Disorder and Schizophrenic Patients: A 3-Year Follow-Up Study. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 113-119.	8.8	143
31	Long-Term Outcome of Cognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2012, 73, e899-e905.	2.2	143
32	Neurocognitive Impairment in Bipolar Patients With and Without History of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 233-239.	2.2	142
33	One-year psychosocial functioning in patients in the early vs. late stage of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 335-341.	4.5	141
34	Clinical correlates of psychiatric comorbidity in bipolar I patients. <i>Bipolar Disorders</i> , 2001, 3, 253-258.	1.9	134
35	Assessing and addressing cognitive impairment in bipolar disorder: the International Society for Bipolar Disorders Targeting Cognition Task Force recommendations for clinicians. <i>Bipolar Disorders</i> , 2018, 20, 184-194.	1.9	134
36	Do Cognitive Complaints in Euthymic Bipolar Patients Reflect Objective Cognitive Impairment?. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 295-302.	8.8	130

#	ARTICLE	IF	CITATIONS
37	A systematic review of cognitive remediation for schizo-affective and affective disorders. <i>Journal of Affective Disorders</i> , 2012, 142, 13-21.	4.1	130
38	The Clinical Implications Of Cognitive Impairment and Allostatic Load in Bipolar Disorder. <i>European Psychiatry</i> , 2013, 28, 21-29.	0.2	119
39	Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013, 150, 29-36.	4.1	116
40	Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1017-1023.	2.2	108
41	Neurocognition in bipolar disordersâ€™ A closer look at comorbidities and medications. <i>European Journal of Pharmacology</i> , 2010, 626, 87-96.	3.5	105
42	What really matters to bipolar patients' caregivers: Sources of family burden. <i>Journal of Affective Disorders</i> , 2006, 94, 157-163.	4.1	104
43	Risperidone Safety and Efficacy in the Treatment of Bipolar and Schizoaffective Disorders. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 818-825.	2.2	103
44	Psychoeducation in bipolar patients with comorbid personality disorders. <i>Bipolar Disorders</i> , 2004, 6, 294-298.	1.9	100
45	Resilience and mental health during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021, 283, 156-164.	4.1	98
46	Long-Term Stability of Cognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 712-719.	2.2	96
47	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93.	2.8	95
48	Influence of Clinical and Neuropsychological Variables on the Psychosocial and Occupational Outcome of Remitted Bipolar Patients. <i>Psychopathology</i> , 2009, 42, 148-156.	1.5	91
49	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2011, 52, 613-622.	3.1	91
50	Stabilizing the stabilizer: group psychoeducation enhances the stability of serum lithium levels. <i>Bipolar Disorders</i> , 2005, 7, 32-36.	1.9	90
51	Bipolar I patients with and without a history of psychotic symptoms: Do they differ in their cognitive functioning?. <i>Journal of Psychiatric Research</i> , 2007, 41, 265-272.	3.1	89
52	Cognitive variability in bipolar II disorder: who is cognitively impaired and who is preserved. <i>Bipolar Disorders</i> , 2016, 18, 288-299.	1.9	83
53	Functional Remediation for Bipolar Disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011, 7, 112-116.	1.2	82
54	Has number of previous episodes any effect on response to group psychoeducation in bipolar patients? A 5-year follow-up <i>post hoc</i> analysis. <i>Acta Neuropsychiatrica</i> , 2010, 22, 50-53.	2.1	81

#	ARTICLE	IF	CITATIONS
55	Heterogeneity of functional outcomes in patients with bipolar disorder: a cluster-analytic approach. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 516-527.	4.5	81
56	Spanish version of the Screen for Cognitive Impairment in Psychiatry (SCIP-S): Psychometric properties of a brief scale for cognitive evaluation in schizophrenia. <i>Schizophrenia Research</i> , 2008, 99, 139-148.	2.0	78
57	Neurocognitive impairment and psychosocial functioning in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 309-317.	4.5	78
58	Quetiapine in the treatment of rapid cycling bipolar disorder. <i>Bipolar Disorders</i> , 2002, 4, 335-340.	1.9	74
59	Thresholds for severity, remission and recovery using the functioning assessment short test (FAST) in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 240, 57-62.	4.1	72
60	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 160, 50-54.	4.1	71
61	Cognition as a target in schizophrenia, bipolar disorder and depression. <i>European Neuropsychopharmacology</i> , 2015, 25, 151-157.	0.7	71
62	Neurocognitive Impairment Across the Bipolar Spectrum. <i>CNS Neuroscience and Therapeutics</i> , 2012, 18, 194-200.	3.9	70
63	Effects of the COVID-19 pandemic and lockdown in Spain: comparison between community controls and patients with a psychiatric disorder. Preliminary results from the BRIS-MHC STUDY. <i>Journal of Affective Disorders</i> , 2021, 281, 13-23.	4.1	70
64	Affective cognition in bipolar disorder: A systematic review by the ISBD targeting cognition task force. <i>Bipolar Disorders</i> , 2019, 21, 686-719.	1.9	69
65	Comparison of Rapid-Cycling and Non-Rapid-Cycling Bipolar I Manic Patients During Treatment With Olanzapine. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1420-1428.	2.2	69
66	Functional Impairment in Patients with Remitted Bipolar Disorder. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 390-392.	8.8	68
67	Lithium Treatment Effects on the Neuropsychological Functioning of Patients With Bipolar I Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1055-1060.	2.2	68
68	Role of risperidone in bipolar II: an open 6-month study. <i>Journal of Affective Disorders</i> , 2001, 67, 213-219.	4.1	67
69	Neuropsychological Performance in Depressed and Euthymic Bipolar Patients. <i>Neuropsychobiology</i> , 2002, 46, 16-21.	1.9	67
70	Neurocognitive Dysfunctions in Euthymic Bipolar Patients With and Without Prior History of Alcohol Use. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1120-1127.	2.2	67
71	Are bipolar II patients cognitively impaired? A systematic review. <i>Psychological Medicine</i> , 2011, 41, 1791-1803.	4.5	65
72	Cognition as a target in major depression: New developments. <i>European Neuropsychopharmacology</i> , 2015, 25, 231-247.	0.7	64

#	ARTICLE	IF	CITATIONS
73	Improving Functioning, Quality of Life, and Well-being in Patients With Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 467-477.	2.1	64
74	Different profile of substance abuse in relation to predominant polarity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010, 124, 250-255.	4.1	62
75	Personality Disorders in Bipolar II Patients. <i>Journal of Nervous and Mental Disease</i> , 1999, 187, 245-248.	1.0	61
76	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 145-154.	4.5	60
77	Olanzapine as Long-Term Adjunctive Therapy in Treatment-Resistant Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 469-473.	1.4	59
78	Therapeutic Interventions Focused on the Family of Bipolar Patients. <i>Psychotherapy and Psychosomatics</i> , 2002, 71, 2-10.	8.8	58
79	Effects on Weight and Outcome of Long-term Olanzapine-Topiramate Combination Treatment in Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 374-378.	1.4	57
80	Utility of the World Health Organization Disability Assessment Schedule II in schizophrenia. <i>Schizophrenia Research</i> , 2012, 138, 240-247.	2.0	56
81	Enhanced corticotropin response to corticotropin-releasing hormone as a predictor of mania in euthymic bipolar patients. <i>Psychological Medicine</i> , 1999, 29, 971-978.	4.5	55
82	Neurocognitive diagnosis and cut-off scores of the Screen for Cognitive Impairment in Psychiatry (SCIP-S). <i>Schizophrenia Research</i> , 2010, 116, 243-251.	2.0	55
83	Cognitive impairment in schizoaffective disorder: a comparison with non-psychotic bipolar and healthy subjects. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 453-460.	4.5	53
84	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.	0.7	52
85	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017, 208, 621-627.	4.1	51
86	Cognitive Functioning in Bipolar Patients Receiving Lamotrigine. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 178-181.	1.4	49
87	Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017, 19, 363-374.	1.9	49
88	Variations in genes regulating neuronal migration predict reduced prefrontal cognition in schizophrenia and bipolar subjects from mediterranean Spain: A preliminary study. <i>Neuroscience</i> , 2006, 139, 1289-1300.	2.3	47
89	Treatment of Functional Impairment in Patients with Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2017, 19, 3.	4.5	45
90	Neuropsychological Disturbances and Cerebral Blood Flow in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 227-234.	2.3	44

#	ARTICLE	IF	CITATIONS
91	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016, 46, 291-301.	4.5	43
92	Neuropsychological profile in bipolar disorder: a preliminary study of monotherapy lithium-treated euthymic bipolar patients evaluated at a 2-year interval. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 373-381.	4.5	42
93	Protocol for the management of psychiatric patients with psychomotor agitation. <i>BMC Psychiatry</i> , 2017, 17, 328.	2.6	42
94	Reporting outcomes in clinical trials for bipolar disorder: a commentary and suggestions for change. <i>Bipolar Disorders</i> , 2008, 10, 566-579.	1.9	40
95	Clinical usefulness of the screen for cognitive impairment in psychiatry (SCIP-S) scale in patients with type I bipolar disorder. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 28.	2.4	37
96	The screen for cognitive impairment in psychiatry: diagnostic-specific standardization in psychiatric ill patients. <i>BMC Psychiatry</i> , 2013, 13, 127.	2.6	37
97	Disability in bipolar I disorder: The 36-item World Health Organization Disability Assessment Schedule 2.0. <i>Journal of Affective Disorders</i> , 2015, 174, 353-360.	4.1	35
98	Bipolar disorder with comorbid attention deficit and hyperactivity disorder. Main clinical features and clues for an accurate diagnosis. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 389-399.	4.5	35
99	The impact of repeated manic episodes and executive dysfunction on work adjustment in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 247-254.	3.2	34
100	Psychometric properties of the well-being index (WHO-5) spanish version in a sample of euthymic patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 228, 153-159.	4.1	34
101	The role and impact of contextual factors on functioning in patients with bipolar disorder. <i>Disability and Rehabilitation</i> , 2010, 32, S94-S104.	1.8	33
102	Long-term stability of cognitive impairment in bipolar disorder: a 2-year follow-up study of lithium-treated euthymic bipolar patients. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 712-9.	2.2	33
103	Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. <i>Journal of Clinical Medicine</i> , 2019, 8, 586.	2.4	31
104	Validity and reliability of the Cognitive Complaints in Bipolar Disorder Rating Assessment (COBRA) in Japanese patients with bipolar disorder. <i>Psychiatry Research</i> , 2017, 254, 85-89.	3.3	27
105	Neurocognitive Training in Patients with Bipolar Disorders: Current Status and Perspectives. <i>Psychotherapy and Psychosomatics</i> , 2012, 81, 250-252.	8.8	26
106	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.	0.7	26
107	Affective versus non-affective first episode psychoses: A longitudinal study. <i>Journal of Affective Disorders</i> , 2018, 238, 297-304.	4.1	26
108	Social cognition in bipolar disorder: the role of sociodemographic, clinical, and neurocognitive variables in emotional intelligence. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 369-380.	4.5	26

#	ARTICLE	IF	CITATIONS
109	Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. <i>Journal of Clinical Medicine</i> , 2019, 8, 1046.	2.4	25
110	Associations between cognitive impairment and quality of life in euthymic bipolar patients. <i>Psychiatry Research</i> , 2019, 271, 510-515.	3.3	25
111	Cognition in older adults with bipolar disorder: An ISBD task force systematic review and meta-analysis based on a comprehensive neuropsychological assessment. <i>Bipolar Disorders</i> , 2022, 24, 115-136.	1.9	24
112	Social cognition in bipolar disorder: Focus on emotional intelligence. <i>Journal of Affective Disorders</i> , 2017, 217, 210-217.	4.1	23
113	Randomised controlled cognition trials in remitted patients with mood disorders published between 2015 and 2021: A systematic review by the International Society for Bipolar Disorders Targeting Cognition Task Force. <i>Bipolar Disorders</i> , 2022, 24, 354-374.	1.9	23
114	Chronic mania revisited: Factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). <i>World Journal of Biological Psychiatry</i> , 2008, 9, 313-320.	2.6	22
115	Evidence for association between structural variants in lissencephaly-related genes and executive deficits in schizophrenia or bipolar patients from a Spanish isolate population. <i>Psychiatric Genetics</i> , 2008, 18, 313-317.	1.1	22
116	Behavioral addictions in bipolar disorders: A systematic review. <i>European Neuropsychopharmacology</i> , 2019, 29, 76-97.	0.7	19
117	Adjunctive topiramate in bipolar II disorder. <i>World Journal of Biological Psychiatry</i> , 2003, 4, 172-176.	2.6	18
118	Validity and reliability of the Cognitive Complaints in Bipolar Disorder Rating Assessment (COBRA) in Brazilian bipolar patients. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 170-178.	0.8	17
119	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018, 28, 863-874.	0.7	16
120	Predictors of functional impairment in bipolar disorder: Results from 13 cohorts from seven countries by the global bipolar cohort collaborative. <i>Bipolar Disorders</i> , 2022, 24, 709-719.	1.9	16
121	Functional impairment and previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2008, 20, 300-306.	2.1	14
122	Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental</i> , 2023, 16, 184-191.	1.8	14
123	The switch from conventional to atypical antipsychotic treatment should not be based exclusively on the presence of cognitive deficits. A pilot study in individuals with schizophrenia. <i>BMC Psychiatry</i> , 2010, 10, 47.	2.6	13
124	Family functioning in bipolar disorder: Characteristics, congruity between patients and relatives, and clinical correlates. <i>Psychiatry Research</i> , 2016, 245, 66-73.	3.3	13
125	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018, 199, 64-74.	2.0	13
126	Identifying social cognition subgroups in euthymic patients with bipolar disorder: a cluster analytical approach. <i>Psychological Medicine</i> , 2022, 52, 159-168.	4.5	13

#	ARTICLE	IF	CITATIONS
127	Clinical value of 99mTc-HMPAO SPECT in depressed bipolar I patients. Psychiatry Research - Neuroimaging, 2004, 132, 285-289.	1.8	12
128	Restoring Functioning in Bipolar Disorder. Harvard Review of Psychiatry, 2014, 22, 326-330.	2.1	12
129	Visual memory dysfunction as a neurocognitive endophenotype in bipolar disorder patients and their unaffected relatives. Evidence from a 5-year follow-up Valencia study.. Journal of Affective Disorders, 2019, 257, 31-37.	4.1	12
130	The International Consortium Investigating Neurocognition in Bipolar Disorder (ICONIC â€•BD). Bipolar Disorders, 2019, 21, 6-10.	1.9	12
131	A prospective longitudinal study searching for predictors of response to group psychoeducation in bipolar disorder. Journal of Affective Disorders, 2020, 274, 1113-1121.	4.1	12
132	Efficacy of an integrative approach for bipolar disorder: preliminary results from a randomized controlled trial. Psychological Medicine, 2022, 52, 4094-4105.	4.5	12
133	Neuropsychological disturbances and cerebral blood flow in bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2005, 39, 227-234.	2.3	12
134	Precision psychotherapy. European Neuropsychopharmacology, 2022, 55, 20-21.	0.7	12
135	Are patients with bipolar disorder and comorbid attentionâ€•deficit hyperactivity disorder more neurocognitively impaired?. Bipolar Disorders, 2017, 19, 637-650.	1.9	11
136	Functional impairment in adult bipolar disorder with ADHD. Journal of Affective Disorders, 2018, 227, 117-125.	4.1	11
137	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. Journal of Affective Disorders, 2019, 249, 199-207.	4.1	11
138	Process of adaptation to Spanish of the Temperament Evaluation of Memphis, Pisa, Paris and San Diego Scale. Self applied version (TEMPS-A). Actas Espanolas De Psiquiatria, 2005, 33, 325-30.	0.1	11
139	The Somatics of Psyche: Structural Neuromorphometry of Bipolar Disorder. Psychotherapy and Psychosomatics, 2002, 71, 180-189.	8.8	10
140	Functional remediation improves bipolar disorder functioning with no effects on brain-derived neurotrophic factor levels. European Neuropsychopharmacology, 2019, 29, 701-710.	0.7	10
141	Does cognitive impairment in bipolar disorder impact on a SIMPLe app use?. Journal of Affective Disorders, 2021, 282, 488-494.	4.1	10
142	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. European Neuropsychopharmacology, 2022, 60, 91-99.	0.7	9
143	Identifying neurocognitive heterogeneity in Older Adults with Bipolar Disorder: a cluster analysis. Journal of Affective Disorders, 2022, 298, 522-531.	4.1	8
144	Social Stress in Bipolar Disorder. European Neuropsychopharmacology, 2022, 60, 22-24.	0.7	8

#	ARTICLE	IF	CITATIONS
145	Detection of early psychotic symptoms: Validation of the Spanish version of the "Symptom Onset in Schizophrenia (SOS) inventory". Psychiatry Research, 2018, 261, 68-72.	3.3	7
146	Data-driven cognitive phenotypes in subjects with bipolar disorder and their clinical markers of severity. Psychological Medicine, 2022, 52, 1728-1735.	4.5	7
147	Self-reported neurocognitive symptoms during COVID-19 lockdown and its associated factors in a sample of psychiatric patients. Results from the BRIS-MHC study. European Neuropsychopharmacology, 2021, 53, 7-18.	0.7	7
148	Testing the efficacy of INtegral Cognitive REMediation (INCREM) in major depressive disorder: study protocol for a randomized clinical trial. BMC Psychiatry, 2019, 19, 135.	2.6	6
149	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. Journal of Affective Disorders, 2022, 296, 208-215.	4.1	6
150	Aging in bipolar disorder: Cognitive performance and clinical factors based on an adulthood-lifespan perspective. Journal of Affective Disorders, 2022, 312, 292-302.	4.1	6
151	Neurocognitive impairment in the bipolar spectrum. Neuropsychiatry, 2012, 2, 43-55.	0.4	5
152	Comparing neurocognitive impairment in schizophrenia and bipolar I disorder using the Screen for Cognitive Impairment in Psychiatry Scale. International Journal of Clinical and Health Psychology, 2014, 14, 128-136.	5.1	5
153	Associations between cognitive impairment and P300 mean amplitudes in individuals with bipolar disorder in remission. Psychiatry Research, 2020, 290, 113125.	3.3	5
154	Long-term outcome predictors after functional remediation in patients with bipolar disorder. Psychological Medicine, 2022, 52, 314-322.	4.5	5
155	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. Revista De Psiquiatr�a Y Salud Mental, 2020, 13, 165-173.	1.8	5
156	P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. European Neuropsychopharmacology, 2014, 24, S436-S437.	0.7	4
157	Thinking ahead: Executive dysfunction in bipolar disorder. European Neuropsychopharmacology, 2016, 26, 1348-1349.	0.7	4
158	Prodromal phase: Differences in prodromal symptoms, risk factors and markers of vulnerability in first episode mania versus first episode psychosis with onset in late adolescence or adulthood. Acta Psychiatrica Scandinavica, 2022, 146, 36-50.	4.5	4
159	Shaped before birth: Obstetric complications identify a more severe clinical phenotype among patients presenting a first affective or non-affective episode of psychosis. Journal of Psychiatric Research, 2022, 151, 461-468.	3.1	4
160	Cognitive Remediation Interventions in Schizoaffective Disorder: A Systematic Review. Frontiers in Psychiatry, 2018, 9, 470.	2.6	3
161	Commentary on "The 2020 Royal Australian and New Zealand College of psychiatrists clinical practice guidelines for mood disorders: Bipolar disorder summary". Bipolar Disorders, 2021, 23, 513-514.	1.9	2
162	Emotional intelligence: a comparison between patients after first episode mania and those suffering from chronic bipolar disorder type I. Psychological Medicine, 2023, 53, 3065-3076.	4.5	2

#	ARTICLE	IF	CITATIONS
163	Functional Remediation for Older Adults with Bipolar Disorder (FROA-BD): Study protocol for a randomized controlled trial. Revista De Psiquiatr�a Y Salud Mental, 2022, , .	1.8	2
164	Cognition and functioning in bipolar disorder. , 2014, , 1-14.		1
165	Functional remediation in bipolar disorder. , 0, , 23-30.		1
166	Introduction to the Integrative Approach. , 2019, , 61-63.		1
167	Advances in the Pathophysiology of Episode-Related Cognitive Impairment in Bipolar Disorder. European Psychiatry, 2009, 24, .	0.2	0
168	Comparison of the Hypomania Check List-32 scale with the Mood Disorder Questionnaire on Spanish Sample. European Psychiatry, 2009, 24, .	0.2	0
169	Clinical Factors as Predictors on Functional Impairment in Bipolar Disorder. European Psychiatry, 2009, 24, .	0.2	0
170	Cognitive remediation in psychiatric disorders. , 0, , 15-22.		0
171	Functional remediation program: sessions and content. , 0, , 31-106.		0
172	Cognitive and functional remediation in affective disorders. European Neuropsychopharmacology, 2017, 27, S523.	0.7	0
173	T27. DYSFUNCTIONAL ATTITUDES IN ADOLESCENTS WITH EARLY-ONSET PSYCHOSIS: PRELIMINARY RESULTS. Schizophrenia Bulletin, 2018, 44, S123-S123.	4.3	0
174	Promotion of a Healthy Lifestyle. , 2019, , 31-39.		0
175	Psychoeducation for Patients and Family Members. , 2019, , 17-30.		0
176	Cognitive and Functional Remediation. , 2019, , 50-60.		0
177	Contents of the Integrative Approach. , 2019, , 64-109.		0
178	Introduction to Bipolar Disorders. , 2019, , 1-5.		0
179	Adjunctive Psychological Treatments in Adults with Bipolar Disorders. , 2019, , 6-14.		0
180	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. Revista De Psiquiatr�a Y Salud Mental (English Edition), 2020, 13, 165-173.	0.3	0

#	ARTICLE	IF	CITATIONS
181	Associations between cognitive impairment and illness awareness in fully remitted bipolar outpatients. <i>Psychiatry Research</i> , 2021, 296, 113655.	3.3	0
182	Tratamiento complementario del trastorno bipolar con gabapentina. <i>European Psychiatry (Ed)</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702	0.0	0
183	P.0412 Does sex really matter in cognitive and psychological functioning in bipolar disorder?. <i>European Neuropsychopharmacology</i> , 2021, 53, S298-S299.	0.7	0