

Anabel Martinez Aran

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2693286/publications.pdf>

Version: 2024-02-01

183
papers

15,609
citations

17776

65
h-index

20023

121
g-index

203
all docs

203
docs citations

203
times ranked

7460
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatría Y Salud Mental</i> , 2023, 16, 184-191.	1.0	14
2	Emotional intelligence: a comparison between patients after first episode mania and those suffering from chronic bipolar disorder type I. <i>Psychological Medicine</i> , 2023, 53, 3065-3076.	2.7	2
3	Data-driven cognitive phenotypes in subjects with bipolar disorder and their clinical markers of severity. <i>Psychological Medicine</i> , 2022, 52, 1728-1735.	2.7	7
4	Identifying social cognition subgroups in euthymic patients with bipolar disorder: a cluster analytical approach. <i>Psychological Medicine</i> , 2022, 52, 159-168.	2.7	13
5	Long-term outcome predictors after functional remediation in patients with bipolar disorder. <i>Psychological Medicine</i> , 2022, 52, 314-322.	2.7	5
6	Efficacy of an integrative approach for bipolar disorder: preliminary results from a randomized controlled trial. <i>Psychological Medicine</i> , 2022, 52, 4094-4105.	2.7	12
7	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2022, 296, 208-215.	2.0	6
8	Identifying neurocognitive heterogeneity in Older Adults with Bipolar Disorder: a cluster analysis. <i>Journal of Affective Disorders</i> , 2022, 298, 522-531.	2.0	8
9	Precision psychotherapy. <i>European Neuropsychopharmacology</i> , 2022, 55, 20-21.	0.3	12
10	Cognition in older adults with bipolar disorder: An ISBD task force systematic review and meta-analysis based on a comprehensive neuropsychological assessment. <i>Bipolar Disorders</i> , 2022, 24, 115-136.	1.1	24
11	Functional Remediation for Older Adults with Bipolar Disorder (FROA-BD): Study protocol for a randomized controlled trial. <i>Revista De Psiquiatría Y Salud Mental</i> , 2022, , .	1.0	2
12	Randomised controlled cognition trials in remitted patients with mood disorders published between 2015 and 2021: A systematic review by the International Society for Bipolar Disorders Targeting Cognition Task Force. <i>Bipolar Disorders</i> , 2022, 24, 354-374.	1.1	23
13	Prodromal phase: Differences in prodromal symptoms, risk factors and markers of vulnerability in first episode mania versus first episode psychosis with onset in late adolescence or adulthood. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 36-50.	2.2	4
14	Predictors of functional impairment in bipolar disorder: Results from 13 cohorts from seven countries by the global bipolar cohort collaborative. <i>Bipolar Disorders</i> , 2022, 24, 709-719.	1.1	16
15	Social Stress in Bipolar Disorder. <i>European Neuropsychopharmacology</i> , 2022, 60, 22-24.	0.3	8
16	Shaped before birth: Obstetric complications identify a more severe clinical phenotype among patients presenting a first affective or non-affective episode of psychosis. <i>Journal of Psychiatric Research</i> , 2022, 151, 461-468.	1.5	4
17	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022, 60, 91-99.	0.3	9
18	Aging in bipolar disorder: Cognitive performance and clinical factors based on an adulthood-lifespan perspective. <i>Journal of Affective Disorders</i> , 2022, 312, 292-302.	2.0	6

#	ARTICLE	IF	CITATIONS
19	Effects of the COVID-19 pandemic and lockdown in Spain: comparison between community controls and patients with a psychiatric disorder. Preliminary results from the BRIS-MHC STUDY.. Journal of Affective Disorders, 2021, 281, 13-23.	2.0	70
20	Associations between cognitive impairment and illness awareness in fully remitted bipolar outpatients. Psychiatry Research, 2021, 296, 113655.	1.7	0
21	Resilience and mental health during the COVID-19 pandemic. Journal of Affective Disorders, 2021, 283, 156-164.	2.0	98
22	Does cognitive impairment in bipolar disorder impact on a SIMPLE app use?. Journal of Affective Disorders, 2021, 282, 488-494.	2.0	10
23	Commentary on "The 2020 Royal Australian and New Zealand College of psychiatrists clinical practice guidelines for mood disorders: Bipolar disorder summary". Bipolar Disorders, 2021, 23, 513-514.	1.1	2
24	Self-reported neurocognitive symptoms during COVID-19 lockdown and its associated factors in a sample of psychiatric patients. Results from the BRIS-MHC study. European Neuropsychopharmacology, 2021, 53, 7-18.	0.3	7
25	P.0412 Does sex really matter in cognitive and psychological functioning in bipolar disorder?. European Neuropsychopharmacology, 2021, 53, S298-S299.	0.3	0
26	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. Revista De Psiquiatría Y Salud Mental (English Edition), 2020, 13, 165-173.	0.2	0
27	Associations between cognitive impairment and P300 mean amplitudes in individuals with bipolar disorder in remission. Psychiatry Research, 2020, 290, 113125.	1.7	5
28	A prospective longitudinal study searching for predictors of response to group psychoeducation in bipolar disorder. Journal of Affective Disorders, 2020, 274, 1113-1121.	2.0	12
29	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. Revista De Psiquiatría Y Salud Mental, 2020, 13, 165-173.	1.0	5
30	Visual memory dysfunction as a neurocognitive endophenotype in bipolar disorder patients and their unaffected relatives. Evidence from a 5-year follow-up Valencia study.. Journal of Affective Disorders, 2019, 257, 31-37.	2.0	12
31	Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. Journal of Clinical Medicine, 2019, 8, 1046.	1.0	25
32	Promotion of a Healthy Lifestyle. , 2019, , 31-39.		0
33	Affective cognition in bipolar disorder: A systematic review by the ISBD targeting cognition task force. Bipolar Disorders, 2019, 21, 686-719.	1.1	69
34	The International Consortium Investigating Neurocognition in Bipolar Disorder (ICONIC "BD). Bipolar Disorders, 2019, 21, 6-10.	1.1	12
35	Testing the efficacy of Integral Cognitive REMediation (INCREM) in major depressive disorder: study protocol for a randomized clinical trial. BMC Psychiatry, 2019, 19, 135.	1.1	6
36	Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. Journal of Clinical Medicine, 2019, 8, 586.	1.0	31

#	ARTICLE	IF	CITATIONS
37	Functional remediation improves bipolar disorder functioning with no effects on brain-derived neurotrophic factor levels. <i>European Neuropsychopharmacology</i> , 2019, 29, 701-710.	0.3	10
38	Improving Functioning, Quality of Life, and Well-being in Patients With Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 467-477.	1.0	64
39	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019, 249, 199-207.	2.0	11
40	Social cognition in bipolar disorder: the role of sociodemographic, clinical, and neurocognitive variables in emotional intelligence. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 369-380.	2.2	26
41	Psychoeducation for Patients and Family Members. , 2019, , 17-30.		0
42	Cognitive and Functional Remediation. , 2019, , 50-60.		0
43	Introduction to the Integrative Approach. , 2019, , 61-63.		1
44	Contents of the Integrative Approach. , 2019, , 64-109.		0
45	Introduction to Bipolar Disorders. , 2019, , 1-5.		0
46	Adjunctive Psychological Treatments in Adults with Bipolar Disorders. , 2019, , 6-14.		0
47	Behavioral addictions in bipolar disorders: A systematic review. <i>European Neuropsychopharmacology</i> , 2019, 29, 76-97.	0.3	19
48	Associations between cognitive impairment and quality of life in euthymic bipolar patients. <i>Psychiatry Research</i> , 2019, 271, 510-515.	1.7	25
49	Heterogeneity of functional outcomes in patients with bipolar disorder: a cluster analytic approach. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 516-527.	2.2	81
50	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018, 199, 64-74.	1.1	13
51	Assessing and addressing cognitive impairment in bipolar disorder: the International Society for Bipolar Disorders Targeting Cognition Task Force recommendations for clinicians. <i>Bipolar Disorders</i> , 2018, 20, 184-194.	1.1	134
52	Detection of early psychotic symptoms: Validation of the Spanish version of the "Symptom Onset in Schizophrenia (SOS) inventory". <i>Psychiatry Research</i> , 2018, 261, 68-72.	1.7	7
53	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 145-154.	2.2	60
54	T27. DYSFUNCTIONAL ATTITUDES IN ADOLESCENTS WITH EARLY-ONSET PSYCHOSIS: PRELIMINARY RESULTS. <i>Schizophrenia Bulletin</i> , 2018, 44, S123-S123.	2.3	0

#	ARTICLE	IF	CITATIONS
55	Functional impairment in adult bipolar disorder with ADHD. <i>Journal of Affective Disorders</i> , 2018, 227, 117-125.	2.0	11
56	Psychometric properties of the well-being index (WHO-5) spanish version in a sample of euthymic patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 228, 153-159.	2.0	34
57	Cognitive Remediation Interventions in Schizoaffective Disorder: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2018, 9, 470.	1.3	3
58	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018, 28, 863-874.	0.3	16
59	Validity and reliability of the Cognitive Complaints in Bipolar Disorder Rating Assessment (COBRA) in Brazilian bipolar patients. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 170-178.	0.4	17
60	Thresholds for severity, remission and recovery using the functioning assessment short test (FAST) in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 240, 57-62.	2.0	72
61	Affective versus non-affective first episode psychoses: A longitudinal study. <i>Journal of Affective Disorders</i> , 2018, 238, 297-304.	2.0	26
62	Treatment of Functional Impairment in Patients with Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2017, 19, 3.	2.1	45
63	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.	0.3	26
64	Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 670-680.	1.0	174
65	Validity and reliability of the Cognitive Complaints in Bipolar Disorder Rating Assessment (COBRA) in Japanese patients with bipolar disorder. <i>Psychiatry Research</i> , 2017, 254, 85-89.	1.7	27
66	Social cognition in bipolar disorder: Focus on emotional intelligence. <i>Journal of Affective Disorders</i> , 2017, 217, 210-217.	2.0	23
67	Methodological recommendations for cognition trials in bipolar disorder by the International Society for Bipolar Disorders Targeting Cognition Task Force. <i>Bipolar Disorders</i> , 2017, 19, 614-626.	1.1	155
68	Are patients with bipolar disorder and comorbid attention-deficit hyperactivity disorder more neurocognitively impaired?. <i>Bipolar Disorders</i> , 2017, 19, 637-650.	1.1	11
69	Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017, 19, 363-374.	1.1	49
70	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017, 208, 621-627.	2.0	51
71	Cognitive and functional remediation in affective disorders. <i>European Neuropsychopharmacology</i> , 2017, 27, S523.	0.3	0
72	Protocol for the management of psychiatric patients with psychomotor agitation. <i>BMC Psychiatry</i> , 2017, 17, 328.	1.1	42

#	ARTICLE	IF	CITATIONS
73	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016, 46, 291-301.	2.7	43
74	Family functioning in bipolar disorder: Characteristics, congruity between patients and relatives, and clinical correlates. <i>Psychiatry Research</i> , 2016, 245, 66-73.	1.7	13
75	Thinking ahead: Executive dysfunction in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016, 26, 1348-1349.	0.3	4
76	Cognitive variability in bipolar II disorder: who is cognitively impaired and who is preserved. <i>Bipolar Disorders</i> , 2016, 18, 288-299.	1.1	83
77	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93.	1.7	95
78	Disability in bipolar I disorder: The 36-item World Health Organization Disability Assessment Schedule 2.0. <i>Journal of Affective Disorders</i> , 2015, 174, 353-360.	2.0	35
79	Cognition as a target in major depression: New developments. <i>European Neuropsychopharmacology</i> , 2015, 25, 231-247.	0.3	64
80	Cognition as a target in schizophrenia, bipolar disorder and depression. <i>European Neuropsychopharmacology</i> , 2015, 25, 151-157.	0.3	71
81	Bipolar disorder with comorbid attention deficit and hyperactivity disorder. Main clinical features and clues for an accurate diagnosis. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 389-399.	2.2	35
82	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.	0.3	52
83	Restoring Functioning in Bipolar Disorder. <i>Harvard Review of Psychiatry</i> , 2014, 22, 326-330.	0.9	12
84	The impact of repeated manic episodes and executive dysfunction on work adjustment in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 247-254.	1.8	34
85	P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2014, 24, S436-S437.	0.3	4
86	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 160, 50-54.	2.0	71
87	Comparing neurocognitive impairment in schizophrenia and bipolar I disorder using the Screen for Cognitive Impairment in Psychiatry Scale. <i>International Journal of Clinical and Health Psychology</i> , 2014, 14, 128-136.	2.7	5
88	Cognition and functioning in bipolar disorder. , 2014, , 1-14.		1
89	The screen for cognitive impairment in psychiatry: diagnostic-specific standardization in psychiatric ill patients. <i>BMC Psychiatry</i> , 2013, 13, 127.	1.1	37
90	Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013, 150, 29-36.	2.0	116

#	ARTICLE	IF	CITATIONS
91	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	4.0	579
92	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.	2.2	481
93	The Clinical Implications Of Cognitive Impairment and Allostatic Load in Bipolar Disorder. <i>European Psychiatry</i> , 2013, 28, 21-29.	0.1	119
94	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.	4.0	269
95	Neurocognitive Training in Patients with Bipolar Disorders: Current Status and Perspectives. <i>Psychotherapy and Psychosomatics</i> , 2012, 81, 250-252.	4.0	26
96	Neurocognitive impairment in the bipolar spectrum. <i>Neuropsychiatry</i> , 2012, 2, 43-55.	0.4	5
97	Neurocognitive Impairment Across the Bipolar Spectrum. <i>CNS Neuroscience and Therapeutics</i> , 2012, 18, 194-200.	1.9	70
98	A systematic review of cognitive remediation for schizo-affective and affective disorders. <i>Journal of Affective Disorders</i> , 2012, 142, 13-21.	2.0	130
99	Utility of the World Health Organization Disability Assessment Schedule II in schizophrenia. <i>Schizophrenia Research</i> , 2012, 138, 240-247.	1.1	56
100	Subthreshold symptoms in bipolar disorder: Impact on neurocognition, quality of life and disability. <i>Journal of Affective Disorders</i> , 2012, 136, 650-659.	2.0	156
101	Neurocognitive impairment and psychosocial functioning in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 309-317.	2.2	78
102	One-year psychosocial functioning in patients in the early vs. late stage of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 335-341.	2.2	141
103	Long-Term Outcome of Cognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2012, 73, e899-e905.	1.1	143
104	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2011, 52, 613-622.	1.5	91
105	Are bipolar II patients cognitively impaired? A systematic review. <i>Psychological Medicine</i> , 2011, 41, 1791-1803.	2.7	65
106	Functional Remediation for Bipolar Disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011, 7, 112-116.	0.6	82
107	Neurocognition in bipolar disorders: A closer look at comorbidities and medications. <i>European Journal of Pharmacology</i> , 2010, 626, 87-96.	1.7	105
108	Clinical and neurocognitive predictors of functional outcome in bipolar euthymic patients: A long-term, follow-up study. <i>Journal of Affective Disorders</i> , 2010, 121, 156-160.	2.0	273

#	ARTICLE	IF	CITATIONS
109	Different profile of substance abuse in relation to predominant polarity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010, 124, 250-255.	2.0	62
110	The switch from conventional to atypical antipsychotic treatment should not be based exclusively on the presence of cognitive deficits. A pilot study in individuals with schizophrenia. <i>BMC Psychiatry</i> , 2010, 10, 47.	1.1	13
111	Has number of previous episodes any effect on response to group psychoeducation in bipolar patients? A 5-year follow-up <i>post hoc</i> analysis. <i>Acta Neuropsychiatrica</i> , 2010, 22, 50-53.	1.0	81
112	The International Society for Bipolar Disordersâ€™ Battery for Assessment of Neurocognition (ISBDâ€™BANC). <i>Bipolar Disorders</i> , 2010, 12, 351-363.	1.1	218
113	Effects of recurrence on the cognitive performance of patients with bipolar I disorder: implications for relapse prevention and treatment adherence. <i>Bipolar Disorders</i> , 2010, 12, 557-567.	1.1	185
114	The role and impact of contextual factors on functioning in patients with bipolar disorder. <i>Disability and Rehabilitation</i> , 2010, 32, S94-S104.	0.9	33
115	Neurocognitive diagnosis and cut-off scores of the Screen for Cognitive Impairment in Psychiatry (SCIP-S). <i>Schizophrenia Research</i> , 2010, 116, 243-251.	1.1	55
116	Lithium Treatment Effects on the Neuropsychological Functioning of Patients With Bipolar I Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1055-1060.	1.1	68
117	Influence of Clinical and Neuropsychological Variables on the Psychosocial and Occupational Outcome of Remitted Bipolar Patients. <i>Psychopathology</i> , 2009, 42, 148-156.	1.1	91
118	Group psychoeducation for stabilised bipolar disorders: 5-year outcome of a randomised clinical trial. <i>British Journal of Psychiatry</i> , 2009, 194, 260-265.	1.7	312
119	Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009, 11, 401-409.	1.1	156
120	Functioning and Disability in Bipolar Disorder: An Extensive Review. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 285-297.	4.0	348
121	Advances in the Pathophysiology of Episode-Related Cognitive Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
122	Comparison of the Hypomania Check List-32 scale with the Mood Disorder Questionnaire on Spanish Sample. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
123	Clinical Factors as Predictors on Functional Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
124	Clinical usefulness of the screen for cognitive impairment in psychiatry (SCIP-S) scale in patients with type I bipolar disorder. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 28.	1.0	37
125	Neurocognitive Dysfunctions in Euthymic Bipolar Patients With and Without Prior History of Alcohol Use. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1120-1127.	1.1	67
126	Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1017-1023.	1.1	108

#	ARTICLE	IF	CITATIONS
127	Neurocognitive endophenotypes (Endophenocognitypes) from studies of relatives of bipolar disorder subjects: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2008, 32, 1426-1438.	2.9	189
128	Neuropsychological profile in bipolar disorder: a preliminary study of monotherapy lithium-treated euthymic bipolar patients evaluated at a 2-year interval. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 373-381.	2.2	42
129	Functional impairment and previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2008, 20, 300-306.	1.0	14
130	Impact of caregiver group psychoeducation on the course and outcome of bipolar patients in remission: a randomized controlled trial. <i>Bipolar Disorders</i> , 2008, 10, 511-519.	1.1	168
131	Reporting outcomes in clinical trials for bipolar disorder: a commentary and suggestions for change. <i>Bipolar Disorders</i> , 2008, 10, 566-579.	1.1	40
132	Neurocognitive and clinical predictors of functional outcome in patients with schizophrenia and bipolar I disorder at one-year follow-up. <i>Journal of Affective Disorders</i> , 2008, 109, 286-299.	2.0	256
133	Spanish version of the Screen for Cognitive Impairment in Psychiatry (SCIP-S): Psychometric properties of a brief scale for cognitive evaluation in schizophrenia. <i>Schizophrenia Research</i> , 2008, 99, 139-148.	1.1	78
134	Chronic mania revisited: Factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). <i>World Journal of Biological Psychiatry</i> , 2008, 9, 313-320.	1.3	22
135	Functional Impairment in Patients with Remitted Bipolar Disorder. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 390-392.	4.0	68
136	Evidence for association between structural variants in lissencephaly-related genes and executive deficits in schizophrenia or bipolar patients from a Spanish isolate population. <i>Psychiatric Genetics</i> , 2008, 18, 313-317.	0.6	22
137	Neurocognitive Impairment in Bipolar Patients With and Without History of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 233-239.	1.1	142
138	Long-Term Stability of Cognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 712-719.	1.1	96
139	Long-term stability of cognitive impairment in bipolar disorder: a 2-year follow-up study of lithium-treated euthymic bipolar patients. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 712-9.	1.1	33
140	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 5.	0.6	605
141	Functional outcome in bipolar disorder: the role of clinical and cognitive factors. <i>Bipolar Disorders</i> , 2007, 9, 103-113.	1.1	497
142	Cognitive impairment in schizoaffective disorder: a comparison with non-psychotic bipolar and healthy subjects. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 453-460.	2.2	53
143	Bipolar I patients with and without a history of psychotic symptoms: Do they differ in their cognitive functioning?. <i>Journal of Psychiatric Research</i> , 2007, 41, 265-272.	1.5	89
144	Persistent Neuropsychological Deficit in Euthymic Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1078-1086.	1.1	146

#	ARTICLE	IF	CITATIONS
145	Specificity of Cognitive Deficits in Bipolar Disorder versus Schizophrenia. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 72-84.	4.0	185
146	Variations in genes regulating neuronal migration predict reduced prefrontal cognition in schizophrenia and bipolar subjects from mediterranean Spain: A preliminary study. <i>Neuroscience</i> , 2006, 139, 1289-1300.	1.1	47
147	Cognitive Functioning in Bipolar Patients Receiving Lamotrigine. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 178-181.	0.7	49
148	What really matters to bipolar patients' caregivers: Sources of family burden. <i>Journal of Affective Disorders</i> , 2006, 94, 157-163.	2.0	104
149	Cognitive impairment in bipolar II disorder. <i>British Journal of Psychiatry</i> , 2006, 189, 254-259.	1.7	226
150	Stabilizing the stabilizer: group psychoeducation enhances the stability of serum lithium levels. <i>Bipolar Disorders</i> , 2005, 7, 32-36.	1.1	90
151	Neuropsychological Disturbances and Cerebral Blood Flow in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 227-234.	1.3	44
152	Persistent Cognitive Dysfunctions in Bipolar I Disorder and Schizophrenic Patients: A 3-Year Follow-Up Study. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 113-119.	4.0	143
153	Do Cognitive Complaints in Euthymic Bipolar Patients Reflect Objective Cognitive Impairment?. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 295-302.	4.0	130
154	Process of adaptation to Spanish of the Temperament Evaluation of Memphis, Pisa, Paris and San Diego Scale. Self applied version (TEMPS-A). <i>Actas Espanolas De Psiquiatria</i> , 2005, 33, 325-30.	0.1	11
155	Impact of a Psychoeducational Family Intervention on Caregivers of Stabilized Bipolar Patients. <i>Psychotherapy and Psychosomatics</i> , 2004, 73, 312-319.	4.0	149
156	Cognitive impairment in euthymic bipolar patients: implications for clinical and functional outcome. <i>Bipolar Disorders</i> , 2004, 6, 224-232.	1.1	517
157	Psychoeducation in bipolar patients with comorbid personality disorders. <i>Bipolar Disorders</i> , 2004, 6, 294-298.	1.1	100
158	Clinical value of 99mTc-HMPAO SPECT in depressed bipolar I patients. <i>Psychiatry Research - Neuroimaging</i> , 2004, 132, 285-289.	0.9	12
159	Cognitive Function Across Manic or Hypomanic, Depressed, and Euthymic States in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2004, 161, 262-270.	4.0	943
160	Effects on Weight and Outcome of Long-term Olanzapine-Topiramate Combination Treatment in Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 374-378.	0.7	57
161	Comparison of Rapid-Cycling and Non-Rapid-Cycling Bipolar I Manic Patients During Treatment With Olanzapine. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1420-1428.	1.1	69
162	A Randomized Trial on the Efficacy of Group Psychoeducation in the Prophylaxis of Recurrences in Bipolar Patients Whose Disease Is in Remission. <i>Archives of General Psychiatry</i> , 2003, 60, 402.	13.8	701

#	ARTICLE	IF	CITATIONS
163	Adjunctive topiramate in bipolar II disorder. <i>World Journal of Biological Psychiatry</i> , 2003, 4, 172-176.	1.3	18
164	Psychoeducation Efficacy in Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 1101-1105.	1.1	239
165	Executive Function in Patients with Remitted Bipolar Disorder and Schizophrenia and Its Relationship with Functional Outcome. <i>Psychotherapy and Psychosomatics</i> , 2002, 71, 39-46.	4.0	163
166	Neuropsychological Performance in Depressed and Euthymic Bipolar Patients. <i>Neuropsychobiology</i> , 2002, 46, 16-21.	0.9	67
167	Therapeutic Interventions Focused on the Family of Bipolar Patients. <i>Psychotherapy and Psychosomatics</i> , 2002, 71, 2-10.	4.0	58
168	The Somatics of Psyche: Structural Neuromorphometry of Bipolar Disorder. <i>Psychotherapy and Psychosomatics</i> , 2002, 71, 180-189.	4.0	10
169	Quetiapine in the treatment of rapid cycling bipolar disorder. <i>Bipolar Disorders</i> , 2002, 4, 335-340.	1.1	74
170	A Randomized Trial Comparing Paroxetine and Venlafaxine in the Treatment of Bipolar Depressed Patients Taking Mood Stabilizers. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 508-512.	1.1	184
171	Olanzapine as Long-Term Adjunctive Therapy in Treatment-Resistant Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 469-473.	0.7	59
172	Clinical correlates of psychiatric comorbidity in bipolar I patients. <i>Bipolar Disorders</i> , 2001, 3, 253-258.	1.1	134
173	Role of risperidone in bipolar II: an open 6-month study. <i>Journal of Affective Disorders</i> , 2001, 67, 213-219.	2.0	67
174	Risperidone Safety and Efficacy in the Treatment of Bipolar and Schizoaffective Disorders. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 818-825.	1.1	103
175	Tratamiento complementario del trastorno bipolar con gabapentina. <i>European Psychiatry (Ed) Tj ETQq1 1 0.784314 rgBT /Overlock 10</i>	0.6	0
176	Cognitive Dysfunctions in Bipolar Disorder: Evidence of Neuropsychological Disturbances. <i>Psychotherapy and Psychosomatics</i> , 2000, 69, 2-18.	4.0	210
177	Clinical Factors Associated With Treatment Noncompliance in Euthymic Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2000, 61, 549-555.	1.1	276
178	Enhanced corticotropin response to corticotropin-releasing hormone as a predictor of mania in euthymic bipolar patients. <i>Psychological Medicine</i> , 1999, 29, 971-978.	2.7	55
179	Personality Disorders in Bipolar II Patients. <i>Journal of Nervous and Mental Disease</i> , 1999, 187, 245-248.	0.5	61
180	Cognitive remediation in psychiatric disorders. , 0, , 15-22.		0

#	ARTICLE	IF	CITATIONS
181	Functional remediation in bipolar disorder. , 0, , 23-30.		1
182	Functional remediation program: sessions and content. , 0, , 31-106.		0
183	Neuropsychological Disturbances and Cerebral Blood Flow in Bipolar Disorder. , 0, .		12