

# Frank Hauser

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/269343/publications.pdf>

Version: 2024-02-01

71  
papers

9,276  
citations

61857

43  
h-index

95083

68  
g-index

73  
all docs

73  
docs citations

73  
times ranked

8188  
citing authors

#	ARTICLE	IF	CITATIONS
1	The genome of the model beetle and pest <i>Tribolium castaneum</i> . <i>Nature</i> , 2008, 452, 949-955.	13.7	1,255
2	Functional and Evolutionary Insights from the Genomes of Three Parasitoid <i>Nasonia</i> Species. <i>Science</i> , 2010, 327, 343-348.	6.0	808
3	RNA interference in Lepidoptera: An overview of successful and unsuccessful studies and implications for experimental design. <i>Journal of Insect Physiology</i> , 2011, 57, 231-245.	0.9	729
4	Genomic insights into the <i>Ixodes scapularis</i> tick vector of Lyme disease. <i>Nature Communications</i> , 2016, 7, 10507.	5.8	450
5	Genomics, transcriptomics, and peptidomics of neuropeptides and protein hormones in the red flour beetle <i>Tribolium castaneum</i> . <i>Genome Research</i> , 2008, 18, 113-122.	2.4	359
6	Genomic signatures of evolutionary transitions from solitary to group living. <i>Science</i> , 2015, 348, 1139-1143.	6.0	357
7	The genomes of two key bumblebee species with primitive eusocial organization. <i>Genome Biology</i> , 2015, 16, 76.	3.8	330
8	A review of neurohormone GPCRs present in the fruitfly <i>Drosophila melanogaster</i> and the honey bee <i>Apis mellifera</i> . <i>Progress in Neurobiology</i> , 2006, 80, 1-19.	2.8	279
9	Complementary symbiont contributions to plant decomposition in a fungus-farming termite. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 14500-14505.	3.3	243
10	A genome-wide inventory of neurohormone GPCRs in the red flour beetle <i>Tribolium castaneum</i> . <i>Frontiers in Neuroendocrinology</i> , 2008, 29, 142-165.	2.5	221
11	The First Myriapod Genome Sequence Reveals Conservative Arthropod Gene Content and Genome Organisation in the Centipede <i>Strigamia maritima</i> . <i>PLoS Biology</i> , 2014, 12, e1002005.	2.6	221
12	The genome of the leaf-cutting ant <i>Acromyrmex echinator</i> suggests key adaptations to advanced social life and fungus farming. <i>Genome Research</i> , 2011, 21, 1339-1348.	2.4	210
13	Genomics, Transcriptomics, and Peptidomics of <i>Daphnia pulex</i> Neuropeptides and Protein Hormones. <i>Journal of Proteome Research</i> , 2011, 10, 4478-4504.	1.8	179
14	A Massive Expansion of Effector Genes Underlies Gall-Formation in the Wheat Pest <i>Mayetiola destructor</i> . <i>Current Biology</i> , 2015, 25, 613-620.	1.8	171
15	Genomics and Peptidomics of Neuropeptides and Protein Hormones Present in the Parasitic Wasp <i>Nasonia vitripennis</i> . <i>Journal of Proteome Research</i> , 2010, 9, 5296-5310.	1.8	167
16	Discovery of a Novel Insect Neuropeptide Signaling System Closely Related to the Insect Adipokinetic Hormone and Corazonin Hormonal Systems. <i>Journal of Biological Chemistry</i> , 2010, 285, 10736-10747.	1.6	163
17	Cloning and identification of an oxytocin/vasopressin-like receptor and its ligand from insects. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 3262-3267.	3.3	154
18	Multifaceted biological insights from a draft genome sequence of the tobacco hornworm moth, <i>Manduca sexta</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2016, 76, 118-147.	1.2	154

#	ARTICLE	IF	CITATIONS
19	Drosophilamolting neurohormone bursicon is a heterodimer and the natural agonist of the orphan receptor DLGR2. <i>FEBS Letters</i> , 2005, 579, 2171-2176.	1.3	144
20	Evolution of the AKH/corazonin/ACP/GnRH receptor superfamily and their ligands in the Protostomia. <i>General and Comparative Endocrinology</i> , 2014, 209, 35-49.	0.8	131
21	Mini-review: The evolution of neuropeptide signaling. <i>Regulatory Peptides</i> , 2012, 177, S6-S9.	1.9	122
22	Molecular Cloning, Genomic Organization, and Developmental Regulation of a Novel Receptor from <i>Drosophila melanogaster</i> Structurally Related to Members of the Thyroid-stimulating Hormone, Follicle-stimulating Hormone, Luteinizing Hormone/Choriogonadotropin Receptor Family from Mammals. <i>Journal of Biological Chemistry</i> , 1997, 272, 1002-1010.	1.6	118
23	The P-domain or trefoil motif: a role in renewal and pathology of mucous epithelia?. <i>Trends in Biochemical Sciences</i> , 1993, 18, 239-243.	3.7	117
24	The <i>Drosophila</i> gene CG9918 codes for a pyrokinin-1 receptor. <i>Biochemical and Biophysical Research Communications</i> , 2005, 335, 14-19.	1.0	114
25	Molecular cloning and functional expression of a <i>Drosophila</i> receptor for the neuropeptides capa-1 and -2. <i>Biochemical and Biophysical Research Communications</i> , 2002, 299, 628-633.	1.0	104
26	Molecular Cloning, Genomic Organization and Developmental Regulation of a Novel Receptor from <i>Drosophila melanogaster</i> Structurally Related to Gonadotropin-Releasing Hormone Receptors from Vertebrates. <i>Biochemical and Biophysical Research Communications</i> , 1998, 249, 822-828.	1.0	96
27	Intestinal trefoil factor (TFF 3) and pS2 (TFF 1), but not spasmodic polypeptide (TFF 2) mRNAs are co-expressed in normal, hyperplastic, and neoplastic human breast epithelium. , 1997, 183, 30-38.		95
28	CCHamide-2 Is an Orexigenic Brain-Gut Peptide in <i>Drosophila</i> . <i>PLoS ONE</i> , 2015, 10, e0133017.	1.1	91
29	Molecular cloning and functional expression of the first two specific insect myosuppressin receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 9808-9813.	3.3	86
30	The <i>Drosophila</i> genes CG14593 and CG30106 code for G-protein-coupled receptors specifically activated by the neuropeptides CCHamide-1 and CCHamide-2. <i>Biochemical and Biophysical Research Communications</i> , 2011, 404, 184-189.	1.0	80
31	Identification of four evolutionarily related G protein-coupled receptors from the malaria mosquito <i>Anopheles gambiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2006, 344, 160-165.	1.0	79
32	Molecular cloning, functional expression, and gene silencing of two <i>Drosophila</i> receptors for the <i>Drosophila</i> neuropeptide pyrokinin-2. <i>Biochemical and Biophysical Research Communications</i> , 2003, 309, 485-494.	1.0	77
33	Molecular identification of the first insect ecdysis triggering hormone receptors. <i>Biochemical and Biophysical Research Communications</i> , 2002, 299, 924-931.	1.0	74
34	Molecular Cloning, Genomic Organization, Developmental Regulation, and a Knock-out Mutant of a Novel Leu-rich Repeats-containing G Protein-coupled Receptor (DLGR-2) from <i>Drosophila melanogaster</i> . <i>Genome Research</i> , 2000, 10, 924-938.	2.4	70
35	Identification of one capa and two pyrokinin receptors from the malaria mosquito <i>Anopheles gambiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2007, 362, 245-251.	1.0	69
36	Identifying neuropeptide and protein hormone receptors in <i>Drosophila melanogaster</i> by exploiting genomic data. <i>Briefings in Functional Genomics &amp; Proteomics</i> , 2006, 4, 321-330.	3.8	63

#	ARTICLE	IF	CITATIONS
37	Two types of muscarinic acetylcholine receptors in <i>Drosophila</i> and other arthropods. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 3231-3242.	2.4	63
38	Three different prohormones yield a variety of Hydra-RFamide (Arg-Phe-NH <sub>2</sub> ) neuropeptides in <i>Hydra magnipapillata</i> . <i>Biochemical Journal</i> , 1998, 332, 403-412.	1.7	62
39	Molecular identification of the first SIFamide receptor. <i>Biochemical and Biophysical Research Communications</i> , 2006, 340, 696-701.	1.0	58
40	Molecular identification of a <i>Drosophila</i> G protein-coupled receptor specific for crustacean cardioactive peptide. <i>Biochemical and Biophysical Research Communications</i> , 2003, 303, 146-152.	1.0	55
41	Expression and Developmental Regulation of the Hydra-RFamide and Hydra-LWamide Preprohormone Genes in <i>Hydra</i> : Evidence for Transient Phases of Head Formation. <i>Developmental Biology</i> , 1999, 207, 189-203.	0.9	51
42	Adipokinetic hormones and their G protein-coupled receptors emerged in Lophotrochozoa. <i>Scientific Reports</i> , 2016, 6, 32789.	1.6	51
43	Hypocretin (orexin) in the rat pineal gland: a central transmitter with effects on noradrenaline-induced release of melatonin. <i>European Journal of Neuroscience</i> , 2001, 14, 419-425.	1.2	45
44	Cloning and characterization of the adipokinetic hormone receptor from the cockroach <i>Periplaneta americana</i> . <i>Biochemical and Biophysical Research Communications</i> , 2006, 343, 638-643.	1.0	45
45	Expression Patterns of the <i>Drosophila</i> Neuropeptide CCHamide-2 and Its Receptor May Suggest Hormonal Signaling from the Gut to the Brain. <i>PLoS ONE</i> , 2013, 8, e76131.	1.1	45
46	Sequence analysis of the promoter region of the rat somatostatin receptor subtype 1 gene. <i>FEBS Letters</i> , 1994, 345, 225-228.	1.3	43
47	Expression of spasmodysin (FIM-A.1): An integumentary mucin from <i>Xenopus laevis</i> . <i>Experimental Cell Research</i> , 1990, 189, 157-162.	1.2	41
48	The promise of insect genomics. <i>Pest Management Science</i> , 2007, 63, 413-416.	1.7	41
49	The A- and B-type muscarinic acetylcholine receptors from <i>Drosophila melanogaster</i> couple to different second messenger pathways. <i>Biochemical and Biophysical Research Communications</i> , 2015, 462, 358-364.	1.0	40
50	Isolation and Functional Characterization of Calcitonin-Like Diuretic Hormone Receptors in <i>Rhodnius prolixus</i> . <i>PLoS ONE</i> , 2013, 8, e82466.	1.1	40
51	Identification of the <i>Drosophila</i> and <i>Tribolium</i> receptors for the recently discovered insect RYamide neuropeptides. <i>Biochemical and Biophysical Research Communications</i> , 2011, 412, 578-583.	1.0	38
52	Genomic Organization of a Receptor from Sea Anemones, Structurally and Evolutionarily Related to Glycoprotein Hormone Receptors from Mammals. <i>Biochemical and Biophysical Research Communications</i> , 1998, 252, 497-501.	1.0	37
53	Feeding-induced changes in allatostatin-A and short neuropeptide F in the antennal lobes affect odor-mediated host seeking in the yellow fever mosquito, <i>Aedes aegypti</i> . <i>PLoS ONE</i> , 2017, 12, e0188243.	1.1	36
54	De novo transcriptome assembly of the cubomedusa <i>Tripedalia cystophora</i> , including the analysis of a set of genes involved in peptidergic neurotransmission. <i>BMC Genomics</i> , 2019, 20, 175.	1.2	35

#	ARTICLE	IF	CITATIONS
55	Molecular identification of the first insect proctolin receptor. <i>Biochemical and Biophysical Research Communications</i> , 2003, 306, 437-442.	1.0	34
56	Molecular Cloning of a Peptidylglycine Î±-Hydroxylating Monooxygenase from Sea Anemones. <i>Biochemical and Biophysical Research Communications</i> , 1997, 241, 509-512.	1.0	32
57	PACAP-38 and PACAP(6â€“38) Degranulate Rat Meningeal Mast Cells via the Orphan MrgB3-Receptor. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 114.	1.8	31
58	Genomic Organization and Splicing Variants of a Peptidylglycine Î±-Hydroxylating Monooxygenase from Sea Anemones. <i>Biochemical and Biophysical Research Communications</i> , 2000, 277, 7-12.	1.0	28
59	Molecular identification of a myosuppressin receptor from the malaria mosquito <i>Anopheles gambiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2005, 327, 29-34.	1.0	25
60	Neuropeptideome of <i>Tribolium castaneum</i> antennal lobes and mushroom bodies. <i>Journal of Comparative Neurology</i> , 2014, 522, 337-357.	0.9	22
61	Sawfly Genomes Reveal Evolutionary Acquisitions That Fostered the Mega-Radiation of Parasitoid and Eusocial Hymenoptera. <i>Genome Biology and Evolution</i> , 2020, 12, 1099-1188.	1.1	17
62	Molecular Cloning and Functional Expression of the Equine K <sup>+</sup> Channel KV11.1 (Ether A <sub>1</sub> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td (C 2015, 10, e0138320.	1.1	17
63	Biosynthesis of frog skin mucins: Cysteine-rich shuffled modules, polydispersities and genetic polymorphism. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1993, 105, 465-472.	0.2	12
64	Functional characterization of mosquito short neuropeptide F receptors. <i>Peptides</i> , 2018, 103, 31-39.	1.2	11
65	Neuropeptide Y (Npy) and Npy Receptors in The Rat Pineal Gland. , 1999, 460, 95-107.		9
66	Molecular cloning and functional expression of the K <sup>+</sup> channel KV 7.1 and the regulatory subunit KCNE1 from equine myocardium. <i>Research in Veterinary Science</i> , 2017, 113, 79-86.	0.9	7
67	Functional characterization of the dual allatostatin-A receptors in mosquitoes. <i>Peptides</i> , 2018, 99, 44-55.	1.2	7
68	CAPA-gene products in the haematophagous sandfly <i>Phlebotomus papatasi</i> (Scopoli) â€“ vector for leishmaniasis disease. <i>Peptides</i> , 2013, 41, 2-7.	1.2	5
69	Invertebrate Neurohormones and Their Receptors. <i>Results and Problems in Cell Differentiation</i> , 1999, 26, 339-362.	0.2	4
70	An evolutionary genomics view on neuropeptide genes in Hydrozoa and Endocnidozoa (Myxozoa). <i>BMC Genomics</i> , 2021, 22, 862.	1.2	4
71	Arthropod Genomics and Pest Management Targeting GPCRs. , 2013, , 165-177.		3