
Fred C Semitala

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2693810/publications.pdf Version: 2024-02-01



FRED C SEMITALA

#	Article	IF	CITATIONS
1	Effects of a multicomponent intervention to streamline initiation of antiretroviral therapy in Africa: a stepped-wedge cluster-randomised trial. Lancet HIV,the, 2016, 3, e539-e548.	4.7	107
2	Point-of-care C-reactive protein-based tuberculosis screening for people living with HIV: a diagnostic accuracy study. Lancet Infectious Diseases, The, 2017, 17, 1285-1292.	9.1	96
3	Subclinical Atherosclerosis among HIV-Infected Adults Attending HIV/AIDS Care at Two Large Ambulatory HIV Clinics in Uganda. PLoS ONE, 2014, 9, e89537.	2.5	56
4	Yield and Efficiency of Novel Intensified Tuberculosis Case-Finding Algorithms for People Living with HIV. American Journal of Respiratory and Critical Care Medicine, 2019, 199, 643-650.	5.6	36
5	Loss to follow-up and associated factors among adult people living with HIV at public health facilities in Wakiso district, Uganda: a retrospective cohort study. BMC Health Services Research, 2019, 19, 628.	2.2	29
6	Exploring barriers and facilitators to integrated hypertension-HIV management in Ugandan HIV clinics using the Consolidated Framework for Implementation Research (CFIR). Implementation Science Communications, 2020, 1, 45.	2.2	22
7	Impact of a COVID-19 National Lockdown on Integrated Care for Hypertension and HIV. Global Heart, 2021, 16, 9.	2.3	19
8	Delayed Antiretroviral Therapy (ART) Initiation among Hospitalized Adults in a Resource-Limited Settings: A Challenge to the Global Target of ART for 90% of HIV-Infected Individuals. AIDS Research and Treatment, 2019, 2019, 1-8.	0.7	16
9	Prevalence, associated factors and perspectives of HIV testing among men in Uganda. PLoS ONE, 2020, 15, e0237402.	2.5	15
10	Understanding uptake of an intervention to accelerate antiretroviral therapy initiation in Uganda via qualitative inquiry. Journal of the International AIDS Society, 2017, 20, e25033.	3.0	14
11	Redemption of the "spoiled identity:―the role of <scp>HIV</scp> â€positive individuals in <scp>HIV</scp> care cascade interventions. Journal of the International AIDS Society, 2017, 20, e25023.	3.0	14
12	Diagnostic accuracy and acceptability of rapid HIV oral testing among adults attending an urban public health facility in Kampala, Uganda. PLoS ONE, 2017, 12, e0182050.	2.5	14
13	Chronic obstructive pulmonary disease prevalence and associated factors in an urban HIV clinic in a low income country. PLoS ONE, 2021, 16, e0256121.	2.5	10
14	Point-of-care C-reactive protein and risk of early mortality among adults initiating antiretroviral therapy. Aids, 2019, 33, 895-902.	2.2	9
15	Hypertension care cascade at a large urban HIV clinic in Uganda: a mixed methods study using the Capability, Opportunity, Motivation for Behavior change (COM-B) model. Implementation Science Communications, 2021, 2, 121.	2.2	9
16	Protocol for the 3HP Options Trial: a hybrid type 3 implementation-effectiveness randomized trial of delivery strategies for short-course tuberculosis preventive therapy among people living with HIV in Uganda. Implementation Science, 2020, 15, 65.	6.9	8
17	Lipoarabinomannan antigenic epitope differences in tuberculosis disease subtypes. Scientific Reports, 2020, 10, 13944.	3.3	8
18	Patient choice improves self-efficacy and intention to complete tuberculosis preventive therapy in a routine HIV program setting in Uganda. PLoS ONE, 2021, 16, e0246113.	2.5	8

FRED C SEMITALA

#	Article	IF	CITATIONS
19	High viral suppression and low attrition in healthy HIV-infected patients initiated on ART with CD4 above 500 cells/Î1/4L in a program setting in Uganda. African Health Sciences, 2020, 20, 132-141.	0.7	7
20	Brief Report: Yield and Efficiency of Intensified Tuberculosis Case-Finding Algorithms in 2 High-Risk HIV Subgroups in Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 416-420.	2.1	6
21	Sustainability of the streamlined ART (START-ART) implementation intervention strategy among ART-eligible adult patients in HIV clinics in public health centers in Uganda: a mixed methods study. Implementation Science Communications, 2020, 1, 37.	2.2	6
22	Acceptance and completion of rifapentine-based TB preventive therapy (3HP) among people living with HIV (PLHIV) in Kampala, Uganda—patient and health worker perspectives. Implementation Science Communications, 2021, 2, 71.	2.2	6
23	Adherence to oral HIV pre-exposure prophylaxis among female sex workers in Kampala, Uganda. African Health Sciences, 2021, 21, 1048-1058.	0.7	6
24	Completion of isoniazid–rifapentine (3HP) for tuberculosis prevention among people living with HIV: Interim analysis of a hybrid type 3 effectiveness–implementation randomized trial. PLoS Medicine, 2021, 18, e1003875.	8.4	6
25	Improved hypertension control at six months using an adapted WHO HEARTS-based implementation strategy at a large urban HIV clinic in Uganda. BMC Health Services Research, 2022, 22, .	2.2	6
26	Outcomes of a clinical diagnostic algorithm for management of ambulatory smear and Xpert MTB/Rif negative HIV infected patients with presumptive pulmonary TB in Uganda: a prospective study. Pan African Medical Journal, 2016, 23, 154.	0.8	5
27	Field evaluation of a prototype tuberculosis lipoarabinomannan lateral flow assay on HIV-positive and HIV-negative patients. PLoS ONE, 2021, 16, e0254156.	2.5	3
28	Impact of hematocrit on point-of-care C-reactive protein-based tuberculosis screening among people living with HIV initiating antiretroviral therapy in Uganda. Diagnostic Microbiology and Infectious Disease, 2021, 99, 115281.	1.8	2
29	Virologic suppression and associated factors in HIV infected Ugandan female sex workers: a cross-sectional study. African Health Sciences, 2021, 21, 603-613.	0.7	2
30	Tuberculosis screening improves preventive therapy uptake (TB SCRIPT) trial among people living with HIV in Uganda: a study protocol of an individual randomized controlled trial. Trials, 2022, 23, 399.	1.6	2
31	An assessment of implementation science research capacity in Uganda. Health Research Policy and Systems, 2021, 19, 14.	2.8	1
32	24-hour ambulatory blood pressure monitoring and hypertension related risk among HIV-positive and HIV-negative individuals: cross sectional study findings from rural Uganda. Journal of Human Hypertension, 2022, 36, 144-152.	2.2	1
33	Adoption of evidence-informed guidelines in prescribing protease inhibitors for HIV-Tuberculosis co-infected patients on rifampicin and effects on HIV treatment outcomes in Uganda. BMC Infectious Diseases, 2021, 21, 822.	2.9	Ο
34	Prevalence, associated factors and perspectives of HIV testing among men in Uganda. , 2020, 15, e0237402.		0
35	Prevalence, associated factors and perspectives of HIV testing among men in Uganda. , 2020, 15, e0237402.		0
97	Prevalence, associated factors and perspectives of HIV testing among men in Uganda. , 2020, 15,		

#	Article	IF	CITATIONS
37	Prevalence, associated factors and perspectives of HIV testing among men in Uganda. , 2020, 15, e0237402.		0