

Seon-Yong Jeong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2694088/publications.pdf>

Version: 2024-02-01

39
papers

1,145
citations

623699

14
h-index

395678

33
g-index

40
all docs

40
docs citations

40
times ranked

1736
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibitory Effect of <i>Ulmus davidiana</i> and <i>Cornus officinalis</i> Extracts on Osteoporotic Bone Loss In Vitro and In Vivo. <i>Medicina (Lithuania)</i> , 2022, 58, 466.	2.0	1
2	Ameliorative Effects of Loganin on Arthritis in Chondrocytes and Destabilization of the Medial Meniscus-Induced Animal Model. <i>Pharmaceuticals</i> , 2021, 14, 135.	3.8	6
3	Antiosteoarthritic Effect of Morroniside in Chondrocyte Inflammation and Destabilization of Medial Meniscus-Induced Mouse Model. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2987.	4.1	15
4	Anti-Osteoporotic Effect of Morroniside on Osteoblast and Osteoclast Differentiation In Vitro and Ovariectomized Mice In Vivo. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10642.	4.1	13
5	Osteoprotective Effects of Loganic Acid on Osteoblastic and Osteoclastic Cells and Osteoporosis-Induced Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 233.	4.1	20
6	Anti-Obesity Effects of Combined <i>Cornus officinalis</i> and <i>Ribes fasciculatum</i> Extract in High-Fat Diet-Induced Obese Male Mice. <i>Animals</i> , 2021, 11, 3187.	2.3	4
7	Neurofibromin Deficiency Causes Epidermal Growth Factor Receptor Upregulation through the Activation of Ras/ERK/SP1 Signaling Pathway in Neurofibromatosis Type 1-Associated Malignant Peripheral Nerve Sheet Tumor. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13308.	4.1	1
8	Scopolin Prevents Adipocyte Differentiation in 3T3-L1 Preadipocytes and Weight Gain in an Ovariectomy-Induced Obese Mouse Model. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8699.	4.1	5
9	Scopolin Attenuates Osteoporotic Bone Loss in Ovariectomized Mice. <i>Nutrients</i> , 2020, 12, 3565.	4.1	10
10	Efficacy and Safety of Combined Extracts of <i>Cornus officinalis</i> and <i>Ribes fasciculatum</i> for Body Fat Reduction in Overweight Women. <i>Journal of Clinical Medicine</i> , 2020, 9, 3629.	2.4	6
11	Anti-Osteoporotic Effects of the Herbal Mixture of <i>Cornus officinalis</i> and <i>Achyranthes japonica</i> In Vitro and In Vivo. <i>Plants</i> , 2020, 9, 1114.	3.5	6
12	Anti-Menopausal Effects of <i>Cornus officinalis</i> and <i>Ribes fasciculatum</i> Extract In Vitro and In Vivo. <i>Nutrients</i> , 2020, 12, 369.	4.1	18
13	Antiadipogenic Effects of Mixtures of <i>Cornus officinalis</i> and <i>Ribes fasciculatum</i> Extracts on 3T3-L1 Preadipocytes and High-Fat Diet-Induced Mice. <i>Molecules</i> , 2020, 25, 2350.	3.8	13
14	Antiobesity Effects of <i>Gentiana lutea</i> Extract on 3T3-L1 Preadipocytes and a High-Fat Diet-Induced Mouse Model. <i>Molecules</i> , 2020, 25, 2453.	3.8	12
15	Anti-Osteoporotic Effects of Combined Extract of <i>Lycii Radicis Cortex</i> and <i>Achyranthes japonica</i> in Osteoblast and Osteoclast Cells and Ovariectomized Mice. <i>Nutrients</i> , 2019, 11, 2716.	4.1	12
16	Synergistic Neuroprotective Effect of <i>Schisandra chinensis</i> and <i>Ribes fasciculatum</i> on Neuronal Cell Death and Scopolamine-Induced Cognitive Impairment in Rats. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4517.	4.1	17
17	Anti-Osteoporotic Effects of Kukoamine B Isolated from <i>Lycii Radicis Cortex</i> Extract on Osteoblast and Osteoclast Cells and Ovariectomized Osteoporosis Model Mice. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2784.	4.1	21
18	<i>Cirsium japonicum</i> var. <i>maackii</i> and apigenin block Hif1 α -induced osteoarthritic cartilage destruction. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 5369-5379.	3.6	33

#	ARTICLE	IF	CITATIONS
19	Identification of a rare homozygous c.790C>T variation in the TFB2M gene in Korean patients with autism spectrum disorder. <i>Biochemical and Biophysical Research Communications</i> , 2018, 507, 148-154.	2.1	8
20	Concurrent TSHR mutations and DIO2 T92A polymorphism result in abnormal thyroid hormone metabolism. <i>Scientific Reports</i> , 2018, 8, 10090.	3.3	12
21	Antiadipogenic Effects of Loganic Acid in 3T3-L1 Preadipocytes and Ovariectomized Mice. <i>Molecules</i> , 2018, 23, 1663.	3.8	23
22	Effects of Dihydrophaseic Acid 3- β -D-Glucopyranoside Isolated from <i>Lycii radice</i> Cortex on Osteoblast Differentiation. <i>Molecules</i> , 2016, 21, 1260.	3.8	6
23	Association of the I264T Variant in the Sulfide Quinone Reductase-Like (SQRL) Gene with Osteoporosis in Korean Postmenopausal Women. <i>PLoS ONE</i> , 2015, 10, e0135285.	2.5	12
24	Targeted inhibition of mitochondrial Hsp90 induces mitochondrial elongation in Hep3B hepatocellular carcinoma cells undergoing apoptosis by increasing the ROS level. <i>International Journal of Oncology</i> , 2015, 47, 1783-1792.	3.3	8
25	The Effect of <i>Lycii Radicis</i> Cortex Extract on Bone Formation in Vitro and in Vivo. <i>Molecules</i> , 2014, 19, 19594-19609.	3.8	14
26	The PARK2 gene is involved in the maintenance of pancreatic β -cell functions related to insulin production and secretion. <i>Molecular and Cellular Endocrinology</i> , 2014, 382, 178-189.	3.2	23
27	Association between the SPRY1 gene polymorphism and obesity-related traits and osteoporosis in Korean women. <i>Molecular Genetics and Metabolism</i> , 2013, 108, 95-101.	1.1	10
28	NF1 deficiency causes Bcl-xL upregulation in Schwann cells derived from neurofibromatosis type 1-associated malignant peripheral nerve sheath tumors. <i>International Journal of Oncology</i> , 2013, 42, 657-666.	3.3	12
29	Inhibition of Bcl-xL by ABT-737 enhances chemotherapy sensitivity in neurofibromatosis type 1-associated malignant peripheral nerve sheath tumor cells. <i>International Journal of Molecular Medicine</i> , 2012, 30, 443-450.	4.0	11
30	Replicated association between genetic variation in the PARK2 gene and blood pressure. <i>Clinica Chimica Acta</i> , 2011, 412, 1673-1677.	1.1	11
31	Clinical and genetic characteristics of Korean patients with Gaucher disease. <i>Blood Cells, Molecules, and Diseases</i> , 2011, 46, 11-14.	1.4	43
32	<i>In Vitro</i> and <i>In Vivo</i> Inhibition of Glucocorticoid-Induced Osteoporosis by the Hexane Extract of <i>Poncirus trifoliata</i> . <i>Phytotherapy Research</i> , 2011, 25, 1000-1010.	5.8	21
33	Identification of a novel recombinant mutation in Korean patients with Gaucher disease using a long-range PCR approach. <i>Journal of Human Genetics</i> , 2011, 56, 469-471.	2.3	18
34	De Novo Pericentric Inversion of Chromosome 9 in Congenital Anomaly. <i>Yonsei Medical Journal</i> , 2010, 51, 775.	2.2	25
35	Loss of Y Chromosome in the Malignant Peripheral Nerve Sheath Tumor of a Patient with Neurofibromatosis Type 1. <i>Journal of Korean Medical Science</i> , 2010, 25, 804.	2.5	7
36	A novel homozygous MMP2 mutation in a patient with Torg-Winchester syndrome. <i>Journal of Human Genetics</i> , 2010, 55, 764-766.	2.3	14

#	ARTICLE	IF	CITATIONS
37	Glucocorticoid induces apoptosis of osteoblast cells through the activation of glycogen synthase kinase 3 β . <i>Journal of Bone and Mineral Metabolism</i> , 2009, 27, 140-148.	2.7	121
38	The role of mitochondria in apoptosis. <i>BMB Reports</i> , 2008, 41, 11-22.	2.4	506
39	The Spectrum of NF1 Mutations in Korean Patients with Neurofibromatosis Type 1. <i>Journal of Korean Medical Science</i> , 2006, 21, 107.	2.5	27