

# Seon-Yong Jeong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2694088/publications.pdf>

Version: 2024-02-01

39  
papers

1,145  
citations

623734

14  
h-index

395702

33  
g-index

40  
all docs

40  
docs citations

40  
times ranked

1736  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibitory Effect of <i>Ulmus davidiana</i> and <i>Cornus officinalis</i> Extracts on Osteoporotic Bone Loss In Vitro and In Vivo. <i>Medicina (Lithuania)</i> , 2022, 58, 466.	2.0	1
2	Ameliorative Effects of Loganin on Arthritis in Chondrocytes and Destabilization of the Medial Meniscus-Induced Animal Model. <i>Pharmaceuticals</i> , 2021, 14, 135.	3.8	6
3	Antiosteoarthritic Effect of Morroniside in Chondrocyte Inflammation and Destabilization of Medial Meniscus-Induced Mouse Model. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2987.	4.1	15
4	Anti-Osteoporotic Effect of Morroniside on Osteoblast and Osteoclast Differentiation In Vitro and Ovariectomized Mice In Vivo. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10642.	4.1	13
5	Osteoprotective Effects of Loganic Acid on Osteoblastic and Osteoclastic Cells and Osteoporosis-Induced Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 233.	4.1	20
6	Anti-Obesity Effects of Combined <i>Cornus officinalis</i> and <i>Ribes fasciculatum</i> Extract in High-Fat Diet-Induced Obese Male Mice. <i>Animals</i> , 2021, 11, 3187.	2.3	4
7	Neurofibromin Deficiency Causes Epidermal Growth Factor Receptor Upregulation through the Activation of Ras/ERK/SP1 Signaling Pathway in Neurofibromatosis Type 1-Associated Malignant Peripheral Nerve Sheet Tumor. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13308.	4.1	1
8	Scopolin Prevents Adipocyte Differentiation in 3T3-L1 Preadipocytes and Weight Gain in an Ovariectomy-Induced Obese Mouse Model. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8699.	4.1	5
9	Scopolin Attenuates Osteoporotic Bone Loss in Ovariectomized Mice. <i>Nutrients</i> , 2020, 12, 3565.	4.1	10
10	Efficacy and Safety of Combined Extracts of <i>Cornus officinalis</i> and <i>Ribes fasciculatum</i> for Body Fat Reduction in Overweight Women. <i>Journal of Clinical Medicine</i> , 2020, 9, 3629.	2.4	6
11	Anti-Osteoporotic Effects of the Herbal Mixture of <i>Cornus officinalis</i> and <i>Achyranthes japonica</i> In Vitro and In Vivo. <i>Plants</i> , 2020, 9, 1114.	3.5	6
12	Anti-Menopausal Effects of <i>Cornus officinalis</i> and <i>Ribes fasciculatum</i> Extract In Vitro and In Vivo. <i>Nutrients</i> , 2020, 12, 369.	4.1	18
13	Antiadipogenic Effects of Mixtures of <i>Cornus officinalis</i> and <i>Ribes fasciculatum</i> Extracts on 3T3-L1 Preadipocytes and High-Fat Diet-Induced Mice. <i>Molecules</i> , 2020, 25, 2350.	3.8	13
14	Antiobesity Effects of <i>Gentiana lutea</i> Extract on 3T3-L1 Preadipocytes and a High-Fat Diet-Induced Mouse Model. <i>Molecules</i> , 2020, 25, 2453.	3.8	12
15	Anti-Osteoporotic Effects of Combined Extract of <i>Lycii Radicis Cortex</i> and <i>Achyranthes japonica</i> in Osteoblast and Osteoclast Cells and Ovariectomized Mice. <i>Nutrients</i> , 2019, 11, 2716.	4.1	12
16	Synergistic Neuroprotective Effect of <i>Schisandra chinensis</i> and <i>Ribes fasciculatum</i> on Neuronal Cell Death and Scopolamine-Induced Cognitive Impairment in Rats. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4517.	4.1	17
17	Anti-Osteoporotic Effects of Kukoamine B Isolated from <i>Lycii Radicis Cortex</i> Extract on Osteoblast and Osteoclast Cells and Ovariectomized Osteoporosis Model Mice. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2784.	4.1	21
18	<i>Cirsium japonicum</i> var. <i>maackii</i> and apigenin block HIF-1 $\alpha$ -induced osteoarthritic cartilage destruction. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 5369-5379.	3.6	33

#	ARTICLE	IF	CITATIONS
19	Identification of a rare homozygous c.790C>T variation in the TFB2M gene in Korean patients with autism spectrum disorder. Biochemical and Biophysical Research Communications, 2018, 507, 148-154.	2.1	8
20	Concurrent TSHR mutations and DIO2 T92A polymorphism result in abnormal thyroid hormone metabolism. Scientific Reports, 2018, 8, 10090.	3.3	12
21	Antiadipogenic Effects of Loganic Acid in 3T3-L1 Preadipocytes and Ovariectomized Mice. Molecules, 2018, 23, 1663.	3.8	23
22	Effects of Dihydrophaseic Acid 3- $\beta$ -O- $\beta$ -D-Glucopyranoside Isolated from Lycii radices Cortex on Osteoblast Differentiation. Molecules, 2016, 21, 1260.	3.8	6
23	Association of the I264T Variant in the Sulfide Quinone Reductase-Like (SQRL) Gene with Osteoporosis in Korean Postmenopausal Women. PLoS ONE, 2015, 10, e0135285.	2.5	12
24	Targeted inhibition of mitochondrial Hsp90 induces mitochondrial elongation in Hep3B hepatocellular carcinoma cells undergoing apoptosis by increasing the ROS level. International Journal of Oncology, 2015, 47, 1783-1792.	3.3	8
25	The Effect of Lycii Radicis Cortex Extract on Bone Formation in Vitro and in Vivo. Molecules, 2014, 19, 19594-19609.	3.8	14
26	The PARK2 gene is involved in the maintenance of pancreatic $\beta$ -cell functions related to insulin production and secretion. Molecular and Cellular Endocrinology, 2014, 382, 178-189.	3.2	23
27	Association between the SPRY1 gene polymorphism and obesity-related traits and osteoporosis in Korean women. Molecular Genetics and Metabolism, 2013, 108, 95-101.	1.1	10
28	NF1 deficiency causes Bcl-xL upregulation in Schwann cells derived from neurofibromatosis type 1-associated malignant peripheral nerve sheath tumors. International Journal of Oncology, 2013, 42, 657-666.	3.3	12
29	Inhibition of Bcl-xL by ABT-737 enhances chemotherapy sensitivity in neurofibromatosis type 1-associated malignant peripheral nerve sheath tumor cells. International Journal of Molecular Medicine, 2012, 30, 443-450.	4.0	11
30	Replicated association between genetic variation in the PARK2 gene and blood pressure. Clinica Chimica Acta, 2011, 412, 1673-1677.	1.1	11
31	Clinical and genetic characteristics of Korean patients with Gaucher disease. Blood Cells, Molecules, and Diseases, 2011, 46, 11-14.	1.4	43
32	<i>In Vitro</i> and <i>In Vivo</i> Inhibition of Glucocorticoid-Induced Osteoporosis by the Hexane Extract of <i>Poncirus trifoliata</i> . Phytotherapy Research, 2011, 25, 1000-1010.	5.8	21
33	Identification of a novel recombinant mutation in Korean patients with Gaucher disease using a long-range PCR approach. Journal of Human Genetics, 2011, 56, 469-471.	2.3	18
34	De Novo Pericentric Inversion of Chromosome 9 in Congenital Anomaly. Yonsei Medical Journal, 2010, 51, 775.	2.2	25
35	Loss of Y Chromosome in the Malignant Peripheral Nerve Sheet Tumor of a Patient with Neurofibromatosis Type 1. Journal of Korean Medical Science, 2010, 25, 804.	2.5	7
36	A novel homozygous MMP2 mutation in a patient with Torg-Winchester syndrome. Journal of Human Genetics, 2010, 55, 764-766.	2.3	14

#	ARTICLE	IF	CITATIONS
37	Glucocorticoid induces apoptosis of osteoblast cells through the activation of glycogen synthase kinase 3 $\beta$ . Journal of Bone and Mineral Metabolism, 2009, 27, 140-148.	2.7	121
38	The role of mitochondria in apoptosis. BMB Reports, 2008, 41, 11-22.	2.4	506
39	The Spectrum of NF1 Mutations in Korean Patients with Neurofibromatosis Type 1. Journal of Korean Medical Science, 2006, 21, 107.	2.5	27