

Anders sberg

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2695407/anders-asberg-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

216
papers

5,905
citations

40
h-index

70
g-index

241
ext. papers

7,036
ext. citations

4
avg, IF

5.51
L-index

#	Paper	IF	Citations
216	A Comorbidity Index and Pretransplant Physical Status Predict Survival in Older Kidney Transplant Recipients: A National Prospective Study.. <i>Transplantation Direct</i> , 2022 , 8, e1307	2.3	0
215	Endothelial Dysfunction and 6-Year Risk of Mortality in Kidney Transplant Recipients.. <i>Transplantation Direct</i> , 2022 , 8, e1262	2.3	0
214	High Plasma Oxalate Levels Early After Kidney Transplantation Are Associated With Impaired Long-Term Outcomes.. <i>Transplant International</i> , 2022 , 35, 10240	3	0
213	Demonstrating Benefit-Risk Profiles of Novel Therapeutic Strategies in Kidney Transplantation: Opportunities and Challenges of Real-World Evidence.. <i>Transplant International</i> , 2022 , 35, 10329	3	1
212	Anticoagulation and Safety of Renal Transplant Biopsy.. <i>Clinical Transplantation</i> , 2022 , e14715	3.8	
211	Atorvastatin population pharmacokinetics in a real-life setting: Influence of genetic polymorphisms and association with clinical response. <i>Clinical and Translational Science</i> , 2021 ,	4.9	1
210	Elevated Terminal C5b-9 Complement Complex 10 Weeks Post Kidney Transplantation Was Associated With Reduced Long-Term Patient and Kidney Graft Survival. <i>Frontiers in Immunology</i> , 2021 , 12, 738927	8.4	0
209	Timing of Kidney Clamping and Deceased Donor Kidney Transplant Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 1704-1714	6.9	0
208	The ERA-EDTA Registry Annual Report 2018: a summary. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 107-123	4.5	19
207	Blood Pressure Treatment in Kidney Transplant Recipients-Can We Improve?. <i>Transplantation Direct</i> , 2021 , 7, e688	2.3	1
206	Prednisolone and Prednisone Pharmacokinetics in Adult Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 247-255	3.2	2
205	Personalized Therapy for Mycophenolate: Consensus Report by the International Association of Therapeutic Drug Monitoring and Clinical Toxicology. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 150-200	3.2	17
204	Cardiovascular Risk Factors are Inversely Associated With Omega-3 Polyunsaturated Fatty Acid Plasma Levels in Pediatric Kidney Transplant Recipients. <i>Journal of Renal Nutrition</i> , 2021 , 31, 278-285	3	1
203	Thoroughly Validated Bayesian Estimator and Limited Sampling Strategy for Dose Individualization of Ganciclovir and Valganciclovir in Pediatric Transplant Recipients. <i>Clinical Pharmacokinetics</i> , 2021 , 60, 1449-1462	6.2	3
202	Insulin secretion and action after pancreas transplantation. A retrospective single-center study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021 , 81, 365-370	2	
201	Low Immunization Rate in Kidney Transplant Recipients Also After Dose 2 of the BNT162b2 Vaccine: Continue to Keep Your Guard up!. <i>Transplantation</i> , 2021 , 105, e80-e81	1.8	7
200	Increased systemic exposure of once-daily tacrolimus in renal transplant recipients on marine omega-3 fatty acid supplementation. <i>Transplant International</i> , 2021 , 34, 1322-1324	3	

199	Correlation of Body Weight and Composition With Hepatic Activities of Cytochrome P450 Enzymes. <i>Journal of Pharmaceutical Sciences</i> , 2021 , 110, 432-437	3.9	11
198	Recovery of kidney function in patients treated with maintenance dialysis-a report from the ERA-EDTA Registry. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1078-1087	4.3	1
197	Proteomics-Informed Prediction of Rosuvastatin Plasma Profiles in Patients With a Wide Range of Body Weight. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 109, 762-771	6.1	5
196	Patient selection for islet or solid organ pancreas transplantation: experiences from a multidisciplinary outpatient-clinic approach. <i>Endocrine Connections</i> , 2021 , 10, 230-239	3.5	
195	Tacrolimus Measured in Capillary Volumetric Microsamples in Pediatric Patients-A Cross-Validation Study. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 371-375	3.2	3
194	Short- and long-term effects of body weight loss following calorie restriction and gastric bypass on CYP3A-activity - a non-randomized three-armed controlled trial. <i>Clinical and Translational Science</i> , 2021 ,	4.9	2
193	Posttransplant Hypertension Matters!. <i>Transplantation</i> , 2021 , 105, e150	1.8	
192	A Comparative Analysis of Cytochrome P450 Activities in Paired Liver and Small Intestinal Samples from Patients with Obesity. <i>Drug Metabolism and Disposition</i> , 2020 , 48, 8-17	4	14
191	Endothelial function after pancreas transplantation-A single-center observational study. <i>Clinical Transplantation</i> , 2020 , 34, e13815	3.8	
190	Chronic Inhibition of CYP3A is Temporarily Reduced by Each Hemodialysis Session in Patients With End-Stage Renal Disease. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 108, 866-873	6.1	2
189	Severe Mycophenolate Intoxication in a Solid Organ Transplant Recipient-No Intervention Actually Needed. <i>Transplantation Direct</i> , 2020 , 6, e609	2.3	
188	Reply to letter: "What about drug bioavailability in patients who had bariatric surgery and dependent on immunosuppressives?". <i>Obesity Reviews</i> , 2020 , 21, e12954	10.6	
187	Cardiovascular remodeling in living kidney donors with reduced glomerular filtration rate: rationale and design of the CENS study. <i>Blood Pressure</i> , 2020 , 29, 123-134	1.7	1
186	Global variability analysis of mRNA and protein concentrations across and within human tissues. <i>NAR Genomics and Bioinformatics</i> , 2020 , 2, lqz010	3.7	9
185	Measured GFR by Utilizing Population Pharmacokinetic Methods to Determine Iohexol Clearance. <i>Kidney International Reports</i> , 2020 , 5, 189-198	4.1	7
184	Tacrolimus Area Under the Concentration Versus Time Curve Monitoring, Using Home-Based Volumetric Absorptive Capillary Microsampling. <i>Therapeutic Drug Monitoring</i> , 2020 , 42, 407-414	3.2	9
183	The Authors Reply: Placental Pathology in Pregnancies After Kidney Transplantation. <i>Transplantation</i> , 2020 , 104, e216	1.8	
182	Fasting Status and Circadian Variation Must be Considered When Performing AUC-based Therapeutic Drug Monitoring of Tacrolimus in Renal Transplant Recipients. <i>Clinical and Translational Science</i> , 2020 , 13, 1327-1335	4.9	4

181	Five decades with grandparent donors: The Norwegian strategy and experience. <i>Pediatric Transplantation</i> , 2020 , 24, e13751	1.8	1
180	The ERA-EDTA Registry Annual Report 2017: a summary. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 693-709	4.5	35
179	Young deceased donor kidneys show a survival benefit over older donor kidneys in transplant recipients aged 20-50 years: a study by the ERA-EDTA Registry. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 534-543	4.3	2
178	Why dose adjust systemic exposure when looking for associations with adverse events in tacrolimus-treated transplant recipients?. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 2535	3.8	1
177	Changes in clinical indicators related to the transition from dialysis to kidney transplantation-data from the ERA-EDTA Registry. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 188-198	4.5	1
176	The influence of bariatric surgery on oral drug bioavailability in patients with obesity: A systematic review. <i>Obesity Reviews</i> , 2019 , 20, 1299-1311	10.6	32
175	The European Renal Association - European Dialysis and Transplant Association (ERA-EDTA) Registry Annual Report 2016: a summary. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 702-720	4.5	78
174	Vitamin D as a risk factor for patient survival after kidney transplantation: A prospective observational cohort study. <i>Clinical Transplantation</i> , 2019 , 33, e13517	3.8	4
173	Efficacy and Safety of Empagliflozin in Renal Transplant Recipients With Posttransplant Diabetes Mellitus. <i>Diabetes Care</i> , 2019 , 42, 1067-1074	14.6	58
172	Contraceptive Choices and Counseling in Norwegian Female Renal Transplant Recipients. <i>Transplantation Proceedings</i> , 2019 , 51, 470-474	1.1	2
171	Evaluation of tools for annual capture of adherence to immunosuppressive medications after renal transplantation - a single-centre open prospective trial. <i>Transplant International</i> , 2019 , 32, 614-625	3	13
170	The EKITE network (epidemiology in kidney transplantation - a European validated database): an initiative epidemiological and translational European collaborative research. <i>BMC Nephrology</i> , 2019 , 20, 365	2.7	7
169	Tacrolimus Can Be Reliably Measured With Volumetric Absorptive Capillary Microsampling Throughout the Dose Interval in Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 607-614	3.2	19
168	Beyond Survival in Solid Organ Transplantation: A Summary of Expert Presentations from the Sandoz 6th Standalone Transplantation Meeting, 2018. <i>Transplantation</i> , 2019 , 103, S1-S13	1.8	1
167	233.4: The Scandinavian exchange program: Ischemic time for imported kidneys in Norway and factors associated with long ischemic time.. <i>Transplantation</i> , 2019 , 103, S50-S50	1.8	
166	A Fully Automated Method for the Determination of Serum Belatacept and Its Application in a Pharmacokinetic Investigation in Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 11-18	3.2	6
165	Immunosuppression and Reproductive Health After Kidney Transplantation. <i>Transplantation</i> , 2019 , 103, e325-e333	1.8	15
164	Therapeutic Drug Monitoring of Tacrolimus-Personalized Therapy: Second Consensus Report. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 261-307	3.2	163

163	Effects of marine n-3 fatty acid supplementation in renal transplantation: A randomized controlled trial. <i>American Journal of Transplantation</i> , 2019 , 19, 790-800	8.7	8
162	Pharmacokinetics of a novel, approved, 1.4-mg intranasal naloxone formulation for reversal of opioid overdose-a randomized controlled trial. <i>Addiction</i> , 2019 , 114, 859-867	4.6	11
161	Validation of diagnostic utility of fasting plasma glucose and HbA1c in stable renal transplant recipients one year after transplantation. <i>BMC Nephrology</i> , 2019 , 20, 12	2.7	12
160	Trans-fatty Acids and Survival in Renal Transplantation. <i>Journal of Renal Nutrition</i> , 2019 , 29, 169-180	3	2
159	High tacrolimus clearance - a risk factor for development of interstitial fibrosis and tubular atrophy in the transplanted kidney: a retrospective single-center cohort study. <i>Transplant International</i> , 2019 , 32, 257-269	3	11
158	Pharmacokinetic models to assist the prescriber in choosing the best tacrolimus dose. <i>Pharmacological Research</i> , 2018 , 130, 316-321	10.2	19
157	Estimated glomerular filtration rate in stable older kidney transplant recipients-are present algorithms valid? A national cross-sectional cohort study. <i>Transplant International</i> , 2018 , 31, 629-638	3	4
156	Kidney allograft subclinical rejection modulates systemic inflammation measured by C-reactive protein at 1 year after transplantation. <i>Clinical Transplantation</i> , 2018 , 32, e13196	3.8	3
155	Inflammatory and related biomarkers are associated with post-transplant diabetes mellitus in kidney recipients: a retrospective study. <i>Transplant International</i> , 2018 , 31, 510-519	3	12
154	The Authors Reply. <i>Transplantation</i> , 2018 , 102, e43-e44	1.8	
153	The European Renal Association - European Dialysis and Transplant Association (ERA-EDTA) Registry Annual Report 2015: a summary. <i>CKJ: Clinical Kidney Journal</i> , 2018 , 11, 108-122	4.5	126
152	Determination of Tacrolimus Concentration and Protein Expression of P-Glycoprotein in Single Human Renal Core Biopsies. <i>Therapeutic Drug Monitoring</i> , 2018 , 40, 292-300	3.2	7
151	A Limited Sampling Strategy to Estimate Exposure of Everolimus in Whole Blood and Peripheral Blood Mononuclear Cells in Renal Transplant Recipients Using Population Pharmacokinetic Modeling and Bayesian Estimators. <i>Clinical Pharmacokinetics</i> , 2018 , 57, 1459-1469	6.2	8
150	Outcomes in Pancreas Transplantation With Exocrine Drainage Through a Duodenoduodenostomy Versus Duodenojejunostomy. <i>American Journal of Transplantation</i> , 2018 , 18, 154-162	8.7	19
149	Arterial stiffness is associated with visceral fat mass in kidney transplanted patients-A nationwide cohort study. <i>Clinical Transplantation</i> , 2018 , 32, e13341	3.8	2
148	Preserved insulin secretion and kidney function in recipients with functional pancreas grafts 1 year after transplantation: a single-center prospective observational study. <i>European Journal of Endocrinology</i> , 2018 , 179, 251-259	6.5	4
147	SP736MARINE N-3 POLYUNSATURATED FATTY ACIDS AND BONE DENSITY IN KIDNEY TRANSPLANTATION: A DOUBLE-BLIND, RANDOMIZED, PLACEBO-CONTROLLED TRIAL. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i596-i596	4.3	
146	SP744MARINE n-3 FATTY ACID SUPPLEMENTATION REDUCES PLASMA TRIGLYCERIDES & IMPROVES FLOW MEDIATED DILATATION IN RENAL TRANSPLANT RECIPIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i599-i599	4.3	

145	SP751MARINE n-3 FATTY ACID SUPPLEMENTATION REDUCES INFLAMMATION & PREVENTS RENAL GRAFT FIBROSIS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i601-i601	4.3	
144	Paricalcitol supplementation during the first year after kidney transplantation does not affect calcification propensity score. <i>BMC Nephrology</i> , 2018 , 19, 212	2.7	4
143	Plasma n-6 Polyunsaturated Fatty Acid Levels and Survival in Renal Transplantation. <i>Journal of Renal Nutrition</i> , 2018 , 28, 333-339	3	1
142	Small effort, high impact: Focus on physical activity improves oxygen uptake (VO ₂), quality of life, and mental health after pediatric renal transplantation. <i>Pediatric Transplantation</i> , 2018 , 22, e13242	1.8	2
141	Impact of body weight, low energy diet and gastric bypass on drug bioavailability, cardiovascular risk factors and metabolic biomarkers: protocol for an open, non-randomised, three-armed single centre study (COCKTAIL). <i>BMJ Open</i> , 2018 , 8, e021878	3	7
140	Development of Kidney Transplant Fibrosis Is Inversely Associated With Plasma Marine Fatty Acid Level. <i>Journal of Renal Nutrition</i> , 2018 , 28, 118-124	3	5
139	First Scandinavian Protocol for Controlled Donation After Circulatory Death Using Normothermic Regional Perfusion. <i>Transplantation Direct</i> , 2018 , 4, e366	2.3	15
138	SP755MARINE n-3 FATTY ACID SUPPLEMENTATION INCREASE TACROLIMUS EXPOSURE IN RENAL TRANSPLANT RECIPIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i603-i603	4.3	
137	A Limited Sampling Strategy to Estimate Whole Blood and Intra-lymphocyte Exposure of Everolimus in Renal Transplant Recipients using Population Pharmacokinetic Modeling and Bayesian Estimators. <i>Transplantation</i> , 2018 , 102, S92	1.8	
136	High-Dose Fish Oil Supplementation Increase Tacrolimus Exposure in Stable Renal Transplant Recipients. <i>Transplantation</i> , 2018 , 102, S599	1.8	
135	Outcomes of Kidney Transplantation in Former Non Kidney Solid Organ Transplant. <i>Transplantation</i> , 2018 , 102, S85	1.8	
134	High Tacrolimus Clearance A Risk Factor for Development of Interstitial Fibrosis and Tubular Atrophy in the Transplanted Kidney. <i>Transplantation</i> , 2018 , 102, S364	1.8	
133	Preserved Insulin Sensitivity and Kidney Function One Year After Successful Pancreas Transplantation. <i>Transplantation</i> , 2018 , 102, S751	1.8	1
132	Adherence to Immunosuppressive Medications in Renal Transplant Recipients Different Tools Capture Different Patients. <i>Transplantation</i> , 2018 , 102, S282	1.8	2
131	Inflammation in Early Kidney Allograft Surveillance Biopsies With and Without Associated Tubulointerstitial Chronic Damage as a Predictor of Fibrosis Progression and Development of De Novo Donor Specific Antibodies. <i>Transplantation</i> , 2017 , 101, 1410-1415	1.8	25
130	Collectin Liver 1 and Collectin Kidney 1 of the Lectin Complement Pathway Are Associated With Mortality After Kidney Transplantation. <i>American Journal of Transplantation</i> , 2017 , 17, 265-271	8.7	8
129	The CYP3A biomarker 4βhydroxycholesterol does not improve tacrolimus dose predictions early after kidney transplantation. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1457-1465	3.8	15
128	Exposure to Mycophenolate and Fatherhood. <i>Transplantation</i> , 2017 , 101, e214-e217	1.8	44

127	Costimulation Blockade: America First, Canada Second [What About Norway?]. <i>American Journal of Transplantation</i> , 2017 , 17, 2230	8.7	
126	High Tacrolimus Clearance Is a Risk Factor for Acute Rejection in the Early Phase After Renal Transplantation. <i>Transplantation</i> , 2017 , 101, e273-e279	1.8	27
125	Associations Between Posttransplantation Diabetes Mellitus and Renal Graft Survival. <i>Transplantation</i> , 2017 , 101, 1282-1289	1.8	17
124	Response to: Response to: Bodyweight-adjustments introduce significant correlations between CYP3A metrics and tacrolimus clearance <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1357-1358	3.8	1
123	Bodyweight-adjustments introduce significant correlations between CYP3A metrics and tacrolimus clearance. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1350-1352	3.8	5
122	A rapid and sustained improvement of calcification propensity score (serum T) after successful kidney transplantation: Reanalysis of a randomized controlled trial of ibandronate. <i>Clinical Transplantation</i> , 2017 , 31, e13131	3.8	3
121	Recovery of CYP3A Phenotype after Kidney Transplantation. <i>Drug Metabolism and Disposition</i> , 2017 , 45, 1260-1265	4	1
120	Individualizing Transplant Therapy 2017 , 255-279		2
119	The European Renal Association - European Dialysis and Transplant Association Registry Annual Report 2014: a summary. <i>CKJ: Clinical Kidney Journal</i> , 2017 , 10, 154-169	4.5	50
118	Tacrolimus and mycophenolate regimen and subclinical tubulo-interstitial inflammation in low immunological risk renal transplants. <i>Transplant International</i> , 2017 , 30, 1119-1131	3	5
117	Mycophenolate Acid and Balancing the Risk for Male Allograft Recipients. <i>Transplantation</i> , 2017 , 101, e39	1.8	2
116	How to Report and Interpret Bioequivalence Data in Solid Organ Transplant Recipients. <i>Transplantation</i> , 2017 , 101, e347	1.8	
115	Haptoglobin 2-2 Genotype, Patient, and Graft Survival in Renal Transplant Recipients. <i>Progress in Transplantation</i> , 2017 , 27, 386-391	1.1	
114	Risk factors for exertional rhabdomyolysis with renal stress. <i>BMJ Open Sport and Exercise Medicine</i> , 2017 , 3, e000241	3.4	4
113	Estimating Glomerular Filtration Rate in Kidney Transplant Recipients: Comparing a Novel Equation With Commonly Used Equations in this Population. <i>Transplantation Direct</i> , 2017 , 3, e332	2.3	12
112	Plasma Levels of Marine n-3 Fatty Acids Are Inversely Correlated With Proinflammatory Markers sTNFR1 and IL-6 in Renal Transplant Recipients. <i>Journal of Renal Nutrition</i> , 2017 , 27, 161-168	3	7
111	Visceral fat is strongly associated with post-transplant diabetes mellitus and glucose metabolism 1 year after kidney transplantation. <i>Clinical Transplantation</i> , 2017 , 31, e12869	3.8	8
110	Novel decay dynamics revealed for virus-mediated drug activation in cytomegalovirus infection. <i>PLoS Pathogens</i> , 2017 , 13, e1006299	7.6	6

109	Low level of MAP44, an inhibitor of the lectin complement pathway, and long-term graft and patient survival; a cohort study of 382 kidney recipients. <i>BMC Nephrology</i> , 2016 , 17, 148	2.7	9
108	Resolution of Calciphylaxis After Urgent Kidney Transplantation in 3 Patients With End-Stage Kidney Failure. <i>Transplantation Direct</i> , 2016 , 2, e113	2.3	8
107	Mortality risk in post-transplantation diabetes mellitus based on glucose and HbA1c diagnostic criteria. <i>Transplant International</i> , 2016 , 29, 568-78	3	23
106	Plasma n-3 Polyunsaturated Fatty Acids and Bone Mineral Density in Renal Transplant Recipients. <i>Journal of Renal Nutrition</i> , 2016 , 26, 196-203	3	2
105	Lessons Learned From a Randomized Study of Oral Valganciclovir Versus Parenteral Ganciclovir Treatment of Cytomegalovirus Disease in Solid Organ Transplant Recipients: The VICTOR Trial. <i>Clinical Infectious Diseases</i> , 2016 , 62, 1154-60	11.6	14
104	GLP-1 Restores Altered Insulin and Glucagon Secretion in Posttransplantation Diabetes. <i>Diabetes Care</i> , 2016 , 39, 617-24	14.6	31
103	Plasma levels of marine n-3 fatty acids and cardiovascular risk markers in renal transplant recipients. <i>European Journal of Clinical Nutrition</i> , 2016 , 70, 824-30	5.2	11
102	Prediction of Fat-Free Mass in Kidney Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 439-46	3	3
101	Serum Calcification Propensity Is a Strong and Independent Determinant of Cardiac and All-Cause Mortality in Kidney Transplant Recipients. <i>American Journal of Transplantation</i> , 2016 , 16, 204-12	8.7	60
100	Complexity of Host Micro-RNA Response to Cytomegalovirus Reactivation After Organ Transplantation. <i>American Journal of Transplantation</i> , 2016 , 16, 650-60	8.7	4
99	Low-target tacrolimus in de novo standard risk renal transplant recipients: A single-centre experience. <i>Nephrology</i> , 2016 , 21, 821-7	2.2	5
98	Measuring senescence rates of patients with end-stage renal disease while accounting for population heterogeneity: an analysis of data from the ERA-EDTA Registry. <i>Annals of Epidemiology</i> , 2016 , 26, 773-779	6.4	1
97	Hcmv-miR-UL22A-5p: A Biomarker in Transplantation With Broad Impact on Host Gene Expression and Potential Immunological Implications. <i>American Journal of Transplantation</i> , 2015 , 15, 1893-902	8.7	20
96	Limitations of hemoglobin A1c for the diagnosis of posttransplant diabetes mellitus. <i>Transplantation</i> , 2015 , 99, 629-35	1.8	23
95	Increased osteoprotegerin predicts poor virological outcome during anticytomegalovirus therapy in solid organ transplant recipients. <i>Transplantation</i> , 2015 , 99, 100-5	1.8	4
94	Use of generic tacrolimus in elderly renal transplant recipients: precaution is needed. <i>Transplantation</i> , 2015 , 99, 528-32	1.8	33
93	Improved Tacrolimus Target Concentration Achievement Using Computerized Dosing in Renal Transplant Recipients--A Prospective, Randomized Study. <i>Transplantation</i> , 2015 , 99, 2158-66	1.8	60
92	Visceral fat is better related to impaired glucose metabolism than body mass index after kidney transplantation. <i>Transplant International</i> , 2015 , 28, 1162-71	3	22

91	Aortic Stiffness in a Mortality Risk Calculator for Kidney Transplant Recipients. <i>Transplantation</i> , 2015 , 99, 1730-7	1.8	34
90	Closer to the Site of Action: Everolimus Concentrations in Peripheral Blood Mononuclear Cells Correlate Well With Whole Blood Concentrations. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 675-80	3.2	10
89	Secreted Wnt antagonists during eradication of cytomegalovirus infection in solid organ transplant recipients. <i>American Journal of Transplantation</i> , 2014 , 14, 210-5	8.7	11
88	Improved prediction of tacrolimus concentrations early after kidney transplantation using theory-based pharmacokinetic modelling. <i>British Journal of Clinical Pharmacology</i> , 2014 , 78, 509-23	3.8	58
87	Uric acid and clinical correlates of endothelial function in kidney transplant recipients. <i>Clinical Transplantation</i> , 2014 , 28, 1167-76	3.8	4
86	The influence of CYP3A, PPARA, and POR genetic variants on the pharmacokinetics of tacrolimus and cyclosporine in renal transplant recipients. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 685-93	2.8	84
85	New algorithm for valganciclovir dosing in pediatric solid organ transplant recipients. <i>Pediatric Transplantation</i> , 2014 , 18, 103-11	1.8	40
84	Short-term efficacy and safety of sitagliptin treatment in long-term stable renal recipients with new-onset diabetes after transplantation. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 926-33	4.3	62
83	More potent lipid-lowering effect by rosuvastatin compared with fluvastatin in everolimus-treated renal transplant recipients. <i>Transplantation</i> , 2014 , 97, 1266-71	1.8	15
82	Importance of hematocrit for a tacrolimus target concentration strategy. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 65-77	2.8	72
81	Long-term effects of gastric bypass and duodenal switch on systemic exposure of atorvastatin. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2094-101	5.2	25
80	UGT1A1*28 is associated with decreased systemic exposure of atorvastatin lactone. <i>Molecular Diagnosis and Therapy</i> , 2013 , 17, 233-7	4.5	15
79	Inclusion of CYP3A5 genotyping in a nonparametric population model improves dosing of tacrolimus early after transplantation. <i>Transplant International</i> , 2013 , 26, 1198-207	3	51
78	Impact of OATP1B1, MDR1, and CYP3A4 expression in liver and intestine on interpatient pharmacokinetic variability of atorvastatin in obese subjects. <i>Clinical Pharmacology and Therapeutics</i> , 2013 , 93, 275-82	6.1	62
77	Virologic suppression measured by a cytomegalovirus (CMV) DNA test calibrated to the World Health Organization international standard is predictive of CMV disease resolution in transplant recipients. <i>Clinical Infectious Diseases</i> , 2013 , 56, 1546-53	11.6	61
76	Long-term outcomes after cyclosporine or mycophenolate withdrawal in kidney transplantation - results from an aborted trial. <i>Clinical Transplantation</i> , 2013 , 27, E151-6	3.8	11
75	Endothelial dysfunction is associated with graft loss in renal transplant recipients. <i>Transplantation</i> , 2013 , 95, 733-9	1.8	12
74	Updated international consensus guidelines on the management of cytomegalovirus in solid-organ transplantation. <i>Transplantation</i> , 2013 , 96, 333-60	1.8	577

73	Characterization of cytomegalovirus disease in solid organ transplant recipients by markers of inflammation in plasma. <i>PLoS ONE</i> , 2013 , 8, e60767	3.7	7
72	Analysis and clinical correlation of genetic variation in cytomegalovirus. <i>Transplant Infectious Disease</i> , 2012 , 14, 132-40	2.7	31
71	A 1-year randomized, double-blind, placebo-controlled study of intravenous ibandronate on bone loss following renal transplantation. <i>American Journal of Transplantation</i> , 2012 , 12, 3316-25	8.7	43
70	A drug safety evaluation of everolimus in kidney transplantation. <i>Expert Opinion on Drug Safety</i> , 2012 , 11, 1013-22	4.1	18
69	Urinary proteomic shotgun approach for identification of potential acute rejection biomarkers in renal transplant recipients. <i>Transplantation Research</i> , 2012 , 1, 9		19
68	Evaluation of organic anion-transporting polypeptide 1B1 and CYP3A4 activities in primary human hepatocytes and HepaRG cells cultured in a dynamic three-dimensional bioreactor system. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 343, 145-56	4.7	17
67	The concentration of cyclosporine metabolites is significantly lower in kidney transplant recipients with diabetes mellitus. <i>Therapeutic Drug Monitoring</i> , 2012 , 34, 38-45	3.2	27
66	Cyclosporine A- and tacrolimus-mediated inhibition of CYP3A4 and CYP3A5 in vitro. <i>Drug Metabolism and Disposition</i> , 2012 , 40, 655-61	4	65
65	Treatment of cytomegalovirus disease in solid organ transplant recipients: markers of inflammation as predictors of outcome. <i>Transplantation</i> , 2012 , 94, 1060-5	1.8	12
64	The clinical utility of whole blood versus plasma cytomegalovirus viral load assays for monitoring therapeutic response. <i>Transplantation</i> , 2011 , 91, 231-6	1.8	72
63	Incidence and outcomes of ganciclovir-resistant cytomegalovirus infections in 1244 kidney transplant recipients. <i>Transplantation</i> , 2011 , 92, 217-23	1.8	84
62	Response to letter about intensity of immunosuppressive therapy on outcome of treatment for CMV disease. <i>American Journal of Transplantation</i> , 2011 , 11, 1103-4	8.7	
61	OATP1B1/1B3 activity in plated primary human hepatocytes over time in culture. <i>Biochemical Pharmacology</i> , 2011 , 82, 1219-26	6	32
60	Atorvastatin metabolite measurements as a diagnostic tool for statin-induced myopathy. <i>Molecular Diagnosis and Therapy</i> , 2011 , 15, 221-7	4.5	14
59	No change in insulin sensitivity in renal transplant recipients converted from standard to once-daily prolonged release tacrolimus. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 3767-72	4.3	11
58	Significant increase in systemic exposure of atorvastatin after biliopancreatic diversion with duodenal switch. <i>Clinical Pharmacology and Therapeutics</i> , 2010 , 87, 699-705	6.1	33
57	Cyclosporine A, but not tacrolimus, shows relevant inhibition of organic anion-transporting protein 1B1-mediated transport of atorvastatin. <i>Drug Metabolism and Disposition</i> , 2010 , 38, 1499-504	4	108
56	IN VIVO VIRAL MICRORNA PROFILING IN A LARGE COHORT OF TRANSPLANT PATIENTS WITH CMV DISEASE. <i>Transplantation</i> , 2010 , 90, 27	1.8	

55	Development of a population pharmacokinetic model for atorvastatin acid and its lactone metabolite. <i>Clinical Pharmacokinetics</i> , 2010 , 49, 693-702	6.2	16
54	Cytotoxicity of atorvastatin and simvastatin on primary rainbow trout (<i>Oncorhynchus mykiss</i>) hepatocytes. <i>Toxicology in Vitro</i> , 2010 , 24, 1610-8	3.6	27
53	Valganciclovir for the prevention and treatment of CMV in solid organ transplant recipients. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 1159-66	4	7
52	International consensus guidelines on the management of cytomegalovirus in solid organ transplantation. <i>Transplantation</i> , 2010 , 89, 779-95	1.8	447
51	Effects of the intensity of immunosuppressive therapy on outcome of treatment for CMV disease in organ transplant recipients. <i>American Journal of Transplantation</i> , 2010 , 10, 1881-8	8.7	65
50	2-D hydrophilic interaction liquid chromatography-RP separation in urinary proteomics--minimizing variability through improved downstream workflow compatibility. <i>Journal of Separation Science</i> , 2010 , 33, 864-72	3.4	12
49	Accelerated 18O-labeling in urinary proteomics. <i>Journal of Chromatography A</i> , 2010 , 1217, 8241-8	4.5	6
48	Computer-assisted cyclosporine dosing performs better than traditional dosing in renal transplant recipients: results of a pilot study. <i>Therapeutic Drug Monitoring</i> , 2010 , 32, 152-8	3.2	12
47	Impact of genetic polymorphisms in cytomegalovirus glycoprotein B on outcomes in solid-organ transplant recipients with cytomegalovirus disease. <i>Clinical Infectious Diseases</i> , 2009 , 49, 1160-6	11.6	81
46	An assessment of herpesvirus co-infections in patients with CMV disease: correlation with clinical and virologic outcomes. <i>American Journal of Transplantation</i> , 2009 , 9, 374-81	8.7	64
45	Long-term outcomes of CMV disease treatment with valganciclovir versus IV ganciclovir in solid organ transplant recipients. <i>American Journal of Transplantation</i> , 2009 , 9, 1205-13	8.7	135
44	Significantly altered systemic exposure to atorvastatin acid following gastric bypass surgery in morbidly obese patients. <i>Clinical Pharmacology and Therapeutics</i> , 2009 , 86, 311-8	6.1	61
43	Calcineurin inhibitor effects on glucose metabolism and endothelial function following renal transplantation. <i>Clinical Transplantation</i> , 2009 , 23, 511-8	3.8	16
42	Didanosine ester prodrugs: synthesis, albumin binding properties and pharmacokinetic studies in rats. <i>European Journal of Medicinal Chemistry</i> , 2009 , 44, 3874-9	6.8	4
41	A population pharmacokinetic model of ciclosporin applicable for assisting dose management of kidney transplant recipients. <i>Clinical Pharmacokinetics</i> , 2009 , 48, 615-23	6.2	17
40	Rimonabant affects cyclosporine a, but not tacrolimus pharmacokinetics in renal transplant recipients. <i>Transplantation</i> , 2009 , 87, 1221-4	1.8	8
39	Cytomegalovirus resistance in solid organ transplant recipients treated with intravenous ganciclovir or oral valganciclovir. <i>Antiviral Therapy</i> , 2009 , 14, 697-704	1.6	69
38	Statin induced myotoxicity: the lactone forms are more potent than the acid forms in human skeletal muscle cells in vitro. <i>European Journal of Pharmaceutical Sciences</i> , 2008 , 33, 317-25	5.1	90

37	Reduced elimination of cyclosporine A in elderly (>65 years) kidney transplant recipients. <i>Transplantation</i> , 2008 , 86, 1379-83	1.8	40
36	Declining intracellular T-lymphocyte concentration of cyclosporine a precedes acute rejection in kidney transplant recipients. <i>Transplantation</i> , 2008 , 85, 179-84	1.8	53
35	Cinacalcet effect on the pharmacokinetics of tacrolimus, cyclosporine and mycophenolate in renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 1048-53	4.3	34
34	Determination of ganciclovir in different matrices from solid organ transplanted patients treated with a wide range of concomitant drugs. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 1039-44	3.5	16
33	Determination of ciclosporin A and its six main metabolites in isolated T-lymphocytes and whole blood using liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 852, 345-52	3.2	32
32	Oral valganciclovir is noninferior to intravenous ganciclovir for the treatment of cytomegalovirus disease in solid organ transplant recipients. <i>American Journal of Transplantation</i> , 2007 , 7, 2106-13	8.7	317
31	The impact of short-term ciclosporin A treatment on insulin secretion and insulin sensitivity in man. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 1743-9	4.3	32
30	Calcineurin inhibitor avoidance with daclizumab, mycophenolate mofetil, and prednisolone in DR-matched de novo kidney transplant recipients. <i>Transplantation</i> , 2006 , 82, 62-8	1.8	38
29	Endothelial Function in Renal Transplant Recipients is Associated with Circulating Nitric Oxide, ACE Inhibitor Use and Time After Transplantation. <i>Vascular Disease Prevention</i> , 2006 , 3, 229-234		2
28	Association between insulin resistance and endothelial dysfunction in renal transplant recipients. <i>Clinical Transplantation</i> , 2006 , 20, 195-9	3.8	9
27	Exposure of atorvastatin is unchanged but lactone and acid metabolites are increased several-fold in patients with atorvastatin-induced myopathy. <i>Clinical Pharmacology and Therapeutics</i> , 2006 , 79, 532-9	6.1	99
26	Short-term treatment with rosiglitazone improves glucose tolerance, insulin sensitivity and endothelial function in renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 413-8	4.3	45
25	Combined therapy with atorvastatin and calcineurin inhibitors: no interactions with tacrolimus. <i>American Journal of Transplantation</i> , 2005 , 5, 2236-43	8.7	116
24	Atorvastatin does not affect the pharmacokinetics of cyclosporine in renal transplant recipients. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 59-62	2.8	3
23	New-onset posttransplantation diabetes mellitus: insulin resistance or insulinopenia? Impact of immunosuppressive drugs, cytomegalovirus and hepatitis C virus infection. <i>Current Diabetes Reviews</i> , 2005 , 1, 1-10	2.7	33
22	Substantially elevated levels of atorvastatin and metabolites in cyclosporine-treated renal transplant recipients. <i>Clinical Pharmacology and Therapeutics</i> , 2004 , 76, 388-91	6.1	49
21	Fluvastatin and fluvastatin extended release: a clinical and safety profile. <i>Expert Review of Cardiovascular Therapy</i> , 2004 , 2, 641-52	2.5	15
20	Fluvastatin reduces atherogenic lipids without any effect on native endothelial function early after kidney transplantation. <i>Clinical Transplantation</i> , 2003 , 17, 385-90	3.8	14

19	Interactions between cyclosporin and lipid-lowering drugs: implications for organ transplant recipients. <i>Drugs</i> , 2003 , 63, 367-78	12.1	94
18	Pre-emptive therapy of CMVpp65 antigen positive renal transplant recipients with oral ganciclovir: a randomized, comparative study. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 1899-908	4.3	37
17	Early intervention with a potent endothelin-A/endothelin-B receptor antagonist aggravates left ventricular remodeling after myocardial infarction in rats. <i>Basic Research in Cardiology</i> , 2002 , 97, 239-47	11.8	20
16	Coadministration of grapefruit juice increases systemic exposure of diltiazem in healthy volunteers. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 515-20	2.8	45
15	Desacetyl-diltiazem displays severalfold higher affinity to CYP2D6 compared with CYP3A4. <i>Drug Metabolism and Disposition</i> , 2002 , 30, 1-3	4	33
14	Bilateral pharmacokinetic interaction between cyclosporine A and atorvastatin in renal transplant recipients. <i>American Journal of Transplantation</i> , 2001 , 1, 382-6	8.7	111
13	Better microvascular function on long-term treatment with lisinopril than with nifedipine in renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 1465-70	4.3	21
12	Atorvastatin improves endothelial function in renal-transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 1920-4	4.3	45
11	CYP2D6 is involved in O-demethylation of diltiazem. An in vitro study with transfected human liver cells. <i>European Journal of Clinical Pharmacology</i> , 2000 , 56, 575-9	2.8	28
10	Each administration of cyclosporin A enhances skin microvascular reactivity in renal transplant recipients. <i>Microvascular Research</i> , 2000 , 60, 81-90	3.7	15
9	Pharmacokinetic interactions between microemulsion formulated cyclosporine A and diltiazem in renal transplant recipients. <i>European Journal of Clinical Pharmacology</i> , 1999 , 55, 383-7	2.8	24
8	A simple and sensitive high-performance liquid chromatography assay of diltiazem and main metabolites in renal transplanted patients. <i>Clinica Chimica Acta</i> , 1999 , 283, 63-75	6.2	16
7	Nonspecific microvascular vasodilation during iontophoresis is attenuated by application of hyperosmolar saline. <i>Microvascular Research</i> , 1999 , 58, 41-8	3.7	43
6	Gene expression of the renal endothelin system in renal transplant recipients on cyclosporine A based immunosuppression. <i>Transplantation</i> , 1999 , 67, 1056-60	1.8	2
5	Quantification of mRNA levels of endothelin receptor subtypes and preproEndothelin-1 in renal needle biopsies by competitive reverse transcriptase polymerase chain reaction. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1998 , 58, 299-306	2	1
4	Pulmonary hemodynamics and plasma endothelin-1 during hypoxemia and reoxygenation with room air or 100% oxygen in a piglet model. <i>Pediatric Research</i> , 1998 , 44, 843-9	3.2	37
3	Diltiazem modulates cyclosporin A induced renal hemodynamic effects but not its effect on plasma endothelin-1. <i>Clinical Transplantation</i> , 1998 , 12, 363-70	3.8	8
2	Glipizide treatment of post-transplant diabetes does not interfere with cyclosporine pharmacokinetics in renal allograft recipients. <i>Clinical Transplantation</i> , 1998 , 12, 553-6	3.8	15

- 1 Multiplexed measurement of binding- and neutralizing antibodies to SARS-CoV-2 variants in 12.000 post-vaccine sera

○