Connie R Bezzina

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2697891/connie-r-bezzina-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

189	11,784	59	105
papers	citations	h-index	g-index
215 ext. papers	14,202 ext. citations	9.7 avg, IF	5.81 L-index

#	Paper	IF	Citations
189	Animal models and animal-free innovations for cardiovascular research: current status and routes to be explored. Consensus document of the ESC working group on myocardial function and the ESC Working Group on Cellular Biology of the Heart <i>Cardiovascular Research</i> , 2022 ,	9.9	3
188	A deep learning approach identifies new ECG features in congenital long QT syndrome <i>BMC Medicine</i> , 2022 , 20, 162	11.4	0
187	Common Genetic Variants Contribute to Risk of Transposition of the Great Arteries. <i>Circulation Research</i> , 2021 ,	15.7	2
186	Exploring the Relationship Between Schizophrenia and Cardiovascular Disease: A Genetic Correlation and Multivariable Mendelian Randomization Study. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	1
185	Sequential Defects in Cardiac Lineage Commitment and Maturation Cause Hypoplastic Left Heart Syndrome. <i>Circulation</i> , 2021 , 144, 1409-1428	16.7	6
184	Two siblings with early repolarization syndrome: clinical and genetic characterization by whole-exome sequencing. <i>Europace</i> , 2021 , 23, 775-780	3.9	0
183	Biallelic loss-of-function variants in PLD1 cause congenital right-sided cardiac valve defects and neonatal cardiomyopathy. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	4
182	Genetics and genomics of arrhythmic risk: current and future strategies to prevent sudden cardiac death. <i>Nature Reviews Cardiology</i> , 2021 , 18, 774-784	14.8	1
181	Clinical Characteristics of p.R965C Carriers: A Common Founder Variant Predisposing to Brugada Syndrome in Thailand. <i>Circulation Genomic and Precision Medicine</i> , 2021 , 14, e003229	5.2	O
180	Chronically elevated branched chain amino acid levels are pro-arrhythmic. <i>Cardiovascular Research</i> , 2021 ,	9.9	6
179	Rare variants in KDR, encoding VEGF Receptor 2, are associated with tetralogy of Fallot. <i>Genetics in Medicine</i> , 2021 , 23, 1952-1960	8.1	1
178	Targeting the Microtubule EB1-CLASP2 Complex Modulates Na1.5 at Intercalated Discs. <i>Circulation Research</i> , 2021 , 129, 349-365	15.7	2
177	Enhancing rare variant interpretation in inherited arrhythmias through quantitative analysis of consortium disease cohorts and population controls. <i>Genetics in Medicine</i> , 2021 , 23, 47-58	8.1	13
176	Common genetic variants and modifiable risk factors underpin hypertrophic cardiomyopathy susceptibility and expressivity. <i>Nature Genetics</i> , 2021 , 53, 135-142	36.3	33
175	Illuminating the path from genetics to clinical outcome in Brugada syndrome. <i>European Heart Journal</i> , 2021 , 42, 1091-1093	9.5	6
174	Variant Intronic Enhancer Controls Expression and Heart Conduction. <i>Circulation</i> , 2021 , 144, 229-242	16.7	1
173	Novel pathogenic role for galectin-3 in early disease stages of arrhythmogenic cardiomyopathy. Heart Rhythm, 2021 , 18, 1394-1403	6.7	1

(2020-2021)

172	Minor hypertrophic cardiomyopathy genes, major insights into the genetics of cardiomyopathies. <i>Nature Reviews Cardiology</i> , 2021 ,	14.8	5
171	Shared genetic pathways contribute to risk of hypertrophic and dilated cardiomyopathies with opposite directions of effect. <i>Nature Genetics</i> , 2021 , 53, 128-134	36.3	35
170	Systematic large-scale assessment of the genetic architecture of left ventricular noncompaction reveals diverse etiologies. <i>Genetics in Medicine</i> , 2021 , 23, 856-864	8.1	12
169	Mutation Type and a Genetic Risk Score Associate Variably With Brugada Syndrome Phenotype in Families. <i>Circulation Genomic and Precision Medicine</i> , 2020 , 13, e002911	5.2	13
168	Sibling history is associated with heart failure after a first myocardial infarction. <i>Open Heart</i> , 2020 , 7, e001143	3	1
167	When genetic burden reaches threshold. <i>European Heart Journal</i> , 2020 , 41, 3849-3855	9.5	12
166	Transethnic Genome-Wide Association Study Provides Insights in the Genetic Architecture and Heritability of Long QT Syndrome. <i>Circulation</i> , 2020 , 142, 324-338	16.7	27
165	Genome-wide association studies of cardiac electrical phenotypes. <i>Cardiovascular Research</i> , 2020 , 116, 1620-1634	9.9	4
164	Common and rare susceptibility genetic variants predisposing to Brugada syndrome in Thailand. <i>Heart Rhythm</i> , 2020 , 17, 2145-2153	6.7	8
163	Seasonality of ventricular fibrillation at first myocardial infarction and association with viral exposure. <i>PLoS ONE</i> , 2020 , 15, e0226936	3.7	2
162	Electrophysiological Abnormalities in VLCAD Deficient hiPSC-Cardiomyocytes Can Be Improved by Lowering Accumulation of Fatty Acid Oxidation Intermediates. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	13
161	SARS-CoV-2, COVID-19, and inherited arrhythmia syndromes. <i>Heart Rhythm</i> , 2020 , 17, 1456-1462	6.7	115
160	Scientists on the Spot: The complex inheritance of cardiac disorders. <i>Cardiovascular Research</i> , 2020 , 116, e11	9.9	
159	Inherited cardiac arrhythmias. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 58	51.1	53
158	Functional modulation of atrio-ventricular conduction by enhanced late sodium current and calcium-dependent mechanisms in Scn5a1798insD/+ mice. <i>Europace</i> , 2020 , 22, 1579-1589	3.9	3
157	The yield of postmortem genetic testing in sudden death cases with structural findings at autopsy. European Journal of Human Genetics, 2020 , 28, 17-22	5.3	16
156	Epidemiology of inherited arrhythmias. <i>Nature Reviews Cardiology</i> , 2020 , 17, 205-215	14.8	18
155	Electrophysiological Abnormalities in VLCAD Deficient hiPSC-Cardiomyocytes Do not Improve with Carnitine Supplementation. <i>Frontiers in Pharmacology</i> , 2020 , 11, 616834	5.6	2

Seasonality of ventricular fibrillation at first myocardial infarction and association with viral exposure **2020**, 15, e0226936

153	Seasonality of ventricular fibrillation at first myocardial infarction and association with viral exposure 2020 , 15, e0226936		
152	Blood Pressure-Associated Genetic Variants in the Natriuretic Peptide Receptor 1 Gene Modulate Guanylate Cyclase Activity. <i>Circulation Genomic and Precision Medicine</i> , 2019 , 12, e002472	5.2	4
151	Predicting cardiac electrical response to sodium-channel blockade and Brugada syndrome using polygenic risk scores. <i>European Heart Journal</i> , 2019 , 40, 3097-3107	9.5	33
150	Genetic variation in causes bradycardia by augmenting the cholinergic response via increased acetylcholine-activated potassium current (). <i>DMM Disease Models and Mechanisms</i> , 2019 , 12,	4.1	7
149	Calmodulin mutations and life-threatening cardiac arrhythmias: insights from the International Calmodulinopathy Registry. <i>European Heart Journal</i> , 2019 , 40, 2964-2975	9.5	61
148	Subsequent Event Risk in Individuals With Established Coronary Heart Disease. <i>Circulation Genomic and Precision Medicine</i> , 2019 , 12, e002470	5.2	13
147	Association of Chromosome 9p21 With Subsequent Coronary Heart Disease Events. <i>Circulation Genomic and Precision Medicine</i> , 2019 , 12, e002471	5.2	14
146	Homozygous frameshift mutations in FAT1 cause a syndrome characterized by colobomatous-microphthalmia, ptosis, nephropathy and syndactyly. <i>Nature Communications</i> , 2019 , 10, 1180	17.4	19
145	Supraventricular tachycardias, conduction disease, and cardiomyopathy in 3 families with the same rare variant in TNNI3K (p.Glu768Lys). <i>Heart Rhythm</i> , 2019 , 16, 98-105	6.7	9
144	Beyond the One Gene-One Disease Paradigm: Complex Genetics and Pleiotropy in Inheritable Cardiac Disorders. <i>Circulation</i> , 2019 , 140, 595-610	16.7	56
143	GATA6 mutations: Characterization of two novel patients and a comprehensive overview of the GATA6 genotypic and phenotypic spectrum. <i>American Journal of Medical Genetics, Part A</i> , 2019 , 179, 18	36:5184	15 ⁶
142	Functional Consequences of the -p.Y1977N Mutation within the PY Ubiquitylation Motif: Discrepancy between HEK293 Cells and Transgenic Mice. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
141	Whole Exome Sequencing Reveals the Major Genetic Contributors to Nonsyndromic Tetralogy of Fallot. <i>Circulation Research</i> , 2019 , 124, 553-563	15.7	62
140	A common co-morbidity modulates disease expression and treatment efficacy in inherited cardiac sodium channelopathy. <i>European Heart Journal</i> , 2018 , 39, 2898-2907	9.5	12
139	Identification of an I-dependent and I-mediated proarrhythmic mechanism in cardiomyocytes derived from pluripotent stem cells of a Brugada syndrome patient. <i>Scientific Reports</i> , 2018 , 8, 11246	4.9	20
138	Inherited dilated cardiomyopathy in a large Moroccan family caused by LMNA mutation. <i>Anatolian Journal of Cardiology</i> , 2018 , 20, 65-68	0.8	2
137	Bioinformatic analysis of a plakophilin-2-dependent transcription network: implications for the mechanisms of arrhythmogenic right ventricular cardiomyopathy in humans and in boxer dogs. <i>Europace</i> , 2018 , 20, iii125-iii132	3.9	9

136	A comprehensive evaluation of the genetic architecture of sudden cardiac arrest. <i>European Heart Journal</i> , 2018 , 39, 3961-3969	9.5	31
135	Systems Genetics Approaches in Rat Identify Novel Genes and Gene Networks Associated With Cardiac Conduction. <i>Journal of the American Heart Association</i> , 2018 , 7, e009243	6	9
134	Enhanced late sodium current underlies pro-arrhythmic intracellular sodium and calcium dysregulation in murine sodium channelopathy. <i>International Journal of Cardiology</i> , 2018 , 263, 54-62	3.2	10
133	Genomic approaches for the elucidation of genes and gene networks underlying cardiovascular traits. <i>Biophysical Reviews</i> , 2018 , 10, 1053-1060	3.7	3
132	Multilevel analyses of SCN5A mutations in arrhythmogenic right ventricular dysplasia/cardiomyopathy suggest non-canonical mechanisms for disease pathogenesis. <i>Cardiovascular Research</i> , 2017 , 113, 102-111	9.9	111
131	Gain-of-function mutation in SCN5A causes ventricular arrhythmias and early onset atrial fibrillation. <i>International Journal of Cardiology</i> , 2017 , 236, 187-193	3.2	23
130	Utility of Post-Mortem Genetic Testing in Cases of Sudden Arrhythmic Death Syndrome. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2134-2145	15.1	126
129	Anti-arrhythmic potential of the late sodium current inhibitor GS-458967 in murine Scn5a-1798insD+/- and human SCN5A-1795insD+/- iPSC-derived cardiomyocytes. <i>Cardiovascular Research</i> , 2017 , 113, 829-838	9.9	28
128	The Brugada Syndrome Susceptibility Gene Modulates Cardiac Transmural Ion Channel Patterning and Electrical Heterogeneity. <i>Circulation Research</i> , 2017 , 121, 537-548	15.7	34
127	Exome sequencing identifies primary carnitine deficiency in a family with cardiomyopathy and sudden death. <i>European Journal of Human Genetics</i> , 2017 , 25, 783-787	5.3	16
126	Familial Disease Is Not Always Genetic: A Family With Atrioventricular Block and Mitral Regurgitation. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 554.e9-554.e11	3.8	
125	Impact of Selection Bias on Estimation of Subsequent Event Risk. <i>Circulation: Cardiovascular Genetics</i> , 2017 , 10,		19
124	Arrhythmogenic cardiomyopathy: pathology, genetics, and concepts in pathogenesis. <i>Cardiovascular Research</i> , 2017 , 113, 1521-1531	9.9	58
123	Natural genetic variation of the cardiac transcriptome in non-diseased donors and patients with dilated cardiomyopathy. <i>Genome Biology</i> , 2017 , 18, 170	18.3	40
122	Response by Veerman et al to Letter Regarding Article, "The Brugada Syndrome Susceptibility Gene Modulates Cardiac Transmural Ion Channel Patterning and Electrical Heterogeneity". <i>Circulation Research</i> , 2017 , 121, e21	15.7	
121	Sodium Channel Remodeling in Subcellular Microdomains of Murine Failing Cardiomyocytes. Journal of the American Heart Association, 2017, 6,	6	21
120	Yield and Pitfalls of Ajmaline Testing in the Evaluation of Unexplained Cardiac Arrest and Sudden Unexplained Death: Single-Center Experience With 482 Families. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 1400-1408	4.6	19
119	Heart failure following STEMI: a contemporary cohort study of incidence and prognostic factors. Open Heart, 2017, 4, e000551	3	10

118	Patch-Clamp Recording from Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes: Improving Action Potential Characteristics through Dynamic Clamp. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	35
117	Switch From Fetal to Adult Isoform in Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes Unmasks the Cellular Phenotype of a Conduction Disease-Causing Mutation. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	34
116	Complex Genetics of Cardiovascular Traits in Mice: F2-Mapping of QTLs and Their Underlying Genes. <i>Methods in Molecular Biology</i> , 2017 , 1488, 431-454	1.4	4
115	Genetics of congenital heart disease: the contribution of the noncoding regulatory genome. <i>Journal of Human Genetics</i> , 2016 , 61, 13-9	4.3	36
114	Clinical Aspects of Type 3 Long-QT Syndrome: An International Multicenter Study. <i>Circulation</i> , 2016 , 134, 872-82	16.7	118
113	GNB5 Mutations Cause an Autosomal-Recessive Multisystem Syndrome with Sinus Bradycardia and Cognitive Disability. <i>American Journal of Human Genetics</i> , 2016 , 99, 704-710	11	34
112	52 Genetic Loci Influencing Myocardial[Mass. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1435-1448	15.1	76
111	Variants in the SCN5A Promoter Associated With Various Arrhythmia Phenotypes. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	18
110	hiPSC-derived cardiomyocytes from Brugada Syndrome patients without identified mutations do not exhibit clear cellular electrophysiological abnormalities. <i>Scientific Reports</i> , 2016 , 6, 30967	4.9	50
109	Readthrough-Promoting Drugs Gentamicin and PTC124 Fail to Rescue Nav1.5 Function of Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes Carrying Nonsense Mutations in the Sodium Channel Gene SCN5A. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	20
108	Sudden Cardiac Arrest and Rare Genetic Variants in the Community. <i>Circulation: Cardiovascular Genetics</i> , 2016 , 9, 147-53		22
107	Cardiac dyssynchrony and response to cardiac resynchronisation therapy in heart failure: can genetic predisposition play a role?. <i>Netherlands Heart Journal</i> , 2016 , 24, 11-5	2.2	1
106	Genome-Wide Polyadenylation Maps Reveal Dynamic mRNA 3REnd Formation in the Failing Human Heart. <i>Circulation Research</i> , 2016 , 118, 433-8	15.7	28
105	Next-Generation Sequencing in Post-mortem Genetic Testing of Young Sudden Cardiac Death Cases. <i>Frontiers in Cardiovascular Medicine</i> , 2016 , 3, 13	5.4	13
104	Genome-wide association of multiple complex traits in outbred mice by ultra-low-coverage sequencing. <i>Nature Genetics</i> , 2016 , 48, 912-8	36.3	81
103	Dilation of the Aorta Ascendens Forms Part of the Clinical Spectrum of HCN4 Mutations. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 2313-2315	15.1	20
102	TNNI3K in cardiovascular disease and prospects for therapy. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 82, 167-73	5.8	11
101	Chemokine ligand 9 modulates cardiac repolarization via Cxcr3 receptor binding. <i>International Journal of Cardiology</i> , 2015 , 201, 49-52	3.2	2

100	Analysis for Genetic Modifiers of Disease Severity in Patients With Long-QT Syndrome Type 2. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 447-456		31
99	Genetics of sudden cardiac death. <i>Circulation Research</i> , 2015 , 116, 1919-36	15.7	161
98	Role of common and rare variants in SCN10A: results from the Brugada syndrome QRS locus gene discovery collaborative study. <i>Cardiovascular Research</i> , 2015 , 106, 520-9	9.9	86
97	Early repolarization pattern: its ECG characteristics, arrhythmogeneity and heritability. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014 , 39, 185-92	2.4	13
96	Coxsackie and adenovirus receptor is a modifier of cardiac conduction and arrhythmia vulnerability in the setting of myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 549-59	15.1	45
95	A mutation in CALM1 encoding calmodulin in familial idiopathic ventricular fibrillation in childhood and adolescence. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 259-66	15.1	124
94	Genetics of sudden cardiac death caused by ventricular arrhythmias. <i>Nature Reviews Cardiology</i> , 2014 , 11, 96-111	14.8	52
93	PDZ domain-binding motif regulates cardiomyocyte compartment-specific NaV1.5 channel expression and function. <i>Circulation</i> , 2014 , 130, 147-60	16.7	77
92	Role of Rare and Common Genetic Variation in SCN5A in Cardiac Electrical Function and Arrhythmia. <i>Cardiac Electrophysiology Clinics</i> , 2014 , 6, 665-677	1.4	1
91	HCN4 mutations in multiple families with bradycardia and left ventricular noncompaction cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 745-56	15.1	133
90	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014 , 46, 826-36	36.3	199
89	Integrative genomic approach identifies multiple genes involved in cardiac collagen deposition. <i>Circulation: Cardiovascular Genetics</i> , 2014 , 7, 790-8		8
88	Genomics of cardiac electrical function. <i>Briefings in Functional Genomics</i> , 2014 , 13, 39-50	4.9	1
87	Gene-centric meta-analysis in 87,736 individuals of European ancestry identifies multiple blood-pressure-related loci. <i>American Journal of Human Genetics</i> , 2014 , 94, 349-60	11	131
86	A common genetic variant within SCN10A modulates cardiac SCN5A expression. <i>Journal of Clinical Investigation</i> , 2014 , 124, 1844-52	15.9	132
85	Genome-wide identification of expression quantitative trait loci (eQTLs) in human heart. <i>PLoS ONE</i> , 2014 , 9, e97380	3.7	35
84	Genome-wide association study of multiple congenital heart disease phenotypes identifies a susceptibility locus for atrial septal defect at chromosome 4p16. <i>Nature Genetics</i> , 2013 , 45, 822-4	36.3	91
83	Common variants at SCN5A-SCN10A and HEY2 are associated with Brugada syndrome, a rare disease with high risk of sudden cardiac death. <i>Nature Genetics</i> , 2013 , 45, 1044-9	36.3	345

82	Sudden cardiac arrest associated with use of a non-cardiac drug that reduces cardiac excitability: evidence from bench, bedside, and community. <i>European Heart Journal</i> , 2013 , 34, 1506-16	9.5	30
81	Reduced sodium channel function unmasks residual embryonic slow conduction in the adult right ventricular outflow tract. <i>Circulation Research</i> , 2013 , 113, 137-41	15.7	59
80	SNPs identified as modulators of ECG traits in the general population do not markedly affect ECG traits during acute myocardial infarction nor ventricular fibrillation risk in this condition. <i>PLoS ONE</i> , 2013 , 8, e57216	3.7	9
79	A heterozygous deletion mutation in the cardiac sodium channel gene SCN5A with loss- and gain-of-function characteristics manifests as isolated conduction disease, without signs of Brugada or long QT syndrome. <i>PLoS ONE</i> , 2013 , 8, e67963	3.7	15
78	Genome wide analysis of drug-induced torsades de pointes: lack of common variants with large effect sizes. <i>PLoS ONE</i> , 2013 , 8, e78511	3.7	48
77	Complex inheritance for susceptibility to sudden cardiac death. <i>Current Pharmaceutical Design</i> , 2013 , 19, 6864-72	3.3	1
76	The chemical compound PTC124 does not affect cellular electrophysiology of cardiac ventricular myocytes. <i>Cardiovascular Drugs and Therapy</i> , 2012 , 26, 41-5	3.9	7
75	Functional Nav1.8 channels in intracardiac neurons: the link between SCN10A and cardiac electrophysiology. <i>Circulation Research</i> , 2012 , 111, 333-43	15.7	107
74	Common genetic variation modulating cardiac ECG parameters and susceptibility to sudden cardiac death. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 52, 620-9	5.8	42
73	Induced pluripotent stem cell derived cardiomyocytes as models for cardiac arrhythmias. <i>Frontiers in Physiology</i> , 2012 , 3, 346	4.6	134
72	Large-scale gene-centric meta-analysis across 32 studies identifies multiple lipid loci. <i>American Journal of Human Genetics</i> , 2012 , 91, 823-38	11	189
71	The role of renin-angiotensin-aldosterone system polymorphisms in phenotypic expression of MYBPC3-related hypertrophic cardiomyopathy. <i>European Journal of Human Genetics</i> , 2012 , 20, 1071-7	5.3	23
70	Cardiomyocytes derived from pluripotent stem cells recapitulate electrophysiological characteristics of an overlap syndrome of cardiac sodium channel disease. <i>Circulation</i> , 2012 , 125, 3079-5	91 ^{6.7}	200
69	Dissection of a quantitative trait locus for PR interval duration identifies Tnni3k as a novel modulator of cardiac conduction. <i>PLoS Genetics</i> , 2012 , 8, e1003113	6	35
68	A connexin40 mutation associated with a malignant variant of progressive familial heart block type I. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012 , 5, 163-72	6.4	53
67	A large candidate gene survey identifies the KCNE1 D85N polymorphism as a possible modulator of drug-induced torsades de pointes. <i>Circulation: Cardiovascular Genetics</i> , 2012 , 5, 91-9		127
66	Variants in the 3Runtranslated region of the KCNQ1-encoded Kv7.1 potassium channel modify disease severity in patients with type 1 long QT syndrome in an allele-specific manner. <i>European Heart Journal</i> , 2012 , 33, 714-23	9.5	113
65	Intercalated disc abnormalities, reduced Na(+) current density, and conduction slowing in desmoglein-2 mutant mice prior to cardiomyopathic changes. <i>Cardiovascular Research</i> , 2012 , 95, 409-18	9.9	145

(2009-2012)

64	Genetic variation in T-box binding element functionally affects SCN5A/SCN10A enhancer. <i>Journal of Clinical Investigation</i> , 2012 , 122, 2519-30	15.9	143
63	Inherited Cardiac Arrhythmia Syndromes: Role of the Sodium Channel. <i>Cardiac Electrophysiology Clinics</i> , 2011 , 3, 93-112	1.4	
62	Quantitative trait loci for electrocardiographic parameters and arrhythmia in the mouse. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 50, 380-9	5.8	20
61	Genetic predisposition for sudden cardiac death in myocardial ischaemia: the Arrhythmia Genetics in the NEtherlandS study. <i>Netherlands Heart Journal</i> , 2011 , 19, 96-100	2.2	1
60	Arrhythmogenic cardiomyopathy: transgenic animal models provide novel insights into disease pathobiology. <i>Circulation: Cardiovascular Genetics</i> , 2011 , 4, 318-26		28
59	A complex double deletion in LMNA underlies progressive cardiac conduction disease, atrial arrhythmias, and sudden death. <i>Circulation: Cardiovascular Genetics</i> , 2011 , 4, 280-7		23
58	Developmental aspects of cardiac arrhythmogenesis. Cardiovascular Research, 2011, 91, 243-51	9.9	16
57	Identification of a sudden cardiac death susceptibility locus at 2q24.2 through genome-wide association in European ancestry individuals. <i>PLoS Genetics</i> , 2011 , 7, e1002158	6	95
56	Genetic variation in SCN10A influences cardiac conduction. <i>Nature Genetics</i> , 2010 , 42, 149-52	36.3	209
55	Genome-wide association study identifies a susceptibility locus at 21q21 for ventricular fibrillation in acute myocardial infarction. <i>Nature Genetics</i> , 2010 , 42, 688-691	36.3	132
54	Cardiac desmosomal (dys)function and myocyte viability. <i>Cell Cycle</i> , 2010 , 9, 1246-52	4.7	6
53	Tubulin polymerization modifies cardiac sodium channel expression and gating. <i>Cardiovascular Research</i> , 2010 , 85, 691-700	9.9	53
52	Genetics of lone atrial fibrillation. <i>Europace</i> , 2010 , 12, 1351-2	3.9	2
51	Mechanism of right precordial ST-segment elevation in structural heart disease: excitation failure by current-to-load mismatch. <i>Heart Rhythm</i> , 2010 , 7, 238-48	6.7	88
50	Sodium channel (dys)function and cardiac arrhythmias. Cardiovascular Therapeutics, 2010, 28, 287-94	3.3	98
49	Genetic Basis of Ventricular Arrhythmias. Current Cardiovascular Risk Reports, 2010, 4, 454-460	0.9	3
48	Identification of FOXP1 deletions in three unrelated patients with mental retardation and significant speech and language deficits. <i>Human Mutation</i> , 2010 , 31, E1851-60	4.7	105
47	Genetically determined differences in sodium current characteristics modulate conduction disease severity in mice with cardiac sodium channelopathy. <i>Circulation Research</i> , 2009 , 104, 1283-92	15.7	63

46	Combined reduction of intercellular coupling and membrane excitability differentially affects transverse and longitudinal cardiac conduction. <i>Cardiovascular Research</i> , 2009 , 83, 52-60	9.9	51
45	Myocyte necrosis underlies progressive myocardial dystrophy in mouse dsg2-related arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Experimental Medicine</i> , 2009 , 206, 1787-8	02 ^{16.6}	140
44	Haplotype-sharing analysis implicates chromosome 7q36 harboring DPP6 in familial idiopathic ventricular fibrillation. <i>American Journal of Human Genetics</i> , 2009 , 84, 468-76	11	121
43	Genetic Background Determines Magnitude of Late Sodium Current, Extent of Intracellular Na+ and Ca2+ Dysregulation, and Severity of Cardiomyopathy in Murine Sodium Channelopathy. <i>Heart Rhythm</i> , 2009 , 6, 1686	6.7	2
42	Type of SCN5A mutation determines clinical severity and degree of conduction slowing in loss-of-function sodium channelopathies. <i>Heart Rhythm</i> , 2009 , 6, 341-8	6.7	182
41	Myocyte necrosis underlies progressive myocardial dystrophy in mouse dsg2-related arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Cell Biology</i> , 2009 , 186, i5-i5	7.3	
40	Cardiac sodium channel overlap syndromes: different faces of SCN5A mutations. <i>Trends in Cardiovascular Medicine</i> , 2008 , 18, 78-87	6.9	151
39	Dilated cardiomyopathy due to sodium channel dysfunction: what is the connection?. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008 , 1, 80-2	6.4	32
38	The primary arrhythmia syndromes: same mutation, different manifestations. Are we starting to understand why?. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 445-52	2.7	30
37	Sodium channel 1 subunit mutations associated with Brugada syndrome and cardiac conduction disease in humans. <i>Journal of Clinical Investigation</i> , 2008 , 118, 2260-8	15.9	337
36	Fever-induced QTc prolongation and ventricular arrhythmias in individuals with type 2 congenital long QT syndrome. <i>Journal of Clinical Investigation</i> , 2008 , 118, 2552-61	15.9	64
35	Exclusion of multiple candidate genes and large genomic rearrangements in SCN5A in a Dutch Brugada syndrome cohort. <i>Heart Rhythm</i> , 2007 , 4, 752-5	6.7	43
34	Characterization of a novel SCN5A mutation associated with Brugada syndrome reveals involvement of DIIIS4-S5 linker in slow inactivation. <i>Cardiovascular Research</i> , 2007 , 76, 418-29	9.9	33
33	Genetic Basis for Cardiac Arrhythmias 2007 , 2577-2598		
32	Overlap syndrome of cardiac sodium channel disease in mice carrying the equivalent mutation of human SCN5A-1795insD. <i>Circulation</i> , 2006 , 114, 2584-94	16.7	153
31	Familial sudden death is an important risk factor for primary ventricular fibrillation: a case-control study in acute myocardial infarction patients. <i>Circulation</i> , 2006 , 114, 1140-5	16.7	214
30	Common sodium channel promoter haplotype in asian subjects underlies variability in cardiac conduction. <i>Circulation</i> , 2006 , 113, 338-44	16.7	186
29	Long QT syndrome caused by a large duplication in the KCNH2 (HERG) gene undetectable by current polymerase chain reaction-based exon-scanning methodologies. <i>Heart Rhythm</i> , 2006 , 3, 52-5	6.7	55

28	Voltage-gated sodium channels: action players with many faces. <i>Annals of Medicine</i> , 2006 , 38, 472-82	1.5	31
27	Polymorphisms in human connexin40 gene promoter are associated with increased risk of hypertension in men. <i>Journal of Hypertension</i> , 2006 , 24, 325-30	1.9	52
26	Diagnostic value of flecainide testing in unmasking SCN5A-related Brugada syndrome. <i>Journal of Cardiovascular Electrophysiology</i> , 2006 , 17, 857-64	2.7	101
25	Role of sequence variations in the human ether-a-go-go-related gene (HERG, KCNH2) in the Brugada syndrome. <i>Cardiovascular Research</i> , 2005 , 68, 441-53	9.9	51
24	A mutation in the human cardiac sodium channel (E161K) contributes to sick sinus syndrome, conduction disease and Brugada syndrome in two families. <i>Journal of Molecular and Cellular Cardiology</i> , 2005 , 38, 969-81	5.8	168
23	Developmental aspects of long QT syndrome type 3 and Brugada syndrome on the basis of a single SCN5A mutation in childhood. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 331-7	15.1	46
22	Substitution of a conserved alanine in the domain IIIS4-S5 linker of the cardiac sodium channel causes long QT syndrome. <i>Cardiovascular Research</i> , 2005 , 67, 459-66	9.9	13
21	Genetics of cardiac arrhythmias. <i>Heart</i> , 2005 , 91, 1352-8	5.1	102
20	Right ventricular fibrosis and conduction delay in a patient with clinical signs of Brugada syndrome: a combined electrophysiological, genetic, histopathologic, and computational study. <i>Circulation</i> , 2005 , 112, 2769-77	16.7	338
19	Mutation in the KCNQ1 gene leading to the short QT-interval syndrome. <i>Circulation</i> , 2004 , 109, 2394-7	16.7	514
18	A novel LQT3 mutation implicates the human cardiac sodium channel domain IVS6 in inactivation kinetics. <i>Cardiovascular Research</i> , 2003 , 57, 1072-8	9.9	14
17	A common polymorphism in KCNH2 (HERG) hastens cardiac repolarization. <i>Cardiovascular Research</i> , 2003 , 59, 27-36	9.9	133
16	Contribution of sodium channel mutations to bradycardia and sinus node dysfunction in LQT3 families. <i>Circulation Research</i> , 2003 , 92, 976-83	15.7	118
15	Genetic control of sodium channel function. Cardiovascular Research, 2003, 57, 961-73	9.9	125
14	Na+ channel mutation leading to loss of function and non-progressive cardiac conduction defects. Journal of Molecular and Cellular Cardiology, 2003 , 35, 549-57	5.8	53
13	A cardiac sodium channel mutation cosegregates with a rare connexin40 genotype in familial atrial standstill. <i>Circulation Research</i> , 2003 , 92, 14-22	15.7	229
12	Compound heterozygosity for mutations (W156X and R225W) in SCN5A associated with severe cardiac conduction disturbances and degenerative changes in the conduction system. <i>Circulation Research</i> , 2003 , 92, 159-68	15.7	190
11	Ion Channel Disease as a Cause of the Brugada Syndrome. Contemporary Cardiology, 2003, 187-200	0.1	

10	Pharmacological rescue of mutant ion channels. Cardiovascular Research, 2002, 55, 229-32	9.9	8
9	Genotype-phenotype relationship in Brugada syndrome: electrocardiographic features differentiate SCN5A-related patients from non-SCN5A-related patients. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 350-6	15.1	315
8	Possible bradycardic mode of death and successful pacemaker treatment in a large family with features of long QT syndrome type 3 and Brugada syndrome. <i>Journal of Cardiovascular Electrophysiology</i> , 2001 , 12, 630-6	2.7	117
7	A sodium-channel mutation causes isolated cardiac conduction disease. <i>Nature</i> , 2001 , 409, 1043-7	50.4	341
6	Gating-dependent mechanisms for flecainide action in SCN5A-linked arrhythmia syndromes. <i>Circulation</i> , 2001 , 104, 1200-5	16.7	75
5	Genomic organisation and chromosomal localisation of two members of the KCND ion channel family, KCND2 and KCND3. <i>Human Genetics</i> , 2000 , 106, 614-619	6.3	4
4	Two distinct congenital arrhythmias evoked by a multidysfunctional Na(+) channel. <i>Circulation Research</i> , 2000 , 86, E91-7	15.7	236
3	Genomic organisation and chromosomal localisation of two members of the KCND ion channel family, KCND2 and KCND3. <i>Human Genetics</i> , 2000 , 106, 614-9	6.3	12
2	A single Na(+) channel mutation causing both long-QT and Brugada syndromes. <i>Circulation Research</i> , 1999 , 85, 1206-13	15.7	526
1	The genetic architecture of left ventricular non-compaction reveals both substantial overlap with other cardiomyopathies and a distinct aetiology in a subset of cases		1