

# Lynn G Clark

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/269966/publications.pdf>

Version: 2024-02-01

128  
papers

4,011  
citations

172207

29  
h-index

133063

59  
g-index

129  
all docs

129  
docs citations

129  
times ranked

2696  
citing authors

#	ARTICLE	IF	CITATIONS
1	Phylogeny and Subfamilial Classification of the Grasses (Poaceae). <i>Annals of the Missouri Botanical Garden</i> , 2001, 88, 373.	1.3	630
2	A worldwide phylogenetic classification of the Poaceae (Gramineae) II: An update and a comparison of two 2015 classifications. <i>Journal of Systematics and Evolution</i> , 2017, 55, 259-290.	1.6	354
3	A Phylogeny of the Grass Family (Poaceae) Based on <i>ndhF</i> Sequence Data. <i>Systematic Botany</i> , 1995, 20, 436.	0.2	260
4	Molecular Evolution and Phylogenetic Utility of the Chloroplast <i>rpl16</i> Intron in <i>Chusquea</i> and the Bambusoideae (Poaceae). <i>Molecular Phylogenetics and Evolution</i> , 1997, 8, 385-397.	1.2	248
5	A 250 plastome phylogeny of the grass family (Poaceae): topological support under different data partitions. <i>PeerJ</i> , 2018, 6, e4299.	0.9	138
6	Evolution of the bamboos (Bambusoideae; Poaceae): a full plastome phylogenomic analysis. <i>BMC Evolutionary Biology</i> , 2015, 15, 50.	3.2	137
7	Phylogeny of the Temperate Bamboos (Poaceae: Bambusoideae: Bambuseae) with an Emphasis on <i>Arundinaria</i> and Allies. <i>Systematic Botany</i> , 2010, 35, 102-120.	0.2	107
8	Reinstatement and Emendation of Subfamily Micrairoideae (Poaceae). <i>Systematic Botany</i> , 2007, 32, 71-80.	0.2	101
9	Independent allopolyploidization events preceded speciation in the temperate and tropical woody bamboos. <i>New Phytologist</i> , 2014, 204, 66-73.	3.5	93
10	Bamboozled Again! Inadvertent Isolation of Fungal rDNA Sequences from Bamboos (Poaceae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382	1.2	80
11	Evolutionary relationships in Panicoid grasses based on plastome phylogenomics (Panicoidae; Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 72	1.6	72
12	Plastid phylogenomics of the cool-season grass subfamily: clarification of relationships among early-diverging tribes. <i>AoB PLANTS</i> , 2015, 7, plv046.	1.2	68
13	Phylogeny and a new tribal classification of the Panicoideae s.l. (Poaceae) based on plastid and nuclear sequence data and structural data. <i>American Journal of Botany</i> , 2010, 97, 1732-1748.	0.8	64
14	Topological Data Analysis as a Morphometric Method: Using Persistent Homology to Demarcate a Leaf Morphospace. <i>Frontiers in Plant Science</i> , 2018, 9, 553.	1.7	62
15	A worldwide phylogenetic classification of the Poaceae (Gramineae) III: An update. <i>Journal of Systematics and Evolution</i> , 2022, 60, 476-521.	1.6	61
16	Systematics of <i>Chusquea</i> Section <i>Swallenochloa</i> , Section <i>Verticillatae</i> , Section <i>Serpentes</i> , and Section <i>Longifoliae</i> (Poaceae-Bambusoideae). <i>Systematic Botany Monographs</i> , 1989, 27, 1.	1.2	60
17	Phylogenetic estimation and morphological evolution of <i>Arundinarieae</i> (Bambusoideae: Poaceae) based on plastome phylogenomic analysis. <i>Molecular Phylogenetics and Evolution</i> , 2016, 101, 111-121.	1.2	59
18	Paraphyly in the Bamboo Subtribe <i>Chusqueinae</i> (Poaceae: Bambusoideae) and a Revised Infrageneric Classification for <i>Chusquea</i> . <i>Systematic Botany</i> , 2009, 34, 673-683.	0.2	55

#	ARTICLE	IF	CITATIONS
19	Resolving deep relationships of PACMAD grasses: a phylogenomic approach. BMC Plant Biology, 2015, 15, 178.	1.6	55
20	Molecular Phylogeny Estimation of the Bamboo Genus <i>Chusquea</i> (Poaceae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702	0.2	51
21	Phylogenetic relationships and natural hybridization among the North American woody bamboos (Poaceae: Bambusoideae: <i>Arundinaria</i> ). American Journal of Botany, 2010, 97, 471-492.	0.8	49
22	Phylogenomics and Plastome Evolution of Tropical Forest Grasses (Leptaspis, Streptochaeta: Poaceae). Frontiers in Plant Science, 2016, 7, 1993.	1.7	49
23	Systematic significance of pollen arrangement in MICROSPORANGIA OF POACEAE AND Cyperaceae: REVIEW AND OBSERVATIONS ON REPRESENTATIVE TAXA. American Journal of Botany, 1996, 83, 1609-1622.	0.8	44
24	Leaf shape and size track habitat transitions across forest-grassland boundaries in the grass family (Poaceae). Evolution; International Journal of Organic Evolution, 2019, 73, 927-946.	1.1	44
25	Molecular phylogeny of the arthrostylidioid bamboos (Poaceae: Bambusoideae: Bambuseae: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 39	1.2	39
26	Classification and Biogeography of New World Grasses: Anomochlooideae, Pharoideae, Ehrhartoideae, and Bambusoideae. Aliso, 2007, 23, 303-314.	0.4	38
27	Phylogenetic Relationships Among the One-Flowered, Determinate Genera of Bambuseae (Poaceae: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 37	0.4	37
28	Grasses through space and time: An overview of the biogeographical and macroevolutionary history of Poaceae. Journal of Systematics and Evolution, 2022, 60, 522-569.	1.6	35
29	Phylogenomics and Plastome Evolution of the Chloridoid Grasses (Chloridoideae: Poaceae). International Journal of Plant Sciences, 2016, 177, 235-246.	0.6	33
30	The grass subfamilies Anomochlooideae and Pharoideae (Poaceae). Taxon, 1996, 45, 641-645.	0.4	32
31	Diversity and biogeography of neotropical bamboos (Poaceae: Bambusoideae). Acta Botanica Brasilica, 1990, 4, 125-132.	0.8	31
32	First macrofossil evidence of a pre-Holocene thorny bamboo cf. <i>Guadua</i> (Poaceae: Bambusoideae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 and Palynology, 2009, 153, 1-7.	0.8	30
33	A molecular phylogeny of <i>Raddia</i> and its allies within the tribe Olyreae (Poaceae, Bambusoideae) based on noncoding plastid and nuclear spacers. Molecular Phylogenetics and Evolution, 2014, 78, 105-117.	1.2	30
34	Biogeography and phylogenomics of New World Bambusoideae (Poaceae), revisited. American Journal of Botany, 2014, 101, 886-891.	0.8	29
35	A multi-step comparison of short-read full plastome sequence assembly methods in grasses. Taxon, 2014, 63, 899-910.	0.4	28
36	Sun-shade variation in bamboo (Poaceae: Bambusoideae) leaves. Telopea, 2011, 13, 93-104.	0.4	28

#	ARTICLE	IF	CITATIONS
37	&lt;i>Cambajuva</i> (Poaceae: Bambusoideae: Bambuseae: Arthrostylydiinae), a New Woody Bamboo Genus from Southern Brazil. Systematic Botany, 2013, 38, 97-103.	0.2	26
38	Morphological keys to the genera and species of bamboos (Poaceae: Bambusoideae) of Mexico. Phytotaxa, 2015, 236, 1.	0.1	25
39	The Puelioideae, A New Subfamily of Poaceae. Systematic Botany, 2000, 25, 181.	0.2	24
40	Ecophysiology and genetic diversity in species of the bamboo <i>Chusquea</i> in the high Andes, Venezuela. Plant Ecology and Diversity, 2019, 12, 555-572.	1.0	23
41	Systematic significance of pollen arrangement in MICROSPORANGIA OF POACEAE AND Cyperaceae: REVIEW AND OBSERVATIONS ON REPRESENTATIVE TAXA. , 1996, 83, 1609.		21
42	SCANNING ELECTRON MICROSCOPY SURVEY OF LEAF EPIDERMIS OF SORGHASTRUM (POACEAE:). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.8	18
43	Molecular phylogeny and cryptic morphology reveal a new genus of West Indian woody bamboo (Poaceae: Bambusoideae: Bambuseae) hidden by convergent character evolution. Taxon, 2018, 67, 916-930.	0.4	18
44	Diversity, distribution, and classification of Neotropical woody bamboos (Poaceae: Bambusoideae) in the 21st Century. Botanical Sciences, 2021, 99, 198-228.	0.3	18
45	3D shape analysis of grass silica short cell phytoliths: a new method for fossil classification and analysis of shape evolution. New Phytologist, 2020, 228, 376-392.	3.5	18
46	A NEW SPECIES AND NEW SECTIONS OF RHIPIDOCLADUM (POACEAE: BAMBUSOIDEAE). American Journal of Botany, 1991, 78, 1260-1279.	0.8	17
47	Phylogenetic relationships within Parianinae (Poaceae: Bambusoideae: Olyreae) with emphasis on Eremitis: Evidence from nuclear and plastid DNA sequences, macromorphology, and pollen ectexine patterns. Molecular Phylogenetics and Evolution, 2019, 139, 106541.	1.2	17
48	Chusquea sect. Swallenochloa (Poaceae: Bambusoideae) and Allies in Brazil. Brittonia, 1992, 44, 387.	0.8	15
49	Two new species of Merostachys (Poaceae: Bambusoideae) from the Brazilian Atlantic forest. Phytotaxa, 2016, 267, 219.	0.1	15
50	The contribution of foliar micromorphology and anatomy to the circumscription of species within the Chusquea ramosissima informal group (Poaceae, Bambusoideae, Bambuseae). Plant Systematics and Evolution, 2017, 303, 745-756.	0.3	15
51	Leaf micromorphology in Poaceae subtribe Olyrinae (Bambusoideae) and its systematic implications. Botanical Journal of the Linnean Society, 2020, 192, 184-207.	0.8	15
52	Two new species of &lt;i>Chusquea</i> (Poaceae: Bambusoideae: Bambuseae) from Mexico, one of them morphologically unusual, and a key to the Mexican sections of &lt;i>Chusquea</i>. Phytotaxa, 2013, 92, 1.	0.1	12
53	A new endangered species of Chusquea (Poaceae: Bambusoideae) from the AcatlÃn volcano in central Veracruz, Mexico, and keys to the Mexican Chusquea species. Phytotaxa, 2014, 163, 16.	0.1	12
54	Two New Species of Merostachys (Poaceae: Bambusoideae: Bambuseae: Arthrostylydiinae) from Minas Gerais state, Brazil. Systematic Botany, 2016, 41, 959-965.	0.2	12

#	ARTICLE	IF	CITATIONS
55	NEW CHROMOSOME COUNTS FOR CHUSQUEA AND AULONEMIA (POACEAE: BAMBUSOIDEAE). American Journal of Botany, 1992, 79, 478-480.	0.8	11
56	Fusoid cells in the grass family Poaceae (Poales): a developmental study reveals homologies and suggests new insights into their functional role in young leaves. Annals of Botany, 2018, 122, 833-848.	1.4	11
57	<div class="grammarly-disable-indicator">A new species of Merostachys (Poaceae: Bambusoideae:) Tj ETQq1 1 0.784314 rgBT /Overlo 2018, 344, 31.	0.1	11
58	Guidelines for including bamboos in tropical ecosystem monitoring. Biotropica, 2020, 52, 427-443.	0.8	11
59	Four New Species of Chusquea (Poaceae: Bambusoideae) from Brazil and Ecuador. Brittonia, 1996, 48, 250.	0.8	10
60	Chusquea sect. Tenellae (Bambuseae, Bambusoideae, Poaceae), a taxonomic revision of a new section from South America. Phytotaxa, 2017, 324, 239.	0.1	10
61	Miscellaneous new taxa of bamboo (Poaceae: Bambuseae) from Colombia, Ecuador and Mexico. Nordic Journal of Botany, 1991, 11, 323-331.	0.2	9
62	Increasing our knowledge of Brazilian bamboos: two new species of Chusquea subg. Rettbergia (Bambusoideae, Poaceae). Phytotaxa, 2014, 161, 201.	0.1	9
63	Delving deeper into the phylogenetics of the herbaceous bamboos (Poaceae, Bambusoideae, Olyreae): evaluation of generic boundaries within the Parodiolyra/Raddiella clade uncovers a new genus. Botanical Journal of the Linnean Society, 2020, 192, 61-81.	0.8	9
64	Chusquea septentrionalis sp. nov. (Poaceae: Bambusoideae) from the Madrean region in Durango, Mexico. Nordic Journal of Botany, 2017, 35, 546-551.	0.2	9
65	Towards a Stable Nomenclature for the North American Temperate Bamboos: Epitypification of Arundo gigantea Walt. and Arundinaria macrosperma Michx. (Poaceae). Castanea, 2009, 74, 207-212.	0.2	8
66	<l>Chusquea clemirae</l> (Bambusoideae, Poaceae): A New Woody Bamboo from the Montane Atlantic Rainforest of Bahia State, Brazil. Systematic Botany, 2013, 38, 92-96.	0.2	8
67	Chusquea nedjaquithii (Poaceae: Bambusoideae, Bambuseae, Chusqueinae), a new endemic species from Oaxaca, Mexico. Phytotaxa, 2014, 184, 23.	0.1	8
68	Taxonomic Revision of the Temperate Woody Bamboo Genus Kuruna (Poaceae: Bambusoideae:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	0.2	8
69	Chusquea kleinii, a new bamboo from the Atlantic forests of Brazil segregated from C. capituliflora (Poaceae: Bambusoideae). Phytotaxa, 2017, 313, 166.	0.1	8
70	A new species of Chusquea subg. Chusquea (Poaceae&#x2013;Bambusoideae&#x2013;Bambuseae) from Minas Gerais, Brazil: morphological evidence and phylogenetic placement within the Euchusquea clade. Phytotaxa, 2018, 365, 73.	0.1	8
71	Reinterpreting the phylogenetic position, systematics and distribution of the Raddia-Sucrea lineage (Poaceae, Olyrinae), with a new monotypic and endangered herbaceous bamboo genus from Brazil. Botanical Journal of the Linnean Society, 2020, 192, 34-60.	0.8	8
72	The Streptochaeta Genome and the Evolution of the Grasses. Frontiers in Plant Science, 2021, 12, 710383.	1.7	8

#	ARTICLE	IF	CITATIONS
73	A New Species and New Sections of <i>Rhipidocladum</i> (Poaceae: Bambusoideae). <i>American Journal of Botany</i> , 1991, 78, 1260.	0.8	7
74	<i>Chusquea gibcooperi</i> (Poaceae: Bambusoideae: Bambuseae: Chusqueinae), a new species endemic to Mexico. <i>Brittonia</i> , 2015, 67, 227-232.	0.8	7
75	Redescription of <i>Chusquea perligulata</i> (Poaceae: Bambusoideae: Bambuseae: Chusqueinae) and description of a similar but new species of <i>Chusquea</i> from Ecuador. <i>Phytotaxa</i> , 2019, 400, 227.	0.1	7
76	A new species of <i>Eremitis</i> (Poaceae, Bambusoideae) from Rio Doce State Park, Minas Gerais, Brazil, marks the furthest inland distribution of the genus. <i>Brittonia</i> , 2020, 72, 133-140.	0.8	7
77	Hybridization in the Temperate Bamboos (Poaceae: Bambusoideae: Arundinarieae): A Phylogenetic Study Using AFLPs and cpDNA Sequence Data. <i>Systematic Botany</i> , 2021, 46, 48-69.	0.2	7
78	A New Species of <i>Merostachys</i> (Poaceae: Bambusoideae: Bambuseae) from the Montane Atlantic Forest of Southern Bahia, Brazil. <i>Systematic Botany</i> , 2020, 45, 69-74.	0.2	7
79	A preliminary revision of <i>Chusquea</i> sect. <i>Swallenochloa</i> (Bambuseae, Bambusoideae, Poaceae) in Peru including the description of two new species and the resurrection of two other species. <i>Phytotaxa</i> , 2019, 418, 171-194.	0.1	6
80	<i>Eremitis jardimii</i> (Poaceae, Bambusoideae), a new species from Bahia, Brazil. <i>Kew Bulletin</i> , 2020, 75, 1.	0.4	6
81	Morphological evolution and molecular phylogenetics of the <i>Merostachys</i> clade (Poaceae: Bambusoideae). <i>Journal of the Linnean Society</i> , 2021, 195, 53-76.	0.8	6
82	Forest fires facilitate growth of herbaceous bamboos in central Amazonia. <i>Biotropica</i> , 2021, 53, 1021-1030.	0.8	6
83	Draft genome of the herbaceous bamboo <i>Raddia distichophylla</i> . <i>G3: Genes, Genomes, Genetics</i> , 2021, 11, .	0.8	6
84	NEW CHROMOSOME COUNTS FOR CHUSQUEA AND AULONEMIA (POACEAE: BAMBUSOIDEAE). , 1992, 79, 478.		6
85	<i>Eremitis berbertii</i> and <i>E. fluminensis</i> (Poaceae, Bambusoideae): New Species from the Brazilian Atlantic Forest and Updates on Leaf Microcharacters in the Genus. <i>Novon</i> , 2020, 28, 240-252.	0.3	6
86	Six New Bamboos (Poaceae: Bambusoideae) from the Venezuelan Guayana. <i>Novon</i> , 1991, 1, 76.	0.3	5
87	<i>Atractantha shepherdiana</i> a New Species of Woody Bamboo (Poaceae: Bambusoideae: Bambuseae) from Brazil. <i>Systematic Botany</i> , 2011, 36, 310-313.	0.2	5
88	<i>Chusquea yungasensis</i> (Bambusoideae, Poaceae): a new species of woody bamboo from South America and the first record of subgenus <i>Rettbergia</i> in Bolivia. <i>Phytotaxa</i> , 2014, 161, 211.	0.1	5
89	Notes on leaf micromorphology of the rare herbaceous bamboo <i>Buergersiochloa bambusoides</i> Pilg. (Olyreae, Poaceae) from New Guinea and its taxonomic implications. <i>PhytoKeys</i> , 2021, 172, 135-143.	0.4	5
90	<i>Chusquea contrerasii</i> and <i>C. guzmanii</i> (Poaceae, Bambusoideae). <i>Phytotaxa</i> , 2021, 497, 285-297.	0.1	5

#	ARTICLE	IF	CITATIONS
91	Integrated Genomic Analyses From Low-Depth Sequencing Help Resolve Phylogenetic Incongruence in the Bamboos (Poaceae: Bambusoideae). <i>Frontiers in Plant Science</i> , 2021, 12, 725728.	1.7	5
92	SCANNING ELECTRON MICROSCOPY SURVEY OF LEAF EPIDERMIS OF SORGHASTRUM (POACEAE): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50		5
93	<i>Eremitis limae</i> (Poaceae, Bambusoideae), a new species of herbaceous bamboo endemic to the Atlantic Forest of Bahia, Brazil. <i>Phytotaxa</i> , 2020, 454, 277-284.	0.1	5
94	Two New Species of <i>Chusquea</i> (Poaceae: Bambusoideae: Bambuseae) from Venezuela and a Redescription of <i>Chusquea purdieana</i> . <i>Systematic Botany</i> , 2013, 38, 1087-1095.	0.2	4
95	Three new species of <i>Rhipidocladum</i> (Poaceae: Bambusoideae: Arthrostylidiinae) from South America. <i>Phytotaxa</i> , 2013, 98, 55.	0.1	4
96	A Revision of <i>Colanthea</i> (Poaceae: Bambusoideae: Bambuseae: Arthrostylidiinae) and New Species for the Atlantic Forest. <i>Systematic Botany</i> , 2018, 43, 956-974.	0.2	4
97	Molecular Phylogeny of <i>Atractantha</i> , and the Phylogenetic Position and Circumscription of <i>Athroostachys</i> (Poaceae: Bambusoideae: Bambuseae: Arthrostylidiinae). <i>Systematic Botany</i> , 2018, 43, 656-663.	0.2	4
98	Comparative leaf blade anatomy and micromorphology in the systematics and phylogeny of Bambusoideae (Poaceae: Poales). <i>Botanical Journal of the Linnean Society</i> , 2019, , .	0.8	4
99	Convergence strikes again in the Neotropical woody bamboos (Poaceae: Bambusoideae: Bambuseae): a new Andean genus and a new species. <i>Botanical Journal of the Linnean Society</i> , 2020, 192, 21-33.	0.8	4
100	<i>Merostachys</i> Spreng. (Poaceae: Bambusoideae: Bambuseae: Arthrostylidiinae) na Mata Atlântica do Estado de Minas Gerais, Brasil. <i>Hoehnea (revista)</i> , 2018, 45, 1-39.	0.2	4
101	Una nueva especie de <i>Chusquea</i> (Poaceae: Bambusoideae) de la Cordillera de Mérida, Venezuela. <i>Brittonia</i> , 2006, 58, 46-51.	0.8	3
102	Simple Web-Based Interactive Key Development Software (WEBiKEY) and an Example Key for <i>Kuruna</i> (Poaceae: Bambusoideae). <i>Applications in Plant Sciences</i> , 2016, 4, 1500128.	0.8	3
103	<i>Eremocaulon triramis</i> (Poaceae: Bambusoideae: Bambuseae: Guaduinae): a new species from the Atlantic rainforest of the State of Espírito Santo, Brazil. <i>Phytotaxa</i> , 2018, 375, 104.	0.1	3
104	Ecological niche modelling and genetic diversity of <i>Anomochloa marantoidea</i> (Poaceae): filling the gaps for conservation in the earliest-diverging grass subfamily. <i>Botanical Journal of the Linnean Society</i> , 0, , .	0.8	3
105	<i>Chusquea parviligulata</i> (Poaceae: Bambusoideae: Bambuseae): a new species of <i>C.</i> subg. <i>Chusquea</i> endemic to the Atlantic rainforest of Bahia, Brazil. <i>Phytotaxa</i> , 2019, 405, 27.	0.1	3
106	Research presented at the MonocotsVI/GrassesVII meeting: knowledge of Poaceae taken to a new level, largely by Brazilian scientists and by women. <i>Botanical Journal of the Linnean Society</i> , 2020, 192, 1-6.	0.8	3
107	Two new species of <i>Merostachys</i> (Poaceae: Bambusoideae: Bambuseae) from the Brazilian Atlantic Forest in the states of Espírito Santo and Minas Gerais. <i>Brittonia</i> , 2021, 73, 167-177.	0.8	3
108	Reinterpretation of Vegetative and Reproductive Characters Validates Three New Species in the Endangered Herbaceous Bamboo Genus <i>Eremitis</i> (Poaceae, Bambusoideae, Olyreae) from the Atlantic Forest, Brazil. <i>Systematic Botany</i> , 2021, 46, 321-332.	0.2	3

#	ARTICLE	IF	CITATIONS
109	A Revision of <i>Chusquea</i> sect. <i>Serpentes</i> (Bambuseae, Bambusoideae, Poaceae) Including Two New Species from South America. <i>Systematic Botany</i> , 2022, 47, 363-396.	0.2	3
110	<i>Aulonemia cochabambensis</i> (Poaceae: Bambusoideae: Bambuseae: Arthrostylidiinae), an anomalous new species from Bolivia. <i>Brittonia</i> , 2011, 63, 375-378.	0.8	2
111	<i>Colanthea longipetiolata</i> (Poaceae: Bambusoideae), a new species of woody bamboo from the Brazilian Atlantic forest. <i>Phytotaxa</i> , 2019, 401, 133.	0.1	2
112	Phylogenetics of <i>Piresia</i> (Poaceae: Bambusoideae) reveals unexpected generic relationships within Olyreae with taxonomic and biogeographic implications. <i>Taxon</i> , 2021, 70, 492-514.	0.4	2
113	A new species of <i>Chusquea</i> sect. <i>Serpentes</i> (Poaceae: Bambusoideae: Bambuseae: Chusqueinae) endemic to Oaxaca, Mexico. <i>Phytotaxa</i> , 2022, 542, .	0.1	2
114	A new species of <i>Eremitis</i> (Poaceae, Bambusoideae) from the Baixo Jequitinhonha region, an area of extreme importance for the conservation of the flora of Minas Gerais, Brazil. <i>Acta Botanica Brasiliensis</i> , 0, 36, .	0.8	2
115	<i>Aulonemia bogotensis</i> (Poaceae: Bambusoideae), a New Species from the Cordillera Oriental of Colombia. <i>Brittonia</i> , 1997, 49, 503.	0.8	1
116	John H. Beaman—Recipient of the 2004 Asa Gray Award. <i>Systematic Botany</i> , 2005, 30, 1-6.	0.2	1
117	A refined method for digitally modeling small and complex plant structures in 3D: An example from the grasses (Poaceae). <i>Applications in Plant Sciences</i> , 2018, 6, e01177.	0.8	1
118	Recircumscription of three <i>Merostachys</i> species (Poaceae: Bambusoideae: Bambuseae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38) of Botany, 2021, 39, .	0.2	1
119	Revisiting the circumscription of <i>Chusquea anelythra</i> (Poaceae—Bambusoideae—Bambuseae): lectotypification, redescription, geographic distribution, and conservation status. <i>Phytotaxa</i> , 2021, 529, 71-85.	0.1	1
120	Bamboos of Bhutan. An Illustrated Guide. <i>Kew Bulletin</i> , 1995, 50, 437.	0.4	0
121	(2201) Proposal to conserve the name <i>Chusquea scandens</i> against <i>Nastus chusquea</i> (Poaceae: Bambusoideae: Bambuseae). <i>Taxon</i> , 2013, 62, 1063-1064.	0.4	0
122	Cryptic speciation in the herbaceous bamboo genus <i>Piresia</i> (Poaceae, Olyreae). <i>Botanical Journal of the Linnean Society</i> , 2019, , .	0.8	0
123	Ragweed and sagebrush pollen can distinguish between vegetation types at broad spatial scales. <i>Ecosphere</i> , 2020, 11, e03120.	1.0	0
124	An overview of the Sixth International Conference on the Comparative Biology of Monocotyledons - Monocots VI - Natal, Brazil, 2018. <i>Rodriguesia</i> , 0, 72, .	0.9	0
125	Lectotypification of two names belonging to <i>Olyra</i> (Olyreae, Bambusoideae, Poaceae). <i>Phytotaxa</i> , 2021, 510, .	0.1	0
126	Clarifying the identity of <i>Merostachys speciosa</i> (Poaceae: Bambusoideae: Bambuseae), type species of the genus, through redescription and second-step lectotypification. <i>Kew Bulletin</i> , 2021, 76, 453-461.	0.4	0



#	ARTICLE	IF	CITATIONS
127	Epitypification and emended description of <i>Merostachys bifurcata</i> (Poaceae: Tj ETQq1 1 0.784314 ggBT /Over	0.1	0
128	A new informal group in <i>Chusquea</i> subg. <i>Swallenochloa</i> (Poaceae: Bambusoideae: Bambuseae) and emended descriptions for the Mexican endemics <i>C. enigmatica</i> and <i>C. septentrionalis</i> . <i>Phytotaxa</i> , 2022, 554, 47-58.	0.1	0