

Stephen W Walkden-Brown

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2700386/stephen-w-walkden-brown-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

1,561
citations

23
h-index

36
g-index

93
ext. papers

1,832
ext. citations

2.4
avg, IF

4.66
L-index

#	Paper	IF	Citations
91	Prevalence of sheep lice and trends in control practices across Australia - Australian sheep parasite control surveys from 2003 to 2019.. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2022 , 27, 100662	1.2	2
90	Worm control practices on free-range egg farms in Australia and anthelmintic efficacy against nematodes in naturally infected layer chickens.. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2022 , 30, 100723	1.2	
89	Australian surveys on incidence and control of blowfly strike in sheep between 2003 and 2019 reveal increased use of breeding for resistance, treatment with preventative chemicals and pain relief around mulesing.. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2022 , 31, 100725	1.2	
88	Evaluation of methods of anthelmintic efficacy testing against .. <i>Journal of Helminthology</i> , 2022 , 96, e291.6	1.6	
87	Anthelmintic efficacy evaluation against different developmental stages of <i>Ascaridia galli</i> following individual or group administration in artificially trickle-infected chickens.. <i>Veterinary Parasitology</i> , 2021 , 301, 109636	2.8	0
86	A preliminary study of the localisation of infectious laryngotracheitis virus glycoprotein E within specific peripheral blood lymphocytes. <i>Avian Pathology</i> , 2021 , 1-13	2.4	
85	Airborne Transmission of Vaccinal and Wild Type Infectious Laryngotracheitis Virus and Noninfectivity of Extracts of Excreta from Infected Chickens. <i>Avian Diseases</i> , 2021 , 65, 30-39	1.6	4
84	Detection and Quantification of and spp. in Poultry Dust Using Real-Time PCR Under Experimental and Field Conditions. <i>Avian Diseases</i> , 2021 , 65, 77-85	1.6	4
83	<i>Ascaridia galli</i> challenge model for worm propagation in young chickens with or without immunosuppression. <i>Veterinary Parasitology</i> , 2021 , 301, 109624	2.8	1
82	Investigation of the combined efficacy of two <i>Haemonchus contortus</i> vaccines in weaner Merino sheep.. <i>Veterinary Parasitology</i> , 2021 , 301, 109637	2.8	1
81	Molecular-based monitoring of live vaccines in dust samples from experimental and commercial chicken flocks and its potential use as a screening test.. <i>Research in Veterinary Science</i> , 2021 , 143, 50-57	2.5	
80	Comparison of the Modified McMaster and Mini-FLOTAC methods for the enumeration of nematode eggs in egg spiked and naturally infected chicken excreta. <i>Veterinary Parasitology</i> , 2021 , 299, 109582	2.8	1
79	Benchmarking Australian sheep parasite control: Changes in gastrointestinal nematode control practices reported from surveys between 2003 and 2019. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021 , 26, 100653	1.2	
78	Molecular detection of <i>Eimeria</i> species and <i>Clostridium perfringens</i> in poultry dust and pooled excreta of commercial broiler chicken flocks differing in productive performance. <i>Veterinary Parasitology</i> , 2021 , 291, 109361	2.8	5
77	Endemic infection of cattle with multiple genotypes of <i>Theileria orientalis</i> on the Northern Tablelands of New South Wales despite limited presence of ticks. <i>Ticks and Tick-borne Diseases</i> , 2021 , 12, 101645	3.6	3
76	Comparison of tracheal and choanal cleft swabs and poultry dust samples for detection of Newcastle disease virus and infectious bronchitis virus genome in vaccinated meat chicken flocks. <i>PLoS ONE</i> , 2021 , 16, e0247729	3.7	3
75	Protective efficacy of Barbervax [®] in Merino weaner sheep trickle infected with five doses of <i>Haemonchus contortus</i> infective larvae. <i>Veterinary Parasitology</i> , 2021 , 292, 109386	2.8	3

74	Spatial and temporal distribution of Culicoides species in the New England region of New South Wales, Australia between 1990 and 2018. <i>PLoS ONE</i> , 2021 , 16, e0249468	3.7	1
73	Global and regional prevalence of helminth infection in chickens over time: a systematic review and meta-analysis. <i>Poultry Science</i> , 2021 , 100, 101082	3.9	5
72	Transmission of infectious laryngotracheitis virus vaccine and field strains: the role of degree of contact and transmission by whole blood, plasma and poultry dust. <i>Veterinary Research</i> , 2021 , 52, 91	3.8	1
71	Detection of infectious laryngotracheitis virus (ILTV) in tissues and blood fractions from experimentally infected chickens using PCR and immunostaining analyses. <i>Research in Veterinary Science</i> , 2021 , 134, 64-68	2.5	2
70	Characterization of poultry house dust using chemometrics and scanning electron microscopy imaging. <i>Poultry Science</i> , 2021 , 100, 101188	3.9	4
69	Microbial communities of poultry house dust, excreta and litter are partially representative of microbiota of chicken caecum and ileum. <i>PLoS ONE</i> , 2021 , 16, e0255633	3.7	7
68	Comparative therapeutic efficacies of oral and in-water administered levamisole, piperazine and fenbendazole against experimental <i>Ascaridia galli</i> infection in chickens. <i>Veterinary Parasitology</i> , 2021 , 298, 109514	2.8	6
67	Detection and distribution of haematophagous flies and lice on cattle farms and potential role in the transmission of <i>Theileria orientalis</i> . <i>Veterinary Parasitology</i> , 2021 , 298, 109516	2.8	0
66	A molecular based method for rapid detection of spp. in poultry dust samples. <i>MethodsX</i> , 2021 , 8, 101356	3.9	1
65	A Melanin bleaching method to prevent non-specific immunostaining of chicken feathers. <i>MethodsX</i> , 2020 , 7, 100957	1.9	3
64	Methods to prevent PCR amplification of DNA from non-viable virus were not successful for infectious laryngotracheitis virus. <i>PLoS ONE</i> , 2020 , 15, e0232571	3.7	9
63	Genomic Stability for PCR Detection of Infectious Laryngotracheitis Virus and Infectious Bronchitis Virus in Poultry Dust Samples Stored Under Different Conditions. <i>Avian Diseases</i> , 2020 , 64, 565-570	1.6	7
62	Effects of outdoor ranging on external and internal health parameters for hens from different rearing enrichments. <i>PeerJ</i> , 2020 , 8, e8720	3.1	11
61	A practical method for assessing infectious laryngotracheitis vaccine take in broilers following mass administration in water: Spatial and temporal variation in viral genome content of poultry dust after vaccination. <i>Veterinary Microbiology</i> , 2020 , 241, 108545	3.3	15
60	Viability and development of eggs recovered in artificial media followed by storage under different conditions. <i>Journal of Helminthology</i> , 2020 , 94, e199	1.6	5
59	A simplified Barbervax [®] vaccination regimen in lambs to evoke immunological protection to <i>Haemonchus contortus</i> . <i>Veterinary Parasitology</i> , 2020 , 287, 109243	2.8	3
58	Evaluation of Barbervax [®] vaccination for lambing Merino ewes. <i>Veterinary Parasitology</i> , 2020 , 283, 109188	3.8	6
57	Assessment of A20 infectious laryngotracheitis vaccine take in meat chickens using swab and dust samples following mass vaccination in drinking water. <i>Veterinary Microbiology</i> , 2020 , 251, 108903	3.3	6

56	Marked differences in virulence of three Australian field isolates of infectious laryngotracheitis virus in meat and layer chickens. <i>Avian Pathology</i> , 2020 , 49, 600-610	2.4	5
55	Spatial and temporal variation of Marek's disease virus and infectious laryngotracheitis virus genome in dust samples following live vaccination of layer flocks. <i>Veterinary Microbiology</i> , 2019 , 236, 108393	3.3	15
54	Uptake and spread of infectious laryngotracheitis vaccine virus within meat chicken flocks following drinking water vaccination. <i>Vaccine</i> , 2019 , 37, 5035-5043	4.1	13
53	Preliminary testing in turkeys of the safety and efficacy of a putative haemorrhagic enteritis virus vaccine. <i>Australian Veterinary Journal</i> , 2019 , 97, 323-332	1.2	1
52	Turkey Hemorrhagic Enteritis Virus Can Be Titrated but Not Propagated in Chicken Embryos. <i>Avian Diseases</i> , 2019 , 63, 84-89	1.6	0
51	Tissue distribution, shedding and environmental detection of infectious bursal disease virus genome following infection of meat chickens at two ages. <i>Australian Veterinary Journal</i> , 2018 , 96, 167-175 ²	1.5	4
50	Propagation of an Avirulent Turkey Hemorrhagic Enteritis Virus Isolate in Chickens. <i>Avian Diseases</i> , 2018 , 62, 6-13	1.6	2
49	Effect of vaccine storage temperatures and dose rate on antibody responses to foot and mouth disease vaccination in Cambodia. <i>Veterinary Medicine and Science</i> , 2018 , 4, 35-44	2.1	6
48	Field studies of the detection, persistence and spread of the Rispens CVI988 vaccine virus and the extent of co-infection with Marek's disease virus. <i>Australian Veterinary Journal</i> , 2016 , 94, 329-37	1.2	12
47	Immune-mediated responses account for the majority of production loss for grazing meat-breed lambs during <i>Trichostrongylus colubriformis</i> infection. <i>Veterinary Parasitology</i> , 2016 , 216, 23-32	2.8	6
46	Protection provided by Rispens CVI988 vaccine against Marek's disease virus isolates of different pathotypes and early prediction of vaccine take and MD outcome. <i>Avian Pathology</i> , 2016 , 45, 26-37	2.4	9
45	Effects of Rispens CVI988 vaccination followed by challenge with Marek's disease viruses of differing virulence on the replication kinetics and shedding of the vaccine and challenge viruses. <i>Veterinary Microbiology</i> , 2016 , 183, 21-9	3.3	10
44	Effects of chronic infection with <i>Trichostrongylus vitrinus</i> and immune suppression with corticosteroid on parasitological, immune and performance variables in crossbred meat lambs. <i>Research in Veterinary Science</i> , 2015 , 100, 138-47	2.5	6
43	Genomic deletions and mutations resulting in the loss of eight genes reduce the in vivo replication capacity of Meleagrid herpesvirus 1. <i>Virus Genes</i> , 2015 , 51, 85-95	2.3	6
42	Use of developmental temperature and gastrointestinal tract location to isolate pure <i>Trichostrongylus vitrinus</i> from mixed, naturally acquired trichostrongylid infections in sheep. <i>Australian Veterinary Journal</i> , 2015 , 93, 221-4	1.2	4
41	In vivo characterisation of two Australian isolates of Marek's disease virus including pathology, viral load and neuropathotyping based on clinical signs. <i>Australian Veterinary Journal</i> , 2015 , 93, 240-7	1.2	1
40	Imperfect Vaccination Can Enhance the Transmission of Highly Virulent Pathogens. <i>PLoS Biology</i> , 2015 , 13, e1002198	9.7	197
39	Real-time PCR quantification of infectious laryngotracheitis virus in chicken tissues, faeces, isolator-dust and bedding material over 28 days following infection reveals high levels in faeces and dust. <i>Journal of General Virology</i> , 2015 , 96, 3338-3347	4.9	16

38	Risk factors for Merino ewe mortality on the Northern Tablelands of New South Wales, Australia. <i>Australian Veterinary Journal</i> , 2014 , 92, 58-61	1.2	6
37	Replication kinetics and shedding of very virulent Marek's disease virus and vaccinal Rispens/CVI988 virus during single and mixed infections varying in order and interval between infections. <i>Veterinary Microbiology</i> , 2014 , 173, 208-23	3.3	7
36	Development, application, and results of routine monitoring of Marek's disease virus in broiler house dust using real-time quantitative PCR. <i>Avian Diseases</i> , 2013 , 57, 544-54	1.6	31
35	Viral kinetics, shedding profile, and transmission of serotype 1 Marek's disease vaccine Rispens/CVI988 in maternal antibody-free chickens. <i>Avian Diseases</i> , 2013 , 57, 454-63	1.6	13
34	Prevalence of Marek's disease virus in different chicken populations in Iraq and indicative virulence based on sequence variation in the <i>ecoRI-q</i> (<i>meq</i>) gene. <i>Avian Diseases</i> , 2013 , 57, 562-8	1.6	15
33	Differentiation between pathogenic serotype 1 isolates of Marek's disease virus and the Rispens CVI988 vaccine in Australia using real-time PCR and high resolution melt curve analysis. <i>Journal of Virological Methods</i> , 2013 , 187, 144-52	2.6	21
32	The effectiveness of mass vaccination on Marek's disease virus (MDV) outbreaks and detection within a broiler barn: a modeling study. <i>Epidemics</i> , 2013 , 5, 208-17	5.1	12
31	Evaluation of high dietary inclusion of distillers dried grains with solubles and supplementation of protease and xylanase in the diets of broiler chickens under necrotic enteritis challenge. <i>Poultry Science</i> , 2013 , 92, 1579-94	3.9	22
30	Vaccination and reduced cohort duration can drive virulence evolution: Marek's disease virus and industrialized agriculture. <i>Evolution; International Journal of Organic Evolution</i> , 2013 , 67, 851-60	3.8	59
29	Pathotyping of Australian isolates of Marek's disease virus in commercial broiler chickens vaccinated with herpesvirus of turkeys (HVT) or bivalent (HVT/SB1) vaccine and association with viral load in the spleen and feather dander. <i>Australian Veterinary Journal</i> , 2013 , 91, 341-50	1.2	20
28	Development of a chick bioassay for determination of infectivity of viral pathogens in poultry litter. <i>Australian Veterinary Journal</i> , 2013 , 91, 65-71	1.2	10
27	Pathotyping of Australian isolates of Marek's disease virus and association of pathogenicity with <i>meq</i> gene polymorphism. <i>Avian Pathology</i> , 2012 , 41, 161-76	2.4	50
26	Modelling Marek's disease virus (MDV) infection: parameter estimates for mortality rate and infectiousness. <i>BMC Veterinary Research</i> , 2011 , 7, 70	2.7	17
25	Cross-protection of chicken immunoglobulin Y antibodies against H5N1 and H1N1 viruses passively administered in mice. <i>Vaccine Journal</i> , 2011 , 18, 1083-90		32
24	A quantitative trait locus for faecal worm egg and blood eosinophil counts on chromosome 23 in Australian goats. <i>Journal of Animal Breeding and Genetics</i> , 2010 , 127, 207-14	2.9	10
23	Comparison of strategies to provide lambing paddocks of low gastro-intestinal nematode infectivity in a summer rainfall region of Australia. <i>Veterinary Parasitology</i> , 2009 , 161, 218-31	2.8	18
22	Kinetics of Marek's disease virus (MDV) infection in broiler chickens 1: effect of varying vaccination to challenge interval on vaccinal protection and load of MDV and herpesvirus of turkey in the spleen and feather dander over time. <i>Avian Pathology</i> , 2008 , 37, 225-35	2.4	34
21	Intensive rotational grazing assists control of gastrointestinal nematodosis of sheep in a cool temperate environment with summer-dominant rainfall. <i>Veterinary Parasitology</i> , 2008 , 153, 108-20	2.8	23

20	Effects of vaccine dose, virus challenge dose and interval from vaccination to challenge on protection of broiler chickens against Marek's disease virus challenge. <i>Australian Veterinary Journal</i> , 2007 , 85, 348-55	1.2	19
19	Quantitative profiling of the shedding rate of the three Marek's disease virus (MDV) serotypes reveals that challenge with virulent MDV markedly increases shedding of vaccinal viruses. <i>Journal of General Virology</i> , 2007 , 88, 2121-2128	4.9	50
18	Twin efficiency for reproductive variables in monozygotic twin sheep. <i>Theriogenology</i> , 2007 , 68, 663-72	2.8	5
17	Absolute quantitation of Marek's disease virus and Herpesvirus of turkeys in chicken lymphocyte, feather tip and dust samples using real-time PCR. <i>Journal of Virological Methods</i> , 2006 , 132, 127-34	2.6	68
16	Absolute quantification using real-time polymerase chain reaction of Marek's disease virus serotype 2 in field dust samples, feather tips and spleens. <i>Journal of Virological Methods</i> , 2006 , 135, 186-91	2.6	27
15	Relationship between Marek's disease virus load in peripheral blood lymphocytes at various stages of infection and clinical Marek's disease in broiler chickens. <i>Avian Pathology</i> , 2006 , 35, 42-8	2.4	28
14	Some physiological responses associated with reduced wool growth during blowfly strike in Merino sheep. <i>Australian Veterinary Journal</i> , 2005 , 83, 695-9	1.2	24
13	Differential amplification and quantitation of Marek's disease viruses using real-time polymerase chain reaction. <i>Journal of Virological Methods</i> , 2004 , 119, 103-13	2.6	79
12	Enhancing immunity to nematode parasites in single-bearing Merino ewes through nutrition and genetic selection. <i>Veterinary Parasitology</i> , 2003 , 112, 211-25	2.8	56
11	Determinants of the annual pattern of reproduction in mature male Merino and Suffolk sheep: responses to a nutritional stimulus in the breeding and non-breeding seasons. <i>Reproduction, Fertility and Development</i> , 2003 , 15, 1-9	1.8	24
10	Determinants of the annual pattern of reproduction in mature male Merino and Suffolk sheep: modification of responses to photoperiod by an annual cycle in food supply. <i>Reproduction, Fertility and Development</i> , 2002 , 14, 165-75	1.8	29
9	Nutritional Modulation of Resistance and Resilience to Gastrointestinal Nematode Infection - A Review. <i>Asian-Australasian Journal of Animal Sciences</i> , 2002 , 15, 912-924	2.4	19
8	Seasonality in male Australian cashmere goats: Long term effects of castration and testosterone or oestradiol treatment on changes in LH, FSH and prolactin concentrations, and body growth. <i>Small Ruminant Research</i> , 1997 , 26, 239-252	1.7	50
7	Immunisation of goat bucks against GnRH to prevent seasonal reproductive and agonistic behaviour. <i>Animal Reproduction Science</i> , 1996 , 44, 41-54	2.1	24
6	The induction of ovulation in anovulatory goats by oestrous females. <i>Animal Reproduction Science</i> , 1995 , 40, 299-303	2.1	38
5	Testicular and epididymal sperm content in grazing Cashmere bucks: seasonal variation and prediction from measurements in vivo. <i>Reproduction, Fertility and Development</i> , 1994 , 6, 727-36	1.8	24
4	Seasonal variation in voluntary feed intake and growth in cashmere bucks fed ad libitum diets of low or high quality. <i>Australian Journal of Agricultural Research</i> , 1994 , 45, 355		15
3	The male effect in the Australian cashmere goat. 1. Ovarian and behavioural response of seasonally anovulatory does following the introduction of bucks. <i>Animal Reproduction Science</i> , 1993 , 32, 41-53	2.1	29

2	The male effect in the Australian cashmere goat. 2. Role of olfactory cues from the male. <i>Animal Reproduction Science</i> , 1993 , 32, 55-67	2.1	43
1	The male effect in the Australian cashmere goat. 3. Enhancement with buck nutrition and use of oestrous females. <i>Animal Reproduction Science</i> , 1993 , 32, 69-84	2.1	78