

# Jordi PuiggalÀ- i Bellalta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2701302/publications.pdf>

Version: 2024-02-01

322  
papers

6,612  
citations

76196

40  
h-index

123241

61  
g-index

328  
all docs

328  
docs citations

328  
times ranked

6336  
citing authors

#	ARTICLE	IF	CITATIONS
1	Crystal Structure of the $\beta$ -Form of Poly(L-lactide). <i>Macromolecules</i> , 2001, 34, 4795-4801.	2.2	191
2	Synthesis, Properties and Applications of Biodegradable Polymers Derived from Diols and Dicarboxylic Acids: From Polyesters to Poly(ester amide)s. <i>International Journal of Molecular Sciences</i> , 2014, 15, 7064-7123.	1.8	191
3	Characterization and degradation behavior of poly(butylene adipate-co-terephthalate)s. <i>Journal of Polymer Science Part A</i> , 2002, 40, 4141-4157.	2.5	176
4	Degradable Poly(ester amide)s for Biomedical Applications. <i>Polymers</i> , 2011, 3, 65-99.	2.0	176
5	Hydrogels for Biomedical Applications: Cellulose, Chitosan, and Protein/Peptide Derivatives. <i>Gels</i> , 2017, 3, 27.	2.1	155
6	Biocompatibility and drug release behavior of scaffolds prepared by coaxial electrospinning of poly(butylene succinate) and polyethylene glycol. <i>Materials Science and Engineering C</i> , 2015, 49, 472-484.	3.8	104
7	Comparison of nanocrystals and nanofibers produced from shrimp shell $\beta$ -chitin: From energy production to material cytotoxicity and Pickering emulsion properties. <i>Carbohydrate Polymers</i> , 2018, 196, 385-397.	5.1	95
8	Nanomembranes and Nanofibers from Biodegradable Conducting Polymers. <i>Polymers</i> , 2013, 5, 1115-1157.	2.0	90
9	Polybiguanide (PHMB) loaded in PLA scaffolds displaying high hydrophobic, biocompatibility and antibacterial properties. <i>Materials Science and Engineering C</i> , 2015, 50, 74-84.	3.8	86
10	Brill transition and melt crystallization of nylon 56: An odd-even polyamide with two hydrogen-bonding directions. <i>Polymer</i> , 2010, 51, 5788-5798.	1.8	83
11	New insights on the crystallization and melting of cyclic PCL chains on the basis of a modified Thomson-Gibbs equation. <i>Polymer</i> , 2013, 54, 846-859.	1.8	82
12	Biodegradable and Biocompatible Systems Based on Hydroxyapatite Nanoparticles. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 60.	1.3	81
13	Electrospun Conducting and Biocompatible Uniaxial and Core-Shell Fibers Having Poly(lactic acid), Poly(ethylene glycol), and Polyaniline for Cardiac Tissue Engineering. <i>ACS Omega</i> , 2019, 4, 3660-3672.	1.6	74
14	Nucleation and Antinucleation Effects of Functionalized Carbon Nanotubes on Cyclic and Linear Poly( $\epsilon$ -caprolactones). <i>Macromolecules</i> , 2014, 47, 3553-3566.	2.2	70
15	On the Crystalline Structures of Poly(tetramethylene adipate). <i>Macromolecules</i> , 2003, 36, 698-705.	2.2	67
16	Electrospinning of polylactide and polycaprolactone mixtures for preparation of materials with tunable drug release properties. <i>Journal of Polymer Research</i> , 2011, 18, 1903-1917.	1.2	66
17	Effects of ultrasonic vibration on the micro-molding processing of polylactide. <i>Ultrasonics Sonochemistry</i> , 2014, 21, 376-386.	3.8	66
18	Crystal Structures of Nylon 5,6. A Model with Two Hydrogen Bond Directions for Nylons Derived from Odd Diamines. <i>Macromolecules</i> , 1998, 31, 8540-8548.	2.2	64

#	ARTICLE	IF	CITATIONS
19	New Sulfonated Polystyrene and Styrene- <i>ε</i> -Ethylene/Butylene- <i>ε</i> -Styrene Block Copolymers for Applications in Electrodialysis. <i>Journal of Physical Chemistry B</i> , 2012, 116, 11767-11779.	1.2	63
20	Study on the degradability of poly(ester amide)s derived from the $\alpha$ -amino acids glycine, and $\beta$ -alanine containing a variable amide/ester ratio. <i>Polymer</i> , 2001, 42, 7923-7932.	1.8	58
21	Retromodified Residues: Small Peptides and Polymers. Interactions, Force-Field Parametrization and Conformational Analyses. <i>Journal of Organic Chemistry</i> , 1995, 60, 910-924.	1.7	54
22	Loading and Release of Ibuprofen in Multi- and Monofilament Surgical Sutures. <i>Macromolecular Bioscience</i> , 2006, 6, 767-775.	2.1	54
23	Micro-molding with ultrasonic vibration energy: New method to disperse nanoclays in polymer matrices. <i>Ultrasonics Sonochemistry</i> , 2014, 21, 1557-1569.	3.8	54
24	Triclosan Release from Coated Polyglycolide Threads. <i>Macromolecular Bioscience</i> , 2006, 6, 58-69.	2.1	51
25	Nylon 65 has a Unique Structure with Two Directions of Hydrogen Bonds. <i>Macromolecules</i> , 1995, 28, 8742-8750.	2.2	50
26	Recent Progress on Biodegradable Tissue Engineering Scaffolds Prepared by Thermally-Induced Phase Separation (TIPS). <i>International Journal of Molecular Sciences</i> , 2021, 22, 3504.	1.8	50
27	Structure and Morphology of Odd Polyoxamides [Nylon 9,2]. A New Example of Hydrogen-Bonding Interactions in Two Different Directions. <i>Macromolecules</i> , 1998, 31, 3912-3924.	2.2	49
28	Insulating and semiconducting polymeric free-standing nanomembranes with biomedical applications. <i>Journal of Materials Chemistry B</i> , 2015, 3, 5904-5932.	2.9	48
29	Studies on the degradability of a poly(ester amide) derived from l-alanine, 1,12-dodecanediol and 1,12-dodecanedioic acid. <i>Polymer</i> , 2000, 41, 5967-5970.	1.8	47
30	Flexible Electrodes for Supercapacitors Based on the Supramolecular Assembly of Biohydrogel and Conducting Polymer. <i>Journal of Physical Chemistry C</i> , 2018, 122, 1078-1090.	1.5	47
31	Thermoplastic Polyurethane:Polythiophene Nanomembranes for Biomedical and Biotechnological Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 9719-9732.	4.0	45
32	Self-Assembly of Tetraphenylalanine Peptides. <i>Chemistry - A European Journal</i> , 2015, 21, 16895-16905.	1.7	45
33	Comparative studies on the degradability of poly(ester amide)s derived from L- and D-alanine. <i>Journal of Applied Polymer Science</i> , 1999, 74, 2312-2320.	1.3	44
34	Copolymerization of glycolide and trimethylene carbonate. <i>Journal of Polymer Science Part A</i> , 2006, 44, 993-1013.	2.5	44
35	Conformational analysis of succinamide analogs. <i>Journal of Organic Chemistry</i> , 1995, 60, 6135-6140.	1.7	43
36	Single crystals morphology of biodegradable double crystalline PLLA-b-PCL diblock copolymers. <i>Polymer</i> , 2011, 52, 5166-5177.	1.8	42

#	ARTICLE	IF	CITATIONS
37	Biodegradable free-standing nanomembranes of conducting polymer:polyester blends as bioactive platforms for tissue engineering. <i>Journal of Materials Chemistry</i> , 2012, 22, 585-594.	6.7	42
38	Peptide Self-Assembly into Hydrogels for Biomedical Applications Related to Hydroxyapatite. <i>Gels</i> , 2019, 5, 14.	2.1	42
39	Nanoparticle-driven self-assembling injectable hydrogels provide a multi-factorial approach for chronic wound treatment. <i>Acta Biomaterialia</i> , 2021, 134, 131-143.	4.1	42
40	Crystalline structure of poly(hexamethylene succinate) and single crystal degradation studies. <i>Polymer</i> , 2007, 48, 5088-5097.	1.8	41
41	Poly lactide nanofibers loaded with vitamin B6 and polyphenols as bioactive platform for tissue engineering. <i>Macromolecular Research</i> , 2013, 21, 775-787.	1.0	41
42	Study on the crystallization of poly(butylene azelate-co-butylene succinate) copolymers. <i>Thermochimica Acta</i> , 2014, 575, 45-54.	1.2	41
43	DNA adsorbed on hydroxyapatite surfaces. <i>Journal of Materials Chemistry B</i> , 2014, 2, 6953-6966.	2.9	41
44	Study on the Degradability of Poly(ester amide)s Related to Nylons and Polyesters 6,10 or 12,10. <i>Macromolecular Chemistry and Physics</i> , 2002, 203, 48-58.	1.1	40
45	Incorporation of diacids into the polyglycine II structure: Model studies. <i>Biopolymers</i> , 1995, 36, 711-722.	1.2	39
46	Folding of Methylene Groups in Linear Glutaramide Analogs. <i>Journal of the American Chemical Society</i> , 1995, 117, 7307-7310.	6.6	39
47	New Method of Synthesis of Poly(ester amide)s Derived from the Incorporation of Glycolic Acid Residues into Aliphatic Polyamides. <i>Macromolecular Rapid Communications</i> , 2004, 25, 812-817.	2.0	39
48	Molecular Packing of Polyesters Derived from 1,4-Butanediol and Even Aliphatic Dicarboxylic Acids. <i>Macromolecules</i> , 2004, 37, 5300-5309.	2.2	39
49	Thermal degradation studies of poly(trimethylene carbonate) blends with either polylactide or polycaprolactone. <i>Thermochimica Acta</i> , 2012, 550, 65-75.	1.2	39
50	Mineralization of DNA into nanoparticles of hydroxyapatite. <i>Dalton Transactions</i> , 2014, 43, 317-327.	1.6	39
51	Nucleation, Crystallization, and Thermal Fractionation of Poly ( $\mu$ -Caprolactone)-Grafted-Lignin: Effects of Grafted Chains Length and Lignin Content. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015, 53, 1736-1750.	2.4	38
52	Poly(ester amide)s derived from 1,4-butanediol, adipic acid and 6-aminohexanoic acid. Part II: composition changes and fillers. <i>Polymer</i> , 2003, 44, 6139-6152.	1.8	37
53	Synthesis and Characterization of a New Degradable Poly(ester amide) Derived from 6-Amino-1-hexanol and Glutaric Acid. <i>Macromolecules</i> , 2003, 36, 9784-9796.	2.2	35
54	Hybrid Block Copolymers Constituted by Peptides and Synthetic Polymers: An Overview of Synthetic Approaches, Supramolecular Behavior and Potential Applications. <i>Polymers</i> , 2013, 5, 188-224.	2.0	35

#	ARTICLE	IF	CITATIONS
55	Glycine residues induce a helical structure in polyamides. <i>Polymer</i> , 1994, 35, 1291-1297.	1.8	34
56	Structural data and thermal studies on nylon-12,10. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1995, 33, 2065-2073.	2.4	34
57	On the crystal structure of odd-even nylons: Polymorphism of nylon 5,10. , 1999, 37, 2383-2395.		33
58	Crystalline Structure of Poly(hexamethylene adipate). Study on the Morphology and the Enzymatic Degradation of Single Crystals. <i>Biomacromolecules</i> , 2006, 7, 799-808.	2.6	33
59	Melt Electrospinning of Polymers: Blends, Nanocomposites, Additives and Applications. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 1808.	1.3	33
60	Conformational Preferences of the Asparagine Residue. Gas-Phase, Aqueous Solution, and Chloroform Solution Calculations on the Model Dipeptide. <i>Journal of Physical Chemistry B</i> , 1997, 101, 3441-3446.	1.2	32
61	Electrospun biodegradable polymers loaded with bactericide agents. <i>AIMS Molecular Science</i> , 2016, 3, 52-87.	0.3	32
62	Diversity and Hierarchy in Supramolecular Assemblies of Triphenylalanine: From Laminated Helical Ribbons to Toroids. <i>Langmuir</i> , 2017, 33, 4036-4048.	1.6	31
63	Crystal structure of a helical oligopeptide model of polyglycine II and of other polyamides: Acetyl-(glycyl- $\beta$ -alanyl) $_2$ -NHpropyl. <i>Biopolymers</i> , 1992, 32, 643-648.	1.2	30
64	Structural data on the packing of poly(ester amide)s derived from glycine, hexanediol, and odd-numbered dicarboxylic acids. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1999, 37, 2521-2533.	2.4	30
65	Molecular packing and crystalline morphologies of biodegradable poly(alkylene dicarboxylate)s derived from 1,6-hexanediol. <i>Polymer</i> , 2004, 45, 8845-8861.	1.8	30
66	Biodegradable polyesters reinforced with triclosan loaded polylactide micro/nanofibers: Properties, release and biocompatibility. <i>EXPRESS Polymer Letters</i> , 2012, 6, 266-282.	1.1	30
67	Distributed Immutabilization of Secure Logs. <i>Lecture Notes in Computer Science</i> , 2016, , 122-137.	1.0	30
68	Morphology and crystalline structure of nylon-2/6. <i>Polymer</i> , 1987, 28, 209-212.	1.8	29
69	Bioactive nanomembranes of semiconductor polythiophene and thermoplastic polyurethane: thermal, nanostructural and nanomechanical properties. <i>Polymer Chemistry</i> , 2013, 4, 568-583.	1.9	29
70	Thermoresponsive Shape-Memory Hydrogel Actuators Made by Phototriggered Click Chemistry. <i>Advanced Functional Materials</i> , 2020, 30, 2001683.	7.8	29
71	Modeling biominerals formed by apatites and DNA. <i>Biointerphases</i> , 2013, 8, 10.	0.6	28
72	Poly(butylene azelate-co-butylene succinate) copolymers: Crystalline morphologies and degradation. <i>Polymer Degradation and Stability</i> , 2014, 99, 80-91.	2.7	28

#	ARTICLE	IF	CITATIONS
73	Structure of poly(hexamethylene sebacate). <i>Polymer</i> , 2001, 42, 5695-5699.	1.8	27
74	Microspheres from new biodegradable poly(ester amide)s with different ratios of L- and D-alanine for controlled drug delivery. <i>Journal of Microencapsulation</i> , 2006, 23, 686-697.	1.2	26
75	LACDIF, a new electron diffraction technique obtained with the LACBED configuration and a Cs corrector: Comparison with electron precession. <i>Ultramicroscopy</i> , 2008, 108, 100-115.	0.8	26
76	Hierarchical self-assembly of di-, tri- and tetraphenylalanine peptides capped with two fluorenyl functionalities: from polymorphs to dendrites. <i>Soft Matter</i> , 2016, 12, 5475-5488.	1.2	26
77	Poly- $\beta$ -glutamic Acid Hydrogels as Electrolyte for Poly(3,4-ethylenedioxythiophene)-Based Supercapacitors. <i>Journal of Physical Chemistry C</i> , 2017, 121, 3182-3193.	1.5	26
78	Sustainable synthesis of amino acids by catalytic fixation of molecular dinitrogen and carbon dioxide. <i>Green Chemistry</i> , 2018, 20, 685-693.	4.6	26
79	Packing of Sequential Poly(ester amide)s Derived from Diols, Dicarboxylic Acids, and Amino Acids. <i>Macromolecules</i> , 2000, 33, 9090-9097.	2.2	25
80	Synthesis, characterization and degradation studies on the series of sequential poly(ester amide)s derived from glycolic acid, 1,6-hexanediamine and aliphatic dicarboxylic acids. <i>Polymer Degradation and Stability</i> , 2005, 89, 21-32.	2.7	24
81	Preparation and release study of ibuprofen-loaded porous matrices of a biodegradable poly(ester) Tj ETQq1 1 0.784314 rgBT/Overlo	1.3	24
82	Synergistic Approach to Elucidate the Incorporation of Magnesium Ions into Hydroxyapatite. <i>Chemistry - A European Journal</i> , 2015, 21, 2537-2546.	1.7	24
83	Crystal polymorphism of polylactides and poly(Pro-alt-CO): The metastable beta and gamma phases. Formation of homochiral PLLA phases in the PLLA/PDLA blends. <i>Polymer</i> , 2017, 115, 204-210.	1.8	24
84	Synthesis and Structure of Nylons 1,n. <i>Macromolecules</i> , 1994, 27, 4284-4297.	2.2	23
85	Conducting poly(3,4-ethylenedioxythiophene)-montmorillonite exfoliated nanocomposites. <i>European Polymer Journal</i> , 2010, 46, 977-983.	2.6	23
86	Electrospun nanofibers of a degradable poly(ester amide). Scaffolds loaded with antimicrobial agents. <i>Journal of Polymer Research</i> , 2012, 19, 1.	1.2	23
87	2015 Neuchâtel's Cast-as-Intended Verification Mechanism. <i>Lecture Notes in Computer Science</i> , 2015, , 3-18.	1.0	23
88	New poly(ester urea) derived from L-leucine: Electrospun scaffolds loaded with antibacterial drugs and enzymes. <i>Materials Science and Engineering C</i> , 2015, 46, 450-462.	3.8	23
89	Synthesis of Poly(ester amide)s Derived from Glycolic Acid and the Amino Acids: $\beta$ -Alanine or 4-Aminobutyric Acid. <i>Macromolecular Chemistry and Physics</i> , 2003, 204, 2078-2089.	1.1	22
90	Crystallization kinetics of poly(hexamethylene succinate). <i>European Polymer Journal</i> , 2003, 39, 1575-1583.	2.6	22

#	ARTICLE	IF	CITATIONS
91	Synthesis and Characterization of Poly(glycolic acid-alt-6-aminohexanoic acid) and Poly(glycolic) Tj ETQq1 1 0.784314 rgBT /Overlock	1.1	22
92	Kinetic studies on the thermal polymerization of N-chloroacetyl-11-aminoundecanoate potassium salt. Journal of Polymer Science Part A, 2005, 43, 1166-1176.	2.5	22
93	The hydrolytic degradation of a segmented glycolide-trimethylene carbonate copolymer (Maxonâ,,ç). Polymer Degradation and Stability, 2007, 92, 975-985.	2.7	22
94	Loading of Antibiotic into Biocoated Hydroxyapatite Nanoparticles: Smart Antitumor Platforms with Regulated Release. ACS Biomaterials Science and Engineering, 2018, 4, 3234-3245.	2.6	22
95	Library of Cationic Polymers Composed of Polyamines and Arginine as Gene Transfection Agents. ACS Omega, 2019, 4, 2090-2101.	1.6	22
96	On the Crystal Structure of Nylon 55. Macromolecules, 1996, 29, 5406-5415.	2.2	21
97	Comparison between Diketones and Diamides: Effects of Carbonyl Groups on the Conformational Preferences of Small Aliphatic Segments. The Journal of Physical Chemistry, 1996, 100, 16131-16136.	2.9	21
98	Single crystal morphology and structural data of a series of polyesters derived from 1,8-octanediol. European Polymer Journal, 2008, 44, 2295-2307.	2.6	21
99	Biodegradability and biocompatibility of copoly(butylene sebacate-co-terephthalate)s. Polymer Degradation and Stability, 2017, 135, 18-30.	2.7	21
100	Hydroxyapatite with Permanent Electrical Polarization: Preparation, Characterization, and Response against Inorganic Adsorbates. ChemPhysChem, 2018, 19, 1746-1755.	1.0	21
101	Novel Biobased Epoxy Thermosets and Coatings from Poly(limonene carbonate) Oxide and Synthetic Hardeners. ACS Sustainable Chemistry and Engineering, 2022, 10, 2708-2719.	3.2	21
102	Crystal structure of nylons 2/3/3 and 1,3. Journal of Polymer Science, Part B: Polymer Physics, 1987, 25, 513-523.	2.4	20
103	Thermal stability and degradation studies of alternating poly(ester amide)s derived from glycolic acid and L-amino acids. Journal of Applied Polymer Science, 2006, 102, 5545-5558.	1.3	20
104	Morphology and structure of poly(p-dioxanone). European Polymer Journal, 2007, 43, 4662-4674.	2.6	20
105	Amino acid-based poly(ester amide) nanofibers for tailored enzymatic degradation prepared by miniemulsion-electrospinning. RSC Advances, 2015, 5, 55006-55014.	1.7	20
106	Microfibres of conducting polythiophene and biodegradable poly(ester urea) for scaffolds. Polymer Chemistry, 2015, 6, 925-937.	1.9	20
107	Synthesis and structural study of a new biodegradable copolymer of nylon-11 and L-alanine. Polymer, 1996, 37, 4175-4181.	1.8	19
108	Crystallization kinetics of poly(glycolic acid-alt-6-aminohexanoic acid). European Polymer Journal, 2006, 42, 1595-1608.	2.6	19

#	ARTICLE	IF	CITATIONS
109	Synthesis of glycolide/trimethylene carbonate copolymers: Influence of microstructure on properties. <i>European Polymer Journal</i> , 2012, 48, 60-73.	2.6	19
110	Scaffolds with tuneable hydrophilicity from electrospun microfibers of polylactide and poly(ethylene glycol) mixtures: morphology, drug release behavior, and biocompatibility. <i>Journal of Polymer Research</i> , 2014, 21, 1.	1.2	19
111	Hybrid nanofibers from biodegradable polylactide and polythiophene for scaffolds. <i>RSC Advances</i> , 2014, 4, 15245.	1.7	19
112	Preparation of Nanocomposites of Poly( $\mu$ -caprolactone) and Multi-Walled Carbon Nanotubes by Ultrasound Micro-Molding. Influence of Nanotubes on Melting and Crystallization. <i>Polymers</i> , 2017, 9, 322.	2.0	19
113	Antimicrobial Activity of Poly(ester urea) Electrospun Fibers Loaded with Bacteriophages. <i>Fibers</i> , 2018, 6, 33.	1.8	19
114	Crystalline Structure of Poly(decamethylene sebacate). Repercussions on Lamellar Folding Surfaces. <i>Macromolecules</i> , 2002, 35, 3630-3635.	2.2	18
115	Study of Non-Isothermal Crystallization of Polydioxanone and Analysis of Morphological Changes Occurring during Heating and Cooling Processes. <i>Polymers</i> , 2016, 8, 351.	2.0	18
116	Electrically Polarized Hydroxyapatite: Influence of the Polarization Process on the Microstructure and Properties. <i>Langmuir</i> , 2019, 35, 14782-14790.	1.6	18
117	Biomimetic Hybrid Systems for Tissue Engineering. <i>Biomimetics</i> , 2020, 5, 49.	1.5	18
118	Controlled Anisotropic Growth of Hydroxyapatite by Additive-Free Hydrothermal Synthesis. <i>Crystal Growth and Design</i> , 2021, 21, 748-756.	1.4	18
119	Crystals of polyglycine in the $\beta$ form. <i>Journal of Molecular Biology</i> , 1983, 167, 223-225.	2.0	17
120	Conformations of Nylons 1,n According to the Number of Methylene Carbons. <i>Macromolecules</i> , 1994, 27, 4298-4303.	2.2	17
121	Effect of the Folding of Methylene Units in the Conformational Preferences of Small Diesters. <i>Journal of Organic Chemistry</i> , 1997, 62, 3076-3080.	1.7	17
122	Synthesis of poly(ester amide)s with lateral groups from a bulk polycondensation reaction with formation of sodium chloride salts. <i>Journal of Polymer Science Part A</i> , 2008, 46, 661-667.	2.5	17
123	Simple and efficient hash-based verifiable mixing for remote electronic voting. <i>Computer Communications</i> , 2010, 33, 667-675.	3.1	17
124	Effect of Solvent Choice on the Self-Assembly Properties of a Diphenylalanine Amphiphile Stabilized by an Ion Pair. <i>ChemPhysChem</i> , 2017, 18, 1888-1896.	1.0	17
125	Preferences of the Oxalamide and Hydrazide Moieties in Vacuum and Aqueous Solution. A Comparison with the Amide Functionality. <i>Journal of Organic Chemistry</i> , 1999, 64, 351-358.	1.7	16
126	On the Crystalline Structure of Even Polyoxalamides. <i>Macromolecules</i> , 2002, 35, 8781-8787.	2.2	16



#	ARTICLE	IF	CITATIONS
127	Electrospun fibrous mats from a l-phenylalanine based poly(ester amide): Drug delivery and accelerated degradation by loading enzymes. <i>Polymer Degradation and Stability</i> , 2015, 119, 275-287.	2.7	16
128	Study of clay nanocomposites of the biodegradable polyhexamethylene succinate. Application of isoconversional analysis to nonisothermal crystallization. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008, 46, 2234-2248.	2.4	15
129	Study on the brill transition and melt crystallization of nylon 65: A polymer able to adopt a structure with two hydrogen-bonding directions. <i>European Polymer Journal</i> , 2010, 46, 2063-2077.	2.6	15
130	An experimental-computer modeling study of inorganic phosphates surface adsorption on hydroxyapatite particles. <i>Dalton Transactions</i> , 2015, 44, 9980-9991.	1.6	15
131	Electrosprayed poly(butylene succinate) microspheres loaded with indole derivatives: A system with anticancer activity. <i>European Polymer Journal</i> , 2015, 71, 196-209.	2.6	15
132	Semiconducting, biodegradable and bioactive fibers for drug delivery. <i>EXPRESS Polymer Letters</i> , 2016, 10, 628-646.	1.1	15
133	Structural Versatility of Oxalamide-Based Compounds: A Computational Study on the Isomerization of the Oxalamide Group and the Structural Preferences of the Polyoxalamides. <i>Journal of Organic Chemistry</i> , 2001, 66, 8076-8085.	1.7	14
134	Poly(ester amide)/clay nanocomposites prepared by <i>in situ</i> polymerization of the sodium salt of N-chloroacetyl-ε-aminohexanoic acid. <i>Journal of Polymer Science Part A</i> , 2009, 47, 3616-3629.	2.5	14
135	Preparation of micro-molded exfoliated clay nanocomposites by means of ultrasonic technology. <i>Journal of Polymer Research</i> , 2014, 21, 1.	1.2	14
136	Isothermal and non-isothermal crystallization kinetics of a polyglycolide copolymer having a tricomponent middle soft segment. <i>Thermochimica Acta</i> , 2014, 585, 71-80.	1.2	14
137	Reversible changes induced by temperature in the spherulitic birefringence of nylon 6 9. <i>Polymer</i> , 2015, 76, 34-45.	1.8	14
138	Dual-Functionalization Device for Therapy through Dopamine Release and Monitoring. <i>Macromolecular Bioscience</i> , 2018, 18, e1800014.	2.1	14
139	Rigid amorphous phase and constrained polymer chains in poly(L-lactide) nanocomposites with carboxylated carbon nanotubes prepared via reactive melt mixing. <i>Polymer Composites</i> , 2018, 39, E1280.	2.3	14
140	Non-Isothermal Crystallization Kinetics of Poly(4-Hydroxybutyrate) Biopolymer. <i>Molecules</i> , 2019, 24, 2840.	1.7	14
141	Smart design for a flexible, functionalized and electroresponsive hybrid platform based on poly(3,4-ethylenedioxythiophene) derivatives to improve cell viability. <i>Journal of Materials Chemistry B</i> , 2020, 8, 8864-8877.	2.9	14
142	Permanently polarized hydroxyapatite for selective electrothermal catalytic conversion of carbon dioxide into ethanol. <i>Chemical Communications</i> , 2021, 57, 5163-5166.	2.2	14
143	Study of 1,4-bis(propylaminomalonylamino)butane as a model compound for nylons n,3. <i>Macromolecular Chemistry and Physics</i> , 1995, 196, 2361-2370.	1.1	13
144	Structural Data on Regular Poly(ester amide)s Derived from Even Diols, Glycine, and Terephthalic Acid. <i>Crystal Growth and Design</i> , 2005, 5, 1099-1107.	1.4	13

#	ARTICLE	IF	CITATIONS
145	Degradable polyoctamethylene suberate/clay nanocomposites. Crystallization studies by DSC and simultaneous SAXS/WAXD synchrotron radiation. <i>European Polymer Journal</i> , 2009, 45, 398-409.	2.6	13
146	Structural transitions of nylon 47 and clay influence on its crystallization behavior. <i>European Polymer Journal</i> , 2013, 49, 1354-1364.	2.6	13
147	Nanospheres and nanocapsules of amphiphilic copolymers constituted by methoxypolyethylene glycol cyanoacrylate and hexadecyl cyanoacrylate units. <i>EXPRESS Polymer Letters</i> , 2013, 7, 2-20.	1.1	13
148	Self-assembly of semicrystalline PE-b-PS diblock copolymers within AAO nanoporous templates. <i>Polymer</i> , 2015, 70, 282-289.	1.8	13
149	Dissolving Hydroxylite: A DNA Molecule into Its Hydroxyapatite Mold. <i>Chemistry - A European Journal</i> , 2016, 22, 6631-6636.	1.7	13
150	Poly( $\epsilon$ -caprolactone) films reinforced with chlorhexidine loaded electrospun polylactide microfibers. <i>EXPRESS Polymer Letters</i> , 2017, 11, 674-689.	1.1	13
151	Amorphous binary dispersions of chloramphenicol in enantiomeric pure and racemic poly-lactic acid: Morphology, molecular relaxations, and controlled drug release. <i>International Journal of Pharmaceutics</i> , 2019, 568, 118565.	2.6	13
152	Segmental relaxation and partial crystallization of chain-extended Poly( $\epsilon$ -caprolactone) reinforced with carboxylated carbon nanotube. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2019, 57, 222-233.	2.4	13
153	Artificial Polymers made of $\alpha$ -amino Acids - Poly(Amino Acid)s, Pseudo-Poly(Amino Acid)s, Poly(Depsipeptide)s, and Pseudo-Proteins. <i>Current Pharmaceutical Design</i> , 2020, 26, 566-593.	0.9	13
154	Helical and sheet structures in the nylon 4 derivatives poly( $\alpha$ -benzyl-L-glutamate) and poly( $\alpha$ -methyl-L-glutamate). <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1988, 20-21, 167-182.	0.6	12
155	Poly(ester amide)s derived from glycine, even-numbered diols, and dicarboxylic acids: Considerations on the packing. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001, 39, 1036-1045.	2.4	12
156	Poly(ester amide)s derived from 1,4-butanediol, adipic acid and 6-aminohexanoic acid. <i>Polymer Degradation and Stability</i> , 2004, 85, 595-604.	2.7	12
157	Comparative thermal degradation studies on glycolide/trimethylene carbonate and lactide/trimethylene carbonate copolymers. <i>Journal of Applied Polymer Science</i> , 2007, 104, 3539-3553.	1.3	12
158	Thermal degradation studies on homopolymers and copolymers based on trimethylene carbonate and glycolide units. <i>Thermochimica Acta</i> , 2012, 528, 23-31.	1.2	12
159	Reactive melt processing of poly(L-lactide) in the presence of thermoplastic polyurethane and carboxylated carbon nanotubes. <i>Journal of Materials Science</i> , 2019, 54, 14961-14974.	1.7	12
160	Breaking-down the catalyst used for the electrophotosynthesis of amino acids by nitrogen and carbon fixation. <i>Journal of Catalysis</i> , 2020, 389, 646-656.	3.1	12
161	Development of an antimicrobial and antioxidant hydrogel/nano-electrospun wound dressing. <i>RSC Advances</i> , 2020, 10, 30508-30518.	1.7	12
162	Crystallographic and Quantum Mechanical Results on $\alpha$ -[NHCO] Aliphatic Diamides. The Number of Methylenes Strongly Influences Their Structural and Conformational Properties. <i>Macromolecules</i> , 1998, 31, 408-416.	2.2	11

#	ARTICLE	IF	CITATIONS
163	Synthetic polymers containing $\hat{\pm}$ -amino acids: from polyamides to poly(ester amide)s. <i>Journal of Peptide Science</i> , 2005, 11, 247-249.	0.8	11
164	Alternating poly(ester amide)s of glycolic acid and $\hat{\%}$ -amino acids: Crystalline morphology and main crystallographic data. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2007, 45, 815-825.	2.4	11
165	Incorporation of triclosan into polydioxanone monofilaments and evaluation of the corresponding release. <i>Journal of Applied Polymer Science</i> , 2009, 114, 3440-3451.	1.3	11
166	Crystalline structure of sequential poly(ester amide)s derived from glycolic acid, 1,6-hexanediamine, and even aliphatic dicarboxylic acids. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009, 47, 194-206.	2.4	11
167	Sensitive thermal transitions of nanoscale polymer samples using the bimetallic effect: Application to ultra-thin polythiophene. <i>Review of Scientific Instruments</i> , 2013, 84, 053904.	0.6	11
168	Study on the hydrolytic degradation of glycolide/trimethylene carbonate copolymers having different microstructure and composition. <i>Polymer Degradation and Stability</i> , 2013, 98, 133-143.	2.7	11
169	Inhibition of radical-induced oxidative DNA damage by antioxidants loaded in electrospun polylactide nanofibers. <i>Macromolecular Research</i> , 2014, 22, 388-396.	1.0	11
170	Poly(Ester Amide)s. , 2014, , 145-166.		11
171	Molecular characterization of l-phenylalanine terminated poly(l-lactide) conjugates. <i>RSC Advances</i> , 2014, 4, 23231.	1.7	11
172	Dispersion of Functionalized Silica Micro- and Nanoparticles into Poly(nonamethylene Azelate) by Ultrasonic Micro-Molding. <i>Applied Sciences (Switzerland)</i> , 2015, 5, 1252-1271.	1.3	11
173	Electrospun scaffolds of polylactide with a different enantiomeric content and loaded with anti-inflammatory and antibacterial drugs. <i>Macromolecular Research</i> , 2015, 23, 636-648.	1.0	11
174	Effect of Hydroxyapatite Nanoparticles on the Degradability of Random Poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td (ter). <i>Polymer</i> , 2016, 8, 253.	2.0	11
175	Prototyping flexible supercapacitors produced with biohydrogel. <i>Materials Today Communications</i> , 2018, 16, 60-70.	0.9	11
176	Incorporation of Chloramphenicol Loaded Hydroxyapatite Nanoparticles into Polylactide. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5056.	1.8	11
177	Heterochirality Restricts the Self-Assembly of Phenylalanine Dipeptides Capped with Highly Aromatic Groups. <i>Journal of Physical Chemistry B</i> , 2020, 124, 5913-5918.	1.2	11
178	Biphasic polylactide/polyamide 6,10 blends: Influence of composition on polyamide structure and polyester crystallization. <i>Polymer</i> , 2020, 202, 122676.	1.8	11
179	Poly(gallic acid)-coated polycaprolactone inhibits oxidative stress in epithelial cells. <i>Materials Science and Engineering C</i> , 2020, 115, 111154.	3.8	11
180	Hydrolytic and enzymatic degradation of biobased poly(4-hydroxybutyrate) films. Selective etching of spherulites. <i>Polymer Degradation and Stability</i> , 2021, 183, 109451.	2.7	11

#	ARTICLE	IF	CITATIONS
181	Preliminary study of the crystal structure of nylon 2/11. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1989, 27, 1563-1567.	2.4	10
182	Isothermal crystallization of poly(glycolic acid-alt-6-hydroxyhexanoic acid) studied by DSC and real time synchrotron SAXS/WAXD. <i>Polymer</i> , 2007, 48, 6018-6028.	1.8	10
183	Multifunctional ternary drug-loaded electrospun scaffolds. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	10
184	Temperature-induced structural changes in even-odd nylons with long polymethylene segments. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 2494-2506.	2.4	10
185	Incorporation of biguanide compounds into poly(GL)-b-poly(GL-co-TMC-co-CL)-b-poly(GL) monofilament surgical sutures. <i>Materials Science and Engineering C</i> , 2017, 71, 629-640.	3.8	10
186	Cooperative rearranging region and dynamical heterogeneity of nanocomposites in poly(l-lactide) and functionalized carbon nanotubes systems. <i>Thermochimica Acta</i> , 2018, 667, 35-41.	1.2	10
187	Amyloid-like Fibrils from a Diphenylalanine Capped with an Aromatic Fluorenyl. <i>Langmuir</i> , 2018, 34, 15551-15559.	1.6	10
188	Tuning the Kinetic Stability of the Amorphous Phase of the Chloramphenicol Antibiotic. <i>Molecular Pharmaceutics</i> , 2018, 15, 5615-5624.	2.3	10
189	Isothermal Crystallization Kinetics of Poly(4-hydroxybutyrate) Biopolymer. <i>Materials</i> , 2019, 12, 2488.	1.3	10
190	Preparation of Medicated Polylactide Micropieces by Means of Ultrasonic Technology. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2360.	1.3	10
191	Doped photo-crosslinked polyesteramide hydrogels as solid electrolytes for supercapacitors. <i>Soft Matter</i> , 2020, 16, 8033-8046.	1.2	10
192	Optimization of permanently polarized hydroxyapatite catalyst. Implications for the electrophotosynthesis of amino acids by nitrogen and carbon fixation. <i>Journal of Catalysis</i> , 2021, 397, 98-107.	3.1	10
193	Incorporation of glycine residues in even-even polyamides. Part II: Nylons 6,10 and 12,10. <i>Polymer</i> , 1999, 40, 2429-2438.	1.8	9
194	Isothermal crystallization study on a biodegradable segmented copolymer constituted by glycolide and trimethylene carbonate units. <i>Journal of Applied Polymer Science</i> , 2010, 116, 577-589.	1.3	9
195	Synthesis and Properties of Poly(l-lactide)-b-poly (l-phenylalanine) Hybrid Copolymers. <i>International Journal of Molecular Sciences</i> , 2014, 15, 13247-13266.	1.8	9
196	A multi-step template-assisted approach for the formation of conducting polymer nanotubes onto conducting polymer films. <i>Polymer Chemistry</i> , 2016, 7, 3540-3550.	1.9	9
197	Growth of epithelial cells on films of enzymatically synthesized poly(gallic acid) crosslinked to carboxymethylcellulose. <i>RSC Advances</i> , 2017, 7, 17660-17669.	1.7	9
198	Scaffolds with Tunable Properties Constituted by Electrospun Nanofibers of Polyglycolide and Poly( $\epsilon$ -caprolactone). <i>Macromolecular Materials and Engineering</i> , 2018, 303, 1800100.	1.7	9

#	ARTICLE	IF	CITATIONS
199	Hybrid Polypeptide/Poly lactide Copolymers with Short Phenylalanine Blocks. <i>Macromolecular Chemistry and Physics</i> , 2018, 219, 1800168.	1.1	9
200	Nanocomposites based on chain extended poly(L-lactic acid)/carboxylated carbon nanotubes: Crystallization kinetics and lamellar morphology. <i>Journal of Composite Materials</i> , 2019, 53, 2131-2147.	1.2	9
201	Biohydrogel from unsaturated polyesteramide: Synthesis, properties and utilization as electrolytic medium for electrochemical supercapacitors. <i>Polymer Testing</i> , 2020, 82, 106300.	2.3	9
202	Analysis of nitrogen fixation by a catalyst capable of transforming N <sub>2</sub> , CO <sub>2</sub> and CH <sub>4</sub> into amino acids under mild reactions conditions. <i>Applied Catalysis A: General</i> , 2020, 596, 117526.	2.2	9
203	Aliphatic polyamides (nylons): Interplay between hydrogen bonds and crystalline structures, polymorphic transitions and crystallization. <i>Polymer Crystallization</i> , 2021, 4, e10199.	0.5	9
204	Poly[(4-hydroxybutyric acid)-alt-(glycolic acid)]: Synthesis by Thermal Polycondensation of Metal Salts of 4-Chlorobutyric Acid Carboxymethyl Ester. <i>Macromolecular Chemistry and Physics</i> , 2006, 207, 90-103.	1.1	8
205	New voter verification scheme using pre-encrypted ballots. <i>Computer Communications</i> , 2009, 32, 1219-1227.	3.1	8
206	Thermal stability studies on clay nanocomposites prepared from a degradable poly(ester amide) constituted by glycolic acid and 6-amino hexanoic acid. <i>Thermochimica Acta</i> , 2011, 512, 142-149.	1.2	8
207	Influence of pH on Morphology and Structure during Hydrolytic Degradation of the Segmented GL-b-[GL-co-TMC-co-CL]-b-GL Copolymer. <i>Fibers</i> , 2015, 3, 348-372.	1.8	8
208	Self-assembly of diphenylalanine with preclick components as capping groups. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 27038-27051.	1.3	8
209	Grafting of Hydroxyapatite for Biomedical Applications. , 2018, , 45-80.		8
210	Isomeric cationic ionenes as n-dopant agents of poly(3,4-ethylenedioxythiophene) for <i>in situ</i> gelation. <i>Soft Matter</i> , 2018, 14, 6374-6385.	1.2	8
211	Influence of the atmosphere conditions in the structure, properties and solubility of fluorine-substituted hydroxyapatites. <i>Materials Chemistry and Physics</i> , 2019, 226, 279-289.	2.0	8
212	Crystallization kinetics of chain extended poly(L-lactide)s having different molecular structures. <i>Materials Chemistry and Physics</i> , 2020, 240, 122217.	2.0	8
213	Phase-selective conductivity enhancement and cooperativity length in PLLA/TPU nanocomposite blends with carboxylated carbon nanotubes. <i>Polymer</i> , 2020, 191, 122279.	1.8	8
214	Self-assembly of supramolecular chemoenzymatic poly-L-phenylalanine. <i>Polymer Chemistry</i> , 2021, 12, 1199-1209.	1.9	8
215	Drug-Biopolymer Dispersions: Morphology- and Temperature- Dependent (Anti)Plasticizer Effect of the Drug and Component-Specific Johari's Goldstein Relaxations. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2456.	1.8	8
216	Antibacterial Hydrogels Derived from Poly( $\beta$ -glutamic acid) Nanofibers. <i>Gels</i> , 2022, 8, 120.	2.1	8

#	ARTICLE	IF	CITATIONS
217	Synthesis and characterization of glycine copolymers of nylons 6 and 12. <i>Journal of Polymer Science Part A</i> , 1995, 33, 727-741.	2.5	7
218	Chain conformation in polyretropeptides. II. Quantum mechanical and empirical force field calculations on 2,5,9,11-Tetraoxo-3,6,8,12-tetraza-tridecane, a model compound for the terpolymer of glycine and its retropeptides. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1996, 34, 1327-1338.	2.4	7
219	Towards the Understanding of the Folding of Methylene Units in the Glutamine Residue. <i>Journal of Peptide Science</i> , 1996, 2, 364-370.	0.8	7
220	On the conformational preferences of nylons-n: Analysis of the intramolecular interactions in even nylons-n. <i>Macromolecular Theory and Simulations</i> , 1998, 7, 659-664.	0.6	7
221	Structure of Poly(amino-s-triazine)s with Long Methylene Segments. <i>Macromolecular Chemistry and Physics</i> , 2001, 202, 3316-3322.	1.1	7
222	Nonisothermal crystallization studies on poly(4-hydroxybutyric acid-co-glycolic acid). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008, 46, 121-133.	2.4	7
223	Conformational Exploration of Two Peptides and Their Hybrid Polymer Conjugates: Potentialities As Self-Aggregating Materials. <i>Journal of Physical Chemistry B</i> , 2012, 116, 13941-13952.	1.2	7
224	Study on the hydrolytic degradation of the segmented GL-b-[GL-co-TMC-co-CL]-b-GL copolymer with application as monofilament surgical suture. <i>Polymer Degradation and Stability</i> , 2013, 98, 2709-2721.	2.7	7
225	Synthesis and characterization of poly(ester amides)s with a variable ratio of branched odd diamide units. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	7
226	Study on the crystallization of multiarm stars with a poly(ethyleneimine) core and poly( $\mu$ -caprolactone) arms of different length. <i>Thermochimica Acta</i> , 2015, 607, 39-52.	1.2	7
227	Surface Mediated Hierarchical Assemblies of Highly Hydrophobic Phenylalanine-Based Peptides. <i>ChemistrySelect</i> , 2017, 2, 1133-1139.	0.7	7
228	Simulation basis for a techno-economic evaluation of chitin nanomaterials production process using Aspen Plus® software. <i>Data in Brief</i> , 2018, 20, 1556-1560.	0.5	7
229	Thermally Induced Structural Transitions of Nylon 4 9 as a New Example of Even-Odd Polyamides. <i>Polymers</i> , 2018, 10, 198.	2.0	7
230	Effect of curcumin on thermal degradation of poly(glycolic acid) and poly( $\mu$ -caprolactone) blends. <i>Thermochimica Acta</i> , 2020, 693, 178764.	1.2	7
231	A pH-Triggered Polymer Degradation or Drug Delivery System by Light-Mediated Cis / Trans Isomerization of o-Hydroxy Cinnamates. <i>Macromolecular Rapid Communications</i> , 2021, 42, 2100213.	2.0	7
232	Medicated Scaffolds Prepared with Hydroxyapatite/Streptomycin Nanoparticles Encapsulated into Polylactide Microfibers. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1282.	1.8	7
233	Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups. <i>Chemical Physics</i> , 1997, 222, 9-15.	0.9	6
234	Structure of odd-even nylons derived from 2-methylpentamethylenediamine. Effect of the side methyl group. <i>Polymer</i> , 1999, 40, 6887-6892.	1.8	6

#	ARTICLE	IF	CITATIONS
235	Crystal structure of N,N'-dipropylsebacamide and N,N'-dipropylsuberamide as a packing model of the $\beta$ -form of even-even nylons. <i>Macromolecular Chemistry and Physics</i> , 2000, 201, 1726-1731.	1.1	6
236	Influence of degradation on the crystallization behaviour of a biodegradable segmented copolymer constituted by glycolide and trimethylene carbonate units. <i>Polymer Degradation and Stability</i> , 2010, 95, 2376-2387.	2.7	6
237	Scaffolds constituted by mixed polylactide and poly(ethylene glycol) electrospun microfibers. <i>Journal of Polymer Research</i> , 2014, 21, 1.	1.2	6
238	Surviving Mass Extinctions through Biomineralized DNA. <i>Chemistry - A European Journal</i> , 2015, 21, 18892-18898.	1.7	6
239	Electrospray loading and release of hydrophobic gramicidin in polyester microparticles. <i>RSC Advances</i> , 2016, 6, 73045-73055.	1.7	6
240	Verifiability Experiences in Government Online Voting Systems. <i>Lecture Notes in Computer Science</i> , 2017, , 248-263.	1.0	6
241	Nucleating and retarding effects of nanohydroxyapatite on the crystallization of poly(butylene Tj ETQq1 1 0.784314 rgBT /Overlock 10 Calorimetry, 2019, 137, 421-435.	2.0	6
242	Poly(hydroxybutyrate-co-hydroxyvalerate) Porous Matrices from Thermally Induced Phase Separation. <i>Polymers</i> , 2020, 12, 2787.	2.0	6
243	Biodegradable Polylactide Scaffolds with Pharmacological Activity by Means of Ultrasound Micromolding Technology. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 3106.	1.3	6
244	Smart systems related to polypeptide sequences. <i>AIMS Materials Science</i> , 2016, 3, 289-323.	0.7	6
245	Biobased Terpene Derivatives: Stiff and Biocompatible Compounds to Tune Biodegradability and Properties of Poly(butylene succinate). <i>Polymers</i> , 2022, 14, 161.	2.0	6
246	Synthesis and structural data of nylon 1,4. <i>Journal of Polymer Science Part A</i> , 1987, 25, 1445-1448.	2.5	5
247	Study of diethyl 3,12-diaza-4,11-dioxotetradecanedioate as a model compound of poly(ester amide)s derived from glycine. <i>Macromolecular Chemistry and Physics</i> , 1998, 199, 1167-1171.	1.1	5
248	Incorporation of glycine residues in even-even nylons disrupts their characteristic all-trans conformation. <i>Polymer</i> , 1998, 39, 5553-5560.	1.8	5
249	Crystallization kinetics of PGBC4: A sequential poly(ester amide) derived from glycine, 1,4-butanediol, and adipic acid. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 903-912.	2.4	5
250	Sequence analysis of glycolide and $\epsilon$ -dioxanone copolymers. <i>Journal of Polymer Science Part A</i> , 2009, 47, 6758-6770.	2.5	5
251	Crystallization studies on a clay nanocomposite prepared from a degradable poly(ester amide) constituted by glycolic acid and $\epsilon$ -aminohexanoic acid. <i>Polymer Engineering and Science</i> , 2011, 51, 1650-1661.	1.5	5
252	Nonisothermal crystallization behavior of a biodegradable segmented copolymer constituted by glycolide and trimethylene carbonate units. <i>Journal of Applied Polymer Science</i> , 2011, 119, 1548-1559.	1.3	5

#	ARTICLE	IF	CITATIONS
253	Influence of microstructure on the crystallization of segmented copolymers constituted by glycolide and trimethylene carbonate units. <i>EXPRESS Polymer Letters</i> , 2013, 7, 186-198.	1.1	5
254	Restricted Puckering of Mineralized RNA-Like Riboses. <i>Journal of Physical Chemistry B</i> , 2014, 118, 5075-5081.	1.2	5
255	Study on the crystallization of poly(alkylene dicarboxylate)s derived from 1,9-nonanediol and mixtures with different ratios of azelaic acid and pimelic acid units. <i>Journal of Polymer Research</i> , 2016, 23, 1.	1.2	5
256	Bionanocomposites. , 2017, , 239-272.		5
257	Amyloid fibrils from organic solutions of an amphiphilic dipeptide. <i>Chemical Communications</i> , 2019, 55, 8556-8559.	2.2	5
258	Crystalline Structures and Structural Transitions of Copolyamides Derived from 1,4-Diaminobutane and Different Ratios of Glutaric and Azelaic Acids. <i>Polymers</i> , 2019, 11, 572.	2.0	5
259	Remote Voting Schemes: A Comparative Analysis. , 2007, , 16-28.		5
260	Poly(butylene succinate) matrices obtained by thermally-induced phase separation: Pore shape and orientation affect drug release. <i>Polymer</i> , 2022, 252, 124916.	1.8	5
261	An experimental Ramachandran plot for retropeptide derivatives: Conformational features of derivatives of GEM-diamino and malonyl amino acids. , 1998, 45, 149-155.		4
262	N,N- $\epsilon^2$ -Bis(methoxycarbonylmethyl)terephthalamide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 172-173.	0.4	4
263	Synthesis of poly(glycolic acid-alt-12-aminododecanoic acid): The thermal polymerization kinetics of sodiumN-chloroacetyl-12-aminododecanoate. <i>Journal of Polymer Science Part A</i> , 2006, 44, 1199-1213.	2.5	4
264	Enzymatic degradation of poly(octamethylene suberate) lamellar crystals. <i>Polymer Degradation and Stability</i> , 2009, 94, 1941-1947.	2.7	4
265	Preferential Incorporation of Azelaic Acid Units into the Crystalline Phase of the Copoly(Alkylene) Tj ETQq1 1 0.784314 rgBT /Overlock <i>Polymers</i> , 2015, 7, 1871-1894.	2.0	4
266	Spherulitic morphologies of the triblock Poly(GL)-b-poly(GL-co-TMC-co-CL)-b-poly(GL) copolymer: Isothermal and non-isothermal crystallization studies. <i>European Polymer Journal</i> , 2015, 73, 222-236.	2.6	4
267	Biodegradable nanofibrous scaffolds as smart delivery vehicles for amino acids. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	1.3	4
268	Thermal degradation of random copolyesters based on 1,4-butanediol, terephthalic acid and different aliphatic dicarboxylic acids. <i>Thermochimica Acta</i> , 2017, 654, 101-111.	1.2	4
269	Biominerals Formed by DNA and Calcium Oxalate or Hydroxyapatite: A Comparative Study. <i>Langmuir</i> , 2019, 35, 11912-11922.	1.6	4
270	Scaffolds for Sustained Release of Ambroxol Hydrochloride, a Pharmacological Chaperone That Increases the Activity of Misfolded $\beta^2$ -Glucocerebrosidase. <i>Macromolecular Bioscience</i> , 2019, 19, 1900130.	2.1	4



#	ARTICLE	IF	CITATIONS
271	Nanofeatures affect the thermal transitions of polymer thin films: a microcantilever-based investigation. <i>Materials Advances</i> , 2020, 1, 2084-2094.	2.6	4
272	Chloramphenicol loaded polylactide melt electrospun scaffolds for biomedical applications. <i>International Journal of Pharmaceutics</i> , 2021, 606, 120897.	2.6	4
273	Crystallographic structures on the sequential copolymer of $\epsilon$ -caprolactam and pyrrolidinone (nylon) Tj ETQq1 1 0.784314 rgBT /Over	1.8	3
274	DimethylN,N $\epsilon^2$ -oxalamidodiethanoate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 932-933.	0.4	3
275	Synthesis, Structure and Crystal Morphology of Nylon 2/16. <i>Macromolecular Chemistry and Physics</i> , 2001, 202, 2606-2613.	1.1	3
276	Morpholine-2,5-dione. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2006, 62, 2622-2624.	0.4	3
277	Poly(ester amide) nanocomposites by in situ polymerization: Kinetic studies on polycondensation and crystallization. <i>EXPRESS Polymer Letters</i> , 2011, 5, 717-731.	1.1	3
278	Copolymerization of potassium chloroacetate and potassium $\alpha$ -chloroacetyl $\epsilon$ -amino hexanoate. <i>Journal of Applied Polymer Science</i> , 2012, 126, 1425-1436.	1.3	3
279	Effects of hydroxyapatite (0001) Ca <sup>2+</sup> /Mg <sup>2+</sup> substitution on adsorbed $\alpha$ -D-ribose ring puckering. <i>RSC Advances</i> , 2016, 6, 69634-69640.	1.7	3
280	Antimicrobial Electrospun Fibers of Polyester Loaded with Engineered Cyclic Gramicidin Analogues. <i>Fibers</i> , 2017, 5, 34.	1.8	3
281	Tunable Drug Loading and Reinforcement of Polycaprolactone Films by Means of Electrospun Nanofibers of Glycolide Segmented Copolymers. <i>Macromolecular Materials and Engineering</i> , 2018, 303, 1700401.	1.7	3
282	New amino acid based biodegradable poly(ester amide)s <i>via</i> bis-azlactone chemistry. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2018, 55, 677-690.	1.2	3
283	Improvement of Biodegradability and Biocompatibility of Electrospun Scaffolds of Poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock	1.0	3
284	Electrospun scaffolds for wound healing applications from poly(4 $\epsilon$ -hydroxybutyrate): A biobased and biodegradable linear polymer with high elastomeric properties. <i>Journal of Applied Polymer Science</i> , 2022, 139, 51447.	1.3	3
285	Recycled Porcine Bone Powder as Filler in Thermoplastic Composite Materials Enriched with Chitosan for a Bone Scaffold Application. <i>Polymers</i> , 2021, 13, 2751.	2.0	3
286	Incorporation of Functionalized Calcium Phosphate Nanoparticles in Living Cells. <i>Journal of Cluster Science</i> , 2022, 33, 2781-2795.	1.7	3
287	Poly(aspartic acid) Biohydrogel as the Base of a New Hybrid Conducting Material. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13165.	1.8	3
288	Title is missing!. <i>Journal of Chemical Crystallography</i> , 1998, 28, 605-610.	0.5	2

#	ARTICLE	IF	CITATIONS
289	Conformational preferences of model aliphatic diamides: Effect of the methyl side group on the polymethylene segment. <i>Macromolecular Theory and Simulations</i> , 2000, 9, 242-248.	0.6	2
290	Conformational preferences of the 1,2-hydrazine dicarboxylic acid dimethyl ester. A comparison with the hydrazide analogue. <i>Computational and Theoretical Chemistry</i> , 2001, 541, 179-183.	1.5	2
291	Spherulites from polyamides with a structure characterized by three hydrogen-bond directions. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002, 40, 1719-1726.	2.4	2
292	N-Chloroacetyl-L <sup>2</sup> -alanine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, o24-o26.	0.4	2
293	N,N <sup>2</sup> -Butane-1,4-diylbis(bromoacetamide). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2005, 61, o345-o347.	0.4	2
294	Isothermal crystallization kinetics and spherulitic morphology of poly(4-hydroxybutyric) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 Td (	2.4	2
295	Polycondensation of Metal Salts of 6 <sup>2</sup> -(2 <sup>2</sup> -Chloroacetate)hexanoic Acid: A New Method to Synthesize Alternating Copolyesters Constituted by Glycolic Acid Units. <i>Macromolecular Chemistry and Physics</i> , 2008, 209, 393-403.	1.1	2
296	Microspheres of new alternating copolyesters derived from glycolic acid units for controlled drug release. <i>Journal of Applied Polymer Science</i> , 2008, 110, 2127-2138.	1.3	2
297	Crystallization behavior of clay nanocomposites prepared from a degradable alternating copolyester constituted by glycolic acid and 6 <sup>2</sup> -hydroxyhexanoic acid. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 33-46.	2.4	2
298	Anhydric maleic functionalization and polyethylene glycol grafting of lactide-co-trimethylene carbonate copolymers. <i>Materials Science and Engineering C</i> , 2014, 42, 517-528.	3.8	2
299	Bio-based aliphatic polyesters from dicarboxylic acids and related sugar and amino acid derivatives. , 2018, , 317-349.		2
300	Other Miscellaneous Materials and Their Nanocomposites. , 2019, , 353-398.		2
301	Microstructural Changes during Degradation of Biobased Poly(4-hydroxybutyrate) Sutures. <i>Polymers</i> , 2020, 12, 2024.	2.0	2
302	Efficient One <sup>2</sup> Pot Preparation of Thermoresponsive Polyurethanes with Lower Critical Solution Temperatures. <i>ChemPlusChem</i> , 2021, 86, 1570-1576.	1.3	2
303	Micro <sup>2</sup> and Nanotexturization of Liquid Silicone Rubber Surfaces by Injection Molding Using Hybrid Polymer Inlays. <i>Macromolecular Materials and Engineering</i> , 2022, 307, 2100741.	1.7	2
304	A quantum mechanical study of the folding of methylene units in compounds with several glutaramide units: nylon 1,5. <i>Macromolecular Theory and Simulations</i> , 1998, 7, 367-372.	0.6	1
305	A sheet structure in an alternate copolymer of 4-aminobutyric acid and L <sup>2</sup> -isobutyl- L -glutamate. <i>Polymer</i> , 2000, 41, 5437-5441.	1.8	1
306	Electrospun Scaffolds from Low Molecular Weight Poly(ester amide)s Based on Glycolic Acid, Adipic Acid and Odd or Even Diamines. <i>Fibers</i> , 2015, 3, 151-172.	1.8	1

#	ARTICLE	IF	CITATIONS
307	Document Analysis Techniques for Automatic Electoral Document Processing: A Survey. Lecture Notes in Computer Science, 2015, , 129-141.	1.0	1
308	Preparation of random poly(butylene alkylate-co-terephthalate)s with different methylene group contents: crystallization and degradation kinetics. Journal of Polymer Research, 2017, 24, 1.	1.2	1
309	Close contacts at the interface: Experimental-computational synergies for solving complexity problems. ChemistrySelect, 2018, 3, .	0.7	1
310	Potential of ultrasound technology for the preparation of microdevices. EXPRESS Polymer Letters, 2018, 12, 284-284.	1.1	1
311	A model compound for poly(ester amide)s: diethyl-3,9-diaza-4,8-dioxoundecanedioate. Journal of Chemical Crystallography, 1999, 29, 1049-1052.	0.5	0
312	Butane-1,4-diyl bis(chloroacetate). Acta Crystallographica Section C: Crystal Structure Communications, 2004, 60, o847-o849.	0.4	0
313	Butane-1,4-diyl bis(bromoacetate). Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o1028-o1031.	0.2	0
314	6-(2-Chloroacetamido)hexanoic acid. Acta Crystallographica Section C: Crystal Structure Communications, 2006, 62, o498-o500.	0.4	0
315	Synthesis of poly(ester amide)s composed of lactic acid and glycolic acid units by the bulk polycondensation of metal halide salts. Journal of Applied Polymer Science, 2016, 133, .	1.3	0
316	Incorporation of chloramphenicol and captopril into poly(GL)â€‹i>b</i>â€‹poly(GL)â€‹i>co</i>â€‹TMCâ€‹i>co</i>â€‹CL)â€‹i>b</i>â€‹poly(GL) monofilament surgical sutures. Journal of Applied Polymer Science, 2017, 134, .	1.0	0
317	2. Close Contacts at the interface: Experimental-computational synergies for solving complexity problems. , 2018, , 53-80.		0
318	Hydrogels and bionanocomposites from peptide self-assembly. EXPRESS Polymer Letters, 2020, 14, 205-205.	1.1	0
319	Hydroxyapatite Based Polymer Composites for Regenerative Medicine Applications. , 2021, , 785-803.		0
320	Development of antimicrobial polymers by incorporation of bacteriophages. EXPRESS Polymer Letters, 2016, 10, 273-273.	1.1	0
321	Improving Opinion Analysis Through Statistical Disclosure Control in eVoting Scenarios. Lecture Notes in Computer Science, 2018, , 45-59.	1.0	0
322	Use of poly(limonene-8,9-oxide carbonate) as a bio-based prepolymer for epoxy thermoset production. , 0, , .		0