## Kelly A Allott

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2701308/publications.pdf

Version: 2024-02-01

136950 182427 3,357 122 32 51 citations h-index g-index papers 128 128 128 4189 docs citations times ranked citing authors all docs

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Biomarkers and clinical staging in psychiatry. World Psychiatry, 2014, 13, 211-223.  | 10.4 | 243       |
| 2  | Two-Year Stability of Personality Disorder in Older Adolescent Outpatients. Journal of Personality Disorders, 2004, 18, 526-541.   | 1.4  | 232       |
| 3  | Cognition at illness onset as a predictor of later functional outcome in early psychosis: Systematic review and methodological critique. Schizophrenia Research, 2011, 125, 221-235.                                       | 2.0  | 159       |
| 4  | The efficacy and safety of nutrient supplements in the treatment of mental disorders: a metaâ€review of metaâ€analyses of randomizedÂcontrolled trials. World Psychiatry, 2019, 18, 308-324.                               | 10.4 | 139       |
| 5  | Acute-phase and 1-year follow-up results of a randomized controlled trial of CBT <i>versus</i> Befriending for first-episode psychosis: the ACE project. Psychological Medicine, 2008, 38, 725-735.                        | 4.5  | 120       |
| 6  | Social cognition in clinical "at risk―for psychosis and first episode psychosis populations. Schizophrenia Research, 2012, 141, 204-209.   | 2.0  | 96        |
| 7  | Neuroprotection after a first episode of mania: a randomized controlled maintenance trial comparing the effects of lithium and quetiapine on grey and white matter volume. Translational Psychiatry, 2017, 7, e1011-e1011. | 4.8  | 75        |
| 8  | Neurocognitive Functioning in Depressed Young People: A Systematic Review and Meta-Analysis. Neuropsychology Review, 2018, 28, 216-231.  | 4.9  | 67        |
| 9  | Characterizing neurocognitive impairment in young people with major depression: state, trait, or scar?. Brain and Behavior, 2016, 6, e00527.   | 2.2  | 65        |
| 10 | Individual placement and support for vocational recovery in first-episode psychosis: randomised controlled trial. British Journal of Psychiatry, 2019, 214, 76-82.   | 2.8  | 65        |
| 11 | Facial and vocal affect perception in people at ultraâ€high risk of psychosis, firstâ€episode schizophrenia and healthy controls. Microbial Biotechnology, 2012, 6, 450-454.   | 1.7  | 57        |
| 12 | Cognitive impairment in first-episode mania: a systematic review of the evidence in the acute and remission phases of the illness. International Journal of Bipolar Disorders, 2015, 3, 9.                                 | 2.2  | 57        |
| 13 | The relative contribution of neurocognition and social cognition to 6-month vocational outcomes following Individual Placement and Support in first-episode psychosis. Schizophrenia Research, 2013, 150, 136-143.         | 2.0  | 52        |
| 14 | Emotion recognition as a predictor of transition to a psychotic disorder in ultra-high risk participants. Schizophrenia Research, 2014, 153, 25-31.  | 2.0  | 51        |
| 15 | Clinical Neuropsychology Within Adolescent and Young-Adult Psychiatry: Conceptualizing Theory and Practice. Applied Neuropsychology: Child, 2013, 2, 47-63.  | 1.4  | 49        |
| 16 | Emotion recognition in unaffected first-degree relatives of individuals with first-episode schizophrenia. Schizophrenia Research, 2015, 161, 322-328.  | 2.0  | 49        |
| 17 | Exploring cognitive heterogeneity in first-episode psychosis: What cluster analysis can reveal.<br>Psychiatry Research, 2015, 229, 819-827.  | 3.3  | 48        |
| 18 | Cognitive clusters in first-episode psychosis: Overlap with healthy controls and relationship to concurrent and prospective symptoms and functioning Neuropsychology, 2017, 31, 787-797.                                   | 1.3  | 47        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. Schizophrenia Research, 2019, 206, 67-74.                      | 2.0  | 46        |
| 20 | Are there sex differences associated with the effects of ecstasy/3,4-methylenedioxymethamphetamine (MDMA)?. Neuroscience and Biobehavioral Reviews, 2007, 31, 327-347.  | 6.1  | 45        |
| 21 | Testing a Model of the Relationship Between Childhood Sexual Abuse and Psychosis in a First-Episode Psychosis Group. Journal of Nervous and Mental Disease, 2013, 201, 941-947.   | 1.0  | 45        |
| 22 | Psychosocial Intervention With or Without Antipsychotic Medication for First-Episode Psychosis: A Randomized Noninferiority Clinical Trial. Schizophrenia Bulletin Open, 2020, 1, .   | 1.7  | 45        |
| 23 | A randomized controlled trial of vocational intervention for young people with firstâ€episode psychosis: method. Microbial Biotechnology, 2013, 7, 329-337.   | 1.7  | 44        |
| 24 | Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. Neuropsychopharmacology, 2021, 46, 1494-1501. | 5.4  | 44        |
| 25 | Social cognition training as an intervention for improving functional outcome in firstâ€episode psychosis: a feasibility study. Microbial Biotechnology, 2013, 7, 421-426.  | 1.7  | 42        |
| 26 | Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. JAMA Psychiatry, 2021, 78, 994.   | 11.0 | 40        |
| 27 | Patterns of use and harm reduction practices of ecstasy users in Australia. Drug and Alcohol Dependence, 2006, 82, 168-176.   | 3.2  | 39        |
| 28 | Depressive psychopathology in first-episode schizophrenia spectrum disorders: a systematic review, meta-analysis and meta-regression. Psychological Medicine, 2019, 49, 2463-2474.  | 4.5  | 39        |
| 29 | Predictors of vocational recovery among young people with first-episode psychosis: Findings from a randomized controlled trial Psychiatric Rehabilitation Journal, 2012, 35, 421-427.   | 1.1  | 38        |
| 30 | The Credibility and Acceptability of Befriending as a Control Therapy in a Randomized Controlled Trial of Cognitive Behaviour Therapy for Acute First Episode Psychosis. Behavioural and Cognitive Psychotherapy, 2006, 34, 277-291.            | 1.2  | 37        |
| 31 | Adjunctive Taurine in First-Episode Psychosis. Journal of Clinical Psychiatry, 2016, 77, e1610-e1617.   | 2.2  | 37        |
| 32 | Patient predictors of symptom and functional outcome following cognitive behaviour therapy or befriending in first-episode psychosis. Schizophrenia Research, 2011, 132, 125-130.   | 2.0  | 36        |
| 33 | Cognitive intervention in early psychosis $\hat{a}\in$ " preserving abilities versus remediating deficits. Current Opinion in Behavioral Sciences, 2015, 4, 63-72.  | 3.9  | 35        |
| 34 | Attrition Bias in Longitudinal Research Involving Adolescent Psychiatric Outpatients. Journal of Nervous and Mental Disease, 2006, 194, 958-961.  | 1.0  | 33        |
| 35 | Compensatory Interventions for Cognitive Impairments in Psychosis: A Systematic Review and Meta-Analysis. Schizophrenia Bulletin, 2020, 46, 869-883.  | 4.3  | 33        |
| 36 | Neurocognitive and Social Cognitive Approaches for Improving Functional Outcome in Early Psychosis: Theoretical Considerations and Current State of Evidence. Schizophrenia Research and Treatment, 2012, 2012, 1-15.                           | 1.5  | 32        |

3

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Essential ingredients of engagement when working alongside people after their first episode of psychosis: A qualitative metaâ€synthesis. Microbial Biotechnology, 2018, 12, 784-795.  | 1.7  | 31        |
| 38 | Examining the association between social cognition and functioning in individuals at ultra-high risk for psychosis. Australian and New Zealand Journal of Psychiatry, 2017, 51, 83-92.  | 2.3  | 29        |
| 39 | Individual placement and support, supported education in young people with mental illness: an exploratory feasibility study. Microbial Biotechnology, 2017, 11, 526-531.  | 1.7  | 27        |
| 40 | Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. Psychological Medicine, 2018, 48, 1592-1607.  | 4.5  | 27        |
| 41 | Longitudinal Cognitive Performance in Individuals at Ultrahigh Risk for Psychosis: A 10-year Follow-up. Schizophrenia Bulletin, 2019, 45, 1101-1111.  | 4.3  | 27        |
| 42 | Cognitive strengths-based assessment and intervention in first-episode psychosis: A complementary approach to addressing functional recovery?. Clinical Psychology Review, 2020, 79, 101871.  | 11.4 | 26        |
| 43 | A single-blind, randomised controlled trial on the effects of lithium and quetiapine monotherapy on the trajectory of cognitive functioning in first episode mania: A 12-month follow-up study. European Psychiatry, 2016, 31, 20-28.   | 0.2  | 25        |
| 44 | Referrers' Perceived Utility and Outcomes of Clinical Neuropsychological Assessment in an Adolescent and Young Adult Public Mental Health Service. Australian Psychologist, 2011, 46, 15-24.  | 1.6  | 24        |
| 45 | The impact of neuropsychological functioning and coping style on perceived stress in individuals with first-episode psychosis and healthy controls. Psychiatry Research, 2015, 226, 128-135.  | 3.3  | 24        |
| 46 | Social inclusion and its interrelationships with social cognition and social functioning in firstâ€episode psychosis. Microbial Biotechnology, 2019, 13, 477-487.   | 1.7  | 24        |
| 47 | Testing a neurophenomenological model of basic self disturbance inÂearly psychosis. World Psychiatry, 2019, 18, 104-105.  | 10.4 | 23        |
| 48 | The Vitamins in Psychosis Study: A Randomized, Double-Blind, Placebo-Controlled Trial of the Effects of Vitamins B12, B6, and Folic Acid on Symptoms and Neurocognition in First-Episode Psychosis. Biological Psychiatry, 2019, 86, 35-44.   | 1.3  | 23        |
| 49 | Relationship between membrane fatty acids and cognitive symptoms and information processing in individuals at ultra-high risk for psychosis. Schizophrenia Research, 2014, 158, 39-44.  | 2.0  | 22        |
| 50 | Neurocognitive and social cognitive predictors of cannabis use in first-episode psychosis. Schizophrenia Research, 2015, 168, 231-237.  | 2.0  | 20        |
| 51 | Cognitive functioning following discontinuation of antipsychotic medication. A naturalistic sub-group analysis from the OPUS II trial. Psychological Medicine, 2019, 49, 1138-1147.   | 4.5  | 20        |
| 52 | Subjective experiences of neurocognitive functioning in young people with major depression. BMC Psychiatry, 2019, 19, 209.  | 2.6  | 20        |
| 53 | Can antipsychotic dose reduction lead to better functional recovery in firstâ€episode psychosis? A randomized controlledâ€trial of antipsychotic dose reduction. The reduce trial: Study protocol. Microbial Biotechnology, 2019, 13, 1345-1356.  | 1.7  | 19        |
| 54 | Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for firstâ€episode psychosis with lowâ€risk of selfâ€harm or aggression. Study protocol and baseline characteristics of participants. Microbial Biotechnology, 2019, 13, 953-960. | 1.7  | 19        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 55 | The psychometric validity of the Center for Epidemiological Studies – Depression Scale (CES-D) in first episode schizophrenia spectrum. Psychiatry Research, 2017, 252, 16-22.  | 3.3 | 18        |
| 56 | Managing disclosure following recentâ€onset psychosis: utilizing the <scp>I</scp> ndividual <scp>P</scp> lacement and <scp>S</scp> upport model. Microbial Biotechnology, 2013, 7, 338-344.   | 1.7 | 17        |
| 57 | The effect of comorbid depression on facial and prosody emotion recognition in first-episode schizophrenia spectrum. Journal of Affective Disorders, 2017, 208, 223-229.  | 4.1 | 17        |
| 58 | An examination of sex differences in neurocognition and social cognition in first-episode psychosis. Psychiatry Research, 2018, 259, 36-43.   | 3.3 | 17        |
| 59 | Engagement at entry to an early intervention service for first episode psychosis: an exploratory study of young people and caregivers. Psychosis, 2018, 10, 175-186.  | 0.8 | 16        |
| 60 | Frontostriatothalamic effective connectivity and dopaminergic function in the psychosis continuum. Brain, 2023, 146, 372-386.   | 7.6 | 15        |
| 61 | The Provision of Neuropsychological Services in Rural/Regional Settings: Professional and Ethical Issues. Applied Neuropsychology, 2009, 16, 193-206.   | 1.5 | 14        |
| 62 | Feasibility and acceptability of cognitive adaptation training for firstâ€episode psychosis. Microbial Biotechnology, 2016, 10, 476-484.  | 1.7 | 14        |
| 63 | Contribution of neurocognition to 18â€month employment outcomes in firstâ€episode psychosis.<br>Microbial Biotechnology, 2019, 13, 453-460.   | 1.7 | 14        |
| 64 | Relationship between amygdala volume and emotion recognition in adolescents at ultra-high risk for psychosis. Psychiatry Research - Neuroimaging, 2014, 224, 159-167.   | 1.8 | 13        |
| 65 | The trajectory of cognitive functioning following first episode mania: A 12-month follow-up study.<br>Australian and New Zealand Journal of Psychiatry, 2016, 50, 1186-1197.  | 2.3 | 13        |
| 66 | Improving vocational outcomes in first-episode psychosis by addressing cognitive impairments using Cognitive Adaptation Training. Work, 2017, 56, 581-589.  | 1.1 | 13        |
| 67 | Utilising Individual Placement and Support to address unemployment and low education rates among individuals with psychotic disorders. Australian and New Zealand Journal of Psychiatry, 2013, 47, 521-523.                                     | 2.3 | 11        |
| 68 | A Comparison of Vocational Engagement Among Young People with Psychosis, Depression and Borderline Personality Pathology. Community Mental Health Journal, 2018, 54, 831-841.   | 2.0 | 11        |
| 69 | Distinguishing schizophrenia spectrum from non-spectrum disorders among young patients with first episode psychosis and at high clinical risk: The role of basic self-disturbance and neurocognition. Schizophrenia Research, 2021, 228, 19-28. | 2.0 | 11        |
| 70 | Relationship between vocational status and perceived stress and daily hassles in first-episode psychosis: an exploratory study. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1045-1052.  | 3.1 | 10        |
| 71 | Affect recognition and functioning in putatively prodromal individuals. Schizophrenia Research, 2013, 147, 404-405.   | 2.0 | 10        |
| 72 | Community Rehabilitation and Psychosocial Interventions for Psychotic Disorders in Youth. Child and Adolescent Psychiatric Clinics of North America, 2013, 22, 745-758.   | 1.9 | 10        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Relationship between duration of untreated psychosis and neurocognition and social cognition in first-episode psychosis. Schizophrenia Research, 2016, 176, 529-532.  | 2.0 | 10        |
| 74 | Co-morbid depressive disorder is associated with better neurocognitive performance in first episode schizophrenia spectrum. Journal of Affective Disorders, 2018, 229, 498-505.                                       | 4.1 | 10        |
| 75 | Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. Psychiatry Research, 2018, 260, 60-66.  | 3.3 | 10        |
| 76 | An fMRI study of theory of mind in individuals with first episode psychosis. Psychiatry Research - Neuroimaging, 2018, 281, 1-11.   | 1.8 | 10        |
| 77 | Exploring the use of the Hinting Task in first-episode psychosis. Cognitive Neuropsychiatry, 2019, 24, 65-79.   | 1.3 | 10        |
| 78 | Omegaâ€3 fatty acids and neurocognitive ability in young people at ultraâ€high risk for psychosis.<br>Microbial Biotechnology, 2021, 15, 874-881.   | 1.7 | 10        |
| 79 | Subjective cognitive functioning in relation to changes in levels of depression and anxiety in youth over 3 months of treatment. BJPsych Open, 2020, 6, e84.  | 0.7 | 10        |
| 80 | INdividual Vocational and Educational Support Trial (INVEST) for young people with borderline personality disorder: study protocol for a randomised controlled trial. Trials, 2020, 21, 583.                          | 1.6 | 10        |
| 81 | Nonâ€expert clinicians' detection of autistic traits among attenders of a youth mental health service.<br>Microbial Biotechnology, 2012, 6, 83-86.  | 1.7 | 9         |
| 82 | Therapy Contamination as a Measure of Therapist Treatment Adherence in a Trial of Cognitive Behaviour Therapy versus Befriending for Psychosis. Behavioural and Cognitive Psychotherapy, 2015, 43, 314-327.           | 1.2 | 9         |
| 83 | The relationship between cognition, job complexity, and employment duration in first-episode psychosis Psychiatric Rehabilitation Journal, 2015, 38, 210-217.   | 1.1 | 8         |
| 84 | Reasons for referral and findings of clinical neuropsychological assessment in youth with mental illness: A clinical file audit. Applied Neuropsychology: Child, 2018, 7, 164-174.                                    | 1.4 | 8         |
| 85 | Cognitive screening: A significant unmet need in youth mental health. Australian and New Zealand<br>Journal of Psychiatry, 2019, 53, 813-813.   | 2.3 | 8         |
| 86 | Subjective experiences of cognitive functioning in early psychosis: a qualitative study. Psychosis, 2019, 11, 63-74.  | 0.8 | 8         |
| 87 | Harmonised collection of data in youth mental health: Towards large datasets. Australian and New Zealand Journal of Psychiatry, 2020, 54, 46-56.  | 2.3 | 8         |
| 88 | Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. Schizophrenia Research, 2020, 218, 48-54. | 2.0 | 8         |
| 89 | Digital technology for addressing cognitive impairment in recent-onset psychosis: A perspective. Schizophrenia Research: Cognition, 2022, 28, 100247.   | 1.3 | 8         |
| 90 | Improving Functional Outcome Using Compensatory Strategies in Comorbid Intellectual Disability and Psychosis: A Case Study. American Journal of Psychiatric Rehabilitation, 2013, 16, 50-65.                          | 0.7 | 7         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Neuropsychology and Youth Mental Health in Victoria: The Results of a Clinical Service Audit. Australian Psychologist, 2017, 52, 453-460.   | 1.6 | 7         |
| 92  | Factors associated with vocational disengagement among young people entering mental health treatment. Microbial Biotechnology, 2019, 13, 961-968.   | 1.7 | 7         |
| 93  | The missing voice of engagement: an exploratory study from the perspectives of case-managers at an early intervention service for first-episode psychosis. BMC Psychiatry, 2019, 19, 312.         | 2.6 | 7         |
| 94  | Subjective ratings of neurocognitive functioning in depressed young people undergoing treatment: utility of a brief screening tool. Microbial Biotechnology, 2016, 10, 252-257.                   | 1.7 | 6         |
| 95  | Need for clinical neuropsychological assessment in headspace youth mental health services: A national survey of providers. Australian Journal of Psychology, 2019, 71, 108-116.                   | 2.8 | 6         |
| 96  | Treatments for objective and subjective cognitive functioning in young people with depression: Systematic review of current evidence. Microbial Biotechnology, 2022, 16, 1057-1074.               | 1.7 | 6         |
| 97  | Diagnosis and the staging model of psychosis. , 0, , 17-28.   |     | 5         |
| 98  | Vocational engagement among young people entering mental health treatment compared with their general population peers. Microbial Biotechnology, 2019, 13, 692-696.                               | 1.7 | 5         |
| 99  | Thematic analysis of youth mental health providers' perceptions of neuropsychological assessment services. Microbial Biotechnology, 2020, 14, 220-227.  | 1.7 | 5         |
| 100 | Acceptability, safety and perceived impact of providing a fact sheet to young people about cognitive symptoms in depression. Microbial Biotechnology, 2021, 15, 328-334.                          | 1.7 | 5         |
| 101 | The psychometric validity of the Montgomery–Åsberg Depression Rating Scale (MADRS) in recent onset schizophrenia spectrum disorders. Schizophrenia Research, 2021, 228, 373-381.                  | 2.0 | 5         |
| 102 | Cognitive ability and metabolic physical health in first-episode psychosis. Schizophrenia Research: Cognition, 2021, 24, 100194.  | 1.3 | 5         |
| 103 | Cognitive remediation to address impairment in schizophrenia: Moving beyond effectiveness and toward implementation. Psychiatry Research, 2021, 305, 114232.                                      | 3.3 | 5         |
| 104 | Neuroendocrine and subjective responses to pharmacological challenge with citalopram: a controlled study in male and female ecstasy/MDMA users. Journal of Psychopharmacology, 2009, 23, 759-774. | 4.0 | 4         |
| 105 | BOLSTERING WORK: POTENTIAL BENEFITS OF COGNITIVE AND SOCIAL COGNITIVE INTERVENTIONS TO EMPLOYMENT INTERVENTIONS FOR PEOPLE WITH EARLY PSYCHOSIS. Schizophrenia Research, 2012, 136, S38.          | 2.0 | 4         |
| 106 | Disengagement Processes Within an Early Intervention Service for First-Episode Psychosis: A Longitudinal, Qualitative, Multi-Perspective Study. Frontiers in Psychiatry, 2020, 11, 565.           | 2.6 | 4         |
| 107 | The complexities of understanding cognitive trajectory in bipolar disorder. Bipolar Disorders, 2020, 22, 534-535.   | 1.9 | 4         |
| 108 | Perceived need for neuropsychological assessment according to geographic location: A survey of Australian youth mental health clinicians. Applied Neuropsychology: Child, 2021, 10, 123-132.      | 1.4 | 4         |

| #   | Article   | IF           | CITATIONS |
|-----|---|--------------|-----------|
| 109 | Cognitive Strengths in First-Episode Psychosis: Perspectives of Cognition Experts. Journal of Psychosocial Rehabilitation and Mental Health, 2022, 9, 177-188.  | 0.8          | 4         |
| 110 | Prevalence of Autism Spectrum Conditions in a Youth Mental Health Service. Australian and New Zealand Journal of Psychiatry, 2011, 45, 426-426.   | 2.3          | 3         |
| 111 | Cognitive functioning following stabilisation from first episode mania. International Journal of Bipolar Disorders, 2017, 5, 39.  | 2.2          | 3         |
| 112 | Staging of Cognition in Psychiatric Illness. , 2019, , 140-171.   |              | 3         |
| 113 | Cognitive risk factors for psychosis. , 2020, , 269-287.  |              | 3         |
| 114 | Cognitive strengths in first-episode psychosis: perspectives from young people with lived experience. Psychosis, 2023, 15, 240-251.   | 0.8          | 3         |
| 115 | Cognitive strengths in first episode psychosis: a thematic analysis of clinicians' perspectives. BMC Psychiatry, 2021, 21, 612.   | 2.6          | 3         |
| 116 | Pattern of Lifetime Axis I Morbidity among a Treated Sample of First-Episode Psychosis Patients. Psychopathology, 2008, 41, 90-95.  | 1.5          | 2         |
| 117 | Brief, Performance-Based Cognitive Screening in Youth Aged 12–25: A Systematic Review. Journal of the International Neuropsychological Society, 2021, 27, 835-854.  | 1.8          | 2         |
| 118 | The contribution of employment duration to 18-month neurocognitive outcomes in first-episode psychosis Psychiatric Rehabilitation Journal, 2018, 41, 319-327.   | 1.1          | 2         |
| 119 | Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class<br>Analysis. Schizophrenia Bulletin Open, 2022, 3, .  | 1.7          | 2         |
| 120 | The Neuropsychological Symptoms Selfâ€Report: psychometric properties in an adolescent and young adult mental health cohort. Child and Adolescent Mental Health, 2021, , .  | 3 <b>.</b> 5 | 1         |
| 121 | The specific phenotype of depression in recent onset schizophrenia spectrum disorders: A symptom profile and network comparison to recent onset major depressive disorder without psychotic features. Schizophrenia Research, 2022, 240, 52-60. | 2.0          | 1         |
| 122 | Rationale for and overview of the second edition of <i>The Recognition and Management of Early Psychosis</i> ., 0,, 3-16.   |              | 0         |