

Kelly A Allott

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2701308/publications.pdf>

Version: 2024-02-01

122
papers

3,357
citations

136950

32
h-index

182427

51
g-index

128
all docs

128
docs citations

128
times ranked

4189
citing authors

#	ARTICLE	IF	CITATIONS
1	Frontostriatothalamic effective connectivity and dopaminergic function in the psychosis continuum. <i>Brain</i> , 2023, 146, 372-386.	7.6	15
2	Cognitive strengths in first-episode psychosis: perspectives from young people with lived experience. <i>Psychosis</i> , 2023, 15, 240-251.	0.8	3
3	Cognitive Strengths in First-Episode Psychosis: Perspectives of Cognition Experts. <i>Journal of Psychosocial Rehabilitation and Mental Health</i> , 2022, 9, 177-188.	0.8	4
4	Treatments for objective and subjective cognitive functioning in young people with depression: Systematic review of current evidence. <i>Microbial Biotechnology</i> , 2022, 16, 1057-1074.	1.7	6
5	The specific phenotype of depression in recent onset schizophrenia spectrum disorders: A symptom profile and network comparison to recent onset major depressive disorder without psychotic features. <i>Schizophrenia Research</i> , 2022, 240, 52-60.	2.0	1
6	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	1.7	2
7	Digital technology for addressing cognitive impairment in recent-onset psychosis: A perspective. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100247.	1.3	8
8	Omega-3 fatty acids and neurocognitive ability in young people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 874-881.	1.7	10
9	Acceptability, safety and perceived impact of providing a fact sheet to young people about cognitive symptoms in depression. <i>Microbial Biotechnology</i> , 2021, 15, 328-334.	1.7	5
10	Perceived need for neuropsychological assessment according to geographic location: A survey of Australian youth mental health clinicians. <i>Applied Neuropsychology: Child</i> , 2021, 10, 123-132.	1.4	4
11	Brief, Performance-Based Cognitive Screening in Youth Aged 12-25: A Systematic Review. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 835-854.	1.8	2
12	Distinguishing schizophrenia spectrum from non-spectrum disorders among young patients with first episode psychosis and at high clinical risk: The role of basic self-disturbance and neurocognition. <i>Schizophrenia Research</i> , 2021, 228, 19-28.	2.0	11
13	The psychometric validity of the Montgomery-Åsberg Depression Rating Scale (MADRS) in recent onset schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2021, 228, 373-381.	2.0	5
14	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. <i>Neuropsychopharmacology</i> , 2021, 46, 1494-1501.	5.4	44
15	The Neuropsychological Symptoms Self-Report: psychometric properties in an adolescent and young adult mental health cohort. <i>Child and Adolescent Mental Health</i> , 2021, , .	3.5	1
16	Cognitive ability and metabolic physical health in first-episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 24, 100194.	1.3	5
17	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. <i>JAMA Psychiatry</i> , 2021, 78, 994.	11.0	40
18	Cognitive remediation to address impairment in schizophrenia: Moving beyond effectiveness and toward implementation. <i>Psychiatry Research</i> , 2021, 305, 114232.	3.3	5

#	ARTICLE	IF	CITATIONS
19	Cognitive strengths in first episode psychosis: a thematic analysis of clinicians'™ perspectives. BMC Psychiatry, 2021, 21, 612.	2.6	3
20	Harmonised collection of data in youth mental health: Towards large datasets. Australian and New Zealand Journal of Psychiatry, 2020, 54, 46-56.	2.3	8
21	Thematic analysis of youth mental health providers' perceptions of neuropsychological assessment services. Microbial Biotechnology, 2020, 14, 220-227.	1.7	5
22	Subjective cognitive functioning in relation to changes in levels of depression and anxiety in youth over 3 months of treatment. BJPsych Open, 2020, 6, e84.	0.7	10
23	Cognitive strengths-based assessment and intervention in first-episode psychosis: A complementary approach to addressing functional recovery?. Clinical Psychology Review, 2020, 79, 101871.	11.4	26
24	Disengagement Processes Within an Early Intervention Service for First-Episode Psychosis: A Longitudinal, Qualitative, Multi-Perspective Study. Frontiers in Psychiatry, 2020, 11, 565.	2.6	4
25	Psychosocial Intervention With or Without Antipsychotic Medication for First-Episode Psychosis: A Randomized Noninferiority Clinical Trial. Schizophrenia Bulletin Open, 2020, 1, .	1.7	45
26	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. Schizophrenia Research, 2020, 218, 48-54.	2.0	8
27	Individual Vocational and Educational Support Trial (INVEST) for young people with borderline personality disorder: study protocol for a randomised controlled trial. Trials, 2020, 21, 583.	1.6	10
28	Cognitive risk factors for psychosis. , 2020, , 269-287.		3
29	Compensatory Interventions for Cognitive Impairments in Psychosis: A Systematic Review and Meta-Analysis. Schizophrenia Bulletin, 2020, 46, 869-883.	4.3	33
30	The complexities of understanding cognitive trajectory in bipolar disorder. Bipolar Disorders, 2020, 22, 534-535.	1.9	4
31	Cognitive functioning following discontinuation of antipsychotic medication. A naturalistic sub-group analysis from the OPUS II trial. Psychological Medicine, 2019, 49, 1138-1147.	4.5	20
32	Factors associated with vocational disengagement among young people entering mental health treatment. Microbial Biotechnology, 2019, 13, 961-968.	1.7	7
33	Staging of Cognition in Psychiatric Illness. , 2019, , 140-171.		3
34	Subjective experiences of neurocognitive functioning in young people with major depression. BMC Psychiatry, 2019, 19, 209.	2.6	20
35	The efficacy and safety of nutrient supplements in the treatment of mental disorders: a meta-review of meta-analyses of randomized-controlled trials. World Psychiatry, 2019, 18, 308-324.	10.4	139
36	Depressive psychopathology in first-episode schizophrenia spectrum disorders: a systematic review, meta-analysis and meta-regression. Psychological Medicine, 2019, 49, 2463-2474.	4.5	39

#	ARTICLE	IF	CITATIONS
37	Exploring the use of the Hinting Task in first-episode psychosis. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 65-79.	1.3	10
38	Cognitive screening: A significant unmet need in youth mental health. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 813-813.	2.3	8
39	Subjective experiences of cognitive functioning in early psychosis: a qualitative study. <i>Psychosis</i> , 2019, 11, 63-74.	0.8	8
40	The missing voice of engagement: an exploratory study from the perspectives of case-managers at an early intervention service for first-episode psychosis. <i>BMC Psychiatry</i> , 2019, 19, 312.	2.6	7
41	Vocational engagement among young people entering mental health treatment compared with their general population peers. <i>Microbial Biotechnology</i> , 2019, 13, 692-696.	1.7	5
42	Need for clinical neuropsychological assessment in headspace youth mental health services: A national survey of providers. <i>Australian Journal of Psychology</i> , 2019, 71, 108-116.	2.8	6
43	Testing a neurophenomenological model of basic self disturbance in early psychosis. <i>World Psychiatry</i> , 2019, 18, 104-105.	10.4	23
44	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019, 206, 67-74.	2.0	46
45	The Vitamins in Psychosis Study: A Randomized, Double-Blind, Placebo-Controlled Trial of the Effects of Vitamins B12, B6, and Folic Acid on Symptoms and Neurocognition in First-Episode Psychosis. <i>Biological Psychiatry</i> , 2019, 86, 35-44.	1.3	23
46	Longitudinal Cognitive Performance in Individuals at Ultrahigh Risk for Psychosis: A 10-year Follow-up. <i>Schizophrenia Bulletin</i> , 2019, 45, 1101-1111.	4.3	27
47	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356.	1.7	19
48	Individual placement and support for vocational recovery in first-episode psychosis: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2019, 214, 76-82.	2.8	65
49	Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for first-episode psychosis with low risk of self-harm or aggression. Study protocol and baseline characteristics of participants. <i>Microbial Biotechnology</i> , 2019, 13, 953-960.	1.7	19
50	Contribution of neurocognition to 18-month employment outcomes in first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 453-460.	1.7	14
51	Social inclusion and its interrelationships with social cognition and social functioning in first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 477-487.	1.7	24
52	Neurocognitive Functioning in Depressed Young People: A Systematic Review and Meta-Analysis. <i>Neuropsychology Review</i> , 2018, 28, 216-231.	4.9	67
53	Essential ingredients of engagement when working alongside people after their first episode of psychosis: A qualitative meta-synthesis. <i>Microbial Biotechnology</i> , 2018, 12, 784-795.	1.7	31
54	A Comparison of Vocational Engagement Among Young People with Psychosis, Depression and Borderline Personality Pathology. <i>Community Mental Health Journal</i> , 2018, 54, 831-841.	2.0	11

#	ARTICLE	IF	CITATIONS
55	Co-morbid depressive disorder is associated with better neurocognitive performance in first episode schizophrenia spectrum. <i>Journal of Affective Disorders</i> , 2018, 229, 498-505.	4.1	10
56	Reasons for referral and findings of clinical neuropsychological assessment in youth with mental illness: A clinical file audit. <i>Applied Neuropsychology: Child</i> , 2018, 7, 164-174.	1.4	8
57	An examination of sex differences in neurocognition and social cognition in first-episode psychosis. <i>Psychiatry Research</i> , 2018, 259, 36-43.	3.3	17
58	Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2018, 48, 1592-1607.	4.5	27
59	Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. <i>Psychiatry Research</i> , 2018, 260, 60-66.	3.3	10
60	Engagement at entry to an early intervention service for first episode psychosis: an exploratory study of young people and caregivers. <i>Psychosis</i> , 2018, 10, 175-186.	0.8	16
61	An fMRI study of theory of mind in individuals with first episode psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2018, 281, 1-11.	1.8	10
62	The contribution of employment duration to 18-month neurocognitive outcomes in first-episode psychosis.. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 319-327.	1.1	2
63	Examining the association between social cognition and functioning in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 83-92.	2.3	29
64	Individual placement and support, supported education in young people with mental illness: an exploratory feasibility study. <i>Microbial Biotechnology</i> , 2017, 11, 526-531.	1.7	27
65	Neuroprotection after a first episode of mania: a randomized controlled maintenance trial comparing the effects of lithium and quetiapine on grey and white matter volume. <i>Translational Psychiatry</i> , 2017, 7, e1011-e1011.	4.8	75
66	The psychometric validity of the Center for Epidemiological Studies â€œ Depression Scale (CES-D) in first episode schizophrenia spectrum. <i>Psychiatry Research</i> , 2017, 252, 16-22.	3.3	18
67	Improving vocational outcomes in first-episode psychosis by addressing cognitive impairments using Cognitive Adaptation Training. <i>Work</i> , 2017, 56, 581-589.	1.1	13
68	Neuropsychology and Youth Mental Health in Victoria: The Results of a Clinical Service Audit. <i>Australian Psychologist</i> , 2017, 52, 453-460.	1.6	7
69	The effect of comorbid depression on facial and prosody emotion recognition in first-episode schizophrenia spectrum. <i>Journal of Affective Disorders</i> , 2017, 208, 223-229.	4.1	17
70	Cognitive functioning following stabilisation from first episode mania. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 39.	2.2	3
71	Cognitive clusters in first-episode psychosis: Overlap with healthy controls and relationship to concurrent and prospective symptoms and functioning.. <i>Neuropsychology</i> , 2017, 31, 787-797.	1.3	47
72	Feasibility and acceptability of cognitive adaptation training for firstâ€¦episode psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 476-484.	1.7	14

#	ARTICLE	IF	CITATIONS
73	Subjective ratings of neurocognitive functioning in depressed young people undergoing treatment: utility of a brief screening tool. <i>Microbial Biotechnology</i> , 2016, 10, 252-257.	1.7	6
74	Characterizing neurocognitive impairment in young people with major depression: state, trait, or scar?. <i>Brain and Behavior</i> , 2016, 6, e00527.	2.2	65
75	Relationship between duration of untreated psychosis and neurocognition and social cognition in first-episode psychosis. <i>Schizophrenia Research</i> , 2016, 176, 529-532.	2.0	10
76	A single-blind, randomised controlled trial on the effects of lithium and quetiapine monotherapy on the trajectory of cognitive functioning in first episode mania: A 12-month follow-up study. <i>European Psychiatry</i> , 2016, 31, 20-28.	0.2	25
77	The trajectory of cognitive functioning following first episode mania: A 12-month follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1186-1197.	2.3	13
78	Adjunctive Taurine in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1610-e1617.	2.2	37
79	The relationship between cognition, job complexity, and employment duration in first-episode psychosis.. <i>Psychiatric Rehabilitation Journal</i> , 2015, 38, 210-217.	1.1	8
80	Therapy Contamination as a Measure of Therapist Treatment Adherence in a Trial of Cognitive Behaviour Therapy versus Befriending for Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 314-327.	1.2	9
81	Emotion recognition in unaffected first-degree relatives of individuals with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2015, 161, 322-328.	2.0	49
82	The impact of neuropsychological functioning and coping style on perceived stress in individuals with first-episode psychosis and healthy controls. <i>Psychiatry Research</i> , 2015, 226, 128-135.	3.3	24
83	Cognitive impairment in first-episode mania: a systematic review of the evidence in the acute and remission phases of the illness. <i>International Journal of Bipolar Disorders</i> , 2015, 3, 9.	2.2	57
84	Exploring cognitive heterogeneity in first-episode psychosis: What cluster analysis can reveal. <i>Psychiatry Research</i> , 2015, 229, 819-827.	3.3	48
85	Cognitive intervention in early psychosis "preserving abilities versus remediating deficits. <i>Current Opinion in Behavioral Sciences</i> , 2015, 4, 63-72.	3.9	35
86	Neurocognitive and social cognitive predictors of cannabis use in first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 168, 231-237.	2.0	20
87	Relationship between amygdala volume and emotion recognition in adolescents at ultra-high risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2014, 224, 159-167.	1.8	13
88	Emotion recognition as a predictor of transition to a psychotic disorder in ultra-high risk participants. <i>Schizophrenia Research</i> , 2014, 153, 25-31.	2.0	51
89	Biomarkers and clinical staging in psychiatry. <i>World Psychiatry</i> , 2014, 13, 211-223.	10.4	243
90	Relationship between membrane fatty acids and cognitive symptoms and information processing in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 158, 39-44.	2.0	22

#	ARTICLE	IF	CITATIONS
91	Relationship between vocational status and perceived stress and daily hassles in first-episode psychosis: an exploratory study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1045-1052.	3.1	10
92	Affect recognition and functioning in putatively prodromal individuals. <i>Schizophrenia Research</i> , 2013, 147, 404-405.	2.0	10
93	Community Rehabilitation and Psychosocial Interventions for Psychotic Disorders in Youth. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2013, 22, 745-758.	1.9	10
94	The relative contribution of neurocognition and social cognition to 6-month vocational outcomes following Individual Placement and Support in first-episode psychosis. <i>Schizophrenia Research</i> , 2013, 150, 136-143.	2.0	52
95	Social cognition training as an intervention for improving functional outcome in first-episode psychosis: a feasibility study. <i>Microbial Biotechnology</i> , 2013, 7, 421-426.	1.7	42
96	Improving Functional Outcome Using Compensatory Strategies in Comorbid Intellectual Disability and Psychosis: A Case Study. <i>American Journal of Psychiatric Rehabilitation</i> , 2013, 16, 50-65.	0.7	7
97	Testing a Model of the Relationship Between Childhood Sexual Abuse and Psychosis in a First-Episode Psychosis Group. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 941-947.	1.0	45
98	Utilising Individual Placement and Support to address unemployment and low education rates among individuals with psychotic disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 521-523.	2.3	11
99	A randomized controlled trial of vocational intervention for young people with first-episode psychosis: method. <i>Microbial Biotechnology</i> , 2013, 7, 329-337.	1.7	44
100	Managing disclosure following recent-onset psychosis: utilizing the individual placement and support model. <i>Microbial Biotechnology</i> , 2013, 7, 338-344.	1.7	17
101	Clinical Neuropsychology Within Adolescent and Young-Adult Psychiatry: Conceptualizing Theory and Practice. <i>Applied Neuropsychology: Child</i> , 2013, 2, 47-63.	1.4	49
102	Neurocognitive and Social Cognitive Approaches for Improving Functional Outcome in Early Psychosis: Theoretical Considerations and Current State of Evidence. <i>Schizophrenia Research and Treatment</i> , 2012, 2012, 1-15.	1.5	32
103	BOLSTERING WORK: POTENTIAL BENEFITS OF COGNITIVE AND SOCIAL COGNITIVE INTERVENTIONS TO EMPLOYMENT INTERVENTIONS FOR PEOPLE WITH EARLY PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S38.	2.0	4
104	Social cognition in clinical 'at risk' for psychosis and first episode psychosis populations. <i>Schizophrenia Research</i> , 2012, 141, 204-209.	2.0	96
105	Predictors of vocational recovery among young people with first-episode psychosis: Findings from a randomized controlled trial.. <i>Psychiatric Rehabilitation Journal</i> , 2012, 35, 421-427.	1.1	38
106	Non-expert clinicians' detection of autistic traits among attenders of a youth mental health service. <i>Microbial Biotechnology</i> , 2012, 6, 83-86.	1.7	9
107	Facial and vocal affect perception in people at ultra-high risk of psychosis, first-episode schizophrenia and healthy controls. <i>Microbial Biotechnology</i> , 2012, 6, 450-454.	1.7	57
108	Cognition at illness onset as a predictor of later functional outcome in early psychosis: Systematic review and methodological critique. <i>Schizophrenia Research</i> , 2011, 125, 221-235.	2.0	159

#	ARTICLE	IF	CITATIONS
109	Patient predictors of symptom and functional outcome following cognitive behaviour therapy or befriending in first-episode psychosis. <i>Schizophrenia Research</i> , 2011, 132, 125-130.	2.0	36
110	Referrers' Perceived Utility and Outcomes of Clinical Neuropsychological Assessment in an Adolescent and Young Adult Public Mental Health Service. <i>Australian Psychologist</i> , 2011, 46, 15-24.	1.6	24
111	Prevalence of Autism Spectrum Conditions in a Youth Mental Health Service. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 426-426.	2.3	3
112	The Provision of Neuropsychological Services in Rural/Regional Settings: Professional and Ethical Issues. <i>Applied Neuropsychology</i> , 2009, 16, 193-206.	1.5	14
113	Neuroendocrine and subjective responses to pharmacological challenge with citalopram: a controlled study in male and female ecstasy/MDMA users. <i>Journal of Psychopharmacology</i> , 2009, 23, 759-774.	4.0	4
114	Pattern of Lifetime Axis I Morbidity among a Treated Sample of First-Episode Psychosis Patients. <i>Psychopathology</i> , 2008, 41, 90-95.	1.5	2
115	Acute-phase and 1-year follow-up results of a randomized controlled trial of CBT <i>versus</i> Befriending for first-episode psychosis: the ACE project. <i>Psychological Medicine</i> , 2008, 38, 725-735.	4.5	120
116	Are there sex differences associated with the effects of ecstasy/3,4-methylenedioxymethamphetamine (MDMA)?. <i>Neuroscience and Biobehavioral Reviews</i> , 2007, 31, 327-347.	6.1	45
117	Patterns of use and harm reduction practices of ecstasy users in Australia. <i>Drug and Alcohol Dependence</i> , 2006, 82, 168-176.	3.2	39
118	Attrition Bias in Longitudinal Research Involving Adolescent Psychiatric Outpatients. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 958-961.	1.0	33
119	The Credibility and Acceptability of Befriending as a Control Therapy in a Randomized Controlled Trial of Cognitive Behaviour Therapy for Acute First Episode Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2006, 34, 277-291.	1.2	37
120	Two-Year Stability of Personality Disorder in Older Adolescent Outpatients. <i>Journal of Personality Disorders</i> , 2004, 18, 526-541.	1.4	232
121	Rationale for and overview of the second edition of <i>The Recognition and Management of Early Psychosis</i> . , 0 , 3-16.		0
122	Diagnosis and the staging model of psychosis. , 0 , 17-28.		5